

Index

A

- Abdominal
 - angiography, 137
 - applications, 372, 383
 - imaging, 137, 356
 - MRI protocols, 355
 - surface deformation, 371
 - wall, 359
 - Accelerated acquisition, 172
 - Accelerated Gradient Method (AGM), 65
 - Accelerated PGM (APGM), 66
 - Acceleration factor, 131–133, 135, 138, 139, 145, 147, 149, 150, 175, 359
 - Accumulating phase, 169, 330
 - Acquisition
 - calibration, 173
 - Cartesian, 131, 198, 207, 330, 338, 362, 363
 - data, 109, 118, 119, 137, 190, 196, 207–209, 226, 232, 327, 333, 338, 392, 399, 419, 420, 422, 425, 426, 433–435
 - dead times, 179
 - domain, 376
 - framework, 340
 - MR, 362
 - MRI, 159, 189, 198, 200, 205, 341
 - pattern, 430
 - QSM, 443
 - schemes, 129, 138
 - signal, 191, 192
 - stage, 355
 - time, 159
 - time short, 355
 - timing, 348
 - trajectory, 337
 - Adaptive moment estimation (ADAM), 70
 - Additive White Gaussian Noise (AWGN), 61, 64, 66
 - Advanced reconstruction
 - methods, 346
 - techniques, 132
 - Advanced signal model, 335
 - Adversarial training, 305
 - Aliased
 - image, 133, 136, 140, 145, 146, 148, 149
 - image space signal vector, 149
 - pixel, 134, 135, 140
 - pixel in coil, 134
 - pixel signal, 149
 - signal components, 175
 - Aliasing artifacts, 106, 129, 131, 132, 140, 146, 148, 151, 152, 204, 209, 401
 - Alternating direction method of multipliers (ADMM), 66, 202
 - Alternating least squares (ALS)
 - algorithms, 232
 - approaches, 230
 - formulations, 238
 - minimization, 229
 - reconstruction, 243
 - strategies, 233
 - Alternating readout gradients, 170
 - Amount
 - calibration data, 152
 - echo, 395
 - noise, 136
 - signal, 148, 344
 - Annihilation relationships, 259–262, 264
 - Arterial spin labeling (ASL), 208
 - Artifacts
 - aliasing, 106, 129, 131, 132, 140, 146, 148, 151, 152, 204, 401
 - block, 209
 - in parallel imaging, 152
 - incoherent, 199, 205, 427
 - motion, 109, 129, 160, 201, 382, 401
 - regularization, 424
 - undersampling, 423, 426–428, 434
 - Artificial Intelligence (AI), 281
 - Atrous convolution, 296
 - Augmented Lagrangian (AL), 67
 - Autocalibration data, 143
 - Autocalibration signal (ACS), 137, 238
 - data, 137–140, 173, 174
 - dataset, 149, 151, 172
 - GRAPPA, 152
 - kernels, 140
 - Azimuthal sampling, 338
- ## B
- Backtracking line search, 65
 - Banding artifacts, 383
 - Bandwidth per pixel (BWPP), 337, 338
 - Bandwidth per voxel, 403
 - Binary sampling mask, 204, 206

Blank slices, 182

Blind compressed sensing (BCS), 255–258

Blind reconstruction, 383

Block

artifacts, 209

convolutional structure, 254, 258

Block coil compression (BCC), 444

BOLD signals, 348

Brain

boundary, 454, 459

images, 338, 382

imaging, 327, 383, 445

mask, 448, 457, 460

MR image, 189, 193

parenchyma, 443

phantom, 461, 462

regions, 454

vessels, 442

Breathing motion, 372, 379, 434

Bulk motion, 372

C

Calibration

acquisition, 173

data, 113, 114, 144, 163, 165, 172, 173, 175, 179, 266

amount, 152

preparation, 165

dataset, 142, 144, 172

phases, 167

Cardiac

cine, 149, 150

cine imaging, 140, 143, 147, 376

cycle, 371, 373, 376

function, 379

image, 241

imaging, 360, 372, 379

motion, 224, 227, 241, 425, 435

motion correction, 374

motion signal, 371

perfusion, 149

phase, 224, 225, 371, 425

Cartesian

acquisition, 131, 198, 207, 330, 338, 362, 363

GRAPPA, 150

random undersampling patterns, 201

sampling, 143, 290, 374, 378

sampling scheme, 24

undersampling, 140

undersampling patterns, 199

Casorati matrix, 114, 225, 253, 254, 257

Classic regularized SENSE reconstruction, 364

Clinical

applications, 137, 143, 181, 190, 207, 210, 419, 431, 435, 455, 458, 459

cardiac MRI, 371

cardiac protocols, 383

Clinically feasible

scan times, 180, 422, 432, 443

times, 343

Cloverleaf navigators, 372

Coil

arrays, 132, 189

channels, 458

combination, 444, 445

combination technique, 359

compressibility, 238

count, 132

dimension, 138, 144, 235

elements, 135, 159, 189, 205–207

geometry, 133, 181

information, 133

maps, 135, 136, 143, 145

modeling, 238

phase offset, 445

receiver, 129–133, 152, 181, 259, 313, 336, 362, 406, 444

recombination, 131

sensitivity, 110, 131–133, 135, 137, 138, 142, 144–146, 207, 238, 259, 260, 266, 289, 309, 343, 358, 359, 363, 364, 372, 376, 420, 430, 444, 445

coefficient matrix, 146

encoding, 204, 206

encoding matrix, 134, 140, 149, 152

estimation, 137, 152

for coil, 131

information, 131, 161, 172

map, 131, 134–137, 140, 141, 143–145, 152, 206, 207

map sets, 145

matrix, 135, 149, 152

pattern, 238

profiles, 135, 149, 152

value, 134, 144, 145

variations, 110

shape, 131

weighting factors, 165

Combination

coil, 444, 445

compressed sensing, 205, 207

compressed sensing MRI, 204

echo, 446

multicoil, 207

phase, 444

slice, 177

- Compressed sensing (CS), 108, 115, 142, 154, 189–191, 195, 196, 198, 201, 204, 205, 223, 226, 232, 241, 256, 282, 376, 405
 - algorithms, 214, 249
 - applications, 270
 - approaches, 109, 114, 256
 - blind, 255
 - combination, 205, 207
 - concepts, 114
 - formulation, 258
 - framework, 190
 - methods, 115, 202, 249, 257, 262, 275
 - MRI, 189–191, 196–199, 204, 208, 209, 213
 - clinical applications, 190, 207, 210
 - combination, 204
 - demos, 213
 - reconstruction methods, 202
 - performance, 209
 - problem, 194
 - reconstruction, 141, 143, 191, 192, 194, 195, 202–204, 210, 342, 376
 - scheme, 255, 257
 - theory, 190, 191, 196, 199, 204
 - Compressible signal, 191, 193, 195
 - Compressive sampling, 189
 - Compressive sensing (CS), 256
 - Computed tomography (CT), 73, 77
 - Concomitant gradient, 406, 407
 - correction, 407
 - effects, 406
 - field, 407
 - Conjugate gradient (CG)
 - algorithm, 143
 - method, 62, 64
 - optimization, 305
 - optimizer, 291
 - Conjugate phase, 340, 343
 - Conjugate phase reconstruction, 344
 - Constraints sparsity, 105, 113, 118, 209
 - Continuous
 - domain sparsity, 262
 - signal equation, 335
 - space signal, 334
 - Contrast-to-noise ratio (CNR), 208, 209
 - Controlled Aliasing in Parallel Imaging Results in Higher Acceleration (CAIPIRINHA), 146, 161, 174, 175, 177–179, 181, 182
 - acquisitions, 161
 - encoding, 182
 - sampling, 177
 - sampling scheme, 147
 - shifts, 174, 177, 181, 182
 - Conventional
 - GRAPPA, 163, 169
 - GRAPPA technique, 165
 - motion, 380
 - reconstructions, 292, 357
 - Convolution
 - blocks, 302, 305
 - depthwise separable, 297
 - dipole, 443
 - filter, 293, 294, 302
 - kernels, 165, 294, 296
 - layer, 292, 294, 297, 299–301, 303, 311
 - maps, 312
 - matrix, 261
 - multichannel, 260, 264
 - operation, 142, 293–295
 - output, 259
 - pattern, 138
 - relations, 261
 - Convolutional
 - downsampling, 301
 - filter, 316
 - kernels, 166
 - layer, 296
 - relationship, 441
 - structure block, 254, 258
 - upsampling, 301
 - Convolutional Neural Network (CNN), 281, 381
 - Coronary MR angiography, 380
 - Correction
 - approaches, 337, 344
 - methodology, 327
 - motion, 178, 355, 359, 364, 375–377, 379, 401, 423
 - technique, 370
 - Corrupted unwrapped phase, 453
 - COSMOS reconstruction, 449
 - Cost function, 243, 283–286, 290, 310, 365, 366, 396–399, 429, 451–453
- ## D
- Data
 - acquisition, 109, 118, 119, 137, 190, 196, 207–209, 226, 232, 327, 333, 338, 392, 399, 419, 420, 422, 425, 426, 433–435
 - acquisition readout, 332
 - acquisition time, 106
 - ACS, 137–140, 173, 174
 - calibration, 113, 114, 144, 163, 165, 172, 173, 175, 179, 266
 - MR, 372, 422, 449
 - phase, 447
 - recovery, 259
 - sampling, 338
 - sampling event, 331

- sparse, 228
- temporal, 150
- undersampled, 137, 151, 172, 255, 257, 270, 273, 374, 376
- Data consistency (DC), 143, 204, 256, 426, 461
 - blocks, 313
 - layers, 304, 312
 - step, 141, 428
- Data-fidelity term, 64
- Deep brain regions, 447
- Deep Learning (DL), 209, 281, 311, 445, 455, 459
- Deepbrain, 445
- Deformable motion, 355, 375
- Denoised signals, 273
- Depthwise separable convolution, 297, 316
- Diagnostic interest, 419
- Dictionary
 - atoms, 249, 256
 - coefficients, 250
 - entry, 425, 434, 436
 - generation, 426
 - learning, 249, 255–257
 - matching, 425, 426, 435, 436
 - representation, 257
- Diffusion Tensor Imaging (DTI), 169, 172, 340
- Diffusion-weighted imaging (DWI), 76
- Digitalized MR image, 191
- Dilated convolution, 296
- Dipole
 - convolution, 443
 - kernel, 441, 447, 449, 450, 458, 461
- Dipole inversion, 449, 450, 452, 453, 455, 458–460
 - NDI, 458
 - problem, 443, 449
 - regularized, 453
 - step, 443, 445, 448, 456
 - techniques, 449, 451
- Discrete
 - convolution, 292
 - Fourier transform, 363
- Distant voxels, 231
- Distortion correction, 100
- Dynamic contrast enhanced (DCE), 379, 380
- Dynamic contrast-enhanced MRI (DCE-MRI), 208
- Dynamic Susceptibility Contrast (DSC), 180

E

- Echo
 - amount, 395
 - asymmetry, 397
 - combination, 446
 - gradient, 180, 330, 337, 393, 422
 - misalignments, 406, 407
 - phase images, 446

- samplings, 401
- shifts, 397
- summation, 447
- time, 16, 228, 330, 331, 348, 357, 391, 394, 396, 397, 399, 401, 405, 406, 420, 421, 443, 445, 446
- train, 406
- Echo planar imaging (EPI), 75, 76, 159, 330, 338, 340
 - acquisition, 330, 334, 338
 - functional MRI, 169
 - functional MRI acquisition, 336
 - images, 340
 - trajectory, 333
- Echospace, 338
- Eigenvector coil maps, 143
- Electrocardiogram (ECG), 371, 374
- Encoding
 - axis, 340, 373
 - CAIPINHA, 182
 - coil sensitivity, 204, 206
 - directions, 338
 - gradient, 178
 - kernel, 333
 - matrix, 140, 174, 196, 342
 - model, 171, 175, 426
 - MR, 290, 333
 - multislice, 159
 - operator, 191–193, 196, 204–207, 251, 304, 333, 335, 342, 362, 420, 427
 - schemes, 161
 - signal, 344
 - SMS, 160, 177
 - undersampled, 178
- ESPIRiT, 129, 133, 143–145, 152, 207, 259, 444, 458
 - algorithm, 143–145, 444
 - kernels, 144
 - reconstruction, 145
 - setting, 266
- Exponential signal, 264
 - decay, 249
 - models, 253
- Extended Phase Graph (EPG), 422, 425
- Extensive spatiotemporal correlations, 208

F

- Fast Fourier transform (FFT), 59, 74, 76, 334
- Fast Iterative/Shrinkage Thresholding Algorithm (FISTA), 66
- Fast spin-echo (FSE) sequences, 26, 159
- Fat signal, 391, 393, 396, 401, 403, 405, 409, 443
- Fat signal components, 391
- Feature maps, 272, 285, 293, 294, 302, 312, 316
- Field
 - gradients, 346
 - inhomogeneity, 110, 327, 330, 331, 333, 336–341, 396

- corrected reconstruction, 343
 - distribution, 336
 - effects, 328
 - gradients, 335, 348
 - map, 333
 - mitigation methods, 336
 - value, 333
 - map gradients, 335
 - motion, 365
 - Field of view (FOV), 30, 77, 82, 84
 - dimension, 163
 - image, 163
 - methods, 163
 - shift, 161
 - Filter kernels, 292, 294
 - Finite readout, 405
 - Fisher information matrix (FIM), 399, 401
 - Flip angle, 10–12
 - Forward
 - acquisition model, 356, 359, 361, 362, 382
 - model, 290, 292, 365, 366, 374, 383, 461
 - model QSM, 449
 - Fourier
 - reconstruction, 336
 - signal, 108
 - transformations, 381
 - Fourier Transform (FT), 137, 140, 144, 160, 163, 165, 175, 204, 206, 207, 259, 262, 263, 269, 327, 333, 335, 341, 358, 362, 373, 407, 430
 - model, 105
 - operation, 131, 143, 145, 206
 - operator, 346, 362, 363
 - property, 110
 - reconstruction, 327, 330, 338
 - shift, 169, 178, 181, 182
 - Frequency encoding, 18
 - Full width at half maximum (FWHM), 96
 - Fully connected (FC) layers, 300, 312
 - Functional brain activation, 330
 - Functional MRI (fMRI), 76, 160, 169, 172, 177, 180, 223, 336, 340, 345, 346, 348
 - applications, 329
 - protocol, 180
 - scan, 349
- ## G
- Gated acquisitions, 443
 - Gated Recurrent Unit (GRU), 302
 - GeneRALized Autocalibrating Partially Parallel Acquisition (GRAPPA), 129, 133, 137, 140, 143, 144, 150–152, 164–166, 172, 292
 - ACS, 152
 - algorithm, 137, 142, 149, 150
 - Cartesian, 150
 - conventional, 163, 169
 - framework, 163
 - implementation, 138
 - kernel, 138, 139, 142, 146, 149–151
 - operation, 142
 - operator, 143
 - reconstruction, 139, 146
 - relationships, 143
 - variants, 166
 - weights, 137–140, 142, 146, 149, 151, 152
 - Generative Adversarial Network (GAN), 284, 305, 381
 - Generic temporal sparsifying transforms, 197
 - Ghost correction, 170
 - Ghosting artifacts, 357
 - Gibbs ringing, 40
 - Golay configuration, 31
 - Gradient
 - amplitude, 338
 - blip, 177
 - coils, 30
 - delays, 406
 - encoding, 178
 - fields, 17
 - momentum, 285
 - performance, 179
 - polarity, 406
 - readout, 338, 403
 - Recalled echo, 159
 - slice, 169
 - switching, 170
 - system, 409
 - update, 287
 - waveform, 406, 409
 - Gradient descent (GD), 287, 304
 - algorithms, 285
 - method, 61
 - scheme, 291, 315, 397
 - Gradient echo (GRE), 180, 330, 337, 393, 422
 - acquisition, 174, 331, 336, 348, 349, 443, 444
 - data acquisition, 443
 - imaging, 335, 345, 346
 - sequences, 26, 421
 - Graphics processing unit (GPU), 282, 343
 - Gyromagnetic ratio, 5–8, 10, 18
- ## H
- Hadamard
 - acquisition, 174, 177
 - encoding, 160, 177, 182
 - Head
 - coils, 443
 - motion, 357, 434

Heart motion, 360
 Hessian Schatten-norm, 66
 Human brain, 430
 Human brain images, 378

I

Image
 enhancement task, 290
 formation, 17, 29
 Incoherence, 191–193, 196, 199, 201, 226, 227, 232, 423
 Incoherence level, 196
 Incoherent
 artifacts, 199, 205, 427
 data acquisition, 198
 sampling, 191, 195
 undersampling, 196, 198, 210
 undersampling artifacts, 423
 Independent, identically distributed (i.i.d.)
 Gaussian distribution, 43
 Gaussian noise, 43, 44
 Inherent
 noise amplification, 175
 regularization effect, 452
 Interest
 motion parameters, 375
 signal, 255
 Interleaved data consistency, 290
 Intershot phase errors, 177
 Interslice leakage, 183
 Intracerebral hemorrhage (ICH), 454, 459
 Intravoxel
 dephasing, 383
 signal, 330
 variations, 346
 Invariant single timing correction, 170
 Inverse
 Fourier transform, 106, 263, 341, 357, 359, 364
 problem, 61, 108, 111, 115, 360, 363, 443, 445, 449, 458
 problem approach, 342, 343
 Inversion
 pulse, 420, 422, 428, 435, 436
 recovery, 241
 recovery sequence, 435, 436
 Involuntary head motion, 356
 Isocenter, 30
 Iterative
 methods, 88
 reconstruction, 86, 93, 95, 344
 Iterative reweighted least square (IRLS)
 algorithm, 265
 approach, 272
 Iterative soft thresholding algorithm (ISTA), 202–204

J

Joint
 motion estimation, 381
 reconstruction, 205, 366, 383
 reconstruction framework, 205
 sparsity, 229

K

k -space formalism, 24
 k -space trajectories, 24, 25
 Keras, 283, 285, 286, 294, 310–313
 Kernels
 ACS, 140
 convolution, 165, 294, 296
 convolutional, 166
 ESPIRiT, 144
 SPIRiT, 144

L

Laplacian unwrapping, 445, 446, 458, 459
 operator, 461
 techniques, 445
 Larmor
 frequency, 8, 10, 11, 13, 17
 precession, 8
 Late gadolinium enhancement (LGE), 208
 Leakage correction, 180
 Least squares (LS) problem, 61
 Lifted convolution matrices, 261
 Linear
 field inhomogeneity, 348
 gradients, 330
 least-squares recovery, 229
 motion operators, 383
 phase, 170, 406, 407
 phase accumulation, 349
 sampling, 375
 sampling operator, 143
 Lipid
 protons, 403
 signal, 393
 Local low-rank (LLR)
 approaches, 232
 formulation, 231
 image reconstruction, 232
 modeling, 231
 models, 231
 property, 231
 reconstruction, 232
 tensor modeling, 243
 tensor problem, 238
 Localized coil information, 131
 Long Short Term Memory (LSTM), 302

M

- Machine Learning (ML), 108, 253, 267, 271, 272, 281, 311, 426, 434
 - definitions, 283
 - frameworks, 296
- Magnetic field, 327–331, 334–336, 341, 342, 345, 348, 349, 393, 409, 432, 433, 435, 441, 449, 458
 - correction methods, 344
 - distribution, 336
 - gradient coils, 30
 - inhomogeneity, 328–331, 344, 447
 - inhomogeneity gradients, 331, 348
 - map, 329, 336, 340, 348
 - offset, 328
 - strength, 327, 328
 - uniformity, 328
- Magnetic Resonance Fingerprinting (MRF), 409, 422
- Magnetic Resonance Imaging (MRI), 3, 4, 59, 73, 282
 - acquisition, 159, 189, 198, 200, 205, 341
 - applications, 39
 - compressed sensing, 189–191, 196–199, 204, 208, 209, 213
 - forward model, 60
 - machines, 3
 - optimization algorithms, 61
 - reconstruction, 108, 109, 114, 191, 209, 282, 284, 289, 291, 294, 304, 305, 309, 357, 380, 383
 - algorithms, 131
 - inverse problem formulation, 359
 - methods, 109
 - problem, 38
 - quality, 205
 - samples, 43
 - signal, 4, 8, 358
 - signal detection, 109
 - sparse, 189, 213
- Magnetic resonance (MR)
 - acquisition, 39, 40, 42, 362
 - acquisition data points, 436
 - acquisition process, 39, 420
 - angiography, 140, 147, 197, 208, 378, 381
 - applications, 41
 - data, 45, 372, 422, 449
 - data acquisition, 372
 - encoding, 290, 333
 - image, 3, 189, 190, 196–198, 203, 204, 208, 232, 261, 262, 290, 360, 419
 - image reconstruction, 289, 310
 - physics effects, 43
 - reconstruction, 37, 39, 41, 42, 282, 288, 305, 310, 312, 313
 - reconstruction problem, 38, 44, 46
 - scan, 159, 425, 434
 - scanner, 419
 - signal, 39, 43, 113, 131, 224, 393, 394, 420–422, 434, 452
- Magnetic susceptibility, 327, 328, 336, 338, 393, 396, 441, 453, 454, 457, 461, 462
- Magnetization
 - dynamics, 7
 - recovery, 424
- Manifold recovery, 255, 274
- Matrix recovery, 234
- Maximum A Posteriori probability (MAP) estimator, 64
- Maximum likelihood (ML) estimator, 61
- Maxwell pair, 31
- Measurement
 - incoherence, 226
 - noise, 60, 105, 108, 120
 - operator, 60
- Mild undersampling, 283
- Minimal signal energy, 108
- Minimum intensity projection (MIP), 443
- Model
 - encoding, 426
 - motion, 360, 366, 368–371, 375, 376, 382
 - signal, 140, 253, 333, 335, 343, 346, 395, 397, 399, 401, 405, 420, 422, 434, 435
 - spatial encoding, 225
 - temporal, 424
 - trained, 287
 - training, 287
- Moore–Penrose generalized inverse, 45
- Morphology-Enabled Dipole Inversion (MEDI), 451, 452, 458
 - toolbox, 446, 447
- Motion
 - artifacts, 109, 129, 160, 201, 382, 401
 - cardiac, 224, 227, 241, 425, 435
 - compensation, 273
 - conventional, 380
 - corrected reconstruction, 374, 383
 - correction, 178, 355, 359, 364, 375–377, 379, 401, 423
 - correction reconstruction, 380
 - correction techniques, 383
 - errors, 369
 - estimates, 371, 376
 - estimation, 357, 365, 371, 372, 375, 376, 381, 383
 - estimation step, 376
 - field, 365
 - measurement, 371, 375
 - model, 360, 366, 368–371, 375, 376, 382
 - model parameters, 366, 368
 - parameters, 357, 365, 366, 369, 374–376, 382, 383
 - sensing, 357, 371
 - signals, 370, 371, 374, 375, 379, 383
 - state, 249, 362, 364, 365, 374–376
 - tracking, 372, 373, 379

Multichannel
 convolution, 260, 264
 parallel imaging methods, 110
 receiver coils, 336
 Multicoil
 acquisitions, 131, 204
 arrays, 205
 Cartesian acquisition, 206
 combination, 207
 elements, 205
 images, 205
 phased array joint sparsity, 207
 receiver arrays, 181
 reconstruction, 311
 undersampled, 189
 Multicontrast imaging, 114, 223, 227
 Multidynamic imaging, 239–241, 243
 Multimodal cardiac imaging, 379
 Multiple
 coils, 359
 echoes, 393
 echoes acquisitions, 394
 motion states, 355
 subsequent echoes, 406
 Multiplexed phase, 181
 Multiplexed sensitivity-encoding (MUSE), 180
 Multiplication kernels, 182
 Multishot acquisitions, 339
 Multislab
 acquisition, 178
 SMS acquisitions, 180
 Multislice
 acquisition, 177
 encoding, 159
 Hadamard, 181
 imaging, 180
 Multistep QSM methods, 453, 454, 461, 462

N

Navigators, 273, 274, 372, 377, 383
 correction, 165
 signals, 401
 Nearest
 spatiotemporal neighbors, 150
 temporal neighbors, 149
 Negative gradient, 285
 Neighbored voxels, 403
 Neighborhood
 regularization, 398
 voxels, 396
 Neighboring
 pixels, 264
 voxels, 231
 Neonatal brain scans, 377
 Nesterov accelerated gradient (NAG), 70, 285
 Nesterov-accelerated adaptive moment estimation (NADAM), 70
 Net
 encoding, 341
 magnetization, 5
 Noise
 amount, 136
 amplification, 135, 152, 174, 175, 181, 189, 204, 206, 429, 451, 453
 bias, 406
 efficiency, 401
 enhancement, 152
 enhancement artifacts, 152
 in coil sensitivity, 135
 levels, 136, 435, 436
 performance, 396, 397
 performance analysis, 399
 propagation, 399
 ratio, 396
 receiver, 136
 Noiseless
 data, 113
 Fourier data, 106
 Non-Cartesian
 imaging, 74–77, 86, 96–99
 parallel imaging reconstructions, 178
 sampling, 91, 93, 95, 96
 sampling patterns, 84–86
 Nonequispaced fast Fourier transform (NFFT), 77
 Nonlinear
 data consistency, 452
 inverse problems, 50
 motion estimation/correction, 52
 parallel imaging, 51
 parameter reconstruction, 54
 reconstruction, 210, 364
 reconstruction promoting sparsity, 196
 Nonlinear Dipole Inversion (NDI), 453, 460
 cost function, 452
 dipole inversion, 458
 gradient-descent optimization, 460
 reconstruction, 453
 technique, 452
 Nonlinear-MEDI (NMEDI), 452
 Nonrigid
 correction, 378–380
 motion, 366, 370, 379, 383
 Nonsmooth optimization, 64, 66, 69
 Nonuniform fast Fourier transform (NuFFT), 140, 141, 178, 207, 363, 423
 operations, 141

Nonuniform sampling, 140
 Noticeable gradient delays, 407
 Nuclear magnetic resonance (NMR), 3
 experiments, 3
 signal, 12, 17
 spectrometer, 3
 spectroscopy, 3, 16
 Nuclear magnetism, 4
 Number of signals average (NSA), 401

O

Objective convergence, 68
 Opposite readout polarities, 407
 Optimal sampling design, 227
 Optimized gradient method (OGM), 66
 Optimizing motion parameters, 365
 Organ motion, 371
 Overcomplete regularization, 202
 Overlapping patches, 231
 Overregularization, 209
 Overrelaxation parameters, 65
 Oversampling, 161

P

Parallel imaging, 108, 113, 114, 129–133, 159–161, 163, 167, 168, 189, 190, 204, 336, 340, 342, 423
 3D volumetric, 145
 acceleration, 444
 algorithm, 147, 152
 approaches, 147
 concepts, 161
 constraints, 113
 conventional, 174
 dynamic, 147
 methods, 131, 140, 205
 methods estimate, 133
 reconstruction, 129, 133, 142, 161, 171
 reconstruction methods, 131
 system, 133
 techniques, 131, 133, 147, 150
 temporal, 147
 Partial separability (PS), 225
 Patches, 170, 223, 232, 238, 249, 250, 252–256, 258, 259, 261–263
 Patient motion, 355, 374, 383
 Phase
 accumulation, 341, 345, 349, 403, 405
 cardiac, 224, 225, 371, 425
 chopping, 161
 coherence, 14
 combination, 444
 constraints, 105, 108, 111, 113, 118

 contrast angiography, 407
 cycled repetitions, 172
 cycling, 391
 data, 447
 effects, 341
 encoding, 19
 errors, 406, 409
 estimates, 111
 evolution, 327, 348
 images, 445, 460
 information, 444, 446
 jumps, 445, 458
 linear, 170, 406, 407
 manipulation, 160
 modulation, 161, 177
 offset, 172, 173, 444, 446, 458
 reconciliation, 180
 region, 461
 shifts, 397
 signal, 393, 449
 singularities, 444
 SNR, 443
 term, 160, 396, 408, 409
 unaliasing, 170
 unwrapping, 444–446, 453, 455, 459
 variations, 167
 wrapping, 396
 wraps, 446
 Phase encode (PE)
 axis, 330, 339, 340
 direction, 170, 182, 330, 338, 340
 Phase-Offset multiplanar (POMP), 161, 163, 164, 182
 method, 160
 methodology, 161
 techniques, 163, 181
 Physiologic motion signals, 375
 Physiological
 motion, 180, 423, 425, 434, 435
 signals, 355
 Pixel
 alias, 152
 correlations, 197
 images, 252, 338
 location, 146
 patches, 253
 position, 144
 radial blur, 339
 shift, 340
 values, 252, 264
 Planned sampling trajectory, 331
 Point spread function (PSF), 83, 87, 96, 199, 346, 347
 Precalculated dictionary, 436
 Principal Component Analysis (PCA), 144, 284

Prior constraints, 449, 451
 Projection reconstruction (PR), 25
 Prospective correction, 355, 371
 Proton density fat fraction (PDFF), 391, 392, 407, 409
 mapping, 391
 quantification, 413
 Proximal
 algorithms, 66
 gradient descent, 69
 gradient optimization, 292
 gradient scheme, 291
 methods, 68
 operator, 66, 68, 69
 Proximal gradient method (PGM), 66
 PyTorch, 286, 309–311, 314

Q

Quantitative MRI reconstruction, 209
 Quantitative Susceptibility Mapping (QSM), 399, 441
 acquisition, 443
 forward model, 449
 reconstruction, 449, 458

R

Radial
 acquisitions, 178
 readout, 406
 sampling, 201, 338, 428
 Radiofrequency (RF)
 encoding, 182
 excitation field, 54
 field, 11
 pulse, 11–13
 Random
 undersampling, 199, 201
 undersampling pattern, 199
 Randomized sampling, 232
 Reacquisitions, 449, 458
 Readout, 145, 164, 165, 169, 228, 331, 342, 348, 403
 axis, 338
 dimension, 331
 direction, 338, 406
 frequency, 172
 gradient, 403
 gradient polarity, 406
 gradient strength, 403
 lines, 138
 points, 139
 radial, 406
 time, 405
 undersampling, 131
 Readout-segmented echo-planar imaging (rsEPI), 180

Receiver
 coil, 129–133, 152, 181, 259, 313, 336, 362, 406, 444
 coil arrays, 132
 noise, 136
 Receiving
 coil, 358, 372, 374, 383
 surface coil, 372
 Reconstructing
 dynamic images, 223
 large datasets, 209
 temporal, 149
 Reconstructions
 compressed sensing, 342
 conventional, 292, 357
 iterative, 86, 93, 95, 344
 nonlinear, 210, 364
 regularized, 230, 452, 458
 Recovery
 2D images, 263
 continuous domain, 262
 data, 259
 EPI images, 264
 from sparse samples, 223
 from undersampled data, 254
 images, 255, 264, 273
 linear least-squares, 229
 manifold, 255, 274
 problem, 241
 signal, 193, 194, 196
 Recurrent Neural Network (RNN), 304
 Refocusing pulse, 16
 Region of interest (ROI), 116, 445
 Regularization
 artifacts, 424
 error, 451
 neighborhood, 398
 options, 140
 parameter, 143, 194, 204, 209, 451, 452, 454, 458–461
 part, 453
 penalty, 114, 452
 sparse, 232–234
 strength, 424
 term, 141, 143, 149, 207, 452
 type, 430
 value, 209
 Regularized
 dipole inversion, 453
 reconstructions, 230, 452, 458
 sense reconstruction, 206
 undersampled reconstruction, 282
 Repetitive sampling pattern, 227
 Residual convergence, 68
 Respiration signals, 373, 374

- Respiratory
 - motion, 227, 355, 357, 376, 435
 - signals, 371
- Retrospective
 - correction, 355, 371
 - undersampling, 307
- Robust principal component analysis (RPCA), 234
- Rotating frame of reference (RFR), 9–12
- Rotational motion, 359
- Routine clinical applications, 189, 207
- S**
- Saddle coil arrangement, 31
- Sampling, 226
 - additional locations, 346
 - bandwidth, 338
 - Cartesian, 143, 290, 374, 378
 - data, 338
 - density, 427
 - domain, 195, 198
 - errors, 348
 - geometry, 150
 - incoherent, 191, 195
 - linear, 375
 - mask, 304
 - mask matrix, 143
 - matrix, 362
 - MR data, 372
 - multiple echoes, 444
 - operation, 131
 - operator, 145, 226, 227, 363
 - pattern, 74–76, 84, 86, 112, 115, 140, 149, 159, 177, 196, 226–228, 273, 304
 - radial, 201, 338, 428
 - rate, 338
 - scheme, 137, 145–147, 149, 150, 195, 199, 201, 376, 379
 - sparse, 228
 - spiral, 290, 378
 - strategies, 327, 374, 375
 - technique, 146
 - time, 334
 - trajectory, 289, 304, 305, 338, 347
 - waveforms, 191
- Scan time, 129, 159, 160, 180, 443
- Segmented acquisitions, 173, 179
- SENSitivity Encoding (SENSE), 129, 133, 143, 230
- Sequence diagram, 22, 23, 26, 27
- Serial recovery, 229
- Shim gradients, 336
- Signal
 - acquisition, 191, 192
 - aliasing, 146
 - amount, 148, 344
 - cancellation, 336
 - dephasing, 334, 335, 345
 - dephasing correction, 345
 - detection, 238
 - distortion, 339
 - drops, 383
 - encoding, 344
 - energy, 106
 - equation, 331, 334–336
 - equation continuous, 335
 - equation model, 335, 343
 - evolution, 197
 - Fourier, 108
 - intensity, 330, 344, 425
 - leakage, 175, 176
 - level, 348
 - loss, 169, 327, 329, 330, 336, 345
 - matrix, 256
 - measurement, 193
 - model, 140, 253, 333, 335, 343, 346, 395, 397, 399, 401, 405, 420, 422, 434, 435
 - MR, 113, 131, 224, 393, 394, 420–422, 434, 452
 - MRI, 358
 - phase, 393, 449
 - processing, 108, 269, 419
 - reception, 159
 - recovery, 193, 194, 196
 - representation, 224, 237
 - SMS, 169, 178
 - source point, 149
 - sparse, 115, 191–193, 262
 - sparsity, 191–193
 - strength, 148, 149
 - subspace, 257, 266
 - surrogate, 371
 - time, 425
 - variations, 421, 422
 - vector, 191
 - voids, 345
- Signal-to-noise ratio (SNR), 25, 28, 32, 45, 59, 76, 106, 109, 130, 132, 133, 160, 173, 208, 209
- Simultaneous MultiSlice (SMS)
 - acquisitions, 169, 174, 176, 177
 - encoding, 160, 177
 - excitation, 160
 - imaging, 159
 - signal, 169, 178
- Single shot (SS), 159, 169
- Singular value decomposition (SVD), 144, 224, 425, 436
- Slew rate, 26, 31
- Slice
 - aliasing, 167
 - combination, 177

- coverage, 180
- direction, 181, 337
- gradient, 169
- gradient variations, 177
- leakage, 176
- leakage signal, 175
- locations, 173
- packets, 159
- prescription, 348
- profiles, 180
- selection, 20
- temporal, 239
- thicknesses, 336
- unaliasing, 170
- Sliding motion, 359
- Smooth optimization, 64
- Sparse
 - basis, 193
 - coefficients, 192, 204, 226
 - continuous domain functions, 262
 - data, 228
 - dictionary learning, 249
 - dictionary representation, 256
 - domain, 195, 204, 223
 - image, 262, 263
 - image reconstruction, 190
 - image representation, 255
 - linear combination, 256, 271
 - locations, 191
 - measurements, 249
 - modeling, 232, 233
 - models, 255, 257, 258, 263
 - MRI, 189, 213
 - MRI techniques, 207
 - optimization, 270
 - reconstruction, 190
 - reconstruction methods, 191, 355
 - regularization, 232–234
 - representation, 193–195, 197, 198, 255
 - residual, 233
 - samples, 262
 - sampling, 228
 - signal, 115, 191–193, 262
 - signal recovery, 195, 205
 - solution, 194
- SparseSENSE, 206, 207, 213
 - framework, 206
 - reconstruction, 206
- Sparsifying transform, 112, 193–198, 204, 240, 405
- Sparsifying transform temporal, 197, 232
- Sparsity, 108, 113–115, 149, 189–191, 226, 250, 256, 430
 - basis, 193
 - characteristics, 115
 - constraints, 105, 113, 118, 209
 - domain, 118
 - joint, 229
 - priors, 249
 - signal, 191–193
 - spectral, 149
 - term, 194
- Spatial
 - discretization, 77
 - frequency domain, 73
 - resolution, 76, 83, 89, 91, 93–97
- Spatiotemporal
 - correlation, 190, 197, 223, 231, 239
 - resolution, 189
- Spectral Localization by IMaging (SLIM), 108, 116, 117
- Spectroscopic imaging, 109, 115–117, 208, 223, 346
- Speedup reconstruction, 343
- Spherical-Mean-Value (SMV) kernels, 460, 461
- Spin and Gradient Echo (SAGE), 180
- Spin echo (SE), 337, 349, 422
 - acquisitions, 330
 - EPI, 340
 - sequences, 26
- Spin quantum number, 4
- Spin-down states, 5, 6
- Spin-up states, 5–7
- Spiral
 - acquisitions, 179, 330
 - readout duration, 339, 340
 - sampling, 290, 378
- SPiRiT, 129, 133, 142, 143, 206, 207
 - calibration data, 143
 - framework, 143
 - kernels, 144
 - reconstruction, 143, 207
- Split Slice-GRAPPA (SpSg), 167, 172, 175, 176, 182
 - algorithm, 168
 - kernels, 176
- Spurious signal, 136
- Static
 - field inhomogeneity, 330, 396, 397
 - patches, 238
- Stereoscopic reconstruction, 371
- Stimulated echoes, 422
- Stochastic gradient descent (SGD), 69, 70, 285
- Subgradient, 299
- Subsampling pattern, 309
- Superimposed slices, 166, 167
- Superresolution recovery, 262
- Supervised reconstruction approaches, 307
- Surrogate
 - motion data, 375
 - signal, 371

- Susceptibility
 - artifacts, 399
 - map, 441, 443, 444, 449, 454, 456–458
 - map estimation, 454
 - Susceptibility Weighted Imaging (SWI), 443, 459
 - Synergistic combination, 204
- T**
- Tailored ghost correction, 170
 - Target motion state, 360
 - Targeted slice, 166
 - Temporal
 - acceleration techniques, 424
 - aliasing effects, 148
 - averaging, 257, 258
 - basis, 226, 229
 - basis functions, 232, 257
 - behavior, 424
 - blurring, 232
 - changes, 132, 422
 - convolution filter, 296
 - correlations, 197
 - data, 150
 - dimension, 147, 197, 202, 423, 424
 - evolution, 423
 - factor, 228, 235, 254
 - finite differences, 197
 - footprint, 159
 - Fourier transform, 149, 197
 - frame, 147
 - frequency, 147
 - frequency domain, 148, 149
 - functions, 225
 - GRAPPA approaches, 150
 - low-pass filter, 148
 - methods, 149
 - model, 424
 - motion patterns, 258
 - parallel imaging, 147
 - point spread functions, 257
 - profiles, 257
 - reconstructing, 149
 - redundancies, 150
 - resolution, 129, 132, 147, 151, 160, 180, 207, 228, 355, 371
 - slice, 239
 - sparsifying basis, 226
 - sparsifying transform, 197, 232
 - sparsity transform, 206
 - spectrum, 175
 - subspace, 226, 231, 232
 - undersampling, 109
 - wavelet transform, 197
 - Temporal SNR (tSNR), 167, 176, 177
 - Temporally constrained nonrigid motion, 366, 384
 - Tensorflow, 283, 286, 309, 310, 312–314
 - playground, 311
 - tutorials, 311
 - TGRAPPA, 133, 147, 149
 - Tikhonov
 - regularization, 64, 141, 448, 453, 460
 - solution, 64
 - Total field inversion (TFI), 454
 - Total generalized variation (TGV), 66
 - Total variation (TV), 66
 - Train echo, 406
 - Trainable
 - offset, 294
 - parameters, 294, 296, 297, 300, 301, 311, 316
 - Trained
 - denoiser, 292
 - image denoisers, 292
 - ML, 309
 - model, 287
 - model parameters, 309
 - parameters, 283
 - Translational motion, 358, 363, 365, 369, 383
 - model, 366
 - phase correction, 383
 - Transposed convolutions, 297, 301
 - True signal, 426
 - Truncated k-space division (TKD), 450, 451, 460
 - Tucker
 - decomposition, 236, 237, 239, 241, 242
 - form, 242
 - recovery problem, 242
- U**
- Unaliased
 - image, 133, 134
 - image pixels, 134
 - pixel, 146
 - pixel values, 133, 146
 - reconstructed image, 137
 - Uncorrected reconstruction, 381
 - Undersampled
 - brain image, 210
 - brain MRI, 191
 - data, 137, 151, 172, 255, 257, 270, 273, 374, 376
 - data acquisition, 140
 - dataset, 138, 142, 257
 - encoding, 178
 - multicoil, 189
 - Undersampling
 - artifacts, 423, 426–428, 434
 - Cartesian, 140

- direction, 132
- factors, 290
- incoherent, 198, 210
- measurement scheme, 196
- pattern, 177, 200, 202, 213
- readout, 131
- scheme, 145, 199, 202
- temporal, 109
- Unintended spatial encoding, 331
- Unipolar echoes, 444
- Unmodeled field inhomogeneity, 333
- Unrolled reconstruction network, 313
- Unwrapped phase, 445, 446, 458
- Upsampling, 301
 - convolutional, 301
 - operations, 297

V

- Variable splitting, 67
- Variational Network (VN), 305

- Virtual coil
 - approach, 444
 - computation, 444
- Volume acquisition time (VAT), 159
- Voxel
 - field gradients, 346
 - functions, 231
 - indicator, 332, 334
 - indicator basis function, 333, 334
 - indicator function, 333–335
 - location, 223
 - neighborhoods, 231
 - size, 332, 335, 346, 403

W

- Water signal, 393, 403
- Wrapped phase, 446

Z

- Zeeman effect, 5, 6