From: Lias, Courtney H
To:
Cc:

**Subject:** RE: CLIA waiver for research testing? **Date:** Wednesday, April 16, 2014 11:55:53 AM

## Hello [redacted] -

Thank you for your question. If you are performing testing on people, that testing must be done in a lab that has and appropriate CLIA certificate (e.g., a waived certificate to use waived tests).

I hope that helps. If you have additional questions about CLIA testing or laboratory requirements, I recommend that you contact the CLIA group at CMS who regulates such testing. (http://www.cms.gov/Regulations-and-Guidance/Legislation/CLIA/index.html?redirect=/clia/)

## Regards,

Courtney H. Lias, Ph.D.
Director
Division of Chemistry and Toxicology Devices
CDRH/OIR
Food and Drug Administration
10903 New Hampshire Avenue
WO 66, Room 5640
Silver Spring, MD 20993-0002
Ph 301-796-5458
Fax 301-847-8513
courtney.lias@fda.hhs.gov

This e-mail message is intended for the exclusive use of the recipient(s) named above. It may contain information that is protected, privileged, or confidential, and it should not be disseminated, distributed, or copied to persons not authorized to receive such information. If you are not the intended recipient, any dissemination, distribution or copying is strictly prohibited. If you think you have received this e-mail message in error, please e-mail the sender immediately.

**From:** [Redacted]

Sent: Monday, April 14, 2014 3:36 PM

**To:** OC GCP Questions **Cc:** [Redacted]

cc. [Redacted]

**Subject:** CLIA waiver for research testing?

## Hello,

We have developed a protocol for a pilot study (privately funded) of oral [redacted] as a treatment for self-injurious behavior, and have planned to conduct periodic urine pregnancy testing, for safety reasons only, using a test approved for at-home use. Must these tests be conducted under a CLIA waiver? Or can they simply be performed by research study staff since the testing is primarily for a research purpose

rather than primarily for patient care?

Thank you for your assistance!

[Redacted]