

Output

(if within budget)

```
PS C:\Users\ADMIN\Desktop\Codes> cd "c:\Users\ADMIN\Desktop\Codes"
ExpenseTrackerMallari }
==== Personal Expense Tracker ====
Enter your name: Erica
Enter food expense: 100
Enter transportation expense: 100
Enter school expense: 100
Enter other expense: 100
Enter your budget: 1000

---- Expense Summary ----
Name: Erica
Total Expenses: 400.00
Budget: 1000.00
Remaining Budget: 600.00
Status: You are within your budget!

Wow congrats! Budgeting queen yarn?
```

(if not within budget)

```
PS C:\Users\ADMIN\Desktop\Codes> cd "c:\Users\ADMIN\Desktop\Codes"
ExpenseTrackerMallari }
==== Personal Expense Tracker ====
Enter your name: 100
Enter food expense: 100
Enter transportation expense: 100
Enter school expense: 100
Enter other expense: 100
Enter your budget: 300

---- Expense Summary ----
Name: 100
Total Expenses: 400.00
Budget: 300.00
Remaining Budget: -100.00
Status: You have exceeded your budget!!

Next time, bawasan mo pagiging gastador!
```

Code

```
Java > J ExpenseTrackerMallari.java > Language Support for Java(TM) by Red Hat > ExpenseTrackerMallari > displayResult(String, f
1  import java.util.Scanner;
2
3  public class ExpenseTrackerMallari {
4      // Void method to display title
5      public static void displayTitle() {
6          System.out.println(x: "==== Personal Expense Tracker ====");
7      }
8
9      // Non void method to calculate total expenses
10     public static float calculateTotal(float food, float transpo, float school, float other) {
11         return food + transpo + school + other;
12     }
13
14     // Non-void method to check total expenses
15     public static String checkBudget(float total, float budget) {
16         if (total > budget) {
17             return "You have exceeded your budget!!";
18         }
19         else {
20             return "You are within your budget!";
21         }
22     }
23 }
```

```

24 // Void method to display results
25 public static void displayResult(String name, float total, float budget, String status) {
26     float remaining = budget - total;
27
28     System.out.println(x: "\n---- Expense Summary ----");
29     System.out.println("Name: " + name);
30     System.out.printf(format: "Total Expenses: %.2f\n", total);
31     System.out.printf(format: "Budget: %.2f\n", budget);
32     System.out.printf(format: "Remaining Budget: %.2f\n", remaining);
33     System.out.println("Status: " + status);
34
35     // Personalized message
36     if (remaining < 0) {
37         System.out.println(x: "\nNext time, bawasan mo pagiging gastador!");
38     }
39     else {
40         System.out.println(x: "\nWow congrats! Budgeting queen yarn?");
41     }
42 }
43

```

```

Run main | Debug main | Run | Debug
44 public static void main(String[] args) {
45
46     Scanner input = new Scanner(System.in);
47
48     // Calling void method
49     displayTitle();
50
51     // User input
52     System.out.print(s: "Enter your name: ");
53     String name = input.nextLine();
54
55     System.out.print(s: "Enter food expense: ");
56     float food = input.nextFloat();
57
58     System.out.print(s: "Enter transportation expense: ");
59     float transpo = input.nextFloat();
60
61     // Additional "school expense" category
62     System.out.print(s: "Enter school expense: ");
63     float school = input.nextFloat();
64
65     System.out.print(s: "Enter other expense: ");
66     float other = input.nextFloat();
67
68     System.out.print(s: "Enter your budget: ");
69     float budget = input.nextFloat();
70
71     // Calling both non-void methods
72     float total = calculateTotal(food, transpo, school, other);
73     String status = checkBudget(total, budget);
74
75     displayResult(name, total, budget, status);
76
77     // Closing scanner
78     input.close();
79 }
80

```