

Endeavor Ubuntu 24.04 human sanitization review

Simple reviewer packet. Review only committed sanitized evidence. Never recover or retain raw scan output.

Stop immediately if

Reject if you find a real hostname, FQDN, address, MAC address, user identifier, package inventory, credential, token, private path, or another unnecessary system characteristic. Also reject if a required CPE, SCAP identifier, reference, rule result, schema version, or hash is missing or changed. When uncertain, reject; do not edit evidence in place.

1. Start from a clean checkout

Run this on the review host. git status --short must print nothing.

```
cd /home/elo/Work/Endeavor
git status --short
git rev-parse HEAD
```

2. Verify integrity

Compare the four hashes to the table in PROVENANCE.md. Inspection must show target endeavor-target, identity endeavor-fixture-user, IPv4 127.0.0.1, IPv6 0:0:0:0:0:0:1, and MAC 00:00:00:00:00:00.

```
C=fixtures/ga-corpus/ubuntu-24.04-x86_64
sha256sum $C/results.xml $C/results.arf.xml \
  $C/results.oscal.json $C/results.arf.oscal.json
python3 -m endeavor inspect-xccdf --results $C/results.xml
python3 -m endeavor inspect-arf --results $C/results.arf.xml
```

3. Review SCAP evidence

Open results.xml and results.arf.xml. Confirm canonical target facts and retain OpenSCAP 1.4.4, SCAP 1.3, XCCDF 1.2, OVAL 5.11.3, CPE 2.3, ARF 1.1, CPE/benchmark/component references, and expected deliberately failing rule outcomes. The /input/ paths are fixed container paths, not host paths.

```
rg -n -i 'hostname|fqdn|mac|ip-|identity|token|password|secret|/home/' \
  $C/results.xml $C/results.arf.xml
```

4. Verify generated OSCAL

Both cmp commands must be silent and return status 0.

```
M=fixtures/mappings/arf-xccdf-example-v1.json
python3 -m endeavor convert-xccdf --results $C/results.xml \
  --mapping $M --output /tmp/endeavor-ubuntu-xccdf-review.json
python3 -m endeavor convert-arf-xccdf --results $C/results.arf.xml \
  --mapping $M --output /tmp/endeavor-ubuntu-arf-review.json
cmp /tmp/endeavor-ubuntu-xccdf-review.json $C/results.oscal.json
cmp /tmp/endeavor-ubuntu-arf-review.json $C/results.arf.oscal.json
rm -f /tmp/endeavor-ubuntu-xccdf-review.json /tmp/endeavor-ubuntu-arf-review.json
```

5. Record the decision

In PROVENANCE.md, record reviewer, UTC date, approved/rejected decision, the four files reviewed, hash match, sensitive-data finding, SCAP-preservation finding, and notes. Approval alone does not admit Ubuntu: the Rocky review and version-specific GA record must also complete.