

# Supplemental Materials for: Agricultural Insurance Loss and Relationships to Climate across the Inland Pacific Northwest Region of the United States

The material contained herein is supplementary to the article named in the title and submitted to the journal, Agriculture, Ecosystems and Environment.

July 2023

These supplemental materials provide exploratory data analyses and principal component analyses (PCA) for the Pacific Northwest (PNW) and the inland Pacific Northwest (iPNW), to better understand the combined effects of differing damage causes, commodities, counties, and years on overall insurance loss.

## 1. Supplemental Tables List

Table S1. Insurance loss records that were acquired from the USDA Risk Management Agency (RMA). Each record represents an individual insurance claim.

Table S2. USDA Risk Management Agency aggregated dataset, derived from the original insurance loss files. Here we have summarized claims by year, county, commodity, and damage cause.

## **2. Supplemental Figures List**

### **Pacific Northwest (PNW) Supplemental Figures**

Figure S1. PNW agricultural insurance loss by year, 1989 to 2015.

Figure S2. PNW agricultural insurance loss by year: 2001 to 2015.

Figure S3. PNW agricultural insurance loss by damage cause: 2001 to 2015.

Figure S4. PNW agricultural insurance loss by commodity: 2001 to 2015

Figure S5. Top panel: biplot of principal components for PNW insurance loss, by county, with commodity as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.

Figure S6. Top panel: biplot of principal components for PNW insurance loss, for all commodities by year, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.

Figure S7. Top panel: biplot of principal components for PNW insurance loss, for all commodities by month, with damage cause as the factor loadings. Bottom panel: Scree plot Data from 2001 to 2015 is used.

Figure S8. Top panel: biplot of principal components for PNW insurance loss, for wheat by year, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.

Figure S9. Top panel: biplot of principal components for PNW insurance loss, for wheat by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.

Figure S10. Top panel: biplot of principal components for PNW insurance loss, for apples by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.

Figure S11. Top panel: biplot of principal components for PNW insurance loss, for barley by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.

### **Inland Pacific Northwest (iPNW) Supplemental Figures**

Figure S12. iPNW agricultural insurance loss by year, 2001 to 2015.

Figure S13. iPNW agricultural insurance loss by commodity, 2001 to 2015.

Figure S14. iPNW agricultural insurance loss by damage cause, 2001 to 2015.

Figure S15. iPNW agricultural insurance loss for apples by county: 2001 to 2015.

Figure S16. iPNW agricultural insurance loss for apples by year: 2001 to 2015.

Figure S17. iPNW agricultural insurance loss for apples by damage cause: 2001 to 2015.

Figure S18. iPNW stacked barplot of annual apples agricultural insurance loss, by top damage causes, 2001 to 2015.

Figure S19. iPNW agricultural insurance loss due to hail, frost, and freeze, for apples, by county, 2001 to 2015.

Figure S20. iPNW agricultural insurance loss due to hail, frost, and freeze, for apples, by county, 2013.

Figure S21. iPNW agricultural insurance loss due to hail, frost, and freeze, for apples, by county, 2012.

Figure S22. iPNW agricultural insurance loss due to hail, frost, and freeze, for apples, by county, 2006.

Figure S23. iPNW agricultural insurance loss due to hail, frost, and freeze, for apples, by county, 2015.

Figure S24. Top panel: biplot of principal components for iPNW insurance loss, for all commodities by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used

Figure S25. Top panel: biplot of principal components for iPNW insurance loss, for all commodities by month, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used

Figure S26. Top panel: biplot of principal components for iPNW insurance loss, for wheat by year, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used

Figure S27. Top panel: biplot of principal components for iPNW insurance loss, for wheat by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used

Figure S28. Top panel: biplot of principal components for iPNW insurance loss, for barley by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used

### **Alternative Modeling Supplemental Figures**

Figure S29. Top panel: biplot of insurance loss for the PNW, for wheat by county, with damage cause as the factor loadings. Uses a Kmeans technique for grouping. Bottom panel: Scree plot. Data from 2001 to 2015 is used.

Figure S30. Hierarchical clustering dendrogram of iPNW counties, using the first two principal components of the aforementioned dimensionality reduction exercise. This clustering method provides an alternative approach as compared to Kmeans clustering.

Table 1: USDA RMA insurance loss records that were acquired from the USDA Risk Management Agency (RMA). Each record represents an individual insurance claim.

year	state	county	commodity	damagecause	month	acres	loss	lossperacre	croppyear
2001	ID	Ada	All Other Crops	Drought	SEP	17.000	153.00	9.000000	2001
2001	ID	Ada	All Other Crops	Heat	AUG	105.200	5249.00	49.895437	2001
2001	ID	Ada	All Other Crops	Freeze	APR	125.000	4500.00	36.000000	2001
2001	ID	Ada	All Other Crops	Wind/Excess Wind	MAY	50.000	1800.00	36.000000	2001
2001	ID	Ada	All Other Crops	Wind/Excess Wind	APR	92.500	3330.00	36.000000	2001
2001	ID	Bannock	WHEAT	Drought	AUG	133.000	1212.00	9.112782	2001
2001	ID	Bannock	WHEAT	Drought	SEP	777.520	24807.00	31.905289	2001
2001	ID	Bannock	WHEAT	Drought	JUL	3529.754	54726.46	15.504327	2001
2001	ID	Bannock	WHEAT	Heat	JUL	19.796	2371.60	119.801980	2001

Table 2: USDA RMA aggregated dataset derived from the original insurance loss files. Here we have summarized claims by year, county, commodity, and damage cause. Each unique combination is summarized, which echos the total summarized loss, the number of claims, the total summarized acreage, loss per acre, loss per claim, and acres per claim. This dataset was the basis for our data examination.

year	state	county	commodity	damagecause	loss	count	acres	lossperacre	lossperclaim	acresperclaim
2014	ID	Ada	All Other Crops	Area Plan Crops Only	1398	1	0	0.0000000	1398.0	0
2015	ID	Ada	All Other Crops	Area Plan Crops Only	11810	1	0	0.0000000	11810.0	0
2008	OR	Baker	All Other Crops	Area Plan Crops Only	15292	2	5482	2.7894929	7646.0	2741
2010	OR	Baker	All Other Crops	Area Plan Crops Only	1819	2	2282	0.7971078	909.5	1141
2009	ID	Bannock	All Other Crops	Area Plan Crops Only	2284	1	600	3.8066667	2284.0	600
2008	ID	Bear Lake	All Other Crops	Area Plan Crops Only	8102	1	2468	3.2828201	8102.0	2468
2012	ID	Bear Lake	All Other Crops	Area Plan Crops Only	7459	1	2468	3.0222853	7459.0	2468
2010	ID	Bingham	All Other Crops	Area Plan Crops Only	4197	1	192	21.8593750	4197.0	192
2011	ID	Bingham	All Other Crops	Area Plan Crops Only	7769	1	240	32.3708333	7769.0	240
2012	ID	Bingham	All Other Crops	Area Plan Crops Only	6786	1	168	40.3928571	6786.0	168




Figure 1: Pacific Northwest agricultural insurance loss by year, 1989 to 2015




Figure 2: Pacific Northwest agricultural insurance loss by year: 2001 to 2015




Figure 3: Pacific Northwest agricultural insurance loss by damage cause: 2001 to 2015.






Figure 4: Pacific Northwest agricultural insurance loss by commodity: 2001 to 2015.






Figure 6: Top panel: biplot of principal components of insurance loss, for the entire PNW, for all commodities by year, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.




Figure 7: Top panel: biplot of principal components for insurance loss for the entire PNW, for all commodities by month, with damage cause as the factor loadings. Bottom panel: Scree plot Data from 2001 to 2015 is used.




Figure 8: Top panel: biplot of insurance loss for the entire PNW, for wheat by year, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.





Figure 9: Top panel: biplot of insurance loss for the entire PNW, for wheat by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.




Figure 10: Top panel: biplot of insurance loss for the entire PNW, for apples by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.




Figure 11: Top panel: biplot of insurance loss for the entire PNW, for barley by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.






Figure 12: Inland Pacific Northwest agricultural insurance loss by year, 2001 to 2015.




Figure 13: Inland Pacific Northwest agricultural insurance loss by commodity, 2001 to 2015.




Figure 14: Inland Pacific Northwest agricultural insurance loss by damage cause, 2001 to 2015.




Figure 15: Inland Pacific Northwest agricultural insurance loss for apples, by county, 2001 to 2015.




Figure 16: nland Pacific Northwest agricultural insurance loss for apples, by year, 2001 to 2015.




Figure 17: Inland Pacific Northwest agricultural insurance loss for apples, by damage cause, 2001 to 2015.




Figure 18: Inland Pacific Northwest stacked barplot of annual apples agricultural insurance loss, by top damage causes, 2001 to 2015.

**IPNW apples insurance loss due to hail, frost, and freeze  
2001 to 2015**




Figure 19: Inland Pacific Northwest agricultural insurance loss due to hail, frost, and freeze, for apples, by county, 2001 to 2015.



### IPNW apples insurance loss due to hail, frost, and freeze 2013




Figure 20: Inland Pacific Northwest agricultural insurance loss due to hail, frost, and freeze, for apples, by county, 2013.

### IPNW apples insurance loss due to hail, frost, and freeze 2012




Figure 21: Inland Pacific Northwest agricultural insurance loss due to hail, frost, and freeze, for apples, by county, 2012.

### IPNW apples insurance loss due to hail, frost, and freeze 2006




Figure 22: Inland Pacific Northwest agricultural insurance loss due to hail, frost, and freeze, for apples, by county, 2006.

### IPNW apples insurance loss due to hail, frost, and freeze 2015





Figure 23: Inland Pacific Northwest agricultural insurance loss due to hail, frost, and freeze, for apples, by county, 2015.

Principal Components Analysis: IPNW insurance loss by county with damage cause loadings: 2001 to 2015



Scree plot of insurance loss for the inland PNW, for all commodities by county, with damage cause as the factor loadings.




Figure 24: Top panel: biplot of insurance loss for the inland PNW, for all commodities by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.




Figure 25: Top panel: biplot of principal components for insurance loss for the entire iPNW, for all commodities by month, with damage cause as the factor loadings. Bottom panel: Scree plot Data from 2001 is 2015 is used.




Figure 26: Top panel: biplot of insurance loss for the entire iPNW, for wheat by year, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.




Figure 27: Top panel: biplot of insurance loss for the entire PNW, for barley by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.






Figure 28: Top panel: biplot of insurance loss for the entire PNW, for wheat by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.




Figure 29: Top panel: biplot of insurance loss for the entire iPNW, for apples by county, with damage cause as the factor loadings. Bottom panel: Scree plot. Data from 2001 to 2015 is used.




Figure 30: Hierarchical clustering dendrogram of Inland Pacific Northwest counties, using the first two principal components of the aforementioned dimensionality reduction exercise. This clustering method provides an alternative approach as compared to Kmeans clustering.





Figure 31: Top panel: biplot of insurance loss for the iPNW, for wheat by county, with damage cause as the factor loadings. Uses a Kmeans technique for grouping. Bottom panel: Scree plot. Data from 2001 is 2015 is used.