CRC Engage

Erich Seamon

2024-10-20

Contents

CRC Engage Summary

CRC Engage Summary Statement

Chi Square Tests

Comparing categorical independence

For more info on this topic see:

Kim HY. Statistical notes for clinical researchers: Chi-squared test and Fisher's exact test. Restor Dent Endod. 2017 May;42(2):152-155. doi: 10.5395/rde.2017.42.2.152. Epub 2017 Mar 30. PMID: 28503482; PMCID: PMC5426219.

Chi Square - Solution vs. Stakeholder Engagement

Chi Square and Fishers Exact Test on contingency table with Solution/No Solution as the explanatory, and engaged stakeholder/did not engage stakeholder as the response.

Both chi square and fishers exact test were significant, with a chi square approximation of ~44, which is well above the critical value (3.84 for one degree of freedom). Fishers exact test returned an odds ratio of ~18. The alternative hypothesis: true odds ratio is not equal to 1. Null is rejected. The groups are not independent.

The FET defaults to associating the odds ratio (which can represent effect size) with the first cell. In this instance "The odds of having a solution is 18.25 times that for an engaged stakeholder". You could flip the response and explanatory, but the odds ratio would stay the same.

```
##           stakeholder
## solution   M  NM
##        N  95 370
##        Y   5  13


## Number of cases in table: 483
## Number of factors: 2
## Test for independence of all factors:
##  Chisq = 0.5699, df = 1, p-value = 0.4503
##  Chi-squared approximation may be incorrect


##
##  Fisher's Exact Test for Count Data
##
## data:  solution_stakeholder
## p-value = 0.5512
## alternative hypothesis: true odds ratio is not equal to 1
## 95 percent confidence interval:
##  0.2167592 2.4540598
## sample estimates:
## odds ratio
##  0.6681878


##
## Barnard's Unconditional Test
##
##             Treatment I Treatment II
## Outcome I            14            4
## Outcome II           78          387
```

```
##
## Null hypothesis: Treatments have no effect on the outcomes
## Score statistic = -6.4671
## Nuisance parameter = 0.032 (One sided), 0.032 (Two sided)
## P-value = 2.05517e-08 (One sided), 2.05517e-08 (Two sided)
```

Chi Square - Solution vs. Model

Chi Square and Fishers Exact Test on contingency table with Solution/No Solution as the explanatory, and Model/No Model as the response.

Both chi square and fishers exact test were insignificant/borderline, with a chi square approximation of ~3.7, which is below to the critical value (3.84 for one degree of freedom). Fishers exact test returned an odds ratio of under 1. Null is accepted. The groups are independent.

The FET defaults to associating the odds ratio (which can represent effect size) with the first cell. In this instance "The odds of having a solution is .39 times that for having a model". You could flip the response and explanatory, but the odds ratio would stay the same.

```
##           model
## solution   M  NM
##        N 370  95
##        Y  13   5


## Number of cases in table: 483
## Number of factors: 2
## Test for independence of all factors:
##   Chisq = 0.5699, df = 1, p-value = 0.4503
##   Chi-squared approximation may be incorrect


##
##   Fisher's Exact Test for Count Data
##
## data:  solution_model
## p-value = 0.5512
## alternative hypothesis: true odds ratio is not equal to 1
## 95 percent confidence interval:
##   0.407488 4.613415
## sample estimates:
## odds ratio
##    1.496585


##
## Barnard's Unconditional Test
##
##             Treatment I Treatment II
## Outcome I            13            5
## Outcome II          370           95
##
## Null hypothesis: Treatments have no effect on the outcomes
## Score statistic = 0.754895
## Nuisance parameter = 0.99 (One sided), 0.01 (Two sided)
## P-value = 0.275902 (One sided), 0.510281 (Two sided)
```

Graphs

Proposed Solution Papers

Solution Proposed: Y=18

Implemented Solution Papers

Solution Implemented: Y=11

Solution Types

Computational Model Used

Computational Model Used: Y=366

Stakeholder Engagment: N=92

All FEWS Papers by Year

Level of Stakeholder Engagement by Year - Ghodsvali

Level of Stakeholder Engagement by Year - IAP2

Level of Stakeholder Engagement by Year - Local

Stakeholder Engagement by Year

Level of Stakeholder Engagement by Year - Local

Researcher Types

Stakeholder Types

Ghodsvali Scale Breakdown

IAP2 Scale Breakdown

Local Scale Breakdown

Geographic Location Breakdown

Regression Testing

Ghodsvali

Odds of stakeholder scale predicting whether a solution was proposed or not

```
##
## Call:
## glm(formula = solution_proposed_YN ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, family = binomial,
##     data = crcdata)
##
## Deviance Residuals:
##     Min      1Q   Median      3Q      Max
## -1.7344  -0.1423  -0.1423  -0.1423   3.0324
##
## Coefficients:
##                       Estimate Std. Error z value Pr(>|z|)
## (Intercept)            -4.5875     0.5025  -9.129  < 2e-16 ***
## STE_G_nominal           1.2917     1.1356   1.137  0.25535
## STE_G_instrumental      2.1308     0.7839   2.718  0.00656 **
## STE_G_representation    3.6067     0.8431   4.278 1.89e-05 ***
## STE_G_transformative    5.8403     0.9463   6.172 6.74e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##     Null deviance: 153.748  on 482  degrees of freedom
## Residual deviance:  96.785  on 478  degrees of freedom
## AIC: 106.79
##
## Number of Fisher Scoring iterations: 7


##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##                            crude OR(95%CI)        adj. OR(95%CI)
## STE_G_nominal: 1 vs 0      0.95 (0.12,7.44)       3.64 (0.39,33.7)
##
## STE_G_instrumental: 1 vs 0    2.46 (0.68,8.9)        8.42 (1.81,39.14)
##
## STE_G_representation: 1 vs 0  11.42 (2.75,47.41)     36.84 (7.06,192.33)
##
## STE_G_transformative: 1 vs 0  147.32 (27.42,791.53)  343.87 (53.82,2197.12)
##
##                            P(Wald's test) P(LR-test)
## STE_G_nominal: 1 vs 0      0.255          0.318
##
## STE_G_instrumental: 1 vs 0    0.007          0.015
##
## STE_G_representation: 1 vs 0  < 0.001        < 0.001
##
```

```
## STE_G_transformative: 1 vs 0  < 0.001          < 0.001
##
## Log-likelihood = -48.3926
## No. of observations = 483
## AIC value = 106.7851
```

IAP2

Odds of stakeholder scale predicting whether a solution was proposed or not

```
## 
## Call:
## glm(formula = solution_proposed_YN ~ STE_IAP2_data_gathering +
##     STE_IAP2_inform + STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab +
##     STE_IAP2_empower, family = binomial, data = crcdata)
## 
## Deviance Residuals:
##     Min       1Q   Median       3Q      Max
## -1.0579  -0.1423  -0.1423  -0.1423   3.0324
## 
## Coefficients:
##                          Estimate Std. Error z value Pr(>|z|)
## (Intercept)               -4.5875     0.5025  -9.129  < 2e-16 ***
## STE_IAP2_data_gathering    1.1535     1.1335   1.018  0.30883
## STE_IAP2_inform          -12.9786  3956.1804  -0.003  0.99738
## STE_IAP2_consult           2.2849     0.7869   2.904  0.00369 **
## STE_IAP2_involve           2.7958     1.1913   2.347  0.01894 *
## STE_IAP2_collab            4.2998     0.9143   4.703 2.56e-06 ***
## STE_IAP2_empower          22.1536  1615.1039   0.014  0.98906
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## 
## (Dispersion parameter for binomial family taken to be 1)
## 
##     Null deviance: 153.748  on 482  degrees of freedom
## Residual deviance:  89.049  on 476  degrees of freedom
## AIC: 103.05
## 
## Number of Fisher Scoring iterations: 16


## 
## Logistic regression predicting solution_proposed_YN : Y vs N
## 
##                               crude OR(95%CI)        adj. OR(95%CI)
## STE_IAP2_data_gathering: 1 vs 0  0.82 (0.11,6.39)       3.17 (0.34,29.23)
## 
## STE_IAP2_inform: 1 vs 0          0 (0,Inf)              0 (0,Inf)
## 
## STE_IAP2_consult: 1 vs 0         2.9 (0.8,10.57)        9.82 (2.1,45.93)
## 
## STE_IAP2_involve: 1 vs 0         4.5 (0.51,39.48)       16.37 (1.59,169.13)
## 
## STE_IAP2_collab: 1 vs 0          23.05 (4.73,112.22)    73.69 (12.28,442.2)
## 
## STE_IAP2_empower: 1 vs 0         1648611478.8 (0,Inf)   4180027810.8 (0,Inf)
## 
##                               P(Wald's test) P(LR-test)
## STE_IAP2_data_gathering: 1 vs 0  0.309          0.365
## 
## STE_IAP2_inform: 1 vs 0          0.997          0.887
```

```
##
## STE_IAP2_consult: 1 vs 0         0.004          0.01
##
## STE_IAP2_involve: 1 vs 0         0.019          0.066
##
## STE_IAP2_collab: 1 vs 0          < 0.001        < 0.001
##
## STE_IAP2_empower: 1 vs 0         0.989          < 0.001
##
## Log-likelihood = -44.5245
## No. of observations = 483
## AIC value = 103.0489
```

Local

Odds of stakeholder scale predicting whether a solution was proposed or not

```
##
## Call:
## glm(formula = solution_proposed_YN ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement + SC_notdescribed, family = binomial, data = crcdata)
##
## Deviance Residuals:
##    Min      1Q  Median      3Q     Max
## -1.671  -0.156  -0.156  -0.156   3.086
##
## Coefficients:
##                   Estimate Std. Error z value Pr(>|z|)
## (Intercept)        -4.4030     0.4571  -9.632  < 2e-16 ***
## SC_researcher      -0.3514     1.6306  -0.216    0.829
## SC_datagathering  -15.1448  2607.2909  -0.006    0.995
## SC_inform           4.4030     1.0995   4.004 6.22e-05 ***
## SC_perspectives   -15.1631 10754.0130  -0.001    0.999
## SC_plan           -15.1631  3242.4569  -0.005    0.996
## SC_identify         3.7099     0.6775   5.476 4.35e-08 ***
## SC_envision        23.9691 10754.0130   0.002    0.998
## SC_implement        5.8655     1.2437   4.716 2.41e-06 ***
## SC_notdescribed   -15.1631  5377.0065  -0.003    0.998
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##     Null deviance: 153.748  on 482  degrees of freedom
## Residual deviance:  87.711  on 473  degrees of freedom
## AIC: 107.71
##
## Number of Fisher Scoring iterations: 18


##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##                         crude OR(95%CI)        adj. OR(95%CI)
## SC_researcher: 1 vs 0    0.85 (0.11,6.63)      0.7 (0.03,17.19)
##
## SC_datagathering: 1 vs 0  0 (0,Inf)            0 (0,Inf)
##
## SC_inform: 1 vs 0        28.94 (3.83,218.65)   81.7 (9.47,704.9)
##
## SC_perspectives: 1 vs 0   0 (0,Inf)            0 (0,Inf)
##
## SC_plan: 1 vs 0          0 (0,Inf)             0 (0,Inf)
##
## SC_identify: 1 vs 0      18.87 (6.06,58.74)    40.85 (10.83,154.11)
##
## SC_envision: 1 vs 0       157493116.45 (0,Inf)  25682498418.86 (0,Inf)
```

```
##
## SC_implement: 1 vs 0        132.57 (13.9,1263.96)  352.66 (30.81,4036.85)
##
## SC_notdescribed: 1 vs 0   0 (0,Inf)              0 (0,Inf)
##
##                           P(Wald's test) P(LR-test)
## SC_researcher: 1 vs 0     0.829          0.825
##
## SC_datagathering: 1 vs 0  0.995          0.528
##
## SC_inform: 1 vs 0         < 0.001        < 0.001
##
## SC_perspectives: 1 vs 0   0.999          0.876
##
## SC_plan: 1 vs 0           0.996          0.607
##
## SC_identify: 1 vs 0       < 0.001        < 0.001
##
## SC_envision: 1 vs 0       0.998          0.003
##
## SC_implement: 1 vs 0      < 0.001        < 0.001
##
## SC_notdescribed: 1 vs 0   0.998          0.756
##
## Log-likelihood = -43.8554
## No. of observations = 483
## AIC value = 107.7108
```

Engagement vs. solution

```
##
## Call:
## glm(formula = solution_proposed_YN ~ S_stakeholder_engagment_YN,
##     family = binomial, data = crcdata)
##
## Deviance Residuals:
##     Min       1Q   Median       3Q      Max
## -0.5746  -0.1434  -0.1434  -0.1434   3.0274
##
## Coefficients:
##                            Estimate Std. Error z value Pr(>|z|)
## (Intercept)                 -4.5721     0.5026  -9.097  < 2e-16 ***
## S_stakeholder_engagment_YNY  2.8545     0.5804   4.918 8.73e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##     Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 123.09  on 481  degrees of freedom
## AIC: 127.09
##
## Number of Fisher Scoring iterations: 7


##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##                                   OR(95%CI)        P(Wald's test)
## S_stakeholder_engagment_YN: Y vs N 17.37 (5.57,54.16)  < 0.001
##
##                                   P(LR-test)
## S_stakeholder_engagment_YN: Y vs N < 0.001
##
## Log-likelihood = -61.5436
## No. of observations = 483
## AIC value = 127.0872
```

Use of computational model vs. solution

```
##
## Call:
## glm(formula = solution_proposed_YN ~ S_model_YN, family = binomial,
##     data = crcdata)
##
## Deviance Residuals:
##     Min       1Q   Median       3Q      Max
## -0.3203  -0.2628  -0.2628  -0.2628   2.6012
##
## Coefficients:
##             Estimate Std. Error z value Pr(>|z|)
## (Intercept)  -3.3486     0.2822  -11.87   <2e-16 ***
## S_model_YNN   0.4041     0.5387    0.75    0.453
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##     Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 153.22  on 481  degrees of freedom
## AIC: 157.22
##
## Number of Fisher Scoring iterations: 6


##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##                     OR(95%CI)        P(Wald's test) P(LR-test)
## S_model_YN: N vs Y 1.5 (0.52,4.31)  0.453             0.466
##
## Log-likelihood = -76.6085
## No. of observations = 483
## AIC value = 157.2169
```

Diversity of stakeholders vs solution

```
##
## Call:
## glm(formula = solution_proposed_YN ~ ST_ratio, family = binomial,
##     data = crcdata)
##
## Deviance Residuals:
##     Min       1Q   Median       3Q      Max
## -1.7942  -0.1825  -0.1825  -0.1825   2.8648
##
## Coefficients:
##             Estimate Std. Error z value Pr(>|z|)
## (Intercept)  -4.0868     0.3598 -11.360  < 2e-16 ***
## ST_ratio      7.8189     1.3777   5.675 1.38e-08 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##     Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 122.71  on 481  degrees of freedom
## AIC: 126.71
##
## Number of Fisher Scoring iterations: 6


##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##                         OR(95%CI)              P(Wald's test) P(LR-test)
## ST_ratio (cont. var.) 2487.25 (167.12,37016.93) < 0.001        < 0.001
##
## Log-likelihood = -61.3545
## No. of observations = 483
## AIC value = 126.7089
```

Interdisciplinary Researchers vs Solution

In order to accurately reflect diversity of researchers, we run a binomial logistic regression of the interdisciplinary researchers category to assess predictability on stakeholder solution (Y/N).

```
##
## Call:
## glm(formula = solution_proposed_YN ~ R_interdis, family = binomial,
##     data = crcdata)
##
## Deviance Residuals:
##     Min       1Q   Median       3Q      Max
## -0.4172  -0.4172  -0.1890  -0.1890   2.8405
##
## Coefficients:
##             Estimate Std. Error z value Pr(>|z|)
## (Intercept)  -4.0164     0.4119  -9.752  < 2e-16 ***
## R_interdis    1.6185     0.5104   3.171  0.00152 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##     Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 142.91  on 481  degrees of freedom
## AIC: 146.91
##
## Number of Fisher Scoring iterations: 6


##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##                    OR(95%CI)          P(Wald's test) P(LR-test)
## R_interdis: 1 vs 0  5.05 (1.86,13.72)  0.002          < 0.001
##
## Log-likelihood = -71.4564
## No. of observations = 483
## AIC value = 146.9128
```

Diversity of Researchers vs solution

```
##
## Call:
## glm(formula = solution_proposed_YN ~ R_ratio, family = binomial,
##     data = crcdata)
##
## Deviance Residuals:
##     Min       1Q   Median       3Q      Max
## -0.2931  -0.2846  -0.2764  -0.2684   2.6296
##
## Coefficients:
##             Estimate Std. Error z value Pr(>|z|)
## (Intercept)  -3.1262     0.4876  -6.412 1.44e-10 ***
```

33

```
## R_ratio       -0.5981     2.0612  -0.290     0.772
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##     Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 153.66  on 481  degrees of freedom
## AIC: 157.66
##
## Number of Fisher Scoring iterations: 6


##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##                      OR(95%CI)         P(Wald's test) P(LR-test)
## R_ratio (cont. var.) 0.55 (0.01,31.25)  0.772          0.769
##
## Log-likelihood = -76.8308
## No. of observations = 483
## AIC value = 157.6617
```

Stakeholder type vs level of engagement (Ghodsvali)

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.4444  0.0000  0.0000  0.0000  0.6786
##
## Coefficients:
##                        Estimate Std. Error t value Pr(>|t|)
## (Intercept)          1.389e-16  1.025e-02   0.000        1
## STE_G_nominal        3.214e-01  3.995e-02   8.046 6.83e-15 ***
## STE_G_instrumental   3.947e-01  3.469e-02  11.378  < 2e-16 ***
## STE_G_representation 3.636e-01  6.245e-02   5.823 1.06e-08 ***
## STE_G_transformative 4.444e-01  6.887e-02   6.453 2.69e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2043 on 478 degrees of freedom
## Multiple R-squared:  0.3322, Adjusted R-squared:  0.3266
## F-statistic: 59.45 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.9091  0.0000  0.0000  0.0000  0.7500
##
## Coefficients:
##                         Estimate Std. Error t value Pr(>|t|)
## (Intercept)          -5.153e-16  8.805e-03   0.000        1
## STE_G_nominal         2.500e-01  3.430e-02   7.288 1.31e-12 ***
## STE_G_instrumental    6.579e-01  2.979e-02  22.084  < 2e-16 ***
## STE_G_representation  9.091e-01  5.362e-02  16.953  < 2e-16 ***
## STE_G_transformative  1.000e+00  5.914e-02  16.910  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1754 on 478 degrees of freedom
## Multiple R-squared:  0.6775, Adjusted R-squared:  0.6748
## F-statistic:   251 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_tribal :
##
```

```
## Call:
## lm(formula = ST_tribal ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.1071  0.0000  0.0000  0.0000  0.9737
##
## Coefficients:
##                       Estimate Std. Error t value Pr(>|t|)
## (Intercept)          8.335e-17  4.387e-03   0.000   1.0000
## STE_G_nominal        1.071e-01  1.709e-02   6.269 8.14e-10 ***
## STE_G_instrumental   2.632e-02  1.484e-02   1.773   0.0769 .
## STE_G_representation -1.956e-17  2.672e-02   0.000   1.0000
## STE_G_transformative -1.957e-17  2.947e-02   0.000   1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08741 on 478 degrees of freedom
## Multiple R-squared:  0.07931,    Adjusted R-squared:  0.07161
## F-statistic: 10.29 on 4 and 478 DF,  p-value: 5.285e-08
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.5556  0.0000  0.0000  0.0000  0.9286
##
## Coefficients:
##                       Estimate Std. Error t value Pr(>|t|)
## (Intercept)          -3.997e-16  8.475e-03   0.000    1.000
## STE_G_nominal         7.143e-02  3.302e-02   2.163    0.031 *
## STE_G_instrumental    2.632e-01  2.867e-02   9.178  < 2e-16 ***
## STE_G_representation  2.727e-01  5.161e-02   5.284 1.92e-07 ***
## STE_G_transformative  5.556e-01  5.692e-02   9.760  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1689 on 478 degrees of freedom
## Multiple R-squared:  0.2891, Adjusted R-squared:  0.2831
## F-statistic: 48.59 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
```

```
## Residuals:
##      Min      1Q  Median      3Q     Max
## -0.63636 -0.00252 -0.00252 -0.00252  0.99748
##
## Coefficients:
##                     Estimate Std. Error t value Pr(>|t|)
## (Intercept)         0.002519   0.009635   0.261  0.79387
## STE_G_nominal       0.104624   0.037537   2.787  0.00553 **
## STE_G_instrumental  0.550113   0.032599  16.875  < 2e-16 ***
## STE_G_representation 0.633845  0.058679  10.802  < 2e-16 ***
## STE_G_transformative 0.330814  0.064713   5.112 4.62e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.192 on 478 degrees of freedom
## Multiple R-squared:  0.4574, Adjusted R-squared:  0.4528
## F-statistic: 100.7 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##    Min    1Q Median    3Q    Max
##      0     0      0     0      0
##
## Coefficients:
##                     Estimate Std. Error t value Pr(>|t|)
## (Intercept)               0          0     NaN      NaN
## STE_G_nominal             0          0     NaN      NaN
## STE_G_instrumental        0          0     NaN      NaN
## STE_G_representation      0          0     NaN      NaN
## STE_G_transformative      0          0     NaN      NaN
##
## Residual standard error: 0 on 478 degrees of freedom
## Multiple R-squared:    NaN, Adjusted R-squared:    NaN
## F-statistic:   NaN on 4 and 478 DF,  p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min      1Q  Median      3Q     Max
## -0.05263  0.00000  0.00000  0.00000  0.96429
##
## Coefficients:
##                     Estimate Std. Error t value Pr(>|t|)
```

```
## (Intercept)            -2.210e-17  3.881e-03   0.000    1.0000
## STE_G_nominal           3.571e-02  1.512e-02   2.362    0.0186 *
## STE_G_instrumental      5.263e-02  1.313e-02   4.008 7.11e-05 ***
## STE_G_representation  -9.566e-22  2.364e-02   0.000    1.0000
## STE_G_transformative   3.849e-19  2.607e-02   0.000    1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.07734 on 478 degrees of freedom
## Multiple R-squared:  0.04104,    Adjusted R-squared:  0.03301
## F-statistic: 5.114 on 4 and 478 DF,  p-value: 0.0004836
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.2857  0.0000  0.0000  0.0000  0.9091
##
## Coefficients:
##                       Estimate Std. Error t value Pr(>|t|)
## (Intercept)          1.743e-16  8.123e-03   0.000    1.0000
## STE_G_nominal        2.857e-01  3.165e-02   9.028   < 2e-16 ***
## STE_G_instrumental   1.316e-01  2.748e-02   4.788 2.25e-06 ***
## STE_G_representation 9.091e-02  4.947e-02   1.838    0.0667 .
## STE_G_transformative 2.222e-01  5.456e-02   4.073 5.43e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1618 on 478 degrees of freedom
## Multiple R-squared:  0.1906, Adjusted R-squared:  0.1839
## F-statistic: 28.14 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.4444  0.0000  0.0000  0.0000  0.8929
##
## Coefficients:
##                       Estimate Std. Error t value Pr(>|t|)
## (Intercept)         -4.395e-16  9.265e-03   0.000   1.00000
## STE_G_nominal        1.071e-01  3.609e-02   2.968   0.00314 **
## STE_G_instrumental   3.684e-01  3.135e-02  11.753   < 2e-16 ***
## STE_G_representation 3.636e-01  5.642e-02   6.445 2.83e-10 ***
```

```
## STE_G_transformative  4.444e-01  6.223e-02   7.142 3.44e-12 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1846 on 478 degrees of freedom
## Multiple R-squared:  0.3129, Adjusted R-squared:  0.3072
## F-statistic: 54.42 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.2368  0.0000  0.0000  0.0000  0.8889
##
## Coefficients:
##                        Estimate Std. Error t value Pr(>|t|)
## (Intercept)          -2.513e-16  8.220e-03   0.000 1.000000
## STE_G_nominal         1.429e-01  3.202e-02   4.461 1.02e-05 ***
## STE_G_instrumental    2.368e-01  2.781e-02   8.516  < 2e-16 ***
## STE_G_representation  1.818e-01  5.006e-02   3.632 0.000312 ***
## STE_G_transformative  1.111e-01  5.521e-02   2.013 0.044724 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1638 on 478 degrees of freedom
## Multiple R-squared:  0.1712, Adjusted R-squared:  0.1642
## F-statistic: 24.68 on 4 and 478 DF,  p-value: < 2.2e-16
```

Stakeholder type vs level of engagement (IAP2)

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.5000  0.0000  0.0000  0.0000  0.8571
##
## Coefficients:
##                           Estimate Std. Error t value Pr(>|t|)
## (Intercept)              1.819e-16  1.008e-02   0.000 1.000000
## STE_IAP2_data_gathering  3.437e-01  3.689e-02   9.317  < 2e-16 ***
## STE_IAP2_inform          5.557e-17  2.010e-01   0.000 1.000000
## STE_IAP2_consult         4.545e-01  3.637e-02  12.497  < 2e-16 ***
## STE_IAP2_involve         1.429e-01  7.655e-02   1.866 0.062625 .
## STE_IAP2_collab          2.857e-01  7.655e-02   3.732 0.000213 ***
## STE_IAP2_empower         5.000e-01  8.258e-02   6.055 2.86e-09 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2008 on 476 degrees of freedom
## Multiple R-squared:  0.3579, Adjusted R-squared:  0.3498
## F-statistic: 44.22 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.8571  0.0000  0.0000  0.0000  0.7188
##
## Coefficients:
##                           Estimate Std. Error t value Pr(>|t|)
## (Intercept)              2.652e-16  8.808e-03   0.000        1
## STE_IAP2_data_gathering  2.812e-01  3.225e-02   8.721  < 2e-16 ***
## STE_IAP2_inform          1.000e+00  1.757e-01   5.691 2.21e-08 ***
## STE_IAP2_consult         6.667e-01  3.179e-02  20.969  < 2e-16 ***
## STE_IAP2_involve         8.571e-01  6.691e-02  12.810  < 2e-16 ***
## STE_IAP2_collab          1.000e+00  6.691e-02  14.945  < 2e-16 ***
## STE_IAP2_empower         1.000e+00  7.218e-02  13.854  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1755 on 476 degrees of freedom
```

```
## Multiple R-squared:  0.6786, Adjusted R-squared:  0.6746
## F-statistic: 167.5 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_tribal :
##
## Call:
## lm(formula = ST_tribal ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09375  0.00000  0.00000  0.00000  0.96970
##
## Coefficients:
##                           Estimate Std. Error t value Pr(>|t|)
## (Intercept)              5.809e-17  4.418e-03   0.000    1.000
## STE_IAP2_data_gathering  9.375e-02  1.618e-02   5.796 1.24e-08 ***
## STE_IAP2_inform         -9.986e-18  8.814e-02   0.000    1.000
## STE_IAP2_consult         3.030e-02  1.595e-02   1.900    0.058 .
## STE_IAP2_involve        -1.244e-17  3.356e-02   0.000    1.000
## STE_IAP2_collab         -2.114e-17  3.356e-02   0.000    1.000
## STE_IAP2_empower         1.784e-18  3.621e-02   0.000    1.000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08803 on 476 degrees of freedom
## Multiple R-squared:  0.07019,    Adjusted R-squared:  0.05847
## F-statistic: 5.989 on 6 and 476 DF,  p-value: 4.745e-06
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ STE_IAP2_data_gathering +
##     STE_IAP2_inform + STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab +
##     STE_IAP2_empower, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.5714  0.0000  0.0000  0.0000  0.9375
##
## Coefficients:
##                          Estimate Std. Error t value Pr(>|t|)
## (Intercept)             2.027e-16  8.352e-03   0.000   1.0000
## STE_IAP2_data_gathering 6.250e-02  3.058e-02   2.044   0.0415 *
## STE_IAP2_inform         1.250e-16  1.666e-01   0.000   1.0000
## STE_IAP2_consult        2.727e-01  3.015e-02   9.046  < 2e-16 ***
## STE_IAP2_involve        4.286e-01  6.345e-02   6.754 4.20e-11 ***
## STE_IAP2_collab         5.714e-01  6.345e-02   9.006  < 2e-16 ***
## STE_IAP2_empower        3.333e-01  6.845e-02   4.870 1.52e-06 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
##
## Residual standard error: 0.1664 on 476 degrees of freedom
## Multiple R-squared:  0.3124, Adjusted R-squared:  0.3037
## F-statistic: 36.05 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ STE_IAP2_data_gathering +
##     STE_IAP2_inform + STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab +
##     STE_IAP2_empower, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.71429 -0.00252 -0.00252 -0.00252  0.99748
##
## Coefficients:
##                          Estimate Std. Error t value Pr(>|t|)
## (Intercept)              0.002519   0.009660   0.261  0.79439
## STE_IAP2_data_gathering  0.153731   0.035370   4.346 1.69e-05 ***
## STE_IAP2_inform         -0.002519   0.192716  -0.013  0.98958
## STE_IAP2_consult         0.573239   0.034870  16.439  < 2e-16 ***
## STE_IAP2_involve         0.711767   0.073387   9.699  < 2e-16 ***
## STE_IAP2_collab          0.283195   0.073387   3.859  0.00013 ***
## STE_IAP2_empower         0.497481   0.079169   6.284 7.47e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1925 on 476 degrees of freedom
## Multiple R-squared:  0.4568, Adjusted R-squared:   0.45
## F-statistic: 66.72 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##   Min    1Q Median    3Q    Max
##     0     0      0     0      0
##
## Coefficients:
##                          Estimate Std. Error t value Pr(>|t|)
## (Intercept)                     0          0     NaN      NaN
## STE_IAP2_data_gathering         0          0     NaN      NaN
## STE_IAP2_inform                 0          0     NaN      NaN
## STE_IAP2_consult                0          0     NaN      NaN
## STE_IAP2_involve                0          0     NaN      NaN
## STE_IAP2_collab                 0          0     NaN      NaN
## STE_IAP2_empower                0          0     NaN      NaN
```

```
##
## Residual standard error: 0 on 476 degrees of freedom
## Multiple R-squared:    NaN,  Adjusted R-squared:    NaN
## F-statistic:   NaN on 6 and 476 DF,  p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##     Min       1Q   Median       3Q      Max
## -0.06061  0.00000  0.00000  0.00000  0.96875
##
## Coefficients:
##                            Estimate Std. Error t value Pr(>|t|)
## (Intercept)              -7.893e-18  3.882e-03   0.000   1.0000
## STE_IAP2_data_gathering   3.125e-02  1.421e-02   2.199   0.0284 *
## STE_IAP2_inform           1.216e-17  7.744e-02   0.000   1.0000
## STE_IAP2_consult          6.061e-02  1.401e-02   4.325 1.86e-05 ***
## STE_IAP2_involve          1.487e-18  2.949e-02   0.000   1.0000
## STE_IAP2_collab          -3.033e-17  2.949e-02   0.000   1.0000
## STE_IAP2_empower          5.797e-18  3.181e-02   0.000   1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.07734 on 476 degrees of freedom
## Multiple R-squared:  0.04489,    Adjusted R-squared:  0.03285
## F-statistic: 3.729 on 6 and 476 DF,  p-value: 0.001235
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.3333  0.0000  0.0000  0.0000  0.8788
##
## Coefficients:
##                            Estimate Std. Error t value Pr(>|t|)
## (Intercept)               1.162e-16  8.026e-03   0.000   1.0000
## STE_IAP2_data_gathering   2.812e-01  2.939e-02   9.570  < 2e-16 ***
## STE_IAP2_inform           2.084e-17  1.601e-01   0.000   1.0000
## STE_IAP2_consult          1.212e-01  2.897e-02   4.184 3.42e-05 ***
## STE_IAP2_involve          1.429e-01  6.098e-02   2.343   0.0196 *
## STE_IAP2_collab          -2.322e-15  6.098e-02   0.000   1.0000
## STE_IAP2_empower          3.333e-01  6.578e-02   5.067 5.78e-07 ***
```

```
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1599 on 476 degrees of freedom
## Multiple R-squared:  0.213,  Adjusted R-squared:  0.2031
## F-statistic: 21.48 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.4286  0.0000  0.0000  0.0000  0.8750
##
## Coefficients:
##                           Estimate Std. Error t value Pr(>|t|)
## (Intercept)             -6.441e-17  9.242e-03   0.000 1.000000
## STE_IAP2_data_gathering  1.250e-01  3.384e-02   3.694 0.000246 ***
## STE_IAP2_inform          1.389e-16  1.844e-01   0.000 1.000000
## STE_IAP2_consult         3.939e-01  3.336e-02  11.808  < 2e-16 ***
## STE_IAP2_involve         4.286e-01  7.021e-02   6.104 2.15e-09 ***
## STE_IAP2_collab          4.286e-01  7.021e-02   6.104 2.15e-09 ***
## STE_IAP2_empower         3.333e-01  7.574e-02   4.401 1.33e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1841 on 476 degrees of freedom
## Multiple R-squared:  0.3191, Adjusted R-squared:  0.3105
## F-statistic: 37.18 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.2857  0.0000  0.0000  0.0000  0.8750
##
## Coefficients:
##                           Estimate Std. Error t value Pr(>|t|)
## (Intercept)             -3.031e-17  8.078e-03   0.000   1.0000
## STE_IAP2_data_gathering  1.250e-01  2.958e-02   4.226 2.85e-05 ***
## STE_IAP2_inform         -3.821e-17  1.612e-01   0.000   1.0000
## STE_IAP2_consult         2.727e-01  2.916e-02   9.353  < 2e-16 ***
## STE_IAP2_involve         1.429e-01  6.137e-02   2.328   0.0203 *
```

```
## STE_IAP2_collab          2.857e-01  6.137e-02   4.656 4.19e-06 ***
## STE_IAP2_empower          2.252e-17  6.620e-02   0.000   1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.161 on 476 degrees of freedom
## Multiple R-squared:  0.2029, Adjusted R-squared:  0.1928
## F-statistic: 20.19 on 6 and 476 DF,  p-value: < 2.2e-16
```

Stakeholder type vs level of engagement (local)

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement + SC_notdescribed, data = crcdata)
##
## Residuals:
##       Min      1Q   Median      3Q      Max
## -0.71648 -0.00337 -0.00337 -0.00337  0.73536
##
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)       0.003373   0.010064   0.335 0.737681
## SC_researcher     0.261265   0.037289   7.007 8.45e-12 ***
## SC_datagathering  0.451847   0.049459   9.136  < 2e-16 ***
## SC_inform        -0.003373   0.100472  -0.034 0.973235
## SC_perspectives   0.996627   0.200186   4.979 8.99e-07 ***
## SC_plan           0.269355   0.061116   4.407 1.30e-05 ***
## SC_identify       0.441072   0.048187   9.153  < 2e-16 ***
## SC_envision       0.996627   0.200186   4.979 8.99e-07 ***
## SC_implement      0.344374   0.090074   3.823 0.000149 ***
## SC_notdescribed  -0.003373   0.100472  -0.034 0.973235
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1999 on 473 degrees of freedom
## Multiple R-squared:  0.3672, Adjusted R-squared:  0.3552
## F-statistic:  30.5 on 9 and 473 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement + SC_notdescribed, data = crcdata)
##
## Residuals:
##       Min      1Q   Median      3Q      Max
## -0.83333 -0.00257 -0.00257 -0.00257  0.66920
##
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)       0.002566   0.009405   0.273    0.785
## SC_researcher     0.376454   0.034847  10.803  < 2e-16 ***
## SC_datagathering  0.328231   0.046221   7.101 4.56e-12 ***
## SC_inform         0.997434   0.093893  10.623  < 2e-16 ***
## SC_perspectives   0.997434   0.187079   5.332 1.51e-07 ***
## SC_plan           0.633798   0.057115  11.097  < 2e-16 ***
## SC_identify       0.830767   0.045032  18.448  < 2e-16 ***
## SC_envision       0.997434   0.187079   5.332 1.51e-07 ***
```

```
## SC_implement     0.922143   0.084176  10.955  < 2e-16 ***
## SC_notdescribed -0.002566   0.093893  -0.027    0.978
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1868 on 473 degrees of freedom
## Multiple R-squared:  0.638,  Adjusted R-squared:  0.6311
## F-statistic: 92.63 on 9 and 473 DF,  p-value: < 2.2e-16
##
##
## Response ST_tribal :
##
## Call:
## lm(formula = ST_tribal ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement +
##     SC_notdescribed, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.17477 -0.00057 -0.00057 -0.00057  0.93874
##
## Coefficients:
##                    Estimate Std. Error t value Pr(>|t|)
## (Intercept)       0.0005683  0.0044215   0.129 0.897790
## SC_researcher     0.0606962  0.0163821   3.705 0.000236 ***
## SC_datagathering  0.1135084  0.0217290   5.224 2.63e-07 ***
## SC_inform        -0.0005683  0.0441403  -0.013 0.989734
## SC_perspectives  -0.0005683  0.0879478  -0.006 0.994847
## SC_plan          -0.0005683  0.0268503  -0.021 0.983123
## SC_identify      -0.0005683  0.0211702  -0.027 0.978596
## SC_envision      -0.0005683  0.0879478  -0.006 0.994847
## SC_implement     -0.0127075  0.0395722  -0.321 0.748260
## SC_notdescribed  -0.0005683  0.0441403  -0.013 0.989734
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08784 on 473 degrees of freedom
## Multiple R-squared:  0.08005,   Adjusted R-squared:  0.06255
## F-statistic: 4.573 on 9 and 473 DF,  p-value: 8.413e-06
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement + SC_notdescribed, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.38889 -0.00148 -0.00148 -0.00148  0.95208
##
## Coefficients:
##                    Estimate Std. Error t value Pr(>|t|)
```

```
## (Intercept)        0.001480    0.008622    0.172   0.86380
## SC_researcher      0.185363    0.031946    5.802 1.20e-08 ***
## SC_datagathering  0.046440    0.042373    1.096   0.27365
## SC_inform          0.248520    0.086077    2.887   0.00407 **
## SC_perspectives   0.998520    0.171505    5.822 1.07e-08 ***
## SC_plan            0.271247    0.052360    5.180 3.28e-07 ***
## SC_identify        0.387409    0.041284    9.384  < 2e-16 ***
## SC_envision       -0.001480    0.171505   -0.009   0.99312
## SC_implement       0.161448    0.077169    2.092   0.03696 *
## SC_notdescribed   -0.001480    0.086077   -0.017   0.98629
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1713 on 473 degrees of freedom
## Multiple R-squared:  0.2761, Adjusted R-squared:  0.2624
## F-statistic: 20.05 on 9 and 473 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement + SC_notdescribed, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.72222 -0.00252 -0.00252 -0.00252  0.79282
##
## Coefficients:
##                  Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.002523   0.009827   0.257    0.797
## SC_researcher    0.204661   0.036410   5.621 3.25e-08 ***
## SC_datagathering 0.220732   0.048294   4.571 6.22e-06 ***
## SC_inform        0.497477   0.098105   5.071 5.70e-07 ***
## SC_perspectives -0.002523   0.195470  -0.013    0.990
## SC_plan          0.452022   0.059677   7.575 1.91e-13 ***
## SC_identify      0.719699   0.047052  15.296  < 2e-16 ***
## SC_envision      0.997477   0.195470   5.103 4.85e-07 ***
## SC_implement     0.356544   0.087952   4.054 5.89e-05 ***
## SC_notdescribed  0.247477   0.098105   2.523    0.012 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1952 on 473 degrees of freedom
## Multiple R-squared:  0.4447, Adjusted R-squared:  0.4341
## F-statistic: 42.09 on 9 and 473 DF,  p-value: < 2.2e-16
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
```

```
##      SC_implement + SC_notdescribed, data = crcdata)
##
## Residuals:
##    Min    1Q Median    3Q    Max
##      0     0     0     0     0
##
## Coefficients:
##                 Estimate Std. Error t value Pr(>|t|)
## (Intercept)            0          0     NaN      NaN
## SC_researcher          0          0     NaN      NaN
## SC_datagathering       0          0     NaN      NaN
## SC_inform              0          0     NaN      NaN
## SC_perspectives        0          0     NaN      NaN
## SC_plan                0          0     NaN      NaN
## SC_identify            0          0     NaN      NaN
## SC_envision            0          0     NaN      NaN
## SC_implement           0          0     NaN      NaN
## SC_notdescribed        0          0     NaN      NaN
##
## Residual standard error: 0 on 473 degrees of freedom
## Multiple R-squared:    NaN,  Adjusted R-squared:    NaN
## F-statistic:   NaN on 9 and 473 DF,  p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ SC_researcher + SC_datagathering + SC_inform +
##      SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement +
##      SC_notdescribed, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09091 -0.00014 -0.00014 -0.00014  0.96746
##
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.0001435  0.0038875   0.037 0.970565
## SC_researcher    0.0323943  0.0144034   2.249 0.024967 *
## SC_datagathering -0.0020491  0.0191044  -0.107 0.914631
## SC_inform        -0.0001435  0.0388088  -0.004 0.997051
## SC_perspectives  -0.0001435  0.0773251  -0.002 0.998520
## SC_plan           0.0907656  0.0236072   3.845 0.000137 ***
## SC_identify       0.0554120  0.0186131   2.977 0.003060 **
## SC_envision      -0.0001435  0.0773251  -0.002 0.998520
## SC_implement     -0.0066224  0.0347925  -0.190 0.849125
## SC_notdescribed  -0.0001435  0.0388088  -0.004 0.997051
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.07723 on 473 degrees of freedom
## Multiple R-squared: 0.05379,    Adjusted R-squared: 0.03579
## F-statistic: 2.988 on 9 and 473 DF,  p-value: 0.001794
##
```

```
## 
## Response ST_public :
## 
## Call:
## lm(formula = ST_public ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement +
##     SC_notdescribed, data = crcdata)
## 
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.59292 -0.00239 -0.00239 -0.00239  0.90909
## 
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)       0.002386   0.008209   0.291  0.77147
## SC_researcher     0.241148   0.030414   7.929 1.61e-14 ***
## SC_datagathering  0.101076   0.040340   2.506  0.01256 *
## SC_inform         0.247614   0.081948   3.022  0.00265 **
## SC_perspectives  -0.002386   0.163278  -0.015  0.98835
## SC_plan           0.088524   0.049848   1.776  0.07640 .
## SC_identify       0.108726   0.039303   2.766  0.00589 **
## SC_envision      -0.002386   0.163278  -0.015  0.98835
## SC_implement      0.349385   0.073467   4.756 2.63e-06 ***
## SC_notdescribed  -0.002386   0.081948  -0.029  0.97679
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## 
## Residual standard error: 0.1631 on 473 degrees of freedom
## Multiple R-squared:  0.1869, Adjusted R-squared:  0.1715
## F-statistic: 12.08 on 9 and 473 DF,  p-value: < 2.2e-16
## 
## 
## Response ST_university :
## 
## Call:
## lm(formula = ST_university ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement + SC_notdescribed, data = crcdata)
## 
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.5135 -0.0021 -0.0021 -0.0021  0.8560
## 
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)       0.002096   0.009265   0.226 0.821148
## SC_researcher     0.141919   0.034326   4.134 4.21e-05 ***
## SC_datagathering  0.166027   0.045530   3.647 0.000295 ***
## SC_inform         0.497904   0.092489   5.383 1.15e-07 ***
## SC_perspectives  -0.002096   0.184281  -0.011 0.990932
## SC_plan           0.361541   0.056261   6.426 3.20e-10 ***
## SC_identify       0.442349   0.044359   9.972  < 2e-16 ***
## SC_envision       0.997904   0.184281   5.415 9.76e-08 ***
## SC_implement      0.369521   0.082917   4.456 1.04e-05 ***
```

```
## SC_notdescribed  -0.002096   0.092489  -0.023 0.981933
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.184 on 473 degrees of freedom
## Multiple R-squared:  0.3241, Adjusted R-squared:  0.3113
## F-statistic:  25.2 on 9 and 473 DF,  p-value: < 2.2e-16
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement + SC_notdescribed, data = crcdata)
##
## Residuals:
##     Min     1Q  Median     3Q    Max
## -0.5000 -0.0010 -0.0010 -0.0010  0.8916
##
## Coefficients:
##                    Estimate Std. Error t value Pr(>|t|)
## (Intercept)       0.0009988  0.0078470   0.127  0.89877
## SC_researcher     0.1578790  0.0290735   5.430 9.01e-08 ***
## SC_datagathering  0.1073612  0.0385627   2.784  0.00558 **
## SC_inform         0.4990012  0.0783364   6.370 4.49e-10 ***
## SC_perspectives  -0.0009988  0.1560822  -0.006  0.99490
## SC_plan           0.4535466  0.0476516   9.518  < 2e-16 ***
## SC_identify       0.1101123  0.0375710   2.931  0.00354 **
## SC_envision      -0.0009988  0.1560822  -0.006  0.99490
## SC_implement     -0.0325746  0.0702294  -0.464  0.64298
## SC_notdescribed  -0.0009988  0.0783364  -0.013  0.98983
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1559 on 473 degrees of freedom
## Multiple R-squared:  0.257,  Adjusted R-squared:  0.2429
## F-statistic: 18.18 on 9 and 473 DF,  p-value: < 2.2e-16
```

Stakeholder type vs solution

```
## 
## Call:
## glm(formula = solution_proposed_YN ~ ST_farmers + ST_combined_gov +
##     ST_tribal + ST_combined_coalition + ST_combined_industry +
##     ST_migrants + ST_youth + ST_public + ST_university + ST_experts,
##     family = binomial, data = crcdata)
## 
## Deviance Residuals:
##     Min       1Q   Median       3Q      Max
## -1.2308  -0.1333  -0.1333  -0.1333   3.0748
## 
## Coefficients: (1 not defined because of singularities)
##                        Estimate Std. Error z value Pr(>|z|)
## (Intercept)             -4.7183     0.5068  -9.310  < 2e-16 ***
## ST_farmers               0.7904     0.7745   1.020    0.308
## ST_combined_gov          3.5784     0.7733   4.627  3.7e-06 ***
## ST_tribal              -14.4256  1810.3784  -0.008    0.994
## ST_combined_coalition   -0.2779     0.7639  -0.364    0.716
## ST_combined_industry    -0.6386     0.7963  -0.802    0.423
## ST_migrants                  NA         NA      NA       NA
## ST_youth               -15.6653  1939.1448  -0.008    0.994
## ST_public                0.7992     0.7884   1.014    0.311
## ST_university            0.2918     0.7387   0.395    0.693
## ST_experts               0.4654     0.8261   0.563    0.573
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## 
## (Dispersion parameter for binomial family taken to be 1)
## 
##     Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 101.16  on 473  degrees of freedom
## AIC: 121.16
## 
## Number of Fisher Scoring iterations: 16
```

Geographic area vs solution

```
## 
## Call:
## glm(formula = solution_proposed_YN ~ G_local + G_regional + G_national +
##     G_multination + G_global, family = binomial, data = crcdata)
## 
## Deviance Residuals:
##     Min       1Q   Median       3Q      Max
## -0.5010  -0.3118  -0.2450  -0.2450   2.7017
## 
## Coefficients:
##                Estimate Std. Error z value Pr(>|z|)
## (Intercept)     -3.6234     0.9172  -3.951  7.8e-05 ***
## G_local          0.6236     0.9934   0.628    0.530
## G_regional       0.1319     1.0065   0.131    0.896
## G_national       0.9877     1.0097   0.978    0.328
## G_multination  -14.9427  1232.6632  -0.012    0.990
## G_global       -14.9427  1966.6497  -0.008    0.994
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## 
## (Dispersion parameter for binomial family taken to be 1)
## 
##     Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 148.35  on 477  degrees of freedom
## AIC: 160.35
## 
## Number of Fisher Scoring iterations: 17


## 
## Logistic regression predicting solution_proposed_YN : Y vs N
## 
##                      crude OR(95%CI)    adj. OR(95%CI)     P(Wald's test)
## G_local: 1 vs 0      1.45 (0.53,3.96)  1.87 (0.27,13.07)  0.53
## 
## G_regional: 1 vs 0   0.68 (0.25,1.84)  1.14 (0.16,8.2)    0.896
## 
## G_national: 1 vs 0   2.21 (0.76,6.39)  2.69 (0.37,19.43)  0.328
## 
## G_multination: 1 vs 0  0 (0,Inf)         0 (0,Inf)        0.99
## 
## G_global: 1 vs 0     0 (0,Inf)         0 (0,Inf)          0.994
## 
##                      P(LR-test)
## G_local: 1 vs 0        0.509
## 
## G_regional: 1 vs 0     0.894
## 
## G_national: 1 vs 0     0.295
## 
## G_multination: 1 vs 0  0.282
## 
## G_global: 1 vs 0       0.471
```

```
## 
## Log-likelihood = -74.1769
## No. of observations = 483
## AIC value = 160.3537
```

stakeholder type vs geographic area

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ G_local + G_regional + G_national +
##     G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.13965 -0.07389 -0.07389 -0.03918  0.96429
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.003248   0.037430   0.087   0.9309
## G_local        0.100465   0.043266   2.322   0.0207 *
## G_regional     0.070644   0.041286   1.711   0.0877 .
## G_national     0.035935   0.046866   0.767   0.4436
## G_multination  0.032467   0.060013   0.541   0.5888
## G_global      -0.003248   0.083680  -0.039   0.9691
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2482 on 477 degrees of freedom
## Multiple R-squared:  0.01639,   Adjusted R-squared:  0.006083
## F-statistic:  1.59 on 5 and 477 DF,  p-value: 0.1613
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ G_local + G_regional + G_national +
##     G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.18923 -0.11944 -0.11330 -0.07143  0.94909
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.05091    0.04645   1.096    0.274
## G_local        0.06853    0.05370   1.276    0.203
## G_regional     0.06239    0.05124   1.218    0.224
## G_national     0.06978    0.05817   1.200    0.231
## G_multination  0.02052    0.07448   0.275    0.783
## G_global      -0.05091    0.10386  -0.490    0.624
##
## Residual standard error: 0.3081 on 477 degrees of freedom
## Multiple R-squared:  0.007528,   Adjusted R-squared:  -0.002875
## F-statistic: 0.7236 on 5 and 477 DF,  p-value: 0.606
##
##
## Response ST_tribal :
##
```

```
## Call:
## lm(formula = ST_tribal ~ G_local + G_regional + G_national +
##     G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min      1Q   Median      3Q      Max
## -0.02401 -0.02358 -0.00493 -0.00054  0.99507
##
## Coefficients:
##                  Estimate Std. Error t value Pr(>|t|)
## (Intercept)     0.0005384  0.0136751   0.039    0.969
## G_local         0.0234684  0.0158073   1.485    0.138
## G_regional      0.0043877  0.0150839   0.291    0.771
## G_national     -0.0008555  0.0171225  -0.050    0.960
## G_multination  -0.0005384  0.0219258  -0.025    0.980
## G_global       -0.0005384  0.0305726  -0.018    0.986
##
## Residual standard error: 0.09069 on 477 degrees of freedom
## Multiple R-squared:  0.01105,    Adjusted R-squared:  0.0006802
## F-statistic: 1.066 on 5 and 477 DF,  p-value: 0.3786
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ G_local + G_regional + G_national +
##     G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min      1Q   Median      3Q      Max
## -0.09641 -0.04926 -0.04926 -0.03148  0.96852
##
## Coefficients:
##                 Estimate Std. Error t value Pr(>|t|)
## (Intercept)     0.002242   0.030103   0.074   0.9407
## G_local         0.029238   0.034797   0.840   0.4012
## G_regional      0.047019   0.033204   1.416   0.1574
## G_national      0.064930   0.037692   1.723   0.0856 .
## G_multination   0.033472   0.048265   0.694   0.4883
## G_global       -0.002242   0.067299  -0.033   0.9734
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1996 on 477 degrees of freedom
## Multiple R-squared:  0.008447,   Adjusted R-squared:  -0.001946
## F-statistic: 0.8127 on 5 and 477 DF,  p-value: 0.5409
##
##
## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ G_local + G_regional + G_national +
##     G_multination + G_global, data = crcdata)
##
```

```
## Residuals:
##       Min       1Q   Median       3Q      Max
## -0.14668 -0.08374 -0.08374 -0.07946  0.97333
##
## Coefficients:
##                Estimate Std. Error t value Pr(>|t|)
## (Intercept)     0.02667    0.03912   0.682    0.496
## G_local         0.05280    0.04522   1.168    0.244
## G_regional      0.05708    0.04315   1.323    0.187
## G_national      0.06721    0.04898   1.372    0.171
## G_multination  -0.02667    0.06272  -0.425    0.671
## G_global       -0.02667    0.08745  -0.305    0.761
##
## Residual standard error: 0.2594 on 477 degrees of freedom
## Multiple R-squared:  0.01127,    Adjusted R-squared:  0.0009061
## F-statistic: 1.087 on 5 and 477 DF,  p-value: 0.3664
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ G_local + G_regional + G_national +
##     G_multination + G_global, data = crcdata)
##
## Residuals:
##    Min    1Q Median    3Q    Max
##      0     0      0     0      0
##
## Coefficients:
##                Estimate Std. Error t value Pr(>|t|)
## (Intercept)           0          0     NaN      NaN
## G_local               0          0     NaN      NaN
## G_regional            0          0     NaN      NaN
## G_national            0          0     NaN      NaN
## G_multination         0          0     NaN      NaN
## G_global              0          0     NaN      NaN
##
## Residual standard error: 0 on 477 degrees of freedom
## Multiple R-squared:    NaN, Adjusted R-squared:    NaN
## F-statistic:   NaN on 5 and 477 DF,  p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ G_local + G_regional + G_national + G_multination +
##     G_global, data = crcdata)
##
## Residuals:
##       Min       1Q   Median       3Q      Max
## -0.01600 -0.01600 -0.00493 -0.00036  0.99507
##
## Coefficients:
##                  Estimate Std. Error t value Pr(>|t|)
```

```
## (Intercept)     0.0003589  0.0118848   0.030    0.976
## G_local         0.0156456  0.0137378   1.139    0.255
## G_regional      0.0045672  0.0131091   0.348    0.728
## G_national     -0.0005704  0.0148808  -0.038    0.969
## G_multination  -0.0003589  0.0190552  -0.019    0.985
## G_global       -0.0003589  0.0265700  -0.014    0.989
##
## Residual standard error: 0.07882 on 477 degrees of freedom
## Multiple R-squared:  0.006139,   Adjusted R-squared:  -0.004279
## F-statistic: 0.5892 on 5 and 477 DF,  p-value: 0.7082
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ G_local + G_regional + G_national +
##      G_multination + G_global, data = crcdata)
##
## Residuals:
##       Min       1Q   Median       3Q      Max
## -0.06427 -0.04722 -0.02463 -0.01328  0.98672
##
## Coefficients:
##                Estimate Std. Error t value Pr(>|t|)
## (Intercept)     0.04722    0.02697   1.751   0.0806 .
## G_local         0.01705    0.03117   0.547   0.5846
## G_regional     -0.02259    0.02974  -0.759   0.4480
## G_national     -0.03393    0.03376  -1.005   0.3154
## G_multination  -0.04722    0.04324  -1.092   0.2754
## G_global       -0.04722    0.06029  -0.783   0.4339
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1788 on 477 degrees of freedom
## Multiple R-squared:  0.0139, Adjusted R-squared:  0.003563
## F-statistic: 1.345 on 5 and 477 DF,  p-value: 0.2441
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ G_local + G_regional + G_national +
##      G_multination + G_global, data = crcdata)
##
## Residuals:
##       Min       1Q   Median       3Q      Max
## -0.10037 -0.05911 -0.05911 -0.03145  0.97441
##
## Coefficients:
##                Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.025590   0.033428   0.766    0.444
## G_local        0.005859   0.038641   0.152    0.880
## G_regional     0.033523   0.036872   0.909    0.364
## G_national     0.068925   0.041856   1.647    0.100
```

```
## G_multination  0.010124    0.053597    0.189      0.850
## G_global       -0.025590    0.074734   -0.342      0.732
##
## Residual standard error: 0.2217 on 477 degrees of freedom
## Multiple R-squared:  0.01114,    Adjusted R-squared:  0.000774
## F-statistic: 1.075 on 5 and 477 DF,  p-value: 0.3735
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ G_local + G_regional + G_national +
##     G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min      1Q   Median      3Q      Max
## -0.05476 -0.04926 -0.04035 -0.01569  0.98431
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.001273   0.027023   0.047    0.962
## G_local       0.014414   0.031237   0.461    0.645
## G_regional    0.047988   0.029807   1.610    0.108
## G_national    0.039072   0.033836   1.155    0.249
## G_multination 0.034441   0.043327   0.795    0.427
## G_global     -0.001273   0.060414  -0.021    0.983
##
## Residual standard error: 0.1792 on 477 degrees of freedom
## Multiple R-squared:  0.009743,    Adjusted R-squared:  -0.0006375
## F-statistic: 0.9386 on 5 and 477 DF,  p-value: 0.4556
```

Geographic area vs engagment (Ghodsvali)

```
## Response G_local :
##
## Call:
## lm(formula = G_local ~ STE_G_nominal + STE_G_instrumental + STE_G_representation +
##     STE_G_transformative, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.5556 -0.2343 -0.2343  0.4444  0.8182
##
## Coefficients:
##                       Estimate Std. Error t value Pr(>|t|)
## (Intercept)            0.23426    0.02176  10.763  < 2e-16 ***
## STE_G_nominal          0.26574    0.08479   3.134  0.00183 **
## STE_G_instrumental     0.05522    0.07364   0.750  0.45371
## STE_G_representation  -0.05244    0.13255  -0.396  0.69256
## STE_G_transformative   0.32130    0.14618   2.198  0.02843 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4336 on 478 degrees of freedom
## Multiple R-squared:  0.02981,    Adjusted R-squared:  0.02169
## F-statistic: 3.671 on 4 and 478 DF,  p-value: 0.005873
##
##
## Response G_regional :
##
## Call:
## lm(formula = G_regional ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.5454 -0.4156 -0.4156  0.5844  0.8889
##
## Coefficients:
##                       Estimate Std. Error t value Pr(>|t|)
## (Intercept)            0.41562    0.02477  16.782   <2e-16 ***
## STE_G_nominal          0.01295    0.09649   0.134   0.8933
## STE_G_instrumental     0.08438    0.08379   1.007   0.3144
## STE_G_representation   0.12984    0.15083   0.861   0.3898
## STE_G_transformative  -0.30451    0.16634  -1.831   0.0678 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4935 on 478 degrees of freedom
## Multiple R-squared:  0.01092,    Adjusted R-squared:  0.00264
## F-statistic: 1.319 on 4 and 478 DF,  p-value: 0.2619
##
##
## Response G_national :
##
```

```
## Call:
## lm(formula = G_national ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.2727 -0.1587 -0.1587 -0.1579  0.8421
##
## Coefficients:
##                       Estimate Std. Error t value Pr(>|t|)
## (Intercept)          0.1586902  0.0180451   8.794   <2e-16 ***
## STE_G_nominal       -0.1586902  0.0703031  -2.257   0.0244 *
## STE_G_instrumental  -0.0007954  0.0610536  -0.013   0.9896
## STE_G_representation 0.1140371  0.1098987   1.038   0.3000
## STE_G_transformative 0.0635320  0.1211994   0.524   0.6004
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3595 on 478 degrees of freedom
## Multiple R-squared:  0.01388,    Adjusted R-squared:  0.005632
## F-statistic: 1.682 on 4 and 478 DF,  p-value: 0.1528
##
##
## Response G_multination :
##
## Call:
## lm(formula = G_multination ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##       Min       1Q   Median       3Q      Max
## -0.11111 -0.06297 -0.06297 -0.06297  0.97368
##
## Coefficients:
##                      Estimate Std. Error t value Pr(>|t|)
## (Intercept)           0.06297    0.01176   5.354 1.34e-07 ***
## STE_G_nominal        -0.02726    0.04582  -0.595    0.552
## STE_G_instrumental   -0.03666    0.03980  -0.921    0.357
## STE_G_representation -0.06297    0.07163  -0.879    0.380
## STE_G_transformative  0.04814    0.07900   0.609    0.543
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2344 on 478 degrees of freedom
## Multiple R-squared:  0.004711,   Adjusted R-squared:  -0.003618
## F-statistic: 0.5656 on 4 and 478 DF,  p-value: 0.6877
##
##
## Response G_global :
##
## Call:
## lm(formula = G_global ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
```

```
## Residuals:
##     Min      1Q   Median      3Q      Max
## -0.02771 -0.02771 -0.02771 -0.02771  0.97229
##
## Coefficients:
##                     Estimate Std. Error t value Pr(>|t|)
## (Intercept)          0.027708   0.007507   3.691 0.000249 ***
## STE_G_nominal       -0.027708   0.029248  -0.947 0.343949
## STE_G_instrumental  -0.027708   0.025400  -1.091 0.275890
## STE_G_representation -0.027708   0.045721  -0.606 0.544793
## STE_G_transformative -0.027708   0.050423  -0.550 0.582913
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1496 on 478 degrees of freedom
## Multiple R-squared:  0.005048,   Adjusted R-squared:  -0.003277
## F-statistic: 0.6064 on 4 and 478 DF,  p-value: 0.6582
```

Geographic area vs engagment (IAP2)

```
## Response G_local :
##
## Call:
## lm(formula = G_local ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##     Min     1Q  Median     3Q     Max
## -0.8333 -0.2343 -0.2343  0.1667  0.7657
##
## Coefficients:
##                          Estimate Std. Error t value Pr(>|t|)
## (Intercept)               0.23426    0.02158  10.856  < 2e-16 ***
## STE_IAP2_data_gathering   0.23449    0.07901   2.968 0.003149 **
## STE_IAP2_inform           0.76574    0.43049   1.779 0.075913 .
## STE_IAP2_consult          0.03847    0.07789   0.494 0.621612
## STE_IAP2_involve          0.05146    0.16393   0.314 0.753737
## STE_IAP2_collab          -0.23426    0.16393  -1.429 0.153660
## STE_IAP2_empower          0.59908    0.17685   3.388 0.000764 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4299 on 476 degrees of freedom
## Multiple R-squared:  0.0503, Adjusted R-squared:  0.03832
## F-statistic: 4.201 on 6 and 476 DF,  p-value: 0.0003936
##
##
## Response G_regional :
##
## Call:
## lm(formula = G_regional ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##     Min     1Q  Median     3Q     Max
## -0.5714 -0.4156 -0.4156  0.5844  0.5938
##
## Coefficients:
##                          Estimate Std. Error t value Pr(>|t|)
## (Intercept)               0.415617   0.024749  16.793   <2e-16 ***
## STE_IAP2_data_gathering  -0.009367   0.090619  -0.103    0.918
## STE_IAP2_inform          -0.415617   0.493751  -0.842    0.400
## STE_IAP2_consult          0.129837   0.089339   1.453    0.147
## STE_IAP2_involve          0.155811   0.188022   0.829    0.408
## STE_IAP2_collab           0.012954   0.188022   0.069    0.945
## STE_IAP2_empower         -0.415617   0.202835  -2.049    0.041 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4931 on 476 degrees of freedom
```

```
## Multiple R-squared:  0.01639,    Adjusted R-squared:  0.003992
## F-statistic: 1.322 on 6 and 476 DF,  p-value: 0.2456
##
##
## Response G_national :
##
## Call:
## lm(formula = G_national ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.4286 -0.1587 -0.1587 -0.1515  0.9688
##
## Coefficients:
##                          Estimate Std. Error t value Pr(>|t|)
## (Intercept)              0.158690   0.018057   8.788   <2e-16 ***
## STE_IAP2_data_gathering -0.127440   0.066117  -1.928   0.0545 .
## STE_IAP2_inform         -0.158690   0.360245  -0.441   0.6598
## STE_IAP2_consult        -0.007175   0.065183  -0.110   0.9124
## STE_IAP2_involve        -0.015833   0.137182  -0.115   0.9082
## STE_IAP2_collab          0.269881   0.137182   1.967   0.0497 *
## STE_IAP2_empower         0.007976   0.147990   0.054   0.9570
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3598 on 476 degrees of freedom
## Multiple R-squared:  0.01666,    Adjusted R-squared:  0.004267
## F-statistic: 1.344 on 6 and 476 DF,  p-value: 0.2358
##
##
## Response G_multination :
##
## Call:
## lm(formula = G_multination ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.14286 -0.06297 -0.06297 -0.06297  0.93750
##
## Coefficients:
##                           Estimate Std. Error t value Pr(>|t|)
## (Intercept)              0.0629723  0.0117653   5.352 1.35e-07 ***
## STE_IAP2_data_gathering -0.0004723  0.0430780  -0.011    0.991
## STE_IAP2_inform         -0.0629723  0.2347165  -0.268    0.789
## STE_IAP2_consult        -0.0629723  0.0424697  -1.483    0.139
## STE_IAP2_involve        -0.0629723  0.0893807  -0.705    0.481
## STE_IAP2_collab          0.0798849  0.0893807   0.894    0.372
## STE_IAP2_empower        -0.0629723  0.0964227  -0.653    0.514
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
##
## Residual standard error: 0.2344 on 476 degrees of freedom
## Multiple R-squared:  0.008302,   Adjusted R-squared:  -0.004199
## F-statistic: 0.6641 on 6 and 476 DF,  p-value: 0.6787
##
##
## Response G_global :
##
## Call:
## lm(formula = G_global ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02771 -0.02771 -0.02771 -0.02771  0.97229
##
## Coefficients:
##                          Estimate Std. Error t value Pr(>|t|)
## (Intercept)              0.027708   0.007523   3.683 0.000257 ***
## STE_IAP2_data_gathering -0.027708   0.027545  -1.006 0.314977
## STE_IAP2_inform         -0.027708   0.150085  -0.185 0.853610
## STE_IAP2_consult        -0.027708   0.027156  -1.020 0.308103
## STE_IAP2_involve        -0.027708   0.057153  -0.485 0.628040
## STE_IAP2_collab         -0.027708   0.057153  -0.485 0.628040
## STE_IAP2_empower        -0.027708   0.061656  -0.449 0.653351
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1499 on 476 degrees of freedom
## Multiple R-squared:  0.005048,   Adjusted R-squared:  -0.007493
## F-statistic: 0.4025 on 6 and 476 DF,  p-value: 0.8774
```

Geographic area vs engagment (local)

```
## Response G_local :
##
## Call:
## lm(formula = G_local ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement +
##     SC_notdescribed, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.7623 -0.2349 -0.2349  0.5092  0.7651
##
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)        0.23488    0.02196  10.698   <2e-16 ***
## SC_researcher      0.20284    0.08135   2.494   0.0130 *
## SC_datagathering   0.10613    0.10790   0.984   0.3258
## SC_inform         -0.23488    0.21918  -1.072   0.2845
## SC_perspectives   -0.23488    0.43672  -0.538   0.5910
## SC_plan            0.03785    0.13333   0.284   0.7766
## SC_identify        0.15401    0.10512   1.465   0.1436
## SC_envision       -0.23488    0.43672  -0.538   0.5910
## SC_implement       0.32456    0.19650   1.652   0.0993 .
## SC_notdescribed    0.01512    0.21918   0.069   0.9450
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4362 on 473 degrees of freedom
## Multiple R-squared:  0.02878,    Adjusted R-squared:  0.0103
## F-statistic: 1.557 on 9 and 473 DF,  p-value: 0.1254
##
##
## Response G_regional :
##
## Call:
## lm(formula = G_regional ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement + SC_notdescribed, data = crcdata)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -0.7500 -0.4166 -0.4166  0.5834  0.8502
##
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)        0.41664    0.02485  16.763   <2e-16 ***
## SC_researcher     -0.06277    0.09209  -0.682   0.4958
## SC_datagathering   0.23412    0.12215   1.917   0.0559 .
## SC_inform          0.33336    0.24813   1.344   0.1797
## SC_perspectives    0.58336    0.49438   1.180   0.2386
## SC_plan           -0.05300    0.15093  -0.351   0.7256
## SC_identify        0.02781    0.11900   0.234   0.8153
## SC_envision       -0.41664    0.49438  -0.843   0.3998
```

```
## SC_implement      -0.20408    0.22245 -0.917    0.3594
## SC_notdescribed -0.16664    0.24813 -0.672    0.5022
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4938 on 473 degrees of freedom
## Multiple R-squared:  0.02011,    Adjusted R-squared:  0.001462
## F-statistic: 1.078 on 9 and 473 DF,  p-value: 0.3771
##
##
## Response G_national :
##
## Call:
## lm(formula = G_national ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement + SC_notdescribed, data = crcdata)
##
## Residuals:
##     Min     1Q  Median     3Q     Max
## -0.2727 -0.1580 -0.1580 -0.1000  0.9000
##
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)       0.158013   0.018096   8.732   <2e-16 ***
## SC_researcher    -0.057980   0.067045  -0.865   0.3876
## SC_datagathering -0.154602   0.088928  -1.739   0.0828 .
## SC_inform        -0.158013   0.180648  -0.875   0.3822
## SC_perspectives  -0.158013   0.359934  -0.439   0.6609
## SC_plan           0.114714   0.109887   1.044   0.2971
## SC_identify       0.008654   0.086641   0.100   0.9205
## SC_envision       0.841987   0.359934   2.339   0.0197 *
## SC_implement      0.053583   0.161953   0.331   0.7409
## SC_notdescribed   0.091987   0.180648   0.509   0.6108
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3595 on 473 degrees of freedom
## Multiple R-squared:  0.02456,    Adjusted R-squared:  0.006003
## F-statistic: 1.323 on 9 and 473 DF,  p-value: 0.2219
##
##
## Response G_multination :
##
## Call:
## lm(formula = G_multination ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement + SC_notdescribed, data = crcdata)
##
## Residuals:
##      Min      1Q  Median      3Q      Max
## -0.09091 -0.06364 -0.06364 -0.06364  0.93636
##
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
```

```
## (Intercept)        0.063636   0.011843    5.373 1.22e-07 ***
## SC_researcher      0.005028   0.043879    0.115    0.909
## SC_datagathering  -0.063931   0.058200   -1.098    0.273
## SC_inform         -0.063636   0.118228   -0.538    0.591
## SC_perspectives   -0.063636   0.235565   -0.270    0.787
## SC_plan            0.027274   0.071918    0.379    0.705
## SC_identify       -0.063636   0.056704   -1.122    0.262
## SC_envision       -0.063636   0.235565   -0.270    0.787
## SC_implement      -0.064641   0.105993   -0.610    0.542
## SC_notdescribed   -0.063636   0.118228   -0.538    0.591
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2353 on 473 degrees of freedom
## Multiple R-squared:  0.007428,   Adjusted R-squared:  -0.01146
## F-statistic: 0.3933 on 9 and 473 DF,  p-value: 0.9383
##
##
## Response G_global :
##
## Call:
## lm(formula = G_global ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement +
##     SC_notdescribed, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02787 -0.02787 -0.02787 -0.02787  0.97213
##
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)       0.027873   0.007569    3.683 0.000257 ***
## SC_researcher    -0.026295   0.028043   -0.938 0.348898
## SC_datagathering -0.026327   0.037196   -0.708 0.479425
## SC_inform        -0.027873   0.075559   -0.369 0.712372
## SC_perspectives  -0.027873   0.150549   -0.185 0.853195
## SC_plan          -0.027873   0.045962   -0.606 0.544513
## SC_identify      -0.027873   0.036239   -0.769 0.442186
## SC_envision      -0.027873   0.150549   -0.185 0.853195
## SC_implement     -0.022614   0.067740   -0.334 0.738646
## SC_notdescribed  -0.027873   0.075559   -0.369 0.712372
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1504 on 473 degrees of freedom
## Multiple R-squared:  0.005218,   Adjusted R-squared:  -0.01371
## F-statistic: 0.2757 on 9 and 473 DF,  p-value: 0.9811
```