

Rethinking Stakeholder Engagement: A Multidimensional Framework Inspired by Meta-Analysis of Food, Energy, and Water Research

2024-12-09

Contents

Supplemental Materials Summary 3

Variable Summary 4

Chi-Square Testing 5

Chi Square Testing: solution proposed or not vs. stakeholder engagement 5

Chi Square Testing: solution proposed or not vs. computational model used or not? 6

Summary Statistics Graphs 7

Were solutions proposed in the set of all papers? 7

Were solutions implemented in the set of all papers? 8

What were the solution types? 9

Was a computational model used? 10

Were stakeholders engaged? 11

All FEWS papers by year 12

Level of stakeholder engagement by year - Ghodsvali scale 13

Level of stakeholder engagement by year - IAP2 scale 14

Level of stakeholder engagement by year - Local scale 15

Stakeholder engagement by year 16

Researcher types 17

Stakeholder types 18

Ghodsvali scale breakdown 19

IAP2 scale breakdown 20

Local scale breakdown 21

Geographic location breakdown 22

Regression Testing	23
Ghodsvali scale regression	23
Ghodsvali scale odds	24
IAP2 scale regression	25
IAP2 scale odds	26
Local scale regression	27
Local scale odds	28
Engagement vs. solution - regression testing	29
Engagement vs. solution - odds	30
Use of computational model vs. solution - regression testing	31
Use of computational model vs. solution - odds	32
Diversity of stakeholders vs solution	33
Diversity of stakeholders vs solution - odds	34
Diversity of stakeholders vs solution - full predictors	35
Diversity of researchers vs solution - regression testing	36
Diversity of researchers vs solution - odds	37
Stakeholder type vs level of engagement (Ghodsvali) - regression testing	38
Stakeholder type vs level of engagement (IAP2) - regression testing	43
Stakeholder type vs level of engagement (local) - regression testing	49
Stakeholder type vs solution - regression testing	55
Geographic area vs solution - regression testing	56
Geographic area vs solution - odds	58
stakeholder type vs geographic area	59
Geographic area vs engagment (Ghodsvali)	64
Geographic area vs engagment (IAP2)	67
Geographic area vs engagment (local)	71
Geographic area vs engagment (local)	75

Supplemental Materials Summary

The benefits for involving stakeholders in research projects are well established. We investigated recent papers related to food-energy-water systems to assess whether stakeholders were engaged, when they were engaged, which stakeholders were involved, the level of their involvement, whether the needs of stakeholders were considered, and whether stakeholder engagement was evaluated and monitored. Stakeholder engagement theory and research suggest that stakeholder engagement is effective only when it is considered as an integrated process, but our review suggests that this is not common practice. We developed a framework to assist scientists in engaging stakeholders in an integrated and thoughtful manner. Our framework includes six dimensions: 1. When should stakeholders be engaged and for how long? 2. Who should be engaged (identification and diversity)? 3. What role should stakeholders play? 4. How can researchers meet stakeholder needs? 5. What methods of engagement should be used? 6. How to evaluate and monitor the engagement?

We conducted two literature searches: an initial search in 2020 and a follow-up search in 2023 to capture literature published between 2020 and 2023. We conducted the searches in two different online databases, ScienceDirect and WorldCat, to ensure a comprehensive identification of relevant literature. We identified 177 publications from our initial search and 540 publications in our follow up search, resulting in a total of 717 publications. We then manually screened the papers and removed additional papers that did not meet the criteria above on reading the manuscript, resulting in 489 total papers for analysis.

This supplemental materials provides:

- A summary of the variables quantified from the literature reviews;
- Chi-square testing of whether a solution was proposed or not vs. 1) stakeholder engagement as well as 2) whether a computational model was used;
- Summary statistics graphs of the literature analysis; and
- Regression and odds ratio testing for a variety of factors

Variable Summary

Below is a list of the categorical variables generated from the literature reviews

Table 1: Table T1: Variable Descriptions

Variable Name	Description
Year	Year of citation
Solution Proposed	Was a solution proposed?
Solution Implemented	Was a solution implemented?
Stakeholder Type	What was the stakeholder type? Groups include: Farmers, Combined Government, Combined Coalition, Combined Industry, Migrants, Youth, Public, Univerity, and Experts
Stakeholder Engagment Scale - Ghodsvali	If a stakeholder was engaged, categorization of the engagement using the Ghodsvali scale. Groups include: Nominal, Instrumental, Representation, and Transformative
Stakeholder Engagment Scale - IAP2	If a stakeholder was engaged, categorization of the engagement using the IAP2 scale. Groups include: Data Gathering, Inform, Consult, Involve, Collaborate, and Empower
Stakeholder Engagement Scale - Local	If a stakeholder was engaged, categorization of the engagement using a customized scale. Groups include: Researcher, Data Gathering, Inform, Perspectives, Planning, Identify, Envision, and Implement

Chi-Square Testing

Chi Square Testing: solution proposed or not vs. stakeholder engagement

Chi Square and Fishers Exact Test on contingency table with Solution/No Solution as the explanatory variable, and engaged stakeholder/did not engage stakeholder as the response variable.

ChiSquare = 26: Fishers Exact Test Odds Ratio: 10: Not Independent

Both chi square and fishers exact test were significant, with a chi square approximation of ~26, which is well above the critical value (3.84 with one degree of freedom). Fishers Exact Test returned an odds ratio of ~10. The alternative hypothesis: true odds ratio is not equal to 1, therefore the null hypothesis is rejected - the groups are not independent.

The Fishers Exact Test defaults to associating the odds ratio (which can represent effect size) with the first cell. In this instance “The odds of having a solution is 10 times that for an engaged stakeholder”. You could flip the response and explanatory variables, but the odds ratio would stay the same.

For more info on this topic see: Kim HY. Statistical notes for clinical researchers: Chi-squared test and Fisher’s exact test. Restor Dent Endod. 2017 May;42(2):152-155. doi: 10.5395/rde.2017.42.2.152. Epub 2017 Mar 30. PMID: 28503482; PMCID: PMC5426219.

```
##           stakeholder
## solution M  NM
##    [1,] 13   5
##    [2,] 95 370

## Number of cases in table: 483
## Number of factors: 2
## Test for independence of all factors:
##  Chisq = 26.776, df = 1, p-value = 2.285e-07
##  Chi-squared approximation may be incorrect

##
##  Fisher’s Exact Test for Count Data
##
## data:  solution_stakeholder
## p-value = 5.864e-06
## alternative hypothesis: true odds ratio is not equal to 1
## 95 percent confidence interval:
##   3.266331 36.933516
## sample estimates:
## odds ratio
##   10.06035

##
## Barnard’s Unconditional Test
##
##           Treatment I Treatment II
## Outcome I           13           5
## Outcome II          95          370
##
## Null hypothesis: Treatments have no effect on the outcomes
## Score statistic = -5.17455
## Nuisance parameter = 0.022 (One sided), 0.022 (Two sided)
## P-value = 2.48239e-06 (One sided), 2.48239e-06 (Two sided)
```

Chi Square Testing: solution proposed or not vs. computational model used or not?

Chi Square and Fishers Exact Test on the contingency table with solution proposed (solution/no solution) as the explanatory variable, and whether a computational model used (model/no model) as the response variable.

ChiSquare = .57: Fishers Exact Test Odds Ratio = .668: Independent

Both chi square and fishers exact test (FET) were insignificant/borderline, with a chi square approximation of $\sim .57$, which is well below to the critical value (3.84 for one degree of freedom). FET returned an odds ratio of under 1, therefore the null is accepted - the groups are independent.

The FET defaults to associating the odds ratio (which can represent effect size) with the first cell. In this instance “The odds of having a solution is .67 times that for having a model”. You could flip the response and explanatory variables, but the odds ratio would stay the same.

```
##           model
## solution    M NM
##      [1,]   13  5
##      [2,]  370 95


## Number of cases in table: 483
## Number of factors: 2
## Test for independence of all factors:
##  Chisq = 0.5699, df = 1, p-value = 0.4503
##  Chi-squared approximation may be incorrect

##
## Fisher's Exact Test for Count Data
##
## data:  solution_model
## p-value = 0.5512
## alternative hypothesis: true odds ratio is not equal to 1
## 95 percent confidence interval:
##  0.2167592 2.4540598
## sample estimates:
## odds ratio
##  0.6681878


##
## Barnard's Unconditional Test
##
##           Treatment I Treatment II
## Outcome I           13           5
## Outcome II          370          95
##
## Null hypothesis: Treatments have no effect on the outcomes
## Score statistic = 0.754895
## Nuisance parameter = 0.99 (One sided), 0.01 (Two sided)
## P-value = 0.275902 (One sided), 0.510281 (Two sided)
```

Summary Statistics Graphs


Were solutions proposed in the set of all papers?




Were solutions implemented in the set of all papers?




What were the solution types?




Was a computational model used?




Were stakeholders engaged?




All FEWS papers by year




Level of stakeholder engagement by year - Ghodsvali scale




Level of stakeholder engagement by year - IAP2 scale




Level of stakeholder engagement by year - Local scale




Stakeholder engagement by year




Researcher types




Stakeholder types




Ghodsvali scale breakdown




IAP2 scale breakdown



Local scale breakdown



Geographic location breakdown



Regression Testing

Ghodsvali scale regression

Ghodsvali scale regression testing on whether a solution was proposed or not

```
##
## Call:
## glm(formula = solution_proposed_YN ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, family = binomial,
##     data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.7344  -0.1423  -0.1423  -0.1423   3.0324
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.5875     0.5025  -9.129  < 2e-16 ***
## STE_G_nominal     1.2917     1.1356   1.137  0.25535
## STE_G_instrumental  2.1308     0.7839   2.718  0.00656 **
## STE_G_representation  3.6067     0.8431   4.278 1.89e-05 ***
## STE_G_transformative  5.8403     0.9463   6.172 6.74e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.748  on 482  degrees of freedom
## Residual deviance:  96.785  on 478  degrees of freedom
## AIC: 106.79
##
## Number of Fisher Scoring iterations: 7
```

Ghodsvali scale odds

Odds of Ghodsvali scale predicting whether a solution was proposed or not

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               crude OR(95%CI)          adj. OR(95%CI)
## STE_G_nominal: 1 vs 0          0.95 (0.12,7.44)      3.64 (0.39,33.7)
##
## STE_G_instrumental: 1 vs 0    2.46 (0.68,8.9)        8.42 (1.81,39.14)
##
## STE_G_representation: 1 vs 0  11.42 (2.75,47.41)     36.84 (7.06,192.33)
##
## STE_G_transformative: 1 vs 0 147.32 (27.42,791.53) 343.87 (53.82,2197.12)
##
##               P(Wald's test) P(LR-test)
## STE_G_nominal: 1 vs 0          0.255          0.318
##
## STE_G_instrumental: 1 vs 0    0.007          0.015
##
## STE_G_representation: 1 vs 0 < 0.001          < 0.001
##
## STE_G_transformative: 1 vs 0 < 0.001          < 0.001
##
## Log-likelihood = -48.3926
## No. of observations = 483
## AIC value = 106.7851
```


IAP2 scale regression

IAP2 scale regression testing on whether a solution was proposed or not

```
##
## Call:
## glm(formula = solution_proposed_YN ~ STE_IAP2_data_gathering +
##      STE_IAP2_inform + STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab +
##      STE_IAP2_empower, family = binomial, data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.0579  -0.1423  -0.1423  -0.1423   3.0324
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.5875     0.5025  -9.129 < 2e-16 ***
## STE_IAP2_data_gathering  1.1535     1.1335   1.018  0.30883
## STE_IAP2_inform    -12.9786    3956.1804  -0.003  0.99738
## STE_IAP2_consult     2.2849     0.7869   2.904  0.00369 **
## STE_IAP2_involve     2.7958     1.1913   2.347  0.01894 *
## STE_IAP2_collab      4.2998     0.9143   4.703 2.56e-06 ***
## STE_IAP2_empower     22.1536    1615.1039   0.014  0.98906
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.748  on 482  degrees of freedom
## Residual deviance:  89.049  on 476  degrees of freedom
## AIC: 103.05
##
## Number of Fisher Scoring iterations: 16
```

IAP2 scale odds

Odds of IAP2 scale predicting whether a solution was proposed or not

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               crude OR(95%CI)         adj. OR(95%CI)
## STE_IAP2_data_gathering: 1 vs 0  0.82 (0.11,6.39)    3.17 (0.34,29.23)
##
## STE_IAP2_inform: 1 vs 0          0 (0,Inf)           0 (0,Inf)
##
## STE_IAP2_consult: 1 vs 0         2.9 (0.8,10.57)      9.82 (2.1,45.93)
##
## STE_IAP2_involve: 1 vs 0         4.5 (0.51,39.48)     16.37 (1.59,169.13)
##
## STE_IAP2_collab: 1 vs 0          23.05 (4.73,112.22)   73.69 (12.28,442.2)
##
## STE_IAP2_empower: 1 vs 0         1648611478.8 (0,Inf)  4180027810.8 (0,Inf)
##
##               P(Wald's test) P(LR-test)
## STE_IAP2_data_gathering: 1 vs 0  0.309           0.365
##
## STE_IAP2_inform: 1 vs 0          0.997           0.887
##
## STE_IAP2_consult: 1 vs 0          0.004           0.01
##
## STE_IAP2_involve: 1 vs 0          0.019           0.066
##
## STE_IAP2_collab: 1 vs 0          < 0.001          < 0.001
##
## STE_IAP2_empower: 1 vs 0          0.989           < 0.001
##
## Log-likelihood = -44.5245
## No. of observations = 483
## AIC value = 103.0489
```

Local scale regression

Local scale regression predicting whether a solution was proposed or not

```
##
## Call:
## glm(formula = solution_proposed_YN ~ SC_researcher + SC_datagathering +
##      SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##      SC_implement, family = binomial, data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.6729  -0.1552  -0.1552  -0.1552   3.0876
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.4131     0.4571  -9.655 < 2e-16 ***
## SC_researcher   -0.3450     1.6328   -0.211   0.833
## SC_datagathering -15.1350    2607.3229  -0.006   0.995
## SC_inform         4.4131     1.0995   4.014 5.98e-05 ***
## SC_perspectives -15.1530    10754.0130  -0.001   0.999
## SC_plan         -15.1530    3242.4569  -0.005   0.996
## SC_identify       3.7199     0.6774   5.491 3.99e-08 ***
## SC_envision      23.9791    10754.0130   0.002   0.998
## SC_implement      5.8741     1.2436   4.723 2.32e-06 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.748  on 482  degrees of freedom
## Residual deviance:  87.808  on 474  degrees of freedom
## AIC: 105.81
##
## Number of Fisher Scoring iterations: 18
```

Local scale odds

Odds of Local scale predicting whether a solution was proposed or not

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               crude OR(95%CI)           adj. OR(95%CI)
## SC_researcher: 1 vs 0      0.85 (0.11,6.63)      0.71 (0.03,17.38)
##
## SC_datagathering: 1 vs 0    0 (0,Inf)             0 (0,Inf)
##
## SC_inform: 1 vs 0          28.94 (3.83,218.65)     82.52 (9.56,711.99)
##
## SC_perspectives: 1 vs 0    0 (0,Inf)             0 (0,Inf)
##
## SC_plan: 1 vs 0            0 (0,Inf)             0 (0,Inf)
##
## SC_identify: 1 vs 0        18.87 (6.06,58.74)      41.26 (10.94,155.66)
##
## SC_envision: 1 vs 0        157493116.45 (0,Inf)    25942087197.62 (0,Inf)
##
## SC_implement: 1 vs 0       132.57 (13.9,1263.96)    355.7 (31.08,4070.47)
##
##               P(Wald's test) P(LR-test)
## SC_researcher: 1 vs 0      0.833          0.828
##
## SC_datagathering: 1 vs 0    0.995          0.53
##
## SC_inform: 1 vs 0          < 0.001          < 0.001
##
## SC_perspectives: 1 vs 0    0.999          0.877
##
## SC_plan: 1 vs 0            0.996          0.609
##
## SC_identify: 1 vs 0        < 0.001          < 0.001
##
## SC_envision: 1 vs 0        0.998          0.003
##
## SC_implement: 1 vs 0       < 0.001          < 0.001
##
## Log-likelihood = -43.9038
## No. of observations = 483
## AIC value = 105.8077
```

Engagement vs. solution - regression testing

Regression of whether stakeholder engagement (Y/N) predicts if a solution was proposed (Y/N)

```
##
## Call:
## glm(formula = solution_proposed_YN ~ S_stakeholder_engagment_YN,
##      family = binomial, data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5746  -0.1434  -0.1434  -0.1434   3.0274
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)      -4.5721    0.5026  -9.097 < 2e-16 ***
## S_stakeholder_engagment_YN  2.8545    0.5804   4.918 8.73e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 123.09  on 481  degrees of freedom
## AIC: 127.09
##
## Number of Fisher Scoring iterations: 7

##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##              OR(95%CI)          P(Wald's test)
## S_stakeholder_engagment_YN: Y vs N 17.37 (5.57,54.16) < 0.001
##
##              P(LR-test)
## S_stakeholder_engagment_YN: Y vs N < 0.001
##
## Log-likelihood = -61.5436
## No. of observations = 483
## AIC value = 127.0872
```

Engagement vs. solution - odds

Odds of whether stakeholder engagement (Y/N) predicts if a solution was proposed (Y/N)

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##                               OR(95%CI)          P(Wald's test)
## S_stakeholder_engagment_YN: Y vs N 17.37 (5.57,54.16) < 0.001
##
##                               P(LR-test)
## S_stakeholder_engagment_YN: Y vs N < 0.001
##
## Log-likelihood = -61.5436
## No. of observations = 483
## AIC value = 127.0872
```

Use of computational model vs. solution - regression testing

Regression of whether a computational model was used predicts if a solution was proposed (Y/N)

```
##
## Call:
## glm(formula = solution_proposed_YN ~ S_model_YN, family = binomial,
##      data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -0.3203  -0.2628  -0.2628  -0.2628   2.6012
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)  -3.3486     0.2822  -11.87  <2e-16 ***
## S_model_YNN    0.4041     0.5387    0.75   0.453
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 153.22  on 481  degrees of freedom
## AIC: 157.22
##
## Number of Fisher Scoring iterations: 6

##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##              OR(95%CI)      P(Wald's test) P(LR-test)
## S_model_YN: N vs Y 1.5 (0.52,4.31)  0.453      0.466
##
## Log-likelihood = -76.6085
## No. of observations = 483
## AIC value = 157.2169
```

Use of computational model vs. solution - odds

Odds of whether a computational model was used predicts if a solution was proposed (Y/N)

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               OR(95%CI)          P(Wald's test) P(LR-test)
## S_model_YN: N vs Y 1.5 (0.52,4.31)  0.453          0.466
##
## Log-likelihood = -76.6085
## No. of observations = 483
## AIC value = 157.2169
```


Diversity of stakeholders vs solution

Regression of whether Diversity of stakeholders predicts if a solution was proposed (Y/N). In order to represent diversity, we have used a simple ratio calculation which sums the number of stakeholders involved divided by the total number of possible stakeholder options. A ratio which is closer to 1 has a greater level of stakeholder diversity.

```
##
## Call:
## glm(formula = solution_proposed_YN ~ ST_ratio, family = binomial,
##      data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.5724  -0.1831  -0.1831  -0.1831   2.8625
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)  -4.0803     0.3593 -11.356  < 2e-16 ***
## ST_ratio       7.4600     1.2966   5.754 8.73e-09 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 122.93  on 481  degrees of freedom
## AIC: 126.93
##
## Number of Fisher Scoring iterations: 6
```

Diversity of stakeholders vs solution - odds

Odds whether Diversity of stakeholders predicts if a solution was proposed (Y/N). In order to represent diversity, we have used a simple ratio calculation which sums the number of stakeholders involved divided by the total number of possible stakeholder options. A ratio which is closer to 1 has a greater level of stakeholder diversity.

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               OR(95%CI)               P(Wald's test) P(LR-test)
## ST_ratio (cont. var.) 1737.23 (136.84,22054.79) < 0.001      < 0.001
##
## Log-likelihood = -61.4644
## No. of observations = 483
## AIC value = 126.9288
```

Diversity of stakeholders vs solution - full predictors

```
##
## Call:
## glm(formula = solution_proposed_YN ~ ST_farmers + ST_combined_gov +
##      ST_combined_coalition + ST_combined_industry + ST_migrants +
##      ST_public + ST_university + ST_experts, family = binomial,
##      data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.192  -0.133  -0.133  -0.133   3.077
##
## Coefficients: (1 not defined because of singularities)
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.7238     0.5061  -9.335 < 2e-16 ***
## ST_farmers       0.7624     0.7728   0.987  0.324
## ST_combined_gov  3.6496     0.7657   4.766 1.88e-06 ***
## ST_combined_coalition -0.3592     0.7670  -0.468  0.640
## ST_combined_industry -0.7594     0.7917  -0.959  0.337
## ST_migrants           NA          NA      NA      NA
## ST_public        0.7976     0.7840   1.017  0.309
## ST_university    0.3084     0.7376   0.418  0.676
## ST_experts       0.2885     0.8066   0.358  0.721
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 102.40  on 475  degrees of freedom
## AIC: 118.4
##
## Number of Fisher Scoring iterations: 7
```

Diversity of researchers vs solution - regression testing

Regression of whether Diversity of researchers predicts if a solution was proposed (Y/N). In order to represent diversity, we have used a simple ratio calculation which sums the number of researcher types involved, divided by the total number of possible researcher options. A ratio which is closer to 1 has a greater level of researcher diversity.

```
##
## Call:
## glm(formula = solution_proposed_YN ~ R_ratio, family = binomial,
##      data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2931  -0.2846  -0.2764  -0.2684   2.6296
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)  -3.1262     0.4876  -6.412 1.44e-10 ***
## R_ratio      -0.5981     2.0612  -0.290   0.772
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 153.66  on 481  degrees of freedom
## AIC: 157.66
##
## Number of Fisher Scoring iterations: 6
```

Diversity of researchers vs solution - odds

Odds of whether Diversity of researchers predicts if a solution was proposed (Y/N). In order to represent diversity, we have used a simple ratio calculation which sums the number of researcher types involved, divided by the total number of possible researcher options. A ratio which is closer to 1 has a greater level of researcher diversity.

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               OR(95%CI)          P(Wald's test) P(LR-test)
## R_ratio (cont. var.) 0.55 (0.01,31.25)  0.772      0.769
##
## Log-likelihood = -76.8308
## No. of observations = 483
## AIC value = 157.6617
```

Stakeholder type vs level of engagement (Ghodsvali) - regression testing

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.4444  0.0000  0.0000  0.0000  0.6786
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   1.389e-16  1.025e-02   0.000      1
## STE_G_nominal  3.214e-01  3.995e-02   8.046 6.83e-15 ***
## STE_G_instrumental  3.947e-01  3.469e-02  11.378 < 2e-16 ***
## STE_G_representation 3.636e-01  6.245e-02   5.823 1.06e-08 ***
## STE_G_transformative 4.444e-01  6.887e-02   6.453 2.69e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2043 on 478 degrees of freedom
## Multiple R-squared:  0.3322, Adjusted R-squared:  0.3266
## F-statistic: 59.45 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.9091  0.0000  0.0000  0.0000  0.7500
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  -5.153e-16  8.805e-03   0.000      1
## STE_G_nominal  2.500e-01  3.430e-02   7.288 1.31e-12 ***
## STE_G_instrumental  6.579e-01  2.979e-02  22.084 < 2e-16 ***
## STE_G_representation 9.091e-01  5.362e-02  16.953 < 2e-16 ***
## STE_G_transformative 1.000e+00  5.914e-02  16.910 < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1754 on 478 degrees of freedom
## Multiple R-squared:  0.6775, Adjusted R-squared:  0.6748
## F-statistic: 251 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_tribal :
##
```

```

## Call:
## lm(formula = ST_tribal ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.1071  0.0000  0.0000  0.0000  0.9737
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   8.335e-17  4.387e-03   0.000   1.0000
## STE_G_nominal  1.071e-01  1.709e-02   6.269 8.14e-10 ***
## STE_G_instrumental 2.632e-02  1.484e-02   1.773  0.0769 .
## STE_G_representation -1.956e-17  2.672e-02   0.000   1.0000
## STE_G_transformative -1.957e-17  2.947e-02   0.000   1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08741 on 478 degrees of freedom
## Multiple R-squared:  0.07931, Adjusted R-squared:  0.07161
## F-statistic: 10.29 on 4 and 478 DF, p-value: 5.285e-08
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5556  0.0000  0.0000  0.0000  0.9286
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  -3.997e-16  8.475e-03   0.000   1.000
## STE_G_nominal  7.143e-02  3.302e-02   2.163   0.031 *
## STE_G_instrumental 2.632e-01  2.867e-02   9.178 < 2e-16 ***
## STE_G_representation 2.727e-01  5.161e-02   5.284 1.92e-07 ***
## STE_G_transformative 5.556e-01  5.692e-02   9.760 < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1689 on 478 degrees of freedom
## Multiple R-squared:  0.2891, Adjusted R-squared:  0.2831
## F-statistic: 48.59 on 4 and 478 DF, p-value: < 2.2e-16
##
##
## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##

```

```

## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.63636 -0.00252 -0.00252 -0.00252  0.99748
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.002519   0.009635   0.261  0.79387
## STE_G_nominal    0.104624   0.037537   2.787  0.00553 **
## STE_G_instrumental 0.550113   0.032599  16.875 < 2e-16 ***
## STE_G_representation 0.633845   0.058679  10.802 < 2e-16 ***
## STE_G_transformative 0.330814   0.064713   5.112 4.62e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.192 on 478 degrees of freedom
## Multiple R-squared:  0.4574, Adjusted R-squared:  0.4528
## F-statistic: 100.7 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
##       0       0       0       0       0
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)          0          0      NaN      NaN
## STE_G_nominal          0          0      NaN      NaN
## STE_G_instrumental    0          0      NaN      NaN
## STE_G_representation    0          0      NaN      NaN
## STE_G_transformative    0          0      NaN      NaN
##
## Residual standard error: 0 on 478 degrees of freedom
## Multiple R-squared:    NaN, Adjusted R-squared:    NaN
## F-statistic:    NaN on 4 and 478 DF,  p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.05263  0.00000  0.00000  0.00000  0.96429
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)

```



```

## (Intercept)          -2.210e-17  3.881e-03  0.000  1.0000
## STE_G_nominal         3.571e-02  1.512e-02  2.362  0.0186 *
## STE_G_instrumental    5.263e-02  1.313e-02  4.008  7.11e-05 ***
## STE_G_representation -9.566e-22  2.364e-02  0.000  1.0000
## STE_G_transformative  3.849e-19  2.607e-02  0.000  1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.07734 on 478 degrees of freedom
## Multiple R-squared:  0.04104, Adjusted R-squared:  0.03301
## F-statistic: 5.114 on 4 and 478 DF, p-value: 0.0004836
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2857  0.0000  0.0000  0.0000  0.9091
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   1.743e-16  8.123e-03  0.000  1.0000
## STE_G_nominal  2.857e-01  3.165e-02  9.028 < 2e-16 ***
## STE_G_instrumental 1.316e-01  2.748e-02  4.788 2.25e-06 ***
## STE_G_representation 9.091e-02  4.947e-02  1.838  0.0667 .
## STE_G_transformative 2.222e-01  5.456e-02  4.073 5.43e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1618 on 478 degrees of freedom
## Multiple R-squared:  0.1906, Adjusted R-squared:  0.1839
## F-statistic: 28.14 on 4 and 478 DF, p-value: < 2.2e-16
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.4444  0.0000  0.0000  0.0000  0.8929
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  -4.395e-16  9.265e-03  0.000  1.00000
## STE_G_nominal  1.071e-01  3.609e-02  2.968  0.00314 **
## STE_G_instrumental 3.684e-01  3.135e-02 11.753 < 2e-16 ***
## STE_G_representation 3.636e-01  5.642e-02  6.445 2.83e-10 ***

```

```

## STE_G_transformative 4.444e-01 6.223e-02 7.142 3.44e-12 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1846 on 478 degrees of freedom
## Multiple R-squared:  0.3129, Adjusted R-squared:  0.3072
## F-statistic: 54.42 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2368  0.0000  0.0000  0.0000  0.8889
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -2.513e-16  8.220e-03   0.000 1.000000
## STE_G_nominal    1.429e-01  3.202e-02   4.461 1.02e-05 ***
## STE_G_instrumental 2.368e-01  2.781e-02   8.516 < 2e-16 ***
## STE_G_representation 1.818e-01  5.006e-02   3.632 0.000312 ***
## STE_G_transformative 1.111e-01  5.521e-02   2.013 0.044724 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1638 on 478 degrees of freedom
## Multiple R-squared:  0.1712, Adjusted R-squared:  0.1642
## F-statistic: 24.68 on 4 and 478 DF,  p-value: < 2.2e-16

```

Stakeholder type vs level of engagement (IAP2) - regression testing

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5000  0.0000  0.0000  0.0000  0.8571
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.819e-16  1.008e-02   0.000 1.000000
## STE_IAP2_data_gathering 3.437e-01  3.689e-02   9.317 < 2e-16 ***
## STE_IAP2_inform      5.557e-17  2.010e-01   0.000 1.000000
## STE_IAP2_consult     4.545e-01  3.637e-02  12.497 < 2e-16 ***
## STE_IAP2_involve     1.429e-01  7.655e-02   1.866 0.062625 .
## STE_IAP2_collab      2.857e-01  7.655e-02   3.732 0.000213 ***
## STE_IAP2_empower     5.000e-01  8.258e-02   6.055 2.86e-09 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2008 on 476 degrees of freedom
## Multiple R-squared:  0.3579, Adjusted R-squared:  0.3498
## F-statistic: 44.22 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.8571  0.0000  0.0000  0.0000  0.7188
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    2.652e-16  8.808e-03   0.000      1
## STE_IAP2_data_gathering 2.812e-01  3.225e-02   8.721 < 2e-16 ***
## STE_IAP2_inform      1.000e+00  1.757e-01   5.691 2.21e-08 ***
## STE_IAP2_consult     6.667e-01  3.179e-02  20.969 < 2e-16 ***
## STE_IAP2_involve     8.571e-01  6.691e-02  12.810 < 2e-16 ***
## STE_IAP2_collab      1.000e+00  6.691e-02  14.945 < 2e-16 ***
## STE_IAP2_empower     1.000e+00  7.218e-02  13.854 < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1755 on 476 degrees of freedom
```

```

## Multiple R-squared:  0.6786, Adjusted R-squared:  0.6746
## F-statistic: 167.5 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_tribal :
##
## Call:
## lm(formula = ST_tribal ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09375  0.00000  0.00000  0.00000  0.96970
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    5.809e-17  4.418e-03   0.000   1.000
## STE_IAP2_data_gathering  9.375e-02  1.618e-02   5.796 1.24e-08 ***
## STE_IAP2_inform    -9.986e-18  8.814e-02   0.000   1.000
## STE_IAP2_consult     3.030e-02  1.595e-02   1.900   0.058 .
## STE_IAP2_involve    -1.244e-17  3.356e-02   0.000   1.000
## STE_IAP2_collab    -2.114e-17  3.356e-02   0.000   1.000
## STE_IAP2_empower     1.784e-18  3.621e-02   0.000   1.000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08803 on 476 degrees of freedom
## Multiple R-squared:  0.07019,    Adjusted R-squared:  0.05847
## F-statistic: 5.989 on 6 and 476 DF,  p-value: 4.745e-06
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ STE_IAP2_data_gathering +
##     STE_IAP2_inform + STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab +
##     STE_IAP2_empower, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5714  0.0000  0.0000  0.0000  0.9375
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    2.027e-16  8.352e-03   0.000   1.0000
## STE_IAP2_data_gathering  6.250e-02  3.058e-02   2.044   0.0415 *
## STE_IAP2_inform    1.250e-16  1.666e-01   0.000   1.0000
## STE_IAP2_consult     2.727e-01  3.015e-02   9.046 < 2e-16 ***
## STE_IAP2_involve     4.286e-01  6.345e-02   6.754 4.20e-11 ***
## STE_IAP2_collab     5.714e-01  6.345e-02   9.006 < 2e-16 ***
## STE_IAP2_empower     3.333e-01  6.845e-02   4.870 1.52e-06 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

##
## Residual standard error: 0.1664 on 476 degrees of freedom
## Multiple R-squared:  0.3124, Adjusted R-squared:  0.3037
## F-statistic: 36.05 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ STE_IAP2_data_gathering +
##     STE_IAP2_inform + STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab +
##     STE_IAP2_empower, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.71429 -0.00252 -0.00252 -0.00252  0.99748
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.002519   0.009660   0.261  0.79439
## STE_IAP2_data_gathering  0.153731   0.035370   4.346 1.69e-05 ***
## STE_IAP2_inform      -0.002519   0.192716  -0.013  0.98958
## STE_IAP2_consult      0.573239   0.034870  16.439 < 2e-16 ***
## STE_IAP2_involve      0.711767   0.073387   9.699 < 2e-16 ***
## STE_IAP2_collab       0.283195   0.073387   3.859  0.00013 ***
## STE_IAP2_empower      0.497481   0.079169   6.284 7.47e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1925 on 476 degrees of freedom
## Multiple R-squared:  0.4568, Adjusted R-squared:  0.45
## F-statistic: 66.72 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
##       0       0       0       0       0
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)           0           0      NaN      NaN
## STE_IAP2_data_gathering  0           0      NaN      NaN
## STE_IAP2_inform         0           0      NaN      NaN
## STE_IAP2_consult        0           0      NaN      NaN
## STE_IAP2_involve        0           0      NaN      NaN
## STE_IAP2_collab         0           0      NaN      NaN
## STE_IAP2_empower        0           0      NaN      NaN

```

```
##
## Residual standard error: 0 on 476 degrees of freedom
## Multiple R-squared:   NaN, Adjusted R-squared:   NaN
## F-statistic:   NaN on 6 and 476 DF,  p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.06061  0.00000  0.00000  0.00000  0.96875
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -7.893e-18  3.882e-03   0.000  1.0000
## STE_IAP2_data_gathering  3.125e-02  1.421e-02   2.199  0.0284 *
## STE_IAP2_inform        1.216e-17  7.744e-02   0.000  1.0000
## STE_IAP2_consult        6.061e-02  1.401e-02   4.325 1.86e-05 ***
## STE_IAP2_involve        1.487e-18  2.949e-02   0.000  1.0000
## STE_IAP2_collab       -3.033e-17  2.949e-02   0.000  1.0000
## STE_IAP2_empower        5.797e-18  3.181e-02   0.000  1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.07734 on 476 degrees of freedom
## Multiple R-squared:  0.04489, Adjusted R-squared:  0.03285
## F-statistic: 3.729 on 6 and 476 DF,  p-value: 0.001235
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.3333  0.0000  0.0000  0.0000  0.8788
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   1.162e-16  8.026e-03   0.000  1.0000
## STE_IAP2_data_gathering  2.812e-01  2.939e-02  9.570 < 2e-16 ***
## STE_IAP2_inform        2.084e-17  1.601e-01   0.000  1.0000
## STE_IAP2_consult        1.212e-01  2.897e-02   4.184 3.42e-05 ***
## STE_IAP2_involve        1.429e-01  6.098e-02   2.343  0.0196 *
## STE_IAP2_collab       -2.322e-15  6.098e-02   0.000  1.0000
## STE_IAP2_empower        3.333e-01  6.578e-02   5.067 5.78e-07 ***
```

```
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1599 on 476 degrees of freedom
## Multiple R-squared:  0.213, Adjusted R-squared:  0.2031
## F-statistic: 21.48 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.4286  0.0000  0.0000  0.0000  0.8750
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -6.441e-17  9.242e-03   0.000 1.000000
## STE_IAP2_data_gathering  1.250e-01  3.384e-02   3.694 0.000246 ***
## STE_IAP2_inform        1.389e-16  1.844e-01   0.000 1.000000
## STE_IAP2_consult       3.939e-01  3.336e-02  11.808 < 2e-16 ***
## STE_IAP2_involve       4.286e-01  7.021e-02   6.104 2.15e-09 ***
## STE_IAP2_collab       4.286e-01  7.021e-02   6.104 2.15e-09 ***
## STE_IAP2_empower       3.333e-01  7.574e-02   4.401 1.33e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1841 on 476 degrees of freedom
## Multiple R-squared:  0.3191, Adjusted R-squared:  0.3105
## F-statistic: 37.18 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2857  0.0000  0.0000  0.0000  0.8750
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -3.031e-17  8.078e-03   0.000  1.0000
## STE_IAP2_data_gathering  1.250e-01  2.958e-02   4.226 2.85e-05 ***
## STE_IAP2_inform       -3.821e-17  1.612e-01   0.000  1.0000
## STE_IAP2_consult       2.727e-01  2.916e-02   9.353 < 2e-16 ***
## STE_IAP2_involve       1.429e-01  6.137e-02   2.328  0.0203 *
```

```

## STE_IAP2_collab          2.857e-01  6.137e-02   4.656 4.19e-06 ***
## STE_IAP2_empower        2.252e-17  6.620e-02   0.000  1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.161 on 476 degrees of freedom
## Multiple R-squared:  0.2029, Adjusted R-squared:  0.1928
## F-statistic: 20.19 on 6 and 476 DF,  p-value: < 2.2e-16

```


Stakeholder type vs level of engagement (local) - regression testing

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.71652 -0.00334 -0.00334 -0.00334  0.73536
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.003339   0.010003   0.334 0.738686
## SC_researcher    0.261297   0.037237   7.017 7.87e-12 ***
## SC_datagathering  0.451879   0.049398   9.148 < 2e-16 ***
## SC_inform       -0.003339   0.100361  -0.033 0.973474
## SC_perspectives  0.996661   0.199972   4.984 8.75e-07 ***
## SC_plan         0.269388   0.061044   4.413 1.26e-05 ***
## SC_identify     0.441106   0.048126   9.166 < 2e-16 ***
## SC_envision     0.996661   0.199972   4.984 8.75e-07 ***
## SC_implement    0.344402   0.089975   3.828 0.000147 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1997 on 474 degrees of freedom
## Multiple R-squared:  0.3672, Adjusted R-squared:  0.3565
## F-statistic: 34.38 on 8 and 474 DF, p-value: < 2.2e-16
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.83333 -0.00254 -0.00254 -0.00254  0.66920
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.002540   0.009348   0.272   0.786
## SC_researcher    0.376479   0.034799  10.819 < 2e-16 ***
## SC_datagathering  0.328255   0.046164   7.111 4.28e-12 ***
## SC_inform       0.997460   0.093790  10.635 < 2e-16 ***
## SC_perspectives  0.997460   0.186879   5.337 1.46e-07 ***
## SC_plan         0.633823   0.057047  11.111 < 2e-16 ***
## SC_identify     0.830793   0.044975  18.472 < 2e-16 ***
## SC_envision     0.997460   0.186879   5.337 1.46e-07 ***
## SC_implement    0.922164   0.084084  10.967 < 2e-16 ***
```

```
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1866 on 474 degrees of freedom
## Multiple R-squared:  0.638, Adjusted R-squared:  0.6319
## F-statistic: 104.4 on 8 and 474 DF, p-value: < 2.2e-16
##
##
## Response ST_tribal :
##
## Call:
## lm(formula = ST_tribal ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.17478 -0.00056 -0.00056 -0.00056  0.93874
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.0005626   0.0043947    0.128  0.898194
## SC_researcher  0.0607016   0.0163595    3.710  0.000231 ***
## SC_datagathering 0.1135138   0.0217020    5.231 2.54e-07 ***
## SC_inform     -0.0005626   0.0440915   -0.013  0.989825
## SC_perspectives -0.0005626   0.0878538   -0.006  0.994894
## SC_plan       -0.0005626   0.0268183   -0.021  0.983273
## SC_identify    -0.0005626   0.0211432   -0.027  0.978784
## SC_envision    -0.0005626   0.0878538   -0.006  0.994894
## SC_implement   -0.0127029   0.0395288   -0.321  0.748081
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08774 on 474 degrees of freedom
## Multiple R-squared:  0.08005, Adjusted R-squared:  0.06453
## F-statistic: 5.156 on 8 and 474 DF, p-value: 3.494e-06
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.38889 -0.00146 -0.00146 -0.00146  0.95208
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.001465   0.008570    0.171  0.86434
## SC_researcher  0.185377   0.031902    5.811 1.14e-08 ***
## SC_datagathering 0.046454   0.042321    1.098  0.27291
```

```

## SC_inform      0.248535    0.085982    2.891  0.00402 **
## SC_perspectives 0.998535    0.171322    5.828 1.04e-08 ***
## SC_plan        0.271262    0.052298    5.187 3.17e-07 ***
## SC_identify     0.387424    0.041231    9.396 < 2e-16 ***
## SC_envision     -0.001465    0.171322   -0.009 0.99318
## SC_implement    0.161460    0.077084    2.095 0.03674 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1711 on 474 degrees of freedom
## Multiple R-squared:  0.2761, Adjusted R-squared:  0.2639
## F-statistic: 22.6 on 8 and 474 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.72222 -0.00501 -0.00501 -0.00501  0.99499
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.005006   0.009833   0.509   0.611
## SC_researcher  0.202319   0.036604   5.527 5.38e-08 ***
## SC_datagathering 0.218387   0.048558   4.497 8.66e-06 ***
## SC_inform      0.494994   0.098653   5.018 7.42e-07 ***
## SC_perspectives -0.005006   0.196570  -0.025   0.980
## SC_plan        0.449539   0.060005   7.492 3.36e-13 ***
## SC_identify     0.717216   0.047307  15.161 < 2e-16 ***
## SC_envision     0.994994   0.196570   5.062 5.95e-07 ***
## SC_implement    0.354530   0.088444   4.009 7.10e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1963 on 474 degrees of freedom
## Multiple R-squared:  0.4372, Adjusted R-squared:  0.4277
## F-statistic: 46.03 on 8 and 474 DF,  p-value: < 2.2e-16
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
##       0        0        0        0        0

```

```
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept)          0          0     NaN     NaN
## SC_researcher          0          0     NaN     NaN
## SC_datagathering        0          0     NaN     NaN
## SC_inform              0          0     NaN     NaN
## SC_perspectives        0          0     NaN     NaN
## SC_plan                0          0     NaN     NaN
## SC_identify            0          0     NaN     NaN
## SC_envision            0          0     NaN     NaN
## SC_implement           0          0     NaN     NaN
##
## Residual standard error: 0 on 474 degrees of freedom
## Multiple R-squared:  NaN, Adjusted R-squared:  NaN
## F-statistic:  NaN on 8 and 474 DF, p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09091 -0.00014 -0.00014 -0.00014  0.96746
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.0001421  0.0038639   0.037  0.970682
## SC_researcher  0.0323956  0.0143835   2.252  0.024762 *
## SC_datagathering -0.0020477  0.0190807  -0.107  0.914582
## SC_inform     -0.0001421  0.0387659  -0.004  0.997077
## SC_perspectives -0.0001421  0.0772425  -0.002  0.998533
## SC_plan       0.0907670  0.0235791   3.849  0.000135 ***
## SC_identify    0.0554135  0.0185894   2.981  0.003022 **
## SC_envision    -0.0001421  0.0772425  -0.002  0.998533
## SC_implement   -0.0066212  0.0347544  -0.191  0.848988
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.07715 on 474 degrees of freedom
## Multiple R-squared:  0.05379, Adjusted R-squared:  0.03782
## F-statistic: 3.368 on 8 and 474 DF, p-value: 0.0009066
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)
```

```
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.59294 -0.00236 -0.00236 -0.00236  0.90909
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.002362   0.008159   0.289  0.77236
## SC_researcher 0.241171   0.030372   7.941 1.47e-14 ***
## SC_datagathering 0.101099   0.040290   2.509  0.01243 *
## SC_inform      0.247638   0.081857   3.025  0.00262 **
## SC_perspectives -0.002362   0.163104  -0.014  0.98845
## SC_plan        0.088547   0.049789   1.778  0.07597 .
## SC_identify    0.108749   0.039253   2.770  0.00582 **
## SC_envision    -0.002362   0.163104  -0.014  0.98845
## SC_implement   0.349404   0.073387   4.761 2.56e-06 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1629 on 474 degrees of freedom
## Multiple R-squared:  0.1869, Adjusted R-squared:  0.1732
## F-statistic: 13.62 on 8 and 474 DF, p-value: < 2.2e-16
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.51355 -0.00207 -0.00207 -0.00207  0.85599
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.002075   0.009208   0.225  0.82185
## SC_researcher 0.141939   0.034279   4.141 4.10e-05 ***
## SC_datagathering 0.166047   0.045473   3.652  0.00029 ***
## SC_inform      0.497925   0.092387   5.390 1.12e-07 ***
## SC_perspectives -0.002075   0.184084  -0.011  0.99101
## SC_plan        0.361562   0.056194   6.434 3.04e-10 ***
## SC_identify    0.442370   0.044302   9.985 < 2e-16 ***
## SC_envision    0.997925   0.184084   5.421 9.45e-08 ***
## SC_implement   0.369538   0.082827   4.462 1.02e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1839 on 474 degrees of freedom
## Multiple R-squared:  0.3241, Adjusted R-squared:  0.3127
## F-statistic: 28.41 on 8 and 474 DF, p-value: < 2.2e-16
##
##
```

```

## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.50000 -0.00099 -0.00099 -0.00099  0.89164
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.0009888  0.0077993   0.127  0.89917
## SC_researcher  0.1578885  0.0290334   5.438 8.64e-08 ***
## SC_datagathering 0.1073707  0.0385149   2.788  0.00552 **
## SC_inform      0.4990112  0.0782498   6.377 4.29e-10 ***
## SC_perspectives -0.0009888  0.1559155  -0.006  0.99494
## SC_plan        0.4535566  0.0475948   9.530 < 2e-16 ***
## SC_identify     0.1101223  0.0375231   2.935  0.00350 **
## SC_envision     -0.0009888  0.1559155  -0.006  0.99494
## SC_implement    -0.0325665  0.0701524  -0.464  0.64270
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1557 on 474 degrees of freedom
## Multiple R-squared:  0.257, Adjusted R-squared:  0.2445
## F-statistic: 20.5 on 8 and 474 DF, p-value: < 2.2e-16

```

Stakeholder type vs solution - regression testing

```
##
## Call:
## glm(formula = solution_proposed_YN ~ ST_farmers + ST_combined_gov +
##      ST_tribal + ST_combined_coalition + ST_combined_industry +
##      ST_migrants + ST_youth + ST_public + ST_university + ST_experts,
##      family = binomial, data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.2308  -0.1333  -0.1333  -0.1333   3.0748
##
## Coefficients: (1 not defined because of singularities)
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.7183     0.5068  -9.310 < 2e-16 ***
## ST_farmers       0.7904     0.7745   1.020  0.308
## ST_combined_gov  3.5784     0.7733   4.627 3.7e-06 ***
## ST_tribal      -14.4256    1810.3784  -0.008  0.994
## ST_combined_coalition -0.2779     0.7639  -0.364  0.716
## ST_combined_industry -0.6386     0.7963  -0.802  0.423
## ST_migrants           NA          NA      NA      NA
## ST_youth        -15.6653    1939.1448  -0.008  0.994
## ST_public         0.7992     0.7884   1.014  0.311
## ST_university     0.2918     0.7387   0.395  0.693
## ST_experts        0.4654     0.8261   0.563  0.573
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 101.16  on 473  degrees of freedom
## AIC: 121.16
##
## Number of Fisher Scoring iterations: 16
```

Geographic area vs solution - regression testing

```
##
## Call:
## glm(formula = solution_proposed_YN ~ G_notdescribed + G_local +
##       G_regional + G_national + G_multination + G_global, family = binomial,
##       data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5008  -0.3131  -0.2456  -0.2456   2.6930
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -3.5993     0.9175  -3.923 8.75e-05 ***
## G_notdescribed -15.4485    3226.2802  -0.005  0.996
## G_local         0.6080     0.9937   0.612  0.541
## G_regional      0.1129     1.0068   0.112  0.911
## G_national      0.9784     1.0100   0.969  0.333
## G_multination  -14.9668    1232.6632  -0.012  0.990
## G_global       -14.9668    1966.6497  -0.008  0.994
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 148.00  on 476  degrees of freedom
## AIC: 162
##
## Number of Fisher Scoring iterations: 17
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##              crude OR(95%CI)    adj. OR(95%CI)    P(Wald's test)
## G_notdescribed: 1 vs 0  0 (0,Inf)          0 (0,Inf)          0.996
##
## G_local: 1 vs 0          1.45 (0.53,3.96)    1.84 (0.26,12.88)    0.541
##
## G_regional: 1 vs 0       0.68 (0.25,1.84)    1.12 (0.16,8.05)    0.911
##
## G_national: 1 vs 0       2.21 (0.76,6.39)    2.66 (0.37,19.26)    0.333
##
## G_multination: 1 vs 0    0 (0,Inf)          0 (0,Inf)          0.99
##
## G_global: 1 vs 0         0 (0,Inf)          0 (0,Inf)          0.994
##
##              P(LR-test)
## G_notdescribed: 1 vs 0  0.554
##
## G_local: 1 vs 0         0.52
##
## G_regional: 1 vs 0       0.91
```



```
##
## G_national: 1 vs 0      0.3
##
## G_multination: 1 vs 0   0.277
##
## G_global: 1 vs 0        0.466
##
## Log-likelihood = -74.0016
## No. of observations = 483
## AIC value = 162.0032
```

Geographic area vs solution - odds

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##          crude OR(95%CI)    adj. OR(95%CI)    P(Wald's test)
## G_notdescribed: 1 vs 0    0 (0,Inf)          0 (0,Inf)          0.996
##
## G_local: 1 vs 0          1.45 (0.53,3.96)    1.84 (0.26,12.88)    0.541
##
## G_regional: 1 vs 0       0.68 (0.25,1.84)    1.12 (0.16,8.05)    0.911
##
## G_national: 1 vs 0       2.21 (0.76,6.39)    2.66 (0.37,19.26)    0.333
##
## G_multination: 1 vs 0    0 (0,Inf)          0 (0,Inf)          0.99
##
## G_global: 1 vs 0         0 (0,Inf)          0 (0,Inf)          0.994
##
##          P(LR-test)
## G_notdescribed: 1 vs 0    0.554
##
## G_local: 1 vs 0          0.52
##
## G_regional: 1 vs 0       0.91
##
## G_national: 1 vs 0       0.3
##
## G_multination: 1 vs 0    0.277
##
## G_global: 1 vs 0         0.466
##
## Log-likelihood = -74.0016
## No. of observations = 483
## AIC value = 162.0032
```

stakeholder type vs geographic area

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ G_notdescribed + G_local + G_regional +
##     G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.13957 -0.07417 -0.07417 -0.03995  0.96429
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.004541   0.037574   0.121   0.9039
## G_notdescribed -0.055704   0.124998  -0.446   0.6561
## G_local         0.099621   0.043344   2.298   0.0220 *
## G_regional      0.069625   0.041384   1.682   0.0931 .
## G_national      0.035406   0.046920   0.755   0.4509
## G_multination   0.031173   0.060133   0.518   0.6044
## G_global        -0.004541   0.083801  -0.054   0.9568
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2484 on 476 degrees of freedom
## Multiple R-squared:  0.0168, Adjusted R-squared:  0.00441
## F-statistic: 1.356 on 6 and 476 DF, p-value: 0.2309
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ G_notdescribed + G_local + G_regional +
##     G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.18908 -0.12027 -0.11380 -0.07143  0.94671
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.05329   0.04662   1.143   0.254
## G_notdescribed -0.10237   0.15510  -0.660   0.510
## G_local         0.06698   0.05378   1.245   0.214
## G_regional      0.06052   0.05135   1.179   0.239
## G_national      0.06881   0.05822   1.182   0.238
## G_multination   0.01814   0.07461   0.243   0.808
## G_global        -0.05329   0.10398  -0.512   0.609
##
## Residual standard error: 0.3083 on 476 degrees of freedom
## Multiple R-squared:  0.008435, Adjusted R-squared: -0.004063
## F-statistic: 0.6749 on 6 and 476 DF, p-value: 0.67
##
##
```

```

## Response ST_tribal :
##
## Call:
## lm(formula = ST_tribal ~ G_notdescribed + G_local + G_regional +
##     G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02407 -0.01991 -0.00496 -0.00071  0.99504
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.0007098  0.0137302   0.052   0.959
## G_notdescribed -0.0073807  0.0456767  -0.162   0.872
## G_local        0.0233566  0.0158386   1.475   0.141
## G_regional     0.0042527  0.0151224   0.281   0.779
## G_national    -0.0009257  0.0171455  -0.054   0.957
## G_multination -0.0007098  0.0219738  -0.032   0.974
## G_global      -0.0007098  0.0306223  -0.023   0.982
##
## Residual standard error: 0.09078 on 476 degrees of freedom
## Multiple R-squared:  0.0111, Adjusted R-squared:  -0.001364
## F-statistic: 0.8906 on 6 and 476 DF,  p-value: 0.5015
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ G_notdescribed + G_local +
##     G_regional + G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09636 -0.04945 -0.04945 -0.03179  0.96821
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.003125  0.030220   0.103   0.9177
## G_notdescribed -0.038014  0.100535  -0.378   0.7055
## G_local        0.028663  0.034861   0.822   0.4114
## G_regional     0.046323  0.033285   1.392   0.1647
## G_national     0.064569  0.037738   1.711   0.0877 .
## G_multination  0.032589  0.048365   0.674   0.5007
## G_global      -0.003125  0.067400  -0.046   0.9630
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1998 on 476 degrees of freedom
## Multiple R-squared:  0.008745, Adjusted R-squared:  -0.00375
## F-statistic: 0.6999 on 6 and 476 DF,  p-value: 0.6498
##
##
## Response ST_combined_industry :
##

```

```

## Call:
## lm(formula = ST_combined_industry ~ G_notdescribed + G_local +
##      G_regional + G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.27272 -0.08285 -0.08285 -0.07800  0.97754
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.02246    0.03920   0.573   0.567
## G_notdescribed  0.18133    0.13039   1.391   0.165
## G_local         0.05554    0.04521   1.228   0.220
## G_regional      0.06039    0.04317   1.399   0.162
## G_national      0.06894    0.04895   1.408   0.160
## G_multination  -0.02246    0.06273  -0.358   0.721
## G_global       -0.02246    0.08742  -0.257   0.797
##
## Residual standard error: 0.2592 on 476 degrees of freedom
## Multiple R-squared:  0.01527,    Adjusted R-squared:  0.002858
## F-statistic:  1.23 on 6 and 476 DF,  p-value: 0.2892
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ G_notdescribed + G_local + G_regional +
##      G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
##       0       0       0       0       0
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)           0           0      NaN      NaN
## G_notdescribed         0           0      NaN      NaN
## G_local                0           0      NaN      NaN
## G_regional             0           0      NaN      NaN
## G_national             0           0      NaN      NaN
## G_multination          0           0      NaN      NaN
## G_global               0           0      NaN      NaN
##
## Residual standard error: 0 on 476 degrees of freedom
## Multiple R-squared:    NaN,    Adjusted R-squared:    NaN
## F-statistic:    NaN on 6 and 476 DF,  p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ G_notdescribed + G_local + G_regional +
##      G_national + G_multination + G_global, data = crcdata)
##

```

```

## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.01605 -0.01574 -0.00495 -0.00048  0.99505
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.0004829  0.0119327   0.040   0.968
## G_notdescribed -0.0053362  0.0396970  -0.134   0.893
## G_local        0.0155648  0.0137651   1.131   0.259
## G_regional     0.0044695  0.0131427   0.340   0.734
## G_national    -0.0006211  0.0149009  -0.042   0.967
## G_multination -0.0004829  0.0190971  -0.025   0.980
## G_global      -0.0004829  0.0266133  -0.018   0.986
##
## Residual standard error: 0.0789 on 476 degrees of freedom
## Multiple R-squared:  0.006176, Adjusted R-squared: -0.006351
## F-statistic: 0.493 on 6 and 476 DF, p-value: 0.8137
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ G_notdescribed + G_local + G_regional +
##      G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.06458 -0.04810 -0.02482 -0.01380  0.98620
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.04810    0.02707   1.777  0.0763 .
## G_notdescribed -0.03782    0.09006  -0.420  0.6747
## G_local        0.01648    0.03123   0.528  0.5979
## G_regional    -0.02328    0.02982  -0.781  0.4353
## G_national    -0.03429    0.03380  -1.014  0.3109
## G_multination -0.04810    0.04332  -1.110  0.2675
## G_global      -0.04810    0.06038  -0.797  0.4261
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.179 on 476 degrees of freedom
## Multiple R-squared:  0.01426, Adjusted R-squared:  0.001839
## F-statistic: 1.148 on 6 and 476 DF, p-value: 0.3333
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ G_notdescribed + G_local + G_regional +
##      G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max

```

```

## -0.10030 -0.05938 -0.05938 -0.03188 0.97317
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.026829   0.033556   0.800   0.424
## G_notdescribed -0.053333   0.111632  -0.478   0.633
## G_local        0.005051   0.038709   0.130   0.896
## G_regional     0.032547   0.036958   0.881   0.379
## G_national     0.068418   0.041903   1.633   0.103
## G_multination  0.008886   0.053703   0.165   0.869
## G_global      -0.026829   0.074839  -0.358   0.720
##
## Residual standard error: 0.2219 on 476 degrees of freedom
## Multiple R-squared: 0.01161, Adjusted R-squared: -0.0008453
## F-statistic: 0.9322 on 6 and 476 DF, p-value: 0.4714
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ G_notdescribed + G_local + G_regional +
##     G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.05472 -0.04939 -0.04072 -0.01591  0.98409
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.00190   0.02713   0.070   0.944
## G_notdescribed -0.02698   0.09026  -0.299   0.765
## G_local        0.01401   0.03130   0.448   0.655
## G_regional     0.04749   0.02988   1.589   0.113
## G_national     0.03882   0.03388   1.146   0.252
## G_multination  0.03381   0.04342   0.779   0.436
## G_global      -0.00190   0.06051  -0.031   0.975
##
## Residual standard error: 0.1794 on 476 degrees of freedom
## Multiple R-squared: 0.009928, Adjusted R-squared: -0.002552
## F-statistic: 0.7955 on 6 and 476 DF, p-value: 0.5737

```

Geographic area vs engagment (Ghodsvali)

```
## Response G_notdescribed :
##
## Call:
## lm(formula = G_notdescribed ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.01008 -0.01008 -0.01008 -0.01008  0.98992
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.010076   0.004568   2.206   0.0279 *
## STE_G_nominal  -0.010076   0.017797  -0.566   0.5716
## STE_G_instrumental -0.010076   0.015455  -0.652   0.5148
## STE_G_representation -0.010076   0.027820  -0.362   0.7174
## STE_G_transformative -0.010076   0.030681  -0.328   0.7428
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.09102 on 478 degrees of freedom
## Multiple R-squared:  0.001809, Adjusted R-squared:  -0.006544
## F-statistic: 0.2166 on 4 and 478 DF, p-value: 0.9292
##
##
## Response G_local :
##
## Call:
## lm(formula = G_local ~ STE_G_nominal + STE_G_instrumental + STE_G_representation +
##     STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5556 -0.2343 -0.2343  0.4444  0.8182
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.23426   0.02176  10.763 < 2e-16 ***
## STE_G_nominal    0.26574   0.08479   3.134  0.00183 **
## STE_G_instrumental  0.05522   0.07364   0.750  0.45371
## STE_G_representation -0.05244   0.13255  -0.396  0.69256
## STE_G_transformative  0.32130   0.14618   2.198  0.02843 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4336 on 478 degrees of freedom
## Multiple R-squared:  0.02981, Adjusted R-squared:  0.02169
## F-statistic: 3.671 on 4 and 478 DF, p-value: 0.005873
##
##
## Response G_regional :
```



```

## Call:
## lm(formula = G_regional ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5454 -0.4156 -0.4156  0.5844  0.8889
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.41562    0.02477  16.782  <2e-16 ***
## STE_G_nominal      0.01295    0.09649   0.134  0.8933
## STE_G_instrumental  0.08438    0.08379   1.007  0.3144
## STE_G_representation 0.12984    0.15083   0.861  0.3898
## STE_G_transformative -0.30451    0.16634  -1.831  0.0678 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4935 on 478 degrees of freedom
## Multiple R-squared:  0.01092,    Adjusted R-squared:  0.00264
## F-statistic: 1.319 on 4 and 478 DF,  p-value: 0.2619
##
##
## Response G_national :
##
## Call:
## lm(formula = G_national ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2727 -0.1587 -0.1587 -0.1579  0.8421
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.1586902    0.0180451   8.794  <2e-16 ***
## STE_G_nominal     -0.1586902    0.0703031  -2.257  0.0244 *
## STE_G_instrumental -0.0007954    0.0610536  -0.013  0.9896
## STE_G_representation 0.1140371    0.1098987   1.038  0.3000
## STE_G_transformative 0.0635320    0.1211994   0.524  0.6004
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3595 on 478 degrees of freedom
## Multiple R-squared:  0.01388,    Adjusted R-squared:  0.005632
## F-statistic: 1.682 on 4 and 478 DF,  p-value: 0.1528
##
##
## Response G_multination :
##
## Call:
## lm(formula = G_multination ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##

```

```

## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.11111 -0.06297 -0.06297 -0.06297  0.97368
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.06297    0.01176   5.354 1.34e-07 ***
## STE_G_nominal    -0.02726    0.04582  -0.595   0.552
## STE_G_instrumental -0.03666    0.03980  -0.921   0.357
## STE_G_representation -0.06297    0.07163  -0.879   0.380
## STE_G_transformative 0.04814    0.07900   0.609   0.543
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2344 on 478 degrees of freedom
## Multiple R-squared:  0.004711, Adjusted R-squared:  -0.003618
## F-statistic: 0.5656 on 4 and 478 DF, p-value: 0.6877
##
##
## Response G_global :
##
## Call:
## lm(formula = G_global ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02771 -0.02771 -0.02771 -0.02771  0.97229
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.027708    0.007507   3.691 0.000249 ***
## STE_G_nominal    -0.027708    0.029248  -0.947 0.343949
## STE_G_instrumental -0.027708    0.025400  -1.091 0.275890
## STE_G_representation -0.027708    0.045721  -0.606 0.544793
## STE_G_transformative -0.027708    0.050423  -0.550 0.582913
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1496 on 478 degrees of freedom
## Multiple R-squared:  0.005048, Adjusted R-squared:  -0.003277
## F-statistic: 0.6064 on 4 and 478 DF, p-value: 0.6582

```

Geographic area vs engagment (IAP2)

```
## Response G_notdescribed :
##
## Call:
## lm(formula = G_notdescribed ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.01008 -0.01008 -0.01008 -0.01008  0.98992
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.010076   0.004578   2.201  0.0282 *
## STE_IAP2_data_gathering -0.010076   0.016760  -0.601  0.5480
## STE_IAP2_inform      -0.010076   0.091322  -0.110  0.9122
## STE_IAP2_consult     -0.010076   0.016524  -0.610  0.5423
## STE_IAP2_involve     -0.010076   0.034776  -0.290  0.7721
## STE_IAP2_collab      -0.010076   0.034776  -0.290  0.7721
## STE_IAP2_empower     -0.010076   0.037515  -0.269  0.7884
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.09121 on 476 degrees of freedom
## Multiple R-squared:  0.001809, Adjusted R-squared: -0.01077
## F-statistic: 0.1438 on 6 and 476 DF, p-value: 0.9902
##
##
## Response G_local :
##
## Call:
## lm(formula = G_local ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.8333 -0.2343 -0.2343  0.1667  0.7657
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.23426   0.02158  10.856 < 2e-16 ***
## STE_IAP2_data_gathering 0.23449   0.07901   2.968 0.003149 **
## STE_IAP2_inform      0.76574   0.43049   1.779 0.075913 .
## STE_IAP2_consult     0.03847   0.07789   0.494 0.621612
## STE_IAP2_involve     0.05146   0.16393   0.314 0.753737
## STE_IAP2_collab     -0.23426   0.16393  -1.429 0.153660
## STE_IAP2_empower     0.59908   0.17685   3.388 0.000764 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4299 on 476 degrees of freedom
```

```

## Multiple R-squared:  0.0503, Adjusted R-squared:  0.03832
## F-statistic: 4.201 on 6 and 476 DF,  p-value: 0.0003936
##
##
## Response G_regional :
##
## Call:
## lm(formula = G_regional ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5714 -0.4156 -0.4156  0.5844  0.5938
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.415617   0.024749  16.793  <2e-16 ***
## STE_IAP2_data_gathering -0.009367   0.090619  -0.103   0.918
## STE_IAP2_inform      -0.415617   0.493751  -0.842   0.400
## STE_IAP2_consult      0.129837   0.089339   1.453   0.147
## STE_IAP2_involve      0.155811   0.188022   0.829   0.408
## STE_IAP2_collab       0.012954   0.188022   0.069   0.945
## STE_IAP2_empower     -0.415617   0.202835  -2.049   0.041 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4931 on 476 degrees of freedom
## Multiple R-squared:  0.01639,    Adjusted R-squared:  0.003992
## F-statistic: 1.322 on 6 and 476 DF,  p-value: 0.2456
##
##
## Response G_national :
##
## Call:
## lm(formula = G_national ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.4286 -0.1587 -0.1587 -0.1515  0.9688
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.158690   0.018057   8.788  <2e-16 ***
## STE_IAP2_data_gathering -0.127440   0.066117  -1.928   0.0545 .
## STE_IAP2_inform      -0.158690   0.360245  -0.441   0.6598
## STE_IAP2_consult     -0.007175   0.065183  -0.110   0.9124
## STE_IAP2_involve     -0.015833   0.137182  -0.115   0.9082
## STE_IAP2_collab       0.269881   0.137182   1.967   0.0497 *
## STE_IAP2_empower      0.007976   0.147990   0.054   0.9570
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
##
## Residual standard error: 0.3598 on 476 degrees of freedom
## Multiple R-squared:  0.01666,    Adjusted R-squared:  0.004267
## F-statistic: 1.344 on 6 and 476 DF,  p-value: 0.2358
##
##
## Response G_multination :
##
## Call:
## lm(formula = G_multination ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.14286 -0.06297 -0.06297 -0.06297  0.93750
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.0629723   0.0117653    5.352 1.35e-07 ***
## STE_IAP2_data_gathering -0.0004723   0.0430780   -0.011   0.991
## STE_IAP2_inform      -0.0629723   0.2347165   -0.268   0.789
## STE_IAP2_consult     -0.0629723   0.0424697   -1.483   0.139
## STE_IAP2_involve     -0.0629723   0.0893807   -0.705   0.481
## STE_IAP2_collab       0.0798849   0.0893807    0.894   0.372
## STE_IAP2_empower     -0.0629723   0.0964227   -0.653   0.514
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2344 on 476 degrees of freedom
## Multiple R-squared:  0.008302,    Adjusted R-squared:  -0.004199
## F-statistic: 0.6641 on 6 and 476 DF,  p-value: 0.6787
##
##
## Response G_global :
##
## Call:
## lm(formula = G_global ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02771 -0.02771 -0.02771 -0.02771  0.97229
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.027708   0.007523    3.683 0.000257 ***
## STE_IAP2_data_gathering -0.027708   0.027545   -1.006 0.314977
## STE_IAP2_inform      -0.027708   0.150085   -0.185 0.853610
## STE_IAP2_consult     -0.027708   0.027156   -1.020 0.308103
## STE_IAP2_involve     -0.027708   0.057153   -0.485 0.628040
## STE_IAP2_collab      -0.027708   0.057153   -0.485 0.628040
## STE_IAP2_empower     -0.027708   0.061656   -0.449 0.653351
```

```
## ---  
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  
##  
## Residual standard error: 0.1499 on 476 degrees of freedom  
## Multiple R-squared:  0.005048,    Adjusted R-squared:  -0.007493  
## F-statistic: 0.4025 on 6 and 476 DF,  p-value: 0.8774
```

Geographic area vs engagment (local)

```
## Response G_notdescribed :
##
## Call:
## lm(formula = G_notdescribed ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.01003 -0.01003 -0.01003 -0.01003  0.98997
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.010034   0.004578   2.192  0.0289 *
## SC_researcher  -0.009466   0.017041  -0.555  0.5788
## SC_datagathering -0.009477   0.022607  -0.419  0.6752
## SC_inform       -0.010034   0.045929  -0.218  0.8272
## SC_perspectives -0.010034   0.091516  -0.110  0.9127
## SC_plan         -0.010034   0.027936  -0.359  0.7196
## SC_identify     -0.010034   0.022024  -0.456  0.6489
## SC_envision     -0.010034   0.091516  -0.110  0.9127
## SC_implement    -0.008141   0.041176  -0.198  0.8434
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.0914 on 474 degrees of freedom
## Multiple R-squared:  0.001767, Adjusted R-squared:  -0.01508
## F-statistic: 0.1049 on 8 and 474 DF, p-value: 0.9991
##
##
## Response G_local :
##
## Call:
## lm(formula = G_local ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.7622 -0.2350 -0.2350  0.5093  0.7650
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.23503   0.02182  10.770 <2e-16 ***
## SC_researcher    0.20270   0.08124   2.495  0.0129 *
## SC_datagathering  0.10599   0.10776   0.984  0.3258
## SC_inform       -0.23503   0.21894  -1.073  0.2836
## SC_perspectives -0.23503   0.43625  -0.539  0.5903
## SC_plan         0.03770   0.13317   0.283  0.7772
## SC_identify     0.15386   0.10499   1.465  0.1435
## SC_envision     -0.23503   0.43625  -0.539  0.5903
## SC_implement    0.32443   0.19629   1.653  0.0990 .
```

```

## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4357 on 474 degrees of freedom
## Multiple R-squared:  0.02877,    Adjusted R-squared:  0.01238
## F-statistic: 1.755 on 8 and 474 DF,  p-value: 0.08374
##
##
## Response G_regional :
##
## Call:
## lm(formula = G_regional ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.7500 -0.4150 -0.4150  0.5850  0.8489
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.41496    0.02472  16.790  <2e-16 ***
## SC_researcher  -0.06119    0.09201  -0.665   0.5063
## SC_datagathering 0.23569    0.12205   1.931   0.0541 .
## SC_inform       0.33504    0.24797   1.351   0.1773
## SC_perspectives 0.58504    0.49409   1.184   0.2370
## SC_plan        -0.05133    0.15083  -0.340   0.7338
## SC_identify     0.02948    0.11891   0.248   0.8043
## SC_envision    -0.41496    0.49409  -0.840   0.4014
## SC_implement   -0.20273    0.22231  -0.912   0.3623
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4935 on 474 degrees of freedom
## Multiple R-squared:  0.01917,    Adjusted R-squared:  0.002619
## F-statistic: 1.158 on 8 and 474 DF,  p-value: 0.3229
##
##
## Response G_national :
##
## Call:
## lm(formula = G_national ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2727 -0.1589 -0.1589 -0.1001  0.8999
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.158936    0.017990   8.834  <2e-16 ***
## SC_researcher  -0.058851    0.066971  -0.879   0.3800
## SC_datagathering -0.155474    0.088842  -1.750   0.0808 .

```



```

## SC_inform      -0.158936   0.180498  -0.881   0.3790
## SC_perspectives -0.158936   0.359648  -0.442   0.6587
## SC_plan        0.113791   0.109786   1.036   0.3005
## SC_identify     0.007731   0.086554   0.089   0.9289
## SC_envision     0.841064   0.359648   2.339   0.0198 *
## SC_implement    0.052834   0.161819   0.327   0.7442
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3592 on 474 degrees of freedom
## Multiple R-squared:  0.02403,    Adjusted R-squared:  0.007556
## F-statistic: 1.459 on 8 and 474 DF,  p-value: 0.1699
##
##
## Response G_multination :
##
## Call:
## lm(formula = G_multination ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09091 -0.06300 -0.06300 -0.06300  0.93700
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.06300    0.01178   5.350 1.37e-07 ***
## SC_researcher    0.00563    0.04383   0.128   0.898
## SC_datagathering -0.06333    0.05815  -1.089   0.277
## SC_inform       -0.06300    0.11813  -0.533   0.594
## SC_perspectives -0.06300    0.23539  -0.268   0.789
## SC_plan         0.02791    0.07185   0.388   0.698
## SC_identify     -0.06300    0.05665  -1.112   0.267
## SC_envision     -0.06300    0.23539  -0.268   0.789
## SC_implement    -0.06412    0.10591  -0.605   0.545
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2351 on 474 degrees of freedom
## Multiple R-squared:  0.00682,    Adjusted R-squared: -0.009942
## F-statistic: 0.4069 on 8 and 474 DF,  p-value: 0.9167
##
##
## Response G_global :
##
## Call:
## lm(formula = G_global ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02759 -0.02759 -0.02759 -0.02759  0.97241

```

```
##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.027594   0.007524   3.667 0.000273 ***
## SC_researcher -0.026031   0.028008  -0.929 0.353155
## SC_datagathering -0.026062   0.037155  -0.701 0.483363
## SC_inform      -0.027594   0.075486  -0.366 0.714868
## SC_perspectives -0.027594   0.150409  -0.183 0.854518
## SC_plan        -0.027594   0.045914  -0.601 0.548137
## SC_identify     -0.027594   0.036198  -0.762 0.446262
## SC_envision     -0.027594   0.150409  -0.183 0.854518
## SC_implement    -0.022387   0.067675  -0.331 0.740935
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1502 on 474 degrees of freedom
## Multiple R-squared:  0.004932,    Adjusted R-squared:  -0.01186
## F-statistic: 0.2936 on 8 and 474 DF,  p-value: 0.968
```

Geographic area vs engagment (local)

```
## Response G_notdescribed :
##
## Call:
## lm(formula = G_notdescribed ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.01003 -0.01003 -0.01003 -0.01003  0.98997
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.010034   0.004578   2.192  0.0289 *
## SC_researcher  -0.009466   0.017041  -0.555  0.5788
## SC_datagathering -0.009477   0.022607  -0.419  0.6752
## SC_inform       -0.010034   0.045929  -0.218  0.8272
## SC_perspectives -0.010034   0.091516  -0.110  0.9127
## SC_plan         -0.010034   0.027936  -0.359  0.7196
## SC_identify     -0.010034   0.022024  -0.456  0.6489
## SC_envision     -0.010034   0.091516  -0.110  0.9127
## SC_implement    -0.008141   0.041176  -0.198  0.8434
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.0914 on 474 degrees of freedom
## Multiple R-squared:  0.001767, Adjusted R-squared:  -0.01508
## F-statistic: 0.1049 on 8 and 474 DF, p-value: 0.9991
##
##
## Response G_local :
##
## Call:
## lm(formula = G_local ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.7622 -0.2350 -0.2350  0.5093  0.7650
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.23503   0.02182  10.770 <2e-16 ***
## SC_researcher   0.20270   0.08124   2.495  0.0129 *
## SC_datagathering 0.10599   0.10776   0.984  0.3258
## SC_inform       -0.23503   0.21894  -1.073  0.2836
## SC_perspectives -0.23503   0.43625  -0.539  0.5903
## SC_plan         0.03770   0.13317   0.283  0.7772
## SC_identify     0.15386   0.10499   1.465  0.1435
## SC_envision     -0.23503   0.43625  -0.539  0.5903
## SC_implement    0.32443   0.19629   1.653  0.0990 .
```

```
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4357 on 474 degrees of freedom
## Multiple R-squared:  0.02877,    Adjusted R-squared:  0.01238
## F-statistic: 1.755 on 8 and 474 DF,  p-value: 0.08374
##
##
## Response G_regional :
##
## Call:
## lm(formula = G_regional ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.7500 -0.4150 -0.4150  0.5850  0.8489
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.41496    0.02472  16.790  <2e-16 ***
## SC_researcher  -0.06119    0.09201  -0.665   0.5063
## SC_datagathering 0.23569    0.12205   1.931   0.0541 .
## SC_inform       0.33504    0.24797   1.351   0.1773
## SC_perspectives  0.58504    0.49409   1.184   0.2370
## SC_plan        -0.05133    0.15083  -0.340   0.7338
## SC_identify     0.02948    0.11891   0.248   0.8043
## SC_envision    -0.41496    0.49409  -0.840   0.4014
## SC_implement   -0.20273    0.22231  -0.912   0.3623
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4935 on 474 degrees of freedom
## Multiple R-squared:  0.01917,    Adjusted R-squared:  0.002619
## F-statistic: 1.158 on 8 and 474 DF,  p-value: 0.3229
##
##
## Response G_national :
##
## Call:
## lm(formula = G_national ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2727 -0.1589 -0.1589 -0.1001  0.8999
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.158936    0.017990   8.834  <2e-16 ***
## SC_researcher  -0.058851    0.066971  -0.879   0.3800
## SC_datagathering -0.155474    0.088842  -1.750   0.0808 .
```

```

## SC_inform      -0.158936   0.180498  -0.881   0.3790
## SC_perspectives -0.158936   0.359648  -0.442   0.6587
## SC_plan        0.113791   0.109786   1.036   0.3005
## SC_identify     0.007731   0.086554   0.089   0.9289
## SC_envision     0.841064   0.359648   2.339   0.0198 *
## SC_implement    0.052834   0.161819   0.327   0.7442
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3592 on 474 degrees of freedom
## Multiple R-squared:  0.02403,    Adjusted R-squared:  0.007556
## F-statistic: 1.459 on 8 and 474 DF,  p-value: 0.1699
##
##
## Response G_multination :
##
## Call:
## lm(formula = G_multination ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09091 -0.06300 -0.06300 -0.06300  0.93700
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.06300    0.01178   5.350 1.37e-07 ***
## SC_researcher    0.00563    0.04383   0.128   0.898
## SC_datagathering -0.06333    0.05815  -1.089   0.277
## SC_inform       -0.06300    0.11813  -0.533   0.594
## SC_perspectives -0.06300    0.23539  -0.268   0.789
## SC_plan         0.02791    0.07185   0.388   0.698
## SC_identify     -0.06300    0.05665  -1.112   0.267
## SC_envision     -0.06300    0.23539  -0.268   0.789
## SC_implement    -0.06412    0.10591  -0.605   0.545
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2351 on 474 degrees of freedom
## Multiple R-squared:  0.00682,    Adjusted R-squared:  -0.009942
## F-statistic: 0.4069 on 8 and 474 DF,  p-value: 0.9167
##
##
## Response G_global :
##
## Call:
## lm(formula = G_global ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02759 -0.02759 -0.02759 -0.02759  0.97241

```

```

##
## Coefficients:
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.027594   0.007524   3.667 0.000273 ***
## SC_researcher -0.026031   0.028008  -0.929 0.353155
## SC_datagathering -0.026062   0.037155  -0.701 0.483363
## SC_inform      -0.027594   0.075486  -0.366 0.714868
## SC_perspectives -0.027594   0.150409  -0.183 0.854518
## SC_plan        -0.027594   0.045914  -0.601 0.548137
## SC_identify     -0.027594   0.036198  -0.762 0.446262
## SC_envision     -0.027594   0.150409  -0.183 0.854518
## SC_implement    -0.022387   0.067675  -0.331 0.740935
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1502 on 474 degrees of freedom
## Multiple R-squared:  0.004932, Adjusted R-squared:  -0.01186
## F-statistic: 0.2936 on 8 and 474 DF, p-value: 0.968

```