

GPS Unit Integration

Technical Documentation

The purpose of this document is to facilitate development work to integrate GPS in-cart display units with the Golf Genius tournament display.

The items below mark the high-level work items that need to be done by each side, together with API endpoints and samples that are already available on the Golf Genius side.

1.[GG] Mark customers as Vendor customers and enter their Vendor Site ID.

- The Vendor SITE ID is going to identify a customer when communicating with the Vendor servers through the API.
- Create a user account for Vendor support. The Vendor support account will have access to all Vendor-linked customers.
- The user account for Vendor support will be automatically added as customer manager for all customers that are set with a Vendor SITE ID.
- Assign a token for direct communication between Vendor and Golf Genius servers.

2. [Vendor] API to Retrieve data for a given Vendor Site ID

List of Carts

Example: <http://api.vendor.com/carts/50> (where 50 is the Vendor Site ID)

Example response:

```
[{"CarNumber">77,
  "IsConnected">>false,
  "IsOnCourse">>false,
  "IsStaged">>false},
{"CarNumber">223,
  "IsConnected">>false,
  "IsOnCourse">>false,
  "IsStaged">>false}]
```

List of Courses

Example: <http://api.vendor.com/courses/50> (where 50 is the Vendor Site ID)

Example response:

```
[{"name" => "Golf Course Name",  
  "Course_id" => vendor_course_id,  
  "Hole" => {eighteen / front9 / back9}]
```

3. [GG] UI to edit cart assignments

Website

Visage Site #49 New UI Test- HH Cart Assignments

Players Assign Remove ⓘ Carts

16 Paul Parlane	16 Jennelle Kagay	13 George Bush	13 Jim Majors
19 Wonder Waman	19 Green Ivy	17 Pam Thompson	17 Christine V...
Bruce Wayne	Grant Garnett	29 Bill Clinton	29 Michael Pollan
18 Fred Flints...	18 Ross Gellar	Mark Ingram	Linda Bush
Rachel Green	Charlotte Claus	Bernard Crowe	Vicki Mitchell
Alicia Crowe	Justin Therreo	Derek McCoy	Tim Schletzet

13	15	16
17	18	19
20	21	22
23	26	27
28	29	53
76	330	

iPad

Carrier 12:18 PM 100%

< Back Assign Cart - Match 5

Carts Assign Remove Done

6	7	8	9	10	11	12	13	14	15
---	---	---	---	----	----	----	----	----	----

Players All Carts ☒ Connected

11:30 AM, Hole 1B	Caso, Dean	Hall, Kevin	McCluskey, By...	Moran, Mike
11:30 AM, Hole 2A	Freedman, Matt	Wilson, Phil	Meade, Jeremy	Reynolds, Keith
11:30 AM, Hole 2B	Freedman, An...	Berry, Andrew	Ryan, James	Eason, Jeff
11:30 AM, Hole 3	Sullivan, Matth...	Goodwin, Mike	Hajducky, Andr...	Ruggiero, Al
11:30 AM, Hole 4	Laurendeau, J...	Craig, Jim	Scheid, William	Finlayson, Rich...
11:30 AM, Hole 5A	Caldwell, Nick	Tobin, Pat	Semple, William	McWalter, James

4. [Vendor] Vendor API

4a. Sending cart ID assignments

- Golf Genius issues a request to Vendor, of form:

Note: Vendor to fill in document with API that retrieves list of courses for a site.

```
{
  vendor_site_id: 123,
  vendor_token: VENDOR_TOKEN,
  carts: [
    {
      vendor_course_id: 124,
      number: N, (cart number received from Vendor)
      team_id: X, (if both players are part of same team we send a unique team id; if
this tournament is not played by teams, or if players from multiple teams in same
cart, we send -1),
      starting_hole: "2",
      starting_time: "15:00PM",
      players: [
        {
          player_id: x,
          player_name: y,
          post_scores_on_front_9: true/false
          post_scores_on_back_9: true/false
        },
        ...
      ],
      ...
    }, {...}
  ]
}
```

- The cart assignment API call is triggered by the user pressing the DONE button on the cart assignments screen.

4b. Receiving Scores

- Vendor is going to issue a request to www.golfgenius.com/api/vendor/scores , of form:

```
{
  vendor_site_id: 123,
  vendor_token: VENDOR_TOKEN,
  scores: [
    {
      player_id: x,
      scores: [4, 5, 4, nil, ... 18 scores here ...]
    }
  ]
}
```

```
]
}
```

- We will encode:
 - nil or 0 - hole not played
 - -1 - leave score unchanged (to what was before in GolfGenius)
 - 1 ... 20 - valid score
- We will respond with a simple text message: "ACK". If Vendor does not receive an ACK, we are not 100% sure that the message was received, and it is best to resend scores.

5. Sending Golf Genius data to Vendor

Golf Genius is sending the following data to Vendor, triggered by three different events:

- finalizing cart assignments in a round
- setting up / updating a tournament that is going to be sent to Vendor
- generating a new leaderboard for a Vendor tournament

```
{
  vendor_site_id: 123,
  vendor_token: VENDOR_TOKEN,
  carts: [
    {
      number: N, (cart number received from Vendor)
      team_id: X, (if both players are part of same team we send a unique team id; if
this tournament is not played by teams, or if players from multiple teams in same
cart, we send -1),
      starting_hole: "2",
      starting_time: "15:00PM",
      players: [
        {
          player_id: x,
          player_name: y,
          post_scores: [... array of 18 hole true / false ...]
        },
        ...
      ],
      ...
    }
  ], {...}
},
tournaments: [{
  id: 11252,
  name: "Fall Scramble - Fall Scramble division",
  adjusted: false,
  date: "/Date(2014-08-11)/",
  creation_date: "/Date(2014-08-11)/",
```

```
    status: ["Not Started", "In Progress", "Completed"], # One of 3 options
    format: "Stroke", (if no tournament defined yet in our system we return "")
    html: HTML code of tournament,
    size: (of html)
  }
}
```

Sample HTML code for a simple tournament:

<http://www.golfleaguegenius.com/v2tournaments/23404>

Sample HTML code for a medium-complexity tournament:

<http://www.golfleaguegenius.com/v2tournaments/23407>

Sample HTML code for an advanced tournament:

<http://www.golfleaguegenius.com/v2tournaments/102801>