

# ZAP Scanning Report

Generated with  ZAP on Sat 15 Jun 2024, at 22:21:37

ZAP Version: 2.15.0

ZAP is supported by the [Crash Override Open Source Fellowship](#)

## Contents

- [About this report](#)
  - [Report parameters](#)
- [Summaries](#)
  - [Alert counts by risk and confidence](#)
  - [Alert counts by site and risk](#)
  - [Alert counts by alert type](#)
- [Alerts](#)
  - [Risk=Low, Confidence=Low \(1\)](#)
  - [Risk=Informational, Confidence=Medium \(1\)](#)
- [Appendix](#)
  - [Alert types](#)

## About this report

## Report parameters

---

### Contexts

No contexts were selected, so all contexts were included by default.

### Sites

The following sites were included:

- <http://localhost:8002>

(If no sites were selected, all sites were included by default.)

An included site must also be within one of the included contexts for its data to be included in the report.

### Risk levels

Included: [High](#), [Medium](#), [Low](#), [Informational](#)

Excluded: None

### Confidence levels

Included: [User Confirmed](#), [High](#), [Medium](#), [Low](#)

Excluded: [User Confirmed](#), [High](#), [Medium](#), [Low](#), [False Positive](#)

## Summaries

### Alert counts by risk and confidence

---

This table shows the number of alerts for each level of risk and confidence included in the report.

(The percentages in brackets represent the count as a percentage of the total number of alerts included in the report, rounded to one decimal place.)

Confidence

		User				Total
		Confirmed	High	Medium	Low	
Risk	High	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
	Medium	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
	Low	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (50.0%)	1 (50.0%)
	Informational	0 (0.0%)	0 (0.0%)	1 (50.0%)	0 (0.0%)	1 (50.0%)
	Total	0 (0.0%)	0 (0.0%)	1 (50.0%)	1 (50.0%)	2 (100%)

Alert counts by site and risk

This table shows, for each site for which one or more alerts were raised, the number of alerts raised at each risk level.

Alerts with a confidence level of "False Positive" have been excluded from these counts.

(The numbers in brackets are the number of alerts raised for the site at or above that risk level.)

Risk

		Informational	
		Medium	Low
High	(>= High)	(>= Medium)	(>= Informational)

Alert counts by alert type

This table shows the number of alerts of each alert type, together with the alert type's risk level.

(The percentages in brackets represent each count as a percentage, rounded to one decimal place, of the total number of alerts included in this report.)

Alert type	Risk	Count
<a href="#">Cross Site Scripting Weakness (Persistent in JSON Response)</a>	Low	2 (100.0%)
<a href="#">User Agent Fuzzer</a>	Informational	84 (4,200.0%)
Total		2

# Alerts

**Risk=Low, Confidence=Low (1)**

**Risk=Informational, Confidence=Medium (1)**

# Appendix

## Alert types

This section contains additional information on the types of alerts in the report.

### Cross Site Scripting Weakness (Persistent in JSON Response)

Source	raised by an active scanner ( <a href="#">Cross Site Scripting_(Persistent)</a> )
CWE ID	<a href="#">79</a>

**WASC ID** 8

**Reference**

- <https://owasp.org/www-community/attacks/xss/>
- <https://cwe.mitre.org/data/definitions/79.html>

## User Agent Fuzzer

**Source** raised by an active scanner ([User Agent Fuzzer](#))

**Reference** ▪ <https://owasp.org/wstg>