Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

```
Check by text input CSS

check check conditions content c
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

1 of 4

```
1. ب
 2. ↩
 3. <!DOCTYPE html>↔
 4. <html lang="en" class="h-100">↔
 5. ↔
 6. <head>↔
 7. ↩
 8. ↩
 9.
        <meta http-equiv="X-UA-Compatible" content="ie=edge">↔
10.
        <meta charset="utf-8">₽
11.
        <meta name="viewport" content="width=device-width, initial-</pre>
12.
    scale=1">↔
13.
14. ↩
15.
16.
17. ↔
18.
        <link rel="preconnect" href="https://fonts.gstatic.com">↔
19.
```

2 of 4

```
20.
         <link href="https://fonts.googleapis.com</pre>
     /css2?family=Roboto:wght@300&display=swap" rel="stylesheet">↔
    k href="https://fonts.googleapis.com/css2?family=Lato:wght@300;
700&display=swap" rel="stylesheet">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs</pre>
21.
22.
    /font-awesome/5.15.3/css/all.min.css">↔
<link rel="stylesheet" href="https://res.cloudinary.com/dxla1usfm"
23.
    /raw/upload/v1/static/css/style.e61e14c1c34c.css">↔
24.
25.
    ب
26.
27.
         <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js</pre>
     /bootstrap.bundle.min.js"↩
28.
              integrity="sha384-gtEjrD/SeCtmISkJkNUaaKMoLD0
     //ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4" crossorigin="anonymous">↔
29.
              </script>↩
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css
/bootstrap.min.css" rel="stylesheet"↔</pre>
30.
31.
     integrity="sha384-+0n0xVW2eSR50omGNYDnhzAbDs0XxcvSN1TPprVMTNDbiYZCxYb00l
     7+AMvyTG2x" crossorigin="anonymous">↩
32.
33.
34.
35.
36.
37.
         <script src="https://cdnjs.cloudflare.com/ajax/libs/summernote</pre>
38.
    /0.8.11/summernote.min.js"↩
39.
              integrity="sha512-
     kp7inrJPX+pb5p2Qf7UusVfy7J22qXE3pRkKMvX6atdp7x9dJhrD6s1YtvreHB/00UpQyrx2
     2WZtXZ8gPf4tkA=="↔
         crossorigin="anonymous" referrerpolicy="no-referrer"></script>↔ <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs
40.
41.
     /summernote/0.8.11/summernote-bs4.css"↩
    integrity="sha512-yZMG5WYl/bUbddhnbm

/VBS/mneo+hYKI09QllvWG5xaDnIgpyCB0BT328wDYWAs4mU67ljW+kes+Ele65D0yIQ=="↔

crossorigin="anonymous" referrerpolicy="no-referrer">↔
42.
43.
44.
45. ↔
46.
         <title>A Coder's Journey </title>↔ <link rel="shortcut icon" href="https://res.cloudinary.com/dxla1usfm"
47.
48.
    /image/upload/v1/static/favicon/favicon.5dc6b18c7442.ico">↔
49.
         <meta name="description"↔
50.
              content="Online software development & coding blog, building a
     community of software engineers">↩
         <meta name="keywords"↔
51.
52.
              content="software, engineering, coding, software development,
     career, lifestyle, inspiration, tutoring, entrepreneur">↔
53.
   ب
54. ↔
55. </head>↔
56. ↔
57. <body class="d-flex flex-column h-100 main-bg">↔
58. ↔
59.
         <!-- Navigation -->↔
60.
61.
         <nav class="navbar navbar-expand-lg navbar-light bg-white">↔
62.
              <div class="container-fluid">↩
                   <a class="navbar-brand" href="/"><span class="brand">A
63.
    Co</span><span↔
64.
                             class="red-o">der</span>'s<span
     class="thin">|Journey</span></a>↔
                   <button class="navbar-toggler" type="button" data-bs-</pre>
65.
     toggle="collapse" data-bs-target="#năvbarText'"↔
66.
                        aria-controls="navbarText" aria-expanded="false" aria-
     label="Toggle navigation">↩
                        <span class="navbar-toggler-icon"></span>↔
67.
```

3 of 4

```
68.
                  </button>↩
 69.
                  <div class="collapse navbar-collapse" id="navbarText">←
 70.
                      ↔
                          class="nav-item">↔
 71.
 72.
                              <a class="nav-link active" aria-current="page"</pre>
     href="/">Home</a>↔
 73.
 74.
                          class="nav-item">↩
 75.
                              <a class="nav-link active" aria-current="page"</pre>
     href="/about.html">About</a>↔
 76.
                          ↔
 77.
                          class="nav-item">↔
 78.
 79.
                               <a class="nav-link" href="/accounts/signup
     /">Register</a>↩
 80.
                          ↔
 81.
                          class="nav-item">↔
                               <a class="nav-link" href="/accounts/login
 82.
     /">Login</a>↩
 83.
                          ↔
 84.
 85.
                      ↔
 86.
                      <span class="navbar-text text-muted">↩
 87.
                          a journey into software development↔
 88.
                      </span>↔
 89.
                  </div>ب
             </div>↔
 90.
 91.
         </nav>↩
 92. ب
 93.
         <main class="flex-shrink-0 main-bg">↔
 94.
 95. ↔
 96. <div class="container">↩
         <div class="row">↔
 97.
             <div class="col-md-8 mt-3 offset-md-2">↔
 98.
 99.
                  <h1>Sign Up</h1>↔
100. ↔
                  Already have an account? Then please <a href="/accounts</p>
101.
     /login/">sign in</a>.↔
102.
                      103.
104.
                  <form class="signup" id="signup form" method="post"</pre>
     action="/accounts/signup/">⊷
                      <input type="hidden" name="csrfmiddlewaretoken"</pre>
105.
     value="4Bjqr80CuvQw1f0xJn5uIo4CCuX0aQmZK9DP3hILFZj0YiCCQFXkJCpNYn8lxKqX"
106.
                      <label for="id username">Username:</label> <input
     type="text" name="username" placeholder="Username"
     autocomplete="username" minlength="1" maxlength="150" required
     id="id username">↩
107. <label for="id_email">E-mail (optional):</label> <input type="email"
     name="email" placeholder="E-mail address" autocomplete="email id="id_email">↔
108. <label for="id_password1">Password:</label> <input type="password" name="password1" placeholder="Password" autocomplete="new-password" required id="id_password1">

109. <label for="id password2">Password (again):</label> <input
     type="password" name="password2" placeholder="Password (again)" required
     id="id password2">↔
110.
111.
                      <button class="btn btn-signup right" type="submit">Sign
     Up »</button>↩
112.
                  </form>↔
113. ₽
114.
             </div>↩
115.
         </div>ب
116. </div>↔
117. ↔
118. ↔
```

```
119.
        </main>↔
120. ↩
121.
        <!-- Footer -->₽
122.
        <footer class="footer mt-auto py-3 dark-bg">↔
123.
            Eric Nathaniel Jones
    © 2023
124.
            Follow Us:<a</pre>
    href="https://www.facebook.com" target=" blank"↔
125.
                    rel="noopener"><i class="a fa-cog fa-fw fab fa-facebook-
    square fa-3x"></i></a>↔
                <a href="https://www.twitter.com" target=" blank"
126.
    rel="noopener"><i↩
127.
                       class="a fa-cog fa-fw fab fa-twitter-square fa-3x">
    </i></a>↩
                <a href="https://www.instagram.com" target=" blank"
128.
    rel="noopener"><i↔
129.
                       class="a fa-cog fa-fw fab fa-instagram-square
    fa-3x"></i></a>↔
130.
                <a href="https://www.youtube.com" target=" blank"</pre>
    rel="noopener"><i↩
131.
                       class="a fa-cog fa-fw fab fa-youtube-square fa-3x">
    </i></a>↔
132.
            ↔
133.
        </footer>↔
134. </body>↔
135. ↔
136. </html>
Used the HTML parser.
```

Total execution time 16 milliseconds.

About this checker • Report an issue • Version: 23.3.31

4 of 4 5/9/23, 19:21