Fibrin glue and stents in the treatment of gastrojejunal leaks after laparoscopic gastric bypass: A case series and review of the

literature.

Authors: Victorzon M., Victorzon S., Peromaa-Haavisto P.

Publication Date: 2013

Abstract:

Laparoscopic Roux-en-Y gastric bypass (LRYGB) is the most commonly

bariatric/metabolic operation in Europe. Different treatment options for the management of

gastrojejunal (GJ) leaks following LRYGB have been published. We looked at our own experience

with GJ leaks after 645 consecutive LRYGB operations and reviewed the literature with focus on the

use of fibrin sealant and self-expandable metal stents as treatment options. Patient data were

prospectively collected in the hospital's database for bariatric patients. All patients with confirmed GJ

leaks were reviewed. Patients with GJ leaks were actively treated by a combination of laparoscopic

drainage and endoscopic fibrin sealant injections and/or stenting. Six patients (0.93 %) have been

treated for GJ leaks. All leaks were successfully treated and there was no leak-related mortality. The

mean (SD) time for closure of the leaks and length of hospital stay was 19.5 days (6.2) and 23.2

days (3.7). The literature concerning endoscopic treatment options in case of GJ leaks following

LRYGB operations is scarce and inconclusive. Immediate and active treatment with a combination

of operative and endoscopic treatment options, rather than choosing only one treatment over

another, may enhance the recovery process. © 2013 Springer Science+Business Media New York.