Enhanced NJU Beamer Theme

Eric Li

School of Artificial Intelligence, Nanjing University

2026 年 5 月 10 日

I Introduction

I-I Theme Overview

What is New in This Theme?

This enhanced NJU Beamer template brings a fresh, modern design while preserving the classic purple-and-gold identity of Nanjing University.

Key Enhancements

- **Refined Color Palette:** Deeper purple tones with elegant gold accents and semantic colors
- **Modern Block Design:** Left-border accent style with subtle shadows
- **Enhanced Typography:** Better hierarchy and spacing throughout
- **Decorative Elements:** Gold accent lines and refined section transitions

Color System

Primary Colors

- **NJU Purple** — Primary brand color
- **NJU Gold** — Accent and highlight
- **Dark Purple** — Depth and footer

Semantic Colors

- **Alert Red** — Warnings and alerts
- **Example Green** — Examples and success
- **Info Blue** — Information blocks

I-II Design Philosophy

Design Principles

The enhanced theme follows these core design principles:

1. **Contrast:** Clear distinction between text, background, and headings
2. **Hierarchy:** Visual importance conveyed through size, weight, and color
3. **Whitespace:** Generous margins and line spacing for readability
4. **Consistency:** Unified visual language across all slide elements

Typography

Uses Times New Roman math fonts with professional font encoding for a clean academic look.

II Features

Mathematical Content

The template handles mathematical notation elegantly:

The fundamental equation for neural networks is forward propagation:

$$a^{(l)} = \sigma(W^{(l)} a^{(l-1)} + b^{(l)})$$

where σ is the activation function, $W^{(l)}$ are weights, and $b^{(l)}$ are biases at layer l.

Key Algorithms

- Backpropagation uses gradient descent to optimize parameters
- Convolutional Neural Networks excel in image processing
- Recurrent Neural Networks handle sequential data

Visual Elements



图 1: Neural Network Architecture

Applications

- Healthcare diagnostics
- Autonomous vehicles
- Natural language processing
- Computer vision systems

Tables and Data

表 1: Performance Comparison of ML Models

Model	Accuracy	F1 Score	Latency
ResNet-50	94.2%	0.93	12ms
VGG-16	92.8%	0.91	28ms
Transformer	96.1%	0.95	45ms

Observation

Transformer models achieve superior accuracy at the cost of increased computational latency.

III Reference

Bibliography I

- Goodfellow, Ian, Yoshua Bengio, and Aaron Courville. *Deep learning*. MIT press, 2016.
- He, Kaiming et al. "Deep residual learning for image recognition". In: *Proceedings of the IEEE conference on computer vision and pattern recognition* (2016), pp. 770–778.
- Islam, Rafiq. *Unofficial FSU Beamerposter & Presentation Theme*. 2025. URL: `https://github.com/mrislambd/FSU-math-poster-template`.
- Li, Eric. *Enhanced NJU Beamer Theme*. 2025. URL: `https://github.com/ericli2333/NJU-beamer-theme-template`.
- Vaswani, Ashish et al. "Attention is all you need". In: *Advances in neural information processing systems* 30 (2017).