

♠ Domains



Rank











All Contests > BlackRock CodeSprint > Trade Analysis

Trade Analysis



■ locked



Problem

Submissions

Leaderboard

Discussions

Editorial

Investment managers are always trying to find new information about the market to better their competitive advantage and help increase their holdings. In her quest to find such information, your boss asks you to analyze a set of dollar amounts from previous trades according to formula G(S). She can then combine the resultant number with other information to gain crucial insight about the market.

Given an n-element sequence, $S=(a_0,a_1,\ldots,a_{n-1})$, of dollar amounts, calculate and print the value of function G(S).

$$G(S) = \sum_{T ext{ is a nonempty subsequence of } S} |T| \cdot (ext{product of all elements in } T)$$

where |T| is the length of the sequence T. As the value of G(S) can be large, print the result modulo (10^9+7) .

Input Format

The first line contains an integer denoting the value of n.

The second line contains n space-separated integers $a_0, a_1, \ldots, a_{n-1}$, describing the elements in S.

Constraints

- $1 \le n \le 10^5$
- $0 \le a_i \le 10^9$

Output Format

Print the value of $G(S) \mod (10^9 + 7)$ on a new line.

Sample Input

3 1 2 3

Sample Output

46

Explanation

There are 7 nonempty subsequences: (1), (2), (3), (1,2), (1,3), (2,3), (1,2,3).

$$G(S) = 1 \cdot (1) + 1 \cdot (2) + 1 \cdot (3) + 2 \cdot (1 \cdot 2) + 2 \cdot (1 \cdot 3) + 2 \cdot (2 \cdot 3) + 3 \cdot (1 \cdot 2 \cdot 3)$$

$$= 1 + 2 + 3 + 4 + 6 + 12 + 18$$

$$= 46$$

We then print the result of $46 \mod (10^9 + 7)$, which is 46.

e y i

Submissions: 465 Max Score: 60 Difficulty: Hard

Rate This Challenge:



```
Current Buffer (saved locally, editable) ?
                                                                                 C++
 1 ▼ #include <cmath>
 2 #include <cstdio>
 3 #include <vector>
 4 #include <iostream>
    #include <algorithm>
   using namespace std;
8
9 vint main() {
        /* Enter your code here. Read input from STDIN. Print output to STDOUT */
10
        return 0;
11
12
   }
13
                                                                                                       Line: 1 Col: 1
                     Test against custom input
                                                                                            Run Code
1 Upload Code as File
                                                                                                         Submit Code
```

Join us on IRC at #hackerrank on freenode for hugs or bugs.

Contest Calendar | Interview Prep | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature