

dataloader/__init__.py (Q&A Documentation)

Q: What is the purpose of this package initializer? **A:** It exposes a convenient import surface for the package, so scripts can import key classes from the package root.

Q: Why is this helpful for the project? **A:** It stabilizes imports and keeps training scripts cleaner and less coupled to internal file layout.

Q: What does this file export (public API)? **A:** The public API is the set of classes/functions other modules import (sometimes re-exported by package initializers). The key top-level definitions detected here are:

```
# (no top-level classes/functions detected)
```

Q: What are the main dependencies (imports) and why do they matter? **A:** Imports show whether this file is model code (torch), data code (pandas), or evaluation/analysis (sklearn). They also determine runtime requirements.

```
from __future__ import absolute_import
from dataloader.kuaiREC import KUAIRECDataLoader
```

Q: Example: end-to-end data flow involving this file **A:** Core pipeline shape (schematic):

```
dataloaders = KUAIRECDataLoader("kuaiREC", "./dataset/kuaiREC/kuaiREC_data.pkl", device, bsz=2048)
features, label = next(iter(dataloaders["train"]))
print(features.keys(), label.shape)
```

Q: Full source code of the Python file **A:** The complete file is included verbatim for reference.

```
from __future__ import absolute_import
from dataloader.kuaiREC import KUAIRECDataLoader
```