# Projektni zadatak Web sajt – MovieLense

Student: Stefan Erić

Broj indeksa: 4/21


Predmet: Praktikum iz PHP-a

## Sadržaj

Uvod	4
Dizajn baze	4
Funkcionalnosti	4
Opis funkcionalnosti	7
Struktura projekta	17
Kodovi	17
Head.php	17
Header.php	18
Footer.php	20
Index.php	21
Author.php	23
Contact.php	24
insert Movie.php	24
insertNews.php	27
insertUser.php	29
Login.php	30
Main.php	31
Movie.php	36
Movies.php	40
MoviesEdit.php	42
newsEdit.php	43
Panel.php	44
Register.php	46
updateMovie.php	48
updateNews.php	50
updateUser.php	51
usersEdit.php	53
Conn.php	54
addMovieToWatchlist.php	55
deleteMovie.php	55
deleteMovieFromWatchlist.php	56
deleteNews.php	56
deleteUser.php	56
Functions.php	57
Get_filtered_movies.php	64

Get_movie_categories.php64
Get_news_data.php65
Get_number_of_movies.php65
Get_users_data.php65
InsertMoviePictureProcess.php
insertMovieProcess.php67
insertNewActorProcess.php69
insertNewCategoryProcess.php
insertNewsPictureProcess.php
insertNewsProcess.php
loginProcess.php
Logout.php73
pageLog.php74
Pagination.php
registrationProcess.php
reviewProcess.php
sendMailToAdmin.php
updateMovieProcess.php
updateNewsProcess.php
updateUserProcess.php80
userLog.php83
Style.css82
Main.js89

# Uvod Dizajn baze



#### Korišćeni programski jezici

Jezici korišćeni prilikom kreiranja sajta su: HTML, CSS, JavaScript, PHP, za lakšu organizaciju korišćen bootstrap

#### **Funkcionalnosti**

Funkcionalnosti zajedničke za sve strane su:

- Dinamičko ispisivanje header-a i footer-a u zavisnosti od logovanog korisnika
- 2. Pretraga filmova u search bar-u

Funckionalnosti na stranici index.php?page=main

- 1. Ispis vesti u obliku slider-a, gde je omogućeno listanje i automatska promena na svakih 5 sekundi
- 2. Ispis najnovijih filmova
- 3. Ispis najbolje ocenjenih filmova
- 4. Ispis watchliste korisnika, ako je ulogovan
- 5. Ispis najgledanijih filmova
- 6. Mogućnost dodavanja filmova u watchlistu

Funkcionalnosti na stranici index.php?page=movies

1. Ispis svih filmova iz baze

- 2. Mogućnost dodavanja u watchlistu
- 3. Straničenje
- 4. Filtriranje i sortiranje filmova

Funkcionalnosti na stranici index.php?page=login

Omogućeno logovanje korisnika sa validacijom i na klijent i na server strani

Funckionalnosti na stranici index.php?page=register

Omogućena registracija korisnika sa validacijom i na klijent i na server strani

Funkcionalnosti na stranici index.php?page=contact

Omogućeno slanje mejla adminu sa validacijom i na klijent i na server strani

Funkcionalnosti na stranici index.php?page=movie

- 1. Ispis svih podataka o filmu, kao i ocene, kategorija, glumaca i recenzija filmova
- 2. Ispis preporucenih filmova, na osnovu kategorije
- 3. Mogućnost dodavanja recenzije filmu ulogovanih korisnika, ne i admina

Funkcionalnosti na stranici index.php?page=panel

- 1. Uvid u broj logova i broj ulogovanih korisnika
- 2. Uvid u posecenost stranica
- 3. Admin alati za upravljanje dinamickim delom sajta
- 4. Zabrana pristupa neautorizovanim korisnicima

Funkcionalnosti na stranici index.php?page=moviesEdit

Mogućnost rada crud operacija za filmove kao i za sve podatke vezane za njih, za admina. Uploadovane slike se prvo smanje, radi optimizacije pa se zatim kropuju radi stilizovanja sajta


Funkcionalnosti na stranici index.php?page=newsEdit

Mogućnost rada crud operacija za vesti kao i za sve podatke vezane za njih, za admina


Funkcionalnosti na stranici index.php?page=usersEdit

Mogućnost rada crud operacija za usere kao i za sve podatke vezane za njih, za admina


### Opis funkcionalnosti




Stranica index.php?page=main na kojoj se dinamički ispisuju vesti, najbolji filmovi, watchlista i najgledaniji filmovi, kao i dianmički ispisani header i footer




Mogućnost pretrage filmova, kao i dinamički ispis rezultata, bez reload-a, uvek ispod navigacionog menija




Ispis watchliste ulogovanog korisnika (ispis poruke ako je prazna)




Stranica movies.php na kojoj se ispisuju svi filmovi, gde je menijem iznad footera omogućena paginacija, bez reloada, kao i filtriranje i sortiranje




Stranica index.php?page=movie, gde su dinamički ispisani svi podaci o traženom filmu kao i glumci, kategorije i preporučeni filmovi. Dodavanje komentara radi bez reloada, a na ovoj stranici se koristi slika u originalnom formatu.




Sekcija za unos review-a, gde je to omogućeno samo ulogovanim korisnicima koji nisu već napisali review za taj film i koji nisu admin.




Index.php?page=contact strana koja služi za slanje mejla administratoru, validacija i klijent i server




Index.php?page=login strana gde je omogućeno logovanje korisnika




Index.php?page=register gde je omogućena registracija korisnika




Index.php?page=panel stranica za admina, gde je prikazan broj logovanih korisnika i ukupnih logova, broj posecenosti stranica i omogucen alat za rad sa dinamickim delom baze



Strana index.php?page=moviesEdit gde je omogućeno dodavanje novog filma, kao i izmena i brisanje postojećih




Strana index.php?page=insertMovie gde je moguće dodavanje nove slike, kategorije, glumca kao i samog filma



Strana index.php?page=updateMovie gde je omogućeno ažuriranje filma, gde su sve vrednosti preselektovane

Isti izgled strana i za CRUD sa vestima i sa user-ima

#### Struktura projekta



#### Kodovi

#### Head.php

```
link
      href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha3/dist/css/bootstrap.min.css"
      rel="stylesheet"
      integrity="sha384-
KK94CHFLLe+nY2dmCWGMq91rCGa5gtU4mk92HdvYe+M/SXH301p5ILy+dN9+nJ0Z"
      crossorigin="anonymous"
    <script
      src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha3/dist/js/bootstrap.bundle.min.js"
      integrity="sha384-
ENjdO4Dr2bkBIFxQpeoTz1HIcje39Wm4jDKdf19U8gI4ddQ3GYNS7NTKfAdVQSZe"
      crossorigin="anonymous"
    ></script>
    <script
      src="https://code.jquery.com/jquery-3.6.4.min.js"
      integrity="sha256-oP6HI9z1XaZNBrJURtCoUT5SUnxFr8s3BzR1+cbzUq8="
      crossorigin="anonymous"
    ></script>
    <script
      src="https://use.fontawesome.com/releases/v6.1.0/js/all.js"
      crossorigin="anonymous"
    ></script>
    <link rel="stylesheet" href="assets/css/style.css" />
    <title>MovieLense | Home of all movies</title>
  </head>
```

#### Header.php

```
aria-controls="navbarSupportedContent"
        aria-expanded="false"
        aria-label="Toggle navigation"
        <span class="navbar-toggler-icon"></span>
       <div class="collapse navbar-collapse" id="navbarSupportedContent">
        $headerLinks = getHeaderLinks();
          foreach($headerLinks as $headerLink){
            if(isset($ SESSION['user'])){
             if($headerLink->item url!="index.php?page=login" &&
$headerLink->item_url!="index.php?page=register"){
               echo' 
                        <a class="nav-link" href="'.$headerLink-</pre>
>item_url.'"><i class="'.$headerLink->item_ico.'"></i> '.$headerLink-
>item_text.'</a>
                      ';
            else{
             echo' 
                   <a class="nav-link" href="'.$headerLink->item_url.'"><i</pre>
class="'.$headerLink->item_ico.'"></i> '.$headerLink->item_text.'</a>
                 ';
            if($headerLink->item_url=="index.php?page=login"){
              echo' 
                    <i class="fa-solid fa-grip-lines-vertical</pre>
icoSecondary" id="vertical"></i></i></or>
                   ';
            }
          if(isset($_SESSION['user'])){
            if($_SESSION['user']->role_name=="admin"){
             echo '
                    <a class="nav-link" href="index.php?page=panel"><i</pre>
class="fa-solid fa-pen-to-square ico"></i> Admin panel</a>
                   ';
            echo '
                   <a class="nav-link" href="models/logout.php"><i</pre>
class="fa-solid fa-right-from-bracket ico"></i> Log out</a>
                 ';
          }
          ?>
```

```
<div class="navbar-text d-flex justify-content-center align-items-</pre>
center">
            <form class="d-flex">
              <div class="input-group">
                  class="form-control inputForForm"
                  id="search"
                  type="search"
                  placeholder="Search for movies..."
                  aria-label="Search"
                <span class="input-group-text">
                  <a><i class="fa-solid fa-search search-icon ico"></i></a>
                </span>
              </div>
            </form>
          </div>
        </div>
      </div>
</nav>
<div class="mx-auto col-lg-4 col-md-7 col-10 d-none" id="searchedMovieInfo">
 <div class="d-flex justify-content-between">
    <div class="col-2">
            <img src="assets/img/movies/batmanbegins.jpg" class="img-fluid"</pre>
alt="">
   </div>
    <div class="d-flex mx-auto align-items-center fs-5 fw-bold">
      This is movie title ( year )
    </div>
  </div>
</div>
```

#### Footer.php

```
<i class="fa-brands fa-facebook mx-2 fs-2 ico"></i>
       </a>
       <a href="#" class="p-1">
         <i class="fa-brands fa-youtube mx-2 fs-2 ico"></i>
       <a href="#" class="p-1">
         <i class="fa-brands fa-tiktok mx-2 fs-2 ico"></i>
       </a>
     </div>
       class="container d-flex justify-content-center my-3 align-items-center
flex-wrap"
       id="links"
       Useful links
       <i class="fa-solid fa-arrow-right ico"></i>
       <?php
           $footerLinks = getFooterLinks();
           foreach($footerLinks as $footerLink){
              if(isset($_SESSION['user'])){
                if($footerLink->item_url!="register.php"){
                  echo '<a href="'.$footerLink->item_url.'" class="mx-2"
p-1">'.$footerLink->item_text.'</a>';
                }
              else{
                echo '<a href="'.$footerLink->item_url.'" class="mx-2 p-
1">'.$footerLink->item_text.'</a>';
     </div>
     <div class="container d-flex justify-content-center" id="copyrightDiv">
       Copyright <span</pre>
class="ico">&copy</span> 2023 - Stefan Erić
     </div>
</footer>
```

#### Index.php

```
<?php

session_start();
include "views/fixed/head.php";

include "config/conn.php";
include "models/functions.php";
include "models/pageLog.php";</pre>
```

```
$page = "main";
if(isset($_GET['page'])){
 $page = $_GET['page'];
?>
<body>
    <?php
    include "views/fixed/header.php";
    switch ($page){
    case "main":
      include "views/pages/main.php";
      break;
    case "login":
      include "views/pages/login.php";
      break:
    case "register":
      include "views/pages/register.php";
      break;
    case "author":
      include "views/pages/author.php";
      break;
    case "movies":
      include "views/pages/movies.php";
      break;
    case "moviesEdit":
      include "views/pages/moviesEdit.php";
    case "newsEdit":
      include "views/pages/newsEdit.php";
      break;
    case "usersEdit":
      include "views/pages/usersEdit.php";
      break;
    case "insertMovie":
      include "views/pages/insertMovie.php";
      break;
    case "insertNews":
      include "views/pages/insertNews.php";
      break;
    case "insertUser":
      include "views/pages/insertUser.php";
      break;
    case "contact":
      include "views/pages/contact.php";
```

```
break;
   case "movie":
     include "views/pages/movie.php";
     break;
   case "updateMovie":
     include "views/pages/updateMovie.php";
     break:
   case "updateNews":
     include "views/pages/updateNews.php";
     break;
    case "updateUser":
     include "views/pages/updateUser.php";
     break;
   case "panel":
     include "views/pages/panel.php";
     break;
   };
   include "views/fixed/footer.php";
   <script src="assets/js/main.js"></script>
</body>
```

#### Author.php

```
<main>
      <div class="container d-flex flex-wrap my-5 justify-content-center">
        <div class="col-lg-5 col-md-8 col-12 me-lg-5 me-md-3 me-0">
            <img src="assets/img/author.jpeg" alt="author" class="img-fluid"</pre>
rounded">
        <div class="col-lg-5 col-md-8 col-12 d-flex justify-content-center"</pre>
align-items-start flex-column">
            <h1><span class="ico">Full name:</span> Stefan Erić</h1>
            <h2><span class="ico">Index number:</span> 4/21</h2>
            <h3><span class="ico">About me:</span> Hi my name is Stefan Erić,
I have finished Electrical Engineering High School "Nikola Tesla" and I tend
to be successful web developer.</h3>
href="https://ericstefan02.github.io/stefaneric.github.io/portfolio/"
target="_blank" class="insertButton text-decoration-none p-2 fw-bold">More
about me</a>
        </div>
      </div>
    </main>
```

#### Contact.php

```
<main>
        <div class="container">
            <div class="container d-flex justify-content-center mt-5 mb-3</pre>
text-center"><h2 class="fw-bold"><i class="fa-solid fa-gear ico"></i> Run into
some problems or have some suggestions? Write to us! <i class="fa-solid fa-
lightbulb ico"></i></h2></div>
        <form>
        <div class="form-group">
            <label for="userMailEmail" class="icoSecondary">Email
address</label>
            <input type="email" class="form-control inputForForm"</pre>
id="userMailEmail" placeholder="Enter your email...">
        </div>
        <div class="invalid-feedback" id="invalidEmail">
          Please enter a valid email.
        <div class="form-group">
            <label for="userMailSubject" class="icoSecondary">Subject
name</label>
            <input type="text" class="form-control inputForForm"</pre>
id="userMailSubject" placeholder="Enter subject name...">
        <div class="invalid-feedback" id="invalidSubject">
          Please enter a valid subject name.
        </div>
        <div class="form-group">
            <label for="userMailText" class="icoSecondary">Mail text</label>
            <textarea class="form-control inputForForm" id="userMailText"</pre>
rows="3"></textarea>
        </div>
        <div class="invalid-feedback" id="invalidText">
          Please enter some text.
        <input type="button" class="btn insertButton rounded mt-3 mb-</pre>
5"id="sendMail" value="Send mail"/>
        </form>
        </div>
    </main>
```

#### insertMovie.php

```
$allActors = getAll("actor");
        $allCategories = getAll("category");
        echo '<div class="container mt-5"><h2>Movie picture
insert</h2></div>';
        echo '<div class = "container">';
        echo '<form class ="w-75" enctype="multipart/form-data">
        <div class="form-group mt-5">
        <label for="newPictureUrl">Url text</label>
        <input type ="file" class="form-control inputForForm"</pre>
id="newPictureUrl"/>
            </div>
            <div class="invalid-feedback" id="invalidPictureUrl">
                You must enter valid picture url.
            <input type="button" class="btn insertButton rounded mt-5 mb-</pre>
5"id="moviePictureInsert" value="Insert new picture"/>
        </form>
        </div>'
        echo '<div class="container mt-5"><h2>New category insert</h2></div>';
        echo '<div class = "container">';
        echo '<form class ="w-75">
        <div class="form-group mt-5">
        <label for="newCategoryName">Category name</label>
        <input type ="text" class="form-control inputForForm"</pre>
id="newCategoryName"/>
            </div>
            <div class="invalid-feedback" id="invalidCategoryName">
                You must enter valid category name, starting with capital not
longer than 40 chars.
            <input type="button" class="btn insertButton rounded mt-5 mb-</pre>
5"id="insertMovieCategory" value="Insert new category"/>
        </form>
        </div>':
        echo '<div class="container mt-5"><h2>Insert new actor</h2></div>';
        echo '<div class = "container">';
        echo '<form class ="w-75">
                <div class="form-group mt-5">
                <label for="newActorName">Actor name</label>
                <input type ="text" class="form-control inputForForm"</pre>
id="newActorName"/>
                </div>
                <div class="invalid-feedback" id="invalidActorName">
                    You must enter valid first name.
                </div>
                <div class = "form-group mt-5">
                <label for="newActorLastName">Actor last name</label>
```

```
<input type ="text" class="form-control inputForForm"</pre>
id="newActorLastName"/>
            <div class="invalid-feedback" id="invalidActorLastName">
                You must enter valid last name.
            <input type="button" class="btn insertButton rounded mt-5 mb-</pre>
5"id="actorInsert" value="Insert new actor"/>
        </form>':
        echo '
        <h2>Movie insert</h2>
        <form class="w-75">
        <div class="form-group mt-5">
        <label for="pictureUrl">Choose picture</label>
        <select class="form-control inputForForm" id="pictureUrl">';
        foreach($allPictures as $picture){
            echo'<option value="'.$picture->picture_id.'">'.$picture-
>url.'</option>';
        echo '</div>';
        echo'</select>
        </div>
        <div class="form-group mt-5">
            <label for="movieTitle">Movie title</label>
            <input type="text" class="form-control inputForForm"</pre>
id="movieTitle"/>
        </div>
        <div class="invalid-feedback" id="invalidTitle">
            You must enter text including only letters, numbers and spaces,
not logner than 40 characters.
        </div>
        <div class="form-group mt-5 w-75">
            <label for="movieDate">Date of release</label>
            <input type="date" class="form-control inputForForm"</pre>
id="movieDate"/>
        <div class="invalid-feedback" id="invalidDate">
                You must pick a date.
            </div>
        <div class="form-group mt-5">
            <label for="movieDescription">Movie description</label>
            <textarea class="form-control inputForForm" id="movieDescription"</pre>
rows="3"></textarea>
        <div class="invalid-feedback" id="invalidDescription">
                You must write some description.
        <h4 class="mt-3">Choose categories</h4>
```

```
<div class="d-flex">';
        foreach($allCategories as $category){
            echo '<input class="form-check-input inputForForm me-1"</pre>
type="checkbox" name="movieCategories[]" value="'.$category->category_id.'">
                    <label class="form-check-label me-3">
                    '.$category->category name.'
                    </label>';
        echo'
        </div>
        <div class="invalid-feedback" id="invalidCategory">
                You must chose atleast one category.
            </div>
        <h4 class="mt-3">Choose actors</h4>
        <div class="d-flex flex-wrap">';
        foreach($allActors as $actor){
            echo '<div class="w-25">
                    <input class="form-check-input inputForForm me-1"</pre>
type="checkbox" name="movieActors[]" value="'.$actor->actor_id.'">
                    <label class="form-check-label me-3">
                    '.$actor->actor_name.' '.$actor->actor_lastname.'
                    </label></div>';
        echo'
        </div>
        <div class="invalid-feedback" id="invalidActor">
                You must choose atleast one actor.
            </div>
        <input type="button" class="btn insertButton rounded mt-5 mb-</pre>
5"id="movieInsert" value="Insert movie"/>
      </form>';
      else{
        echo '<div class="alert alert-danger text-center my-5 w-50 mx-auto">
                <h1>You are not allowed to enter this page!</h1>
                </div>';
    </main>
```

#### insertNews.php

```
echo '<div class="container mt-5"><h2>News picture insert</h2></div>';
        echo '<div class = "container">';
        echo '<form class ="w-75" enctype="multipart/form-data">
        <div class="form-group mt-5">
        <label for="newPictureUrl">Url text</label>
        <input type ="file" class="form-control inputForForm"</pre>
id="newPictureUrl"/>
            </div>
            <div class="invalid-feedback" id="invalidPictureUrl">
                You must enter valid picture url.
            </div>
            <input type="button" class="btn insertButton rounded mt-5 mb-</pre>
5"id="newsPictureInsert" value="Insert new picture"/>
        </form>';
        echo '<form class="w-75">
        <div class="form-group mt-5">
        <h2>News insert</h2>
        <label for="pictureUrl">Choose picture</label>
        <select class="form-control inputForForm" id="pictureUrl">';
        foreach($allPictures as $picture){
            echo'<option value="'.$picture->picture_id.'">'.$picture-
>url.'</option>';
        echo'</select>
        </div>
        <div class="form-group mt-5">
            <label for="newsTitle">News title</label>
            <textarea class="form-control inputForForm" id="newsTitle"</pre>
rows="2"></textarea>
        </div>
        <div class="invalid-feedback" id="invalidTitle">
            You must enter text, starting with capital, ending with dot, not
larger than 30 characters.
        </div>
        <input type="button" class="btn insertButton rounded mt-5 mb-</pre>
5"id="newsInsert" value="Insert news"/>
      </form>';
      else{
        echo '<div class="alert alert-danger text-center my-5 w-50 mx-auto">
                <h1>You are not allowed to enter this page!</h1>
                </div>';
    </main>
```

#### insertUser.php

```
<?php
      if($_SESSION['user']->role_name=="admin"){
        $allRoles = getAll("roles");
        echo '<div class="container mt-5"><h2>Insert user</h2></div>';
        echo '<div class = "container">';
        echo '<form class="w-75">
        <div class="form-group">
                       <label for="regInputEmail" class="my-2 ico">Email
address</label>
                       <input type="email" class="form-control inputForForm"</pre>
id="regInputEmail" aria-describedby="emailHelp" placeholder="Enter email">
                      <div class="invalid-feedback" id="invalidEmail">
                         Please enter a valid email.
                       </div>
                    </div>
                     <div class="form-group">
                         <label for="regInputUsername" class="my-2</pre>
ico">Username</label>
                         <input type="text" class="form-control inputForForm"</pre>
id="regInputUsername" aria-describedby="emailHelp" placeholder="Enter
username">
                         <div class="invalid-feedback" id="invalidUsername">
                         Please enter username that is more than 3 characters
long.
                       </div>
                       <div class="invalid-feedback" id="takenUsername">
                        Username is taken.
                       </div>
                       </div>
                    <div class="form-group">
                       <label for="regInputPassword" class="my-2</pre>
ico">Password</label>
                       <input type="password" class="form-control inputForForm"</pre>
id="regInputPassword" placeholder="Password">
                       <div class="invalid-feedback" id="invalidPassword">
                        Please enter a password that has one small, one
capital letter and a number.
                       </div>
                    </div>
                    <div class="form-group">
                         <label for="regInputRenter" class="my-2 ico">Re-enter
password</label>
                         <input type="password" class="form-control</pre>
inputForForm" id="regInputRenter" placeholder="Confirm password">
                        <div class="invalid-feedback" id="invalidRenter">
```

```
Passwords do not match eachother.
                       </div>
                       </div>
                       <div class="form-group mt-5">
                         <label for="pictureUrl">Choose role</label>
                         <select class="form-control inputForForm"</pre>
id="userRole">';
                         foreach($allRoles as $role){
                             echo'<option value="'.$role->role_id.'">'.$role-
>role_name.'</option>';
                         echo'</select>
                         </div>
                         <input type="button" class="btn insertButton rounded</pre>
mt-5 mb-5"id="userInsert" value="Insert user"/>
                  </form>';
      else{
        echo '<div class="alert alert-danger text-center my-5 w-50 mx-auto">
                <h1>You are not allowed to enter this page!</h1>
                </div>';
    </main>
```

#### Login.php

```
<body id="loginBody">
     <main>
        <div class="container col-lg-4 col-md-6 col-sm-10 p-5 rounded"</pre>
id="formDiv">
            <h3 class="fw-bold ico">Log in</h3>
            <form action="models/loginProcess.php" method="post">
                     <div class="form-group">
                       <label for="loginEmail" class="my-2</pre>
ico">Username</label>
                       <input type="text" class="form-control inputForForm"</pre>
id="loginUsername" name="loginUsername" aria-describedby="emailHelp"
placeholder="Enter email">
                     </div>
                     <div class="form-group">
                       <label for="loginEmail" class="my-2</pre>
ico">Password</label>
                       <input type="password" class="form-control inputForForm"</pre>
id="loginPassword" name="loginPassword" placeholder="Password">
                    </div>
```

#### Main.php

```
<div class="d-flex flex-wrap container align-items-center mt-2 mb-4">
        <div class="col-lg-8 col-12">
          <div class="d-flex align-items-center justify-content-center me-lg-3</pre>
me-md-0">
            <a href="#" class="fs-2" id="slideLeft"</pre>
              ><i class="fa-solid fa-chevron-left ico"></i</pre>
            ></a>
            <div id="mainMovie" class="col-12 mt-2">
              <img src="" class="img-fluid" alt="picOfMainNews"</pre>
id="newsCover"/>
            </div>
            <a href="#" class="fs-2" id="slideRight"</pre>
              ><i class="fa-solid fa-chevron-right ico"></i</pre>
            ></a>
          </div>
          <h2 id="sliderText" class="fw-bolder ms-2"></h2>
        <div class="col-lg-4 col-12">
          <h4 class="mt-lg-0 mt-md-5 mt-3 fw-bold icoSecondary">Newest in
Hollywood</h4>
          <?php
                $newestMovies = getNewestMovies();
                foreach($newestMovies as $newestMovie){
                     $id = $newestMovie->movie id;
                     $name = $newestMovie->movie name;
                     $date = date('Y-m-d', strtotime($newestMovie->date));
                     $url = $newestMovie->url;
                     $alt = explode(".", $url)[0];
                     echo ' <div class="d-flex movieInfoHolder mb-2">
                                 <div class="col-3">
```

```
<img
src="assets/img/movies/'.createSmallerPictureName($url).'" class="img-fluid"
alt="'.$alt.'" />
                                </div>
                                <div class="movieInfoNew col-9 d-flex flex-</pre>
column justify-content-center">
                                <div class="mx-3">
                                    <h5 class="fw-bolder
icoSecondary">'.$name.'</h5>
                                '.$date.'
                                <a href="index.php?page=movie&id='.$id.'"</pre>
class="text-decoration-none seeMoreLink p-2"
                                    >See more</a>
                                </div>
                                </div>
                            </div>';
                }
        </div>
      </div>
      <div class="container">
        <h3 class="fw-bold sectionHeader mt-2">Our top pick for today <span><i
class="fa-solid fa-crosshairs ico"></i>/h3>
        <div class="d-flex justify-content-between flex-wrap align-items-</pre>
center">
            <?php
            $bestMovies = getBestMovies();
            foreach($bestMovies as $bestMovie){
                $name = $bestMovie->movie name;
                $url = $bestMovie->url;
                $alt = explode(".", $url)[0];
                $id = $bestMovie->movie id;
                $avgGrade = $bestMovie->grade;
                $formatted_grade = number_format((float) $avgGrade, 1, '.',
'');
                $categories = getMovieCategories($id);
                echo' <div class="col-lg-2 col-6 my-2 p-lg-0 p-1 movieDiv">
                        <a href="index.php?page=movie&id='.$id.'">
                        <img
src="assets/img/movies/'.createSmallerPictureName($url).'" alt="'.$alt.'"
class="img-fluid" />
                        </a>
                        <div class="p-2 movieInfo">
                        <i class="fa-solid fa-star ico"></i></i>
 .$formatted grade.'
                        <h6 class="fw-bolder">'.$name.'</h6>
                        ';
                        rb = 0;
```

```
foreach($categories as $category){
                            $rb++;
                            echo $category->category name;
                            if($rb!=count($categories)){
                                echo ", ";
                        echo'
                        <div class="d-flex justify-content-between flex-wrap">
                            <div class="col-10">';
                            if(isset($_SESSION['user'])){
                              echo'<a
href="models/addMovieToWwatchList.php?movieId='.$id.'&userId='.$ SESSION['user
']->user_id.'" class="text-decoration-none watchlistLink p-2"><i class="fa-
solid fa-bookmark fs-5 mx-1 icoSecondary"></i> Add to watchlist</a>';
                            else{
                              echo'<a href="index.php?page=login" class="text-
decoration-none watchlistLink p-2"><i class="fa-solid fa-bookmark fs-5 mx-1"
icoSecondary"></i> Add to watchlist</a>';
                            echo'</div>
                            <div class="mb-1">
                            <a href="index.php?page=movie&id='.$id.'"</pre>
class="info"><i class="fa-solid fa-circle-info info fs-4
icoSecondary"></i></a>
                            </div>
                        </div>
                        </div>
                    </div>';
        </div>
      </div>
      <div class="container mt-3 mb-5">
        <h3 class="fw-bold my-3 sectionHeader">Your watchlist <span><i</pre>
class="fa-solid fa-bookmark ico"></i></span></h3>
        <?php
        if(isset($_SESSION['user'])){
          number = 0;
          $watchlistQuery = getUserWatchlist($_SESSION['user']->user_id);
          foreach($watchlistQuery as $watchlistitem){
            $number++;
          if($number==0){
            echo'<div class="container d-flex justify-content-center align-
items-center flex-column mt-3 text-center">
```

```
3">Your watchlist is currently empty... <i class="fas fa-eye-slash"></i>
               </div>';
           echo '<div class="d-flex justify-content-start flex-wrap align-
items-center">';
           $watchlistQuery2 = getUserWatchlist($_SESSION['user']->user_id);
           foreach($watchlistQuery2 as $watchlist){
               $name = $watchlist->movie name;
               $url = $watchlist->url;
               $alt = explode(".", $url)[0];
               $id = $watchlist->movie id;
               echo' <div class="col-lg-2 col-8 p-lg-0 p-1 my-2 mx-2
movieDiv">
                       <a href="index.php?page=movie&id='.$id.'">
src="assets/img/movies/'.createSmallerPictureName($url).'" alt="'.$alt.'"
class="img-fluid" />
                       </a>
                       <div class="p-2 movieInfo d-flex justify-content-</pre>
between align-items-center">
                         <h6 class="fw-bolder ico">'.$name.'</h6>
href="models/deleteMovieFromWatchlist.php?movieId='.$watchlist-
>movie_id.'&userId='.$watchlist->user_id.'" class="text-decoration-none"
ico"><i class="fa-solid fa-circle-xmark fs-5"></i></a>
                       </div>
                   </div>';
           }
         echo '</div>';
       else{
         echo ' <div class="container d-flex justify-content-center align-
items-center flex-column mt-3 text-center">
                 <i class="fa-solid fa-bookmark ico fs-1"></i></i>
                 <h5>Log in to access your watchlist</h5>
                 Save shows and movies so you can
always have an idea of what you want to watch.
                 <a id="logIn" class="text-decoration-none p-1 rounded fw-</pre>
bolder" href="index.php?page=login"><i class="fa-solid fa-right-to-
bracket"></i> Log in</a>
               </div>';
      </div>
     <div class="container mb-5">
```

```
<h3 class="fw-bold sectionHeader">Most watched movies <span><i</pre>
class="fa-solid fa-eye ico"></i></span></h3>
        <div class="d-flex justify-content-between flex-wrap align-items-</pre>
center">
          <?php
          $mostWatchedMovies = getMostWatchedMovies();
          foreach($mostWatchedMovies as $mostWatchedMovie){
            $name = $mostWatchedMovie->movie name;
                $url = $mostWatchedMovie->url;
                $alt = explode(".", $url)[0];
                $id = $mostWatchedMovie->movie_id;
                $avgGrade = $mostWatchedMovie->grade;
                $formatted_grade = number_format((float) $avgGrade, 1, '.',
'');
                $categories = getMovieCategories($id);
                echo' <div class="col-lg-2 col-6 p-lg-0 p-1 my-2 movieDiv">
                        <a href="index.php?page=movie&id='.$id.'">
                        <img
src="assets/img/movies/'.createSmallerPictureName($url).'" alt="'.$alt.'"
class="img-fluid" />
                        </a>
                        <div class="p-2 movieInfo">
                        <i class="fa-solid fa-star ico"></i></i>
 .$formatted_grade.'
                        <h6 class="fw-bolder">'.$name.'</h6>
                        rb = 0;
                        foreach($categories as $category){
                            $rb++;
                            echo $category->category_name;
                            if($rb!=count($categories)){
                                echo ", ";
                        echo'
                        <div class="d-flex justify-content-between flex-wrap">
                            <div class="col-10">';
                            if(isset($_SESSION['user'])){
                              echo'<a
href="models/addMovieToWwatchList.php?movieId='.$id.'&userId='.$_SESSION['user
 ]->user_id.'" class="text-decoration-none watchlistLink p-2"><i class="fa-
solid fa-bookmark fs-5 mx-1 icoSecondary"></i> Add to watchlist</a>';
                              echo'<a href="index.php?page=login" class="text-
decoration-none watchlistLink p-2"><i class="fa-solid fa-bookmark fs-5 mx-1
icoSecondary"></i> Add to watchlist</a>';
```

#### Movie.php

```
<?php
   $id = $ GET['id'];
   $movieData = getMovie($id);
   $similarMovies = getSimilarMovies($id);
   $categories = getMovieCategories($id);
   $actors = getMovieActors($id);
   $reviews = getMovieReviews($id);
       <div class="container d-flex justify-content-between mt-4 flex-wrap">
           <div class="col-lg-8 col-12 d-flex flex-wrap">
              <div class="col-lg-5 col-10 mx-auto">
                  <img src="assets/img/movies/<?=$movieData->url?>"
class="img-fluid" alt="picture of main movie">
              </div>
              <div class="col-lg-7 col-12 p-4">
                  <h2 class="fw-bold ico"><?=$movieData->movie name?></h2>
                  <?=$movieData->movie_description?>
                  <?=$formatted grade =</pre>
number_format((float) $movieData->grade, 1, '.', '')?> <i class="fa-solid fa-</pre>
star icoSecondary"></i>
                  Genres:
                  <div class="d-flex">
                     <?php
                     foreach($categories as $category){
                         echo '<p class="movieTerm fw-bolder me-
2">'.$category->category_name.'';
                  Main actors:
                  <div class="d-flex">
```

```
<?php
                            foreach($actors as $actor){
                                echo '<p class="movieTerm fw-bolder me-
2">'.$actor->actor_name.' '.$actor->actor_lastname.'';
                    </div>
                </div>
            </div>
            <div class="col-lg-4 col-sm-12 d-flex flex-column align-items-</pre>
center justify-content-center">
                You might also like
                <div class="col-10 d-flex justify-content-around mb-5 mt-3">
                    <?php
                    $bound = 2;
                    rb = 0;
                    foreach($similarMovies as $similarMovie){
                        $rb++;
                        if($rb<=$bound){</pre>
                                   <div class="col-4 similarMovie">
href="index.php?page=movie&id='.$similarMovie->movie_id.'"><img</pre>
src="assets/img/movies/'.$similarMovie->url.'" class="img-fluid" alt="movie
similar to the main one"></a>
                                    </div>';
                </div>
                <div class="col-10 d-flex justify-content-around">
                    <?php
                    rb = 0;
                    foreach($similarMovies as $similarMovie){
                        $rb++;
                        if($rb>$bound){
                            echo' <div class="col-4 similarMovie">
                                    ≺a
href="index.php?page=movie&id='.$similarMovie->movie_id.'"><img</pre>
src="assets/img/movies/'.createSmallerPictureName($similarMovie->url).'"
class="img-fluid" alt="movie similar to the main one"></a>
                                    </div>';
                </div>
            </div>
        </div>
        <div class="container">
```

```
<h3 class="text-uppercase mb-4 mt-3">Comments and reviews</h3>
           <div class="col-12 mb-3" id="allComents">
               <?php
               foreach($reviews as $review){
                  echo' <div class="d-flex flex-column comment mb-2">
                          <div class="d-flex">
                              <i class="fa-solid fa-user fs-4 me-1</pre>
icoSecondary"></i>
                              '.$review-
>username.'
                              '.$review->date.'
                              <i class="fa-solid fa-star icoSecondary"></i></i>
                              '.$review->grade.'/10
                          '.$review->text.'
                      </div>';
           </div>
           <div>
               <?php
                  if(isset($_SESSION['user'])){
                      $user = $_SESSION['user'];
                      if($user->role_name=="admin"){
                          echo'<a href="index.php?page=login" class="text-
decoration-none fw-bolder">Admin can not write a review,
log in as user instead</a>';
                      else{
                          $numberOfReviews = 0;
                          $reviewsOfUser =
checkIfUserHasAlreadyReviewdMovie($user->user_id, $id);
                          foreach($reviewsOfUser as $reviewOfUser){
                              $numberOfReviews++;
                          if($numberOfReviews == 0){
                              echo'<div id="reviewForm">
                              <h3>Write your review</h3>
                              <form>
                              <div class="form-group">
                                 <label for="gradeOption"</pre>
class="icoSecondary">Choose grade </label>
                                  <select class="form-select w-25</pre>
inputForForm" id="gradeOption" name="gradeOption">
                                 <option value="1">One</option>
                                  <option value="2">Two</option>
                                 <option value="3">Three</option>
                                 <option value="4">Four</option>
```

```
<option value="5">Five</option>
                                  <option value="6">Six</option>
                                  <option value="7">Seven</option>
                                  <option value="8">Eight</option>
                                  <option value="9">Nine</option>
                                  <option value="10">Ten</option>
                              </select>
                              </div>
                              <div class="form-group">
                                  <input type="hidden" class="form-control</pre>
inputForForm" id="movieId" value="'.$id.'"/>
                              </div>
                              <div class="form-group">
                                  <input type="hidden" class="form-control</pre>
inputForForm" id="userId" value="'.$user->user id.'"/>
                              </div>
                              <div class="form-group">
                                  <label for="reviewText"</pre>
class="icoSecondary">Text</label>
                                  <textarea class="form-control
inputForForm" id="reviewText" rows="3"></textarea>
                              </div>
                              <div class="invalid-feedback"</pre>
id="reviewTextFeedback">
                                  You must write some text.
                              </div>
                              </form>
                       </div>
                   </div>';
                       echo'<a href="" class="text-decoration-none fw-
bolder">Send your
review</a>';
                          else{
                              echo'Sorry, but you
have already written review for this movie.';
                       }
                   else{
                       echo '<a href="index.php?page=login" class="text-</pre>
decoration-none fw-bolder">Log in to leave a
comment</a>';
       </div>
   </main>
```

### Movies.php

```
<div class="container d-flex justify-content-center mt-4 mb-2 text-</pre>
center"> <h1 class="fw-bold ico">MovieLense - Home of all movies</h1></div>
       <?php
        $allCategories = getAll("category");
        echo '<div class="container d-flex justify-content-center mb-2 flex-
wrap align-items-center">';
        foreach($allCategories as $category){
          echo ' <div class="form-check">
                    <input class="form-check-input inputForForm ms-1"</pre>
name="categories[]" type="checkbox" value="'.$category->category_id.'"/>
                     
                    <label class="form-check-label">
                       '.$category->category name.'
                    </label>
                  </div>';
        echo '<div>
        <select class="form-select inputForForm ms-md-5 ms-0" id="sort">
          <option value="1">Name A-Z</option>
          <option value="2">Newer</option>
          <option value="3">Older</option>
          <option value="4">Best rating</option>
          <option value="5">Worst rating</option>
        </select>
        </div>';
        echo '</div>';
        <div class="d-flex justify-content-between flex-wrap container align-</pre>
items-center" id="allMovies">
            <?php
            $allMovies = getAllDataOfMovies();
            foreach($allMovies as $movie){
                $name = $movie->movie name;
                $url = $movie->url;
                $alt = explode(".", $url)[0];
                $id = $movie->movie id;
                $avgGrade = $movie->grade;
                $formatted_grade = number_format((float) $avgGrade, 1, '.',
'');
                $categories = getMovieCategories($id);
                echo' <div class="col-lg-2 col-6 p-lg-0 p-1 mb-2 me-md-4 me-
0">
                        <a href="index.php?page=movie&id='.$id.'">
                        <img
src="assets/img/movies/'.createSmallerPictureName($url).'" alt="'.$alt.'"
class="img-fluid" />
```

```
</a>
                         <div class="p-2 movieInfo">
                         <i class="fa-solid fa-star ico"></i></i></or>
 .$formatted grade.'
                         <h6 class="fw-bolder">'.$name.'</h6>
                         rb = 0;
                         foreach($categories as $category){
                             echo $category->category_name;
                             if($rb!=count($categories)){
                                 echo ", ";
                         echo'
                         <div class="d-flex justify-content-between">
                             <div class="col-10">';
                             if(isset($_SESSION['user'])){
                               echo'<a
href="models/addMovieToWwatchList.php?movieId='.$id.'&userId='.$ SESSION['user
']->user_id.'" class="text-decoration-none watchlistLink p-2"><i class="fa-
solid fa-bookmark fs-5 mx-1 icoSecondary"></i> Add to watchlist</a>';
                             else{
                               echo'<a href="login.php" class="text-decoration-
none watchlistLink p-2"><i class="fa-solid fa-bookmark fs-5 mx-1</pre>
icoSecondary"></i> Add to watchlist</a>';
                             echo'</div>
                             <div class="mb-1">
                             <a href="index.php?page=movie&id='.$id.'"</pre>
class="info"><i class="fa-solid fa-circle-info info fs-4
icoSecondary"></i></a>
                             </div>
                         </div>
                         </div>
                    </div>';
        </div>
      <div class="container d-flex justify-content-center align-items-center"</pre>
id="paginationMenu">
          $numberOfPages = getNumberOfPages();
          for($i = 0; $i<$numberOfPages; $i++){</pre>
```

```
echo '<a href="#" class="text-decoration-none movie-pagination
'.($i==0?"active":"").'" data-limit="'.$i.'">'.($i+1).'</a>';
        }
        ?>
        </div>
        <main>
```

### MoviesEdit.php

```
<?php
    if($_SESSION['user']->role_name=="admin"){
      echo '<div class="container mt-4 d-flex">
            <a href="index.php?page=insertMovie" class="text-decoration-</pre>
none p-3 fw-bold text-uppercase insertButton me-3">Insert new movie <i
class="fa-solid fa-plus"></i></a>
         </div>';
      echo' <div class="container mt-4">
            <thead>
                   ID
                   Picture
                   Name
                   Edit
                   Delete
                   </thead>
               ';
      $movies = getAllMovies();
      foreach($movies as $movie){
         echo'
               '.$movie->movie id.'
               <div class="col-md-4 col-8"><img
src="assets/img/movies/'.createSmallerPictureName($movie->url).'"
alt="'.explode(".", $movie->url)[0].'" class="img-fluid"></div>
               '.$movie->movie name.'
               <a
href="index.php?page=updateMovie&id='.$movie->movie_id.'" class="text-
decoration-none icoSecondary">Edit <i class="fa-solid fa-pen-to-</pre>
square"></i></a>
```

#### newsEdit.php

```
<main>
    if($_SESSION['user']->role_name=="admin"){
     echo '<div class="container mt-4 d-flex">
           <a href="index.php?page=insertNews" class="text-decoration-</pre>
none p-3 fw-bold text-uppercase insertButton me-3">Insert more news <i
class="fa-solid fa-plus"></i></a>
     </div>';
     echo' <div class="container mt-4">
           <thead>
                 ID
                 Picture
                 Name
                 Edit
                 Delete
                 </thead>
              ';
     $news = getAllNews();
     foreach($news as $new){
        echo'
             '.$new->news_id.'
```

```
<div class="col-md-5 col-10"><img
src="assets/img/news/'.$new->url.'" alt="'.explode(".", $new->url)[0].'"
class="img-fluid"></div>
               '.$new->news title.'
               <a
href="index.php?page=updateNews&id='.$new->news id.'" class="text-decoration-
none icoSecondary">Edit <i class="fa-solid fa-pen-to-square"></i></a>
               <a href =
"models/deleteNews.php?id='.$new->news id.'" class="text-decoration-none
';
      echo'
      </div>';
    else{
      echo '<div class="alert alert-danger text-center my-5 w-50 mx-auto">
            <h1>You are not allowed to enter this page!</h1>
            </div>';
   </main>
```

### Panel.php

```
<?php
        if(isset($ SESSION['user'])){
            if($_SESSION['user']->role_name=="admin"){
                $users = [];
                logsNum = 0;
                $text = file_get_contents("data/userLog.txt");
                $logs = explode("\n", trim($text));
                foreach($logs as $log){
                    list($ip, $user, $time) = explode("__", $log);
                    $currentDateTime = new DateTime();
                    $twentyFourHoursAgo = $currentDateTime->sub(new
DateInterval('P1D'));
                    $logDateTime = new DateTime($time);
                    if ($logDateTime > $twentyFourHoursAgo) {
                        $logsNum++;
                        array_push($users, $user);
```

```
$uniqueUsers = array unique($users);
                $numberOfUsersLogged = count($uniqueUsers);
                $pages = [];
                $numberOfVisits = 0;
                $text = file_get_contents("data/pagelog.txt");
                $logs = explode("\n", trim($text));
                foreach($logs as $log){
                    list($ip, $user, $page, $date) = explode("__", $log);
                    $currentDateTime = new DateTime();
                    $twentyFourHoursAgo = $currentDateTime->sub(new)
DateInterval('P1D'));
                    $logDateTime = new DateTime($time);
                    if ($logDateTime > $twentyFourHoursAgo) {
                        array_push($pages, $page);
                        $numberOfVisits++;
                $numberOfVisitsPerPage = array_count_values($pages);
            else{
                echo"<div class='alert alert-danger w-75 d-flex justify-
content-center mx-auto my-5'><h1>You are not allowed to enter this
page</h1></div>";
        else{
            echo"<div class='alert alert-danger w-75 d-flex justify-content-
center mx-auto my-5'><h1>You are not allowed to enter this page</h1></div>";
        <?php
        if($_SESSION['user']->role_name=="admin") {
            <div class="container d-flex justify-content-center my-3 ico">
                <h1>Admin panel</h1>
            </div>
            <div class = "container d-flex flex-wrap justify-content-center">
```

```
<div class="col-md-2 col-12 d-flex justify-content-start</pre>
align-items-center flex-column ">
                    <h3 class="ico">Admin tools</h3>
                    <a href="index.php?page=usersEdit" class="insertButton"</pre>
text-decoration-none p-2 fw-bold mb-3">Edit users</a>
                    <a href="index.php?page=newsEdit" class="insertButton"</pre>
text-decoration-none p-2 fw-bold mb-3">Edit news</a>
                    <a href="index.php?page=moviesEdit" class="insertButton"</pre>
text-decoration-none p-2 fw-bold mb-3">Edit movies</a>
                </div>
                <div class="col-md-4 col-12 d-flex justify-content-start</pre>
align-items-center flex-column">
                    <h3 class="ico">Logs for today
                    Number of users logged today:
<?=$numberOfUsersLogged?>
                    Number of all logins today: <?=$logsNum?>
                <div class="col-md-6 col-12 d-flex justify-content-center"</pre>
flex-column">
                    <h3 class="ico">Page visits for today</h3>
                    <?php
                        foreach ($numberOfVisitsPerPage as $key => $value) {
                             $percentage = round(($value / $numberOfVisits) *
100, 2);
                            echo "<span class='icoSecondary'>{$key}</span>
was visited {$value} times which is <span</pre>
class='icoSecondary'>{$percentage}%</span>";
                </div>
            </div>
        </main>
        <?php }?>
```

# Register.php

```
<input type="email" class="form-control inputForForm"</pre>
id="regInputEmail" aria-describedby="emailHelp" placeholder="Enter email">
                      <div class="invalid-feedback" id="invalidEmail">
                        Please enter a valid email.
                      </div>
                    </div>
                    <div class="form-group">
                        <label for="regInputUsername" class="my-2</pre>
ico">Username</label>
                        <input type="text" class="form-control inputForForm"</pre>
id="regInputUsername" aria-describedby="emailHelp" placeholder="Enter
username">
                        <div class="invalid-feedback" id="invalidUsername">
                        Please enter username that is more than 3 characters
long.
                      </div>
                      <div class="invalid-feedback" id="takenUsername">
                        Username is taken.
                      </div>
                      </div>
                    <div class="form-group">
                      <label for="regInputPassword" class="my-2</pre>
ico">Password</label>
                      <input type="password" class="form-control inputForForm"</pre>
id="regInputPassword" placeholder="Password">
                      <div class="invalid-feedback" id="invalidPassword">
                        Please enter a password that has one small, one
capital letter and a number.
                      </div>
                    </div>
                    <div class="form-group">
                        <label for="regInputRenter" class="my-2 ico">Re-enter
password</label>
                        <input type="password" class="form-control</pre>
inputForForm" id="regInputRenter" placeholder="Confirm password">
                        <div class="invalid-feedback" id="invalidRenter">
                        Passwords do not match eachother.
                      </div>
                      </div>
                    <input type="button" class="btn mt-4 w-100 fw-bold"</pre>
id="submitButton" value="Register"/>
                  </form>
            </form>
            <div class="d-flex mt-4">
                Already have an account?
                <a href="index.php?page=login">Log in
here</a>
           </div>
```

```
</div>
</main>
</body>
```

### updateMovie.php

```
<?php
      if($ SESSION['user']->role name=="admin"){
        $id = $ GET['id'];
        $thisMovie = getAllWithId("movie", "movie id", $id);
        $thisMovieCategories = getThisMovieCategories($id);
        $thisMovieActors = getThisMovieActors($id);
        foreach($thisMovie as $movie){
            $title = $movie->movie name;
            $description = $movie->movie description;
            $date = $movie->date;
            $formatedDate = explode(" ",$movie->date)[0];
            $pictureId= $movie->picture id;
        $allPictures = getAll("movies pictures");
        $allActors = getAll("actor");
        $allCategories = getAll("category");
        echo'<div class="container mt-5">
        <h2>Movie update</h2>
        <form class="w-75">
        <div class="form-group mt-5">
        <label for="pictureUrl">Choose picture</label>
        <select class="form-control inputForForm" id="pictureUrl">';
        foreach($allPictures as $picture){
            $selected = $picture-
>picture_id==$pictureId?'selected="selected"':'';
            echo'<option value="'.$picture->picture_id.'"
 .$selected.'>'.$picture->url.'</option>';
            echo'</select>
        </div>
        <div class="form-group mt-5">
            <label for="movieTitle">Movie title</label>
            <input type="text" class="form-control inputForForm"</pre>
id="movieTitle" value="'.$title.'"/>
        </div>
        <div class="invalid-feedback" id="invalidTitle">
            You must enter text including only letters, numbers and spaces,
not logner than 40 characters.
        </div>
        <div class="form-group mt-5 w-75">
```

```
<label for="movieDate">Date of release</label>
            <input type="date" class="form-control inputForForm"</pre>
id="movieDate" value="'.$formatedDate.'"/>
        </div>
        <div class="invalid-feedback" id="invalidDate">
                You must pick a date.
            </div>
        <div class="form-group mt-5">
            <label for="movieDescription">Movie description</label>
            <textarea class="form-control inputForForm" id="movieDescription"</pre>
rows="3">'.$description.'</textarea>
        </div>
        <div class="invalid-feedback" id="invalidDescription">
                You must write some description.
            </div>
        <h4 class="mt-3">Choose categories</h4>
        <div class="d-flex">';
        $thisMovieCategoriesArray = $thisMovieCategories-
>fetchAll(PDO::FETCH_ASSOC);
        foreach ($allCategories as $category) {
            $isChecked = in_array($category->category_id,
array_column($thisMovieCategoriesArray, 'category_id'));
            $checkedAttribute = $isChecked ? 'checked' : '';
            echo '<input class="form-check-input inputForForm me-1"</pre>
type="checkbox" name="movieCategories[]" value="'.$category->category_id.'"
 .$checkedAttribute.'>
                    <label class="form-check-label me-3">
                     '.$category->category_name.'
                    </label>';
        echo'
        </div>
        <div class="invalid-feedback" id="invalidCategory">
                You must chose atleast one category.
            </div>
        <h4 class="mt-3">Choose actors</h4>
        <div class="d-flex flex-wrap">';
        $thisMovieActorsArray = $thisMovieActors->fetchAll(PDO::FETCH_ASSOC);
        foreach ($allActors as $actor) {
            $isChecked = in_array($actor->actor_id,
array_column($thisMovieActorsArray, 'actor_id'));
            $checkedAttribute = $isChecked ? 'checked' : '';
```

```
echo '<input class="form-check-input inputForForm me-1"</pre>
type="checkbox" name="movieActors[]" value="'.$actor->actor id.'"
 .$checkedAttribute.'>
                    <label class="form-check-label me-3">
                    '.$actor->actor name.' '.$actor->actor lastname.'
                    </label>';
        echo'
        </div>
        <div class="invalid-feedback" id="invalidActor">
                You must choose atleast one actor.
            </div>
        <input type ="hidden" value="'.$id.'" id="movieId"/>
        <input type="button" class="btn insertButton rounded mt-5 mb-</pre>
5"id="movieUpdate" value="Update movie"/>
      </form>';
      else{
        echo '<div class="alert alert-danger text-center my-5 w-50 mx-auto">
                <h1>You are not allowed to enter this page!</h1>
                </div>';
    </main>
```

### updateNews.php

```
<?php
      if($ SESSION['user']->role name=="admin"){
        $id = $_GET['id'];
        $allPictures = getAll("news pictures");
        $thisNews = getAllWithId("news", "news_id", $id);
        foreach($thisNews as $thisNew){
            $title = $thisNew->news title;
            $picture id = $thisNew->picture id;
        echo '<div class="container"><form class="w-75">
        <div class="form-group mt-5">
        <h2>News update</h2>
        <label for="pictureUrl">Choose picture</label>
        <select class="form-control inputForForm" id="pictureUrl">';
        foreach($allPictures as $picture){
            $selected = ($picture-
>picture_id==$picture_id)?'selected="selected"':'';
            echo'<option value="'.$picture->picture_id.'"
 .$selected.'>'.$picture->url.'</option>';
       echo'</select>
```

```
</div>
        <div class="form-group mt-5">
            <label for="newsTitle">News title</label>
            <textarea class="form-control inputForForm" id="newsTitle"</pre>
rows="2">'.$title.'</textarea>
        </div>
        <div class="invalid-feedback" id="invalidTitle">
            You must enter text, starting with capital, ending with dot, not
larger than 30 characters.
        </div>
        <input type="hidden" id="newsId" value="'.$id.'"/>
        <input type="button" class="btn insertButton rounded mt-5 mb-</pre>
5"id="updateNews" value="Update news"/>
      </form>';
      else{
        echo '<div class="alert alert-danger text-center my-5 w-50 mx-auto">
                <h1>You are not allowed to enter this page!</h1>
                </div>';
    </main>
```

### updateUser.php

```
<?php
      if($ SESSION['user']->role name=="admin"){
        $userId = $ GET['id'];
        $user = getThisUser($userId);
        $allRoles = getAll("roles");
        echo '<div class="container mt-5"><h2>Insert user</h2></div>';
        echo '<div class = "container">';
        echo '<form class="w-75">
        <div class="form-group">
                      <label for="regInputEmail" class="my-2 ico">Email
address</label>
                      <input type="email" class="form-control inputForForm"</pre>
id="regInputEmail" aria-describedby="emailHelp" placeholder="Enter email"
value='.$user->email.'>
                      <div class="invalid-feedback" id="invalidEmail">
                        Please enter a valid email.
                      </div>
                    </div>
                    <div class="form-group">
```

```
<label for="regInputUsername" class="my-2</pre>
ico">Username</label>
                        <input type="text" class="form-control inputForForm"</pre>
id="regInputUsername" aria-describedby="emailHelp" placeholder="Enter
username" value='.$user->username.'>
                        <div class="invalid-feedback" id="invalidUsername">
                        Please enter username that is more than 3 characters
long.
                      </div>
                      <div class="invalid-feedback" id="takenUsername">
                        Username is taken.
                      </div>
                      </div>
                    <div class="form-group">
                      <label for="regInputPassword" class="my-2</pre>
ico">Password</label>
                      <input type="password" class="form-control inputForForm"</pre>
id="regInputPassword" placeholder="Password" value='.$user->password.'>
                      <div class="invalid-feedback" id="invalidPassword">
                        Please enter a password that has one small, one
capital letter and a number.
                      </div>
                    </div>
                    <div class="form-group">
                        <label for="regInputRenter" class="my-2 ico">Re-enter
password</label>
                        <input type="password" class="form-control</pre>
inputForForm" id="regInputRenter" placeholder="Confirm password"
value='.$user->password.'>
                        <div class="invalid-feedback" id="invalidRenter">
                        Passwords do not match eachother.
                      </div>
                      </div>
                      <div class="form-check">
                        <input class="form-check-input inputForForm"</pre>
type="checkbox" value="" id="newPasswordTrue">
                        <label class="form-check-label" for="newPasswordTrue">
                            This is new password
                        </label>
                        </div>
                        <input type="hidden" value="'.$userId.'" id="userId"/>
                       <div class="form-group mt-5">
                        <label for="pictureUrl">Choose role</label>
                        <select class="form-control inputForForm"</pre>
id="userRole">';
                        foreach($allRoles as $role){
                             echo'<option value="'.$role->role_id.'" '.($role-
>role id==$user->role id?"selected":"").'>'.$role->role name.'';
```

### usersEdit.php

```
<main>
    if($_SESSION['user']->role_name=="admin"){
     echo '<div class="container mt-4 d-flex">
           <a href="index.php?page=insertUser" class="text-decoration-</pre>
none p-3 fw-bold text-uppercase insertButton me-3">Insert new user <i
class="fa-solid fa-plus"></i></a>
        </div>';
     echo' <div class="container mt-4">
           <thead>
                ID
                Email
                Username
                Password
                Role
                Edit
                Delete
                </thead>
              ';
     $users = getUsersWithRole();
     foreach($users as $user){
        echo'
```

```
'.$user->user_id.'
               '.$user->email.'
               '.$user->username.'
               '.substr($user->password, 0,
10).'...
               '.$user->role name.'
               <a
href="index.php?page=updateUser&id='.$user->user_id.'" class="text-decoration-
none icoSecondary">Edit <i class="fa-solid fa-pen-to-square"></i></ta>
               <a href =
"models/deleteUser.php?id='.$user->user_id.'" class="text-decoration-none"
icoSecondary">Delete <i class="fa-solid fa-circle-xmark"></i></a>
            ';
     echo'
      </div>';
    else{
      echo '<div class="alert alert-danger text-center my-5 w-50 mx-auto">
            <h1>You are not allowed to enter this page!</h1>
            </div>';
   </main>
```

# Conn.php

```
<?php
    define("SERVER", "localhost");
    define("DATABASE", "movielense");
    define("USERNAME", "root");
    define("PASSWORD", "");
    try {
        $conn = new
PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME,
PASSWORD);

    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);

    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
    echo $ex->getMessage();
}
```

### addMovieToWatchlist.php

```
<?php
   define("SERVER", "localhost");
   define("DATABASE", "movielense");
   define("USERNAME", "root");
   define("PASSWORD", "");
   try {
        $conn = new
PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME,
PASSWORD);

   $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
   $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
        echo $ex->getMessage();
}
}
```

## deleteMovie.php

```
<?php
include "../config/conn.php";
$movieId = $ GET['id'];
global $conn;
$query = 'DELETE FROM movie_actor WHERE movie_id = :m_id';
$task = $conn->prepare($query);
$task->bindParam(":m_id", $movieId);
$task->execute();
$query = 'DELETE FROM movie category WHERE movie id = :m id';
$task = $conn->prepare($query);
$task->bindParam(":m id", $movieId);
$task->execute();
$query = 'DELETE FROM movie WHERE movie id = :m id';
$task = $conn->prepare($query);
$task->bindParam(":m_id", $movieId);
$task->execute();
$result = $task->fetch();
header('Location: ../index.php?page=moviesEdit');
```

### deleteMovieFromWatchlist.php

```
<?php
include "../config/conn.php";
$movieId = $_GET['movieId'];
$userId = $_GET['userId'];

global $conn;
$query = 'DELETE FROM watchlist WHERE movie_id = :m_id AND user_id = :u_id';
$task = $conn->prepare($query);
$task->bindParam(":m_id", $movieId);
$task->bindParam(":u_id", $userId);
$task->execute();

$result = $task->fetch();
header('Location: ../index.php');

?>
```

### deleteNews.php

```
<!php
include "../config/conn.php";
$newsId = $_GET['id'];

global $conn;
$query = 'DELETE FROM news WHERE news_id = :n_id';
$task = $conn->prepare($query);
$task->bindParam(":n_id", $newsId);
$task->execute();

$result = $task->fetch();
header('Location: ../index.php?page=newsEdit');

?>
```

# deleteUser.php

```
<?php

include "../config/conn.php";

$id = $_GET['id'];

global $conn;

$query = "DELETE FROM user WHERE user_id = :id";

$task = $conn->prepare($query);

$task->bindParam(":id", $id);

$task->execute();
```

```
header("Location: ../index.php?page=usersEdit");
?>
```

### Functions.php

```
<?php
ini_set('error_reporting', E_ALL & ~E_WARNING);
function getNewestMovies(){
    global $conn;
    $query = "SELECT DISTINCT m.movie_name, m.date, mp.url, m.movie_id FROM
movie m JOIN movie category mc ON m.movie id = mc.movie id JOIN category c ON
mc.category_id = c.category_id JOIN movies_pictures mp ON m.picture_id =
mp.picture_id ORDER BY m.date DESC LIMIT 3 ";
    $movies = $conn->query($query);
    return $movies;
function getBestMovies(){
    global $conn;
    $query = "SELECT m.movie name, mp.url, m.movie id, AVG(r.grade) AS 'grade'
FROM movie m JOIN review r ON m.movie id = r.movie id JOIN movies pictures mp
ON m.picture id = mp.picture id GROUP BY m.movie name ORDER BY grade DESC
LIMIT 5";
    $movies = $conn->query($query);
    return $movies;
function getMovieCategories($id){
    global $conn;
        $query = "SELECT c.category name FROM movie m JOIN movie category mc
ON m.movie_id = mc.movie_id JOIN category c ON c.category_id = mc.category_id
WHERE m.movie_id = :id";
        $task = $conn->prepare($query);
        $task->bindParam(":id", $id);
        $task->execute();
        $categories = $task->fetchAll();
        return $categories;
```

```
function getMovieActors($id){
    global $conn;
        $query = "SELECT a.actor name, a.actor lastname FROM actor a JOIN
movie actor ma ON a.actor id = ma.actor id JOIN movie m ON m.movie id =
ma.movie id WHERE m.movie id = :id";
        $task = $conn->prepare($query);
        $task->bindParam(":id", $id);
        $task->execute();
        $actors = $task->fetchAll();
        return $actors;
function getMovieReviews($id){
    global $conn;
        $query = "SELECT u.username, r.date, r.grade, r.text FROM movie m JOIN
review r ON m.movie id = r.movie id JOIN user u ON r.user id = u.user id WHERE
m.movie_id = :id ORDER BY r.date DESC";
        $task = $conn->prepare($query);
        $task->bindParam(":id", $id);
        $task->execute();
        $reviews = $task->fetchAll();
        return $reviews;
function getSimilarMovies($id){
    global $conn;
        $query = "SELECT DISTINCT mp.url, m.movie_id FROM movie m JOIN
movies_pictures mp ON m.picture_id = mp.picture_id JOIN movie_category mc ON
m.movie_id = mc.movie_id WHERE mc.category_id IN (SELECT category_id FROM
movie_category WHERE movie_id = :id) AND m.movie_id != :id ORDER BY RAND()
LIMIT 4";
        $task = $conn->prepare($query);
        $task->bindParam(":id", $id);
        $task->execute();
        $similarMovies = $task->fetchAll();
        return $similarMovies;
function getMovie($id){
```

```
global $conn;
        $query = "SELECT m.movie name, m.movie description, mp.url,
AVG(r.grade) AS 'grade' FROM movie m JOIN movies_pictures mp ON m.picture id =
mp.picture id JOIN review r ON r.movie id = m.movie id WHERE m.movie id =
:id";
        $task = $conn->prepare($query);
        $task->bindParam(":id", $id);
        $task->execute();
        $movie = $task->fetch();
        return $movie;
function getFooterLinks(){
   global $conn;
        $query = "SELECT * FROM navigation_items WHERE item_type IS NULL OR
item_type = 'f'";
        $links = $conn->query($query);
        return $links;
function getHeaderLinks(){
    global $conn;
        $query = "SELECT * FROM navigation_items WHERE item type IS NULL OR
item type = 'h'";
        $links = $conn->query($query);
        return $links;
function getNews(){
    global $conn;
    $query = "SELECT n.news_title, np.url FROM news n JOIN news_pictures np ON
n.picture_id = np.picture_id LIMIT 5";
    $news = $conn->query($query);
    return $news;
function getUsernames(){
   global $conn;
```

```
$query = "SELECT username FROM user";
    $usernames = $conn->query($query);
    return $usernames;
function getMaxId($tableName, $idName){
    global $conn;
    $query = "SELECT MAX($idName) AS maxid FROM $tableName";
    $task = $conn->query($query);
    $row = $task->fetch();
    return $row->maxid;
function logging($username, $password){
    global $conn;
        $query = "SELECT * FROM user u JOIN roles r ON u.role_id =
r.role_id WHERE u.username = :username AND u.password = :password";
        $task = $conn->prepare($query);
        $task->bindParam(":username", $username);
        $task->bindParam(":password", $password);
        $task->execute();
        $user = $task->fetch();
        return $user;
function checkIfUserHasAlreadyReviewdMovie($user, $movie){
    global $conn;
        $query = "SELECT * FROM review WHERE user_id = $user AND movie_id =
$movie";
        $reviewNum = $conn->query($query);
        return $reviewNum;
function getUserWatchlist($userId){
    global $conn;
        $query = "SELECT * FROM user u JOIN watchlist w ON u.user_id =
w.user_id JOIN movie m ON w.movie_id = m.movie_id JOIN movies_pictures mp ON
m.picture id = mp.picture id WHERE u.user id = $userId";
        $watchlist = $conn->query($query);
       return $watchlist;
function getAllMovies(){
   global $conn;
```

```
$query = "SELECT * FROM movie m JOIN movies_pictures mp ON
m.picture id = mp.picture id";
        $allMovies = $conn->query($query);
        return $allMovies;
function getAllNews(){
    global $conn;
        $query = "SELECT * FROM news n JOIN news pictures np ON n.picture id =
np.picture_id";
        $allNews = $conn->query($query);
        return $allNews;
function getAll($tableName){
    global $conn;
        $query = "SELECT * FROM $tableName";
        $all = $conn->query($query);
        return $all;
function getAllWithId($tableName, $idName, $id){
    global $conn;
        $query = "SELECT * FROM $tableName WHERE $idName = $id";
        $all = $conn->query($query);
        return $all;
function getThisMovieActors($id){
    global $conn;
    $query = "SELECT * FROM movie_actor WHERE movie_id = $id";
        $all = $conn->query($query);
        return $all;
function getThisMovieCategories($id){
   global $conn;
    $query = "SELECT * FROM movie_category WHERE movie_id = $id";
        $all = $conn->query($query);
        return $all;
function getFilteredMovies($text){
    global $conn;
    $query = "SELECT m.movie_name, p.url, m.movie_id FROM movie m JOIN
movies_pictures p ON m.picture_id = p.picture_id WHERE LOWER(m.movie_name)
LIKE '$text%'";
        $all = $conn->query($query);
        return $all;
define ("MOVIE OFFSET", 10);
```

```
function getAllDataOfMovies($limit = 0, $categories = [], $sortOrder = 1){
    global $conn;
    if($categories[0] == ""){
        $categories = [];
        $allCategories = getAll("category");
        foreach($allCategories as $category){
            array_push($categories, $category->category_id);
    $sortText;
    switch($sortOrder){
        case 1:
            $sortText = "m.movie_name ASC";
            break;
        case 2:
            $sortText = "m.date DESC";
            break;
        case 3:
            $sortText = "m.date ASC";
        case 4:
            $sortText = "grade DESC";
            break;
        case 5:
            $sortText = "grade ASC";
            break;
        default:
            $sortText = "m.movie_name ASC";
    $categoryString = implode(",", $categories);
    $query = "SELECT m.movie_name, mp.url, m.movie_id, AVG(r.grade) AS 'grade'
FROM movie m JOIN review r ON m.movie_id = r.movie_id JOIN movies_pictures mp
ON m.picture_id = mp.picture_id JOIN movie_category mc ON m.movie_id =
mc.movie_id WHERE mc.category_id IN ($categoryString) GROUP BY m.movie_name
ORDER BY $sortText LIMIT :limit, :offset";
    $task = $conn->prepare($query);
    $limit = ((int) $limit) * MOVIE_OFFSET;
    $task->bindValue(":limit", $limit, PDO::PARAM_INT);
    $offset = MOVIE_OFFSET;
    $task->bindValue(":offset", $offset, PDO::PARAM_INT);
    $task->execute();
    $movies = $task->fetchAll();
    return $movies;
function getNumberOfFilteredMovies($categories=[]){
    global $conn;
    if($categories[0] == ""){
```

```
$categories = [];
        $allCategories = getAll("category");
        foreach($allCategories as $category){
            array_push($categories, $category->category_id);
    $categoryString = implode(",", $categories);
    $query = "SELECT COUNT(DISTINCT m.movie_name) AS 'num' FROM movie m JOIN
movie_category mc ON m.movie_id = mc.movie_id WHERE mc.category_id IN
($categoryString)";
    $task = $conn->prepare($query);
    $task->execute();
    $number = $task->fetch();
    return $number;
function getMostWatchedMovies(){
    global $conn;
    $query = "SELECT m.movie name, mp.url, m.movie id, AVG(r.grade) AS 'grade'
FROM movie m JOIN review r ON m.movie_id = r.movie_id JOIN movies_pictures mp
ON m.picture_id = mp.picture_id GROUP BY m.movie_name ORDER BY
COUNT(r.movie_id) DESC LIMIT 5";
    $movies = $conn->query($query);
    return $movies;
function getMoviesNumber(){
    global $conn;
    $query = "SELECT COUNT(*) AS 'number' FROM movie";
    $number = $conn->query($query)->fetch();
    return $number;
function getNumberOfPages(){
    $numberOfMovies = getMoviesNumber();
    $numberOfPages = ceil($numberOfMovies->number/MOVIE_OFFSET);
    return $numberOfPages;
function getAdminData(){
    global $conn;
    $query = "SELECT * FROM user u JOIN roles r ON u.role_id = r.role_id WHERE
r.role_name = 'admin'";
    $adminData = $conn->query($query)->fetch();
    return $adminData;
```

```
function getUsersWithRole(){
    global $conn;
    $query = "SELECT * FROM user u JOIN roles r ON u.role_id = r.role id";
    $usersData = $conn->query($query)->fetchAll();
   return $usersData;
function getThisUser($id){
   global $conn;
    $query = "SELECT * FROM user u WHERE user_id = :id";
    $task = $conn->prepare($query);
   $task->bindParam(":id", $id);
   $task->execute();
   $user = $task->fetch();
    return $user;
function createSmallerPictureName($name){
   list($picName, $ext) = explode(".", $name);
    $picName.="cropped";
    $newPictureName = $picName.'.'.$ext;
    return $newPictureName;
```

### Get\_filtered\_movies.php

```
include "../config/conn.php";
include "functions.php";

$filterText = $_POST['textFilter'];

$movies = getFilteredMovies($filterText);

$data = array();
foreach($movies as $movie){
    array_push($data, $movie);
}
header('Content-Type: application/json');
echo json_encode($data);

?>
```

### Get movie categories.php

```
<?php
```

```
include "../config/conn.php";
include "functions.php";
$id = $_POST['id'];
$categories = getMovieCategories($id);
$categoriesData = array();
foreach($categories as $category){
    array_push($categoriesData, $category);
}
header('Content-Type: application/json');
echo json_encode($categoriesData);

?>
```

# Get\_news\_data.php

```
include "../config/conn.php";
include "functions.php";

$news = getNews();
$data = array();
foreach($news as $new){
    array_push($data, $new);
}
header('Content-Type: application/json');
echo json_encode($data);

?>
```

# Get\_number\_of\_movies.php

```
include "../config/conn.php";
include "functions.php";
$categories = $_POST['categories'];
$numberOfMovies = getNumberOfFilteredMovies($categories);
header('Content-Type: application/json');
echo json_encode($numberOfMovies);
}
```

## Get\_users\_data.php

```
<?php
include "../config/conn.php";</pre>
```

```
include "functions.php";

$usernames = getUsernames();
$data = array();
foreach($usernames as $username){
    array_push($data, $username);
}
header('Content-Type: application/json');
echo json_encode($data);

?>
```

### InsertMoviePictureProcess.php

```
<?php
include "../config/conn.php";
include "functions.php";
$targetDir = "../assets/img/movies/";
$targetFile = $targetDir . basename($_FILES["image"]["name"]);
$imageFileType = strtolower(pathinfo($targetFile, PATHINFO_EXTENSION));
$errors = 0;
$check = getimagesize($_FILES["image"]["tmp_name"]);
if ($check !== false) {
 if (move_uploaded_file($_FILES["image"]["tmp_name"], $targetFile)) {
    echo "Image uploaded!";
    $originalImage = imagecreatefromjpeg($targetFile);
    $originalWidth = imagesx($originalImage);
    $originalHeight = imagesy($originalImage);
    $newHeight = (int) ($originalHeight * 648 / $originalWidth);
    $resizedImage = imagecreatetruecolor(648, $newHeight);
    imagecopyresampled($resizedImage, $originalImage, 0, 0, 0, 648,
$newHeight, $originalWidth, $originalHeight);
    $cropWidth = 648;
    $cropHeight = 957;
    $cropX = 0;
    $cropY = ($newHeight - $cropHeight) / 2;
```

```
$croppedImage = imagecrop($resizedImage, ['x' => $cropX, 'y' => $cropY,
'width' => $cropWidth, 'height' => $cropHeight]);
    $originalFileName = basename($ FILES["image"]["name"]);
    $extension = pathinfo($originalFileName, PATHINFO EXTENSION);
    $croppedFileName = pathinfo($originalFileName, PATHINFO FILENAME) .
"cropped." . $extension;
    $croppedFilePath = $targetDir . $croppedFileName;
    imagejpeg($croppedImage, $croppedFilePath, 90);
    imagedestroy($originalImage);
    imagedestroy($resizedImage);
    imagedestroy($croppedImage);
 } else {
   $errors++;
   echo "Error uploading image.";
} else {
   $errors++;
    echo "Please upload a valid image file.";
if($errors==0){
    $imageName = basename($_FILES["image"]["name"]);
    global $conn;
    $maxID = getMaxId("movies_pictures", "picture_id");
    $newMaxId = $maxID+1;
    $query = "INSERT INTO movies_pictures(picture_id, url) VALUES(:id, :url)";
   $task = $conn->prepare($query);
    $task->bindParam(":id", $newMaxId);
   $task->bindParam(":url", $imageName);
   $result = $task->execute();
    if($result){
        header("Location: ../index.php?page=insertMovie");
        die();
```

#### insertMovieProcess.php

```
<?php
include "../config/conn.php";</pre>
```

```
include "functions.php";
$picture id = $ POST["picture Id"];
$movie_title = $_POST["movie_title"];
$movie date = $ POST["movie date"];
$movie_description = $_POST["movie_description"];
$movie_categories = $_POST["movie_categories"];
$movie_actors = $_POST["movie_actors"];
$errors = 0;
$movieTitleReg = "/^[A-Z][A-Za-z0-9 .]{0,38}[A-Za-z0-9]$/";
if(!preg_match($movieTitleReg, $movie_title)){
    $errors++;
if($movie date==""){
    $errors++;
if($movie description==""){
    $errors++;
if(count($movie_categories)==0){
    $errors++;
if(count($movie_actors)==0){
    $errors++;
if($errors==0){
    global $conn;
    $maxID = getMaxId("movie", "movie_id");
    $newMaxId = $maxID+1;
    $query = "INSERT INTO movie(movie_id, movie_name, movie_description, date,
picture_id) VALUES(:m_id, :name, :description, :date, :p_id)";
    $task = $conn->prepare($query);
    $task->bindParam(":m_id", $newMaxId);
    $task->bindParam(":name", $movie_title);
    $task->bindParam(":description", $movie_description);
    $task->bindParam(":date", $movie_date);
    $task->bindParam(":p_id", $picture_id);
    $result = $task->execute();
    for($i = 0;$i<count($movie_categories);$i++){</pre>
        $queryForCategory = "INSERT INTO movie_category(movie_id, category_id)
VALUES(:m id, :c id)";
```

```
$taskForCategory = $conn->prepare($queryForCategory);
    $taskForCategory->bindParam(":m_id", $newMaxId);
    $taskForCategory->bindParam(":c_id", $movie_categories[$i]);
    $categoryResult = $taskForCategory->execute();
}
for($k = 0; $k<count($movie_actors);$k++){
    $queryForActor = "INSERT INTO movie_actor(movie_id, actor_id)

VALUES(:m_id, :a_id)";
    $taskForActor = $conn->prepare($queryForActor);
    $taskForActor->bindParam(":m_id", $newMaxId);
    $taskForActor->bindParam(":a_id", $movie_actors[$k]);
    $actorResult = $taskForActor->execute();
}
if($result){
    header("Location: ../index.php?page=moviesEdit");
    die();
}
}
```

# insertNewActorProcess.php

```
<?php
include "../config/conn.php";
include "functions.php";

$firstName = $_POST["firstName"];
$lastName = $_POST["lastName"];

$errors = 0;
$nameAndLastNameReg = "/^([A-ZČĆŠŽĐ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčĆŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-zčČŠŽĎ][a-
```

```
$query = "INSERT INTO actor(actor_id, actor_name, actor_lastname)
VALUES(:id, :name, :lastname)";

$task = $conn->prepare($query);
$task->bindParam(":id", $newMaxId);
$task->bindParam(":name", $firstName);

$task->bindParam(":lastname", $lastName);

$result = $task->execute();

if($result){
    header("Location: ../index.php?page=insertMovie");
    die();
}

}

}
```

# insertNewCategoryProcess.php

```
<?php
include "../config/conn.php";
include "functions.php";
$categoryName = $_POST["name"];
$errors = 0;
$categoryReg = "/^(?=[A-Z]).{1,40}$/";
if(!preg_match($categoryReg, $categoryName)){
    $errors++;
if($errors==0){
    global $conn;
    $maxID = getMaxId("category", "category_id");
    $newMaxId = $maxID+1;
    $query = "INSERT INTO category(category_id, category_name) VALUES(:id,
:name)";
    $task = $conn->prepare($query);
    $task->bindParam(":id", $newMaxId);
    $task->bindParam(":name", $categoryName);
   $result = $task->execute();
```

```
if($result){
    header("Location: ../index.php?page=insertMovie");
    die();
}
```

### insertNewsPictureProcess.php

```
<?php
include "../config/conn.php";
include "functions.php";
$targetDir = "../assets/img/news/";
$targetFile = $targetDir . basename($_FILES["image"]["name"]);
$imageFileType = strtolower(pathinfo($targetFile, PATHINFO_EXTENSION));
$errors = 0;
$check = getimagesize($_FILES["image"]["tmp_name"]);
if ($check !== false) {
 if (move_uploaded_file($_FILES["image"]["tmp_name"], $targetFile)) {
    echo "Image uploaded!";
 } else {
   $errors++;
    echo "Error uploading image.";
} else {
    $errors++;
    echo "Please upload a valid image file.";
if($errors==0){
    $imageName = basename($_FILES["image"]["name"]);
    global $conn;
    $maxID = getMaxId("news pictures", "picture id");
    $newMaxId = $maxID+1;
    $query = "INSERT INTO news_pictures(picture_id, url) VALUES(:id, :url)";
    $task = $conn->prepare($query);
    $task->bindParam(":id", $newMaxId);
    $task->bindParam(":url", $imageName);
    $result = $task->execute();
```

```
if($result){
    header("Location: ../index.php?page=insertNews");
    die();
}
```

### insertNewsProcess.php

```
<?php
include "../config/conn.php";
include "functions.php";
$news title = $ POST["news title"];
$picture_id = $_POST["picture_id"];
errors = 0;
$titleReg = "/^[A-Z][A-Za-z0-9 ]{0,50}[A-Za-z0-9]\.$/";
if(!preg_match($titleReg, $news_title)){
    $errors++;
if($errors==0){
    global $conn;
    $maxID = getMaxId("news", "news_id");
    $newMaxId = $maxID+1;
    $query = "INSERT INTO news(news_id, news_title, picture_id) VALUES(:id,
:title, :pictureId)";
    $task = $conn->prepare($query);
    $task->bindParam(":id", $newMaxId);
    $task->bindParam(":title", $news_title);
    $task->bindParam(":pictureId", $picture_id);
   $result = $task->execute();
    if($result){
        header("Location: ../index.php?page=newsEdit");
        die();
```

### loginProcess.php

```
<?php
   session_start();
   if(isset($_POST['submitButton'])){
        $username = $_POST['loginUsername'];
       $password = $_POST['loginPassword'];
       // provera
        include "../config/conn.php";
        include "functions.php";
       $loggedUser = logging($username, md5($password));
       // var_dump($ulogovanKorisnik);
        if($loggedUser){
            $_SESSION['user'] = $loggedUser;
            include "userLog.php";
            if($loggedUser->role_name == "user"){
                header("Location: ../index.php");
                die();
            else{
                header("Location: ../index.php");
                die();
            }
       else{
            $_SESSION['loggingError'] = "Greška prilikom logovanja.";
            header("Location: ../login.php");
           die();
   else{
       header("Location: ../login.php");
```

# Logout.php

```
<?php
session_start();

if(isset($_SESSION['user'])){
    unset($_SESSION['user']);</pre>
```

```
header("Location: ../index.php");
    die();
}
```

# pageLog.php

```
<?php
$ip = $_SERVER['REMOTE_ADDR'];
$page = $_SERVER['REQUEST_URI'];
$user = isset($_SESSION['user']) ? $_SESSION['user']->username : "Not logged in";
$line = $ip.'__' .$user.'__'. $page.'__' .date('Y-m-d H:i:s')."\n";
file_put_contents("data/pagelog.txt", $line, FILE_APPEND);
?>
```

#### Pagination.php

```
<?php
include "../config/conn.php";
include "functions.php";
session_start();
$user = "";
if(isset($_SESSION['user'])){
    $user = $_SESSION['user']->user_id;
$limit = $ POST['limit'];
$categories = $_POST['categories'];
$sortOrder = $_POST['sortOrder'];
$categoriesArray = array($categories);
$movies = getAllDataOfMovies($limit, $categoriesArray, $sortOrder);
$numberOfMovies = getNumberOfFilteredMovies($categoriesArray);
$movieData = array();
foreach($movies as $movie){
    array_push($movieData, $movie);
header('Content-Type: application/json');
echo json encode([
    "movies" => $movieData,
    "user"=>$user,
    "number"=>$numberOfMovies
]);
```

#### registrationProcess.php

```
<?php
include "../config/conn.php";
include "functions.php";
$username = $ POST["username"];
$email = $_POST["email"];
$password = $ POST["password"];
$roleId = $_POST['roleId'];
if(!$roleId){
    $roleId = 2;
$errors = 0;
susernameRegex = "/^[a-zA-Z]{3}[a-zA-Z0-9_]{0,17}$/";
passReg = "/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[a-zA-Z\d]{8,}$/";
$emailReg = "/^[\w\.]+@[a-zA-Z_]+?(\.[a-zA-Z]{2,3})+$/";
if(!preg_match($usernameRegex, $username)){
    $errors++;
if(!preg_match($passReg, $password)){
    $errors++;
if(!preg_match($emailReg, $email)){
    $errors++;
if($errors==0){
    global $conn;
    $maxID = getMaxId("user", "user_id");
    $newMaxId = $maxID+1;
    $hiddenPassword = md5($password);
    $query = "INSERT INTO user(user_id, email, username, password, role_id)
VALUES(:id, :email, :username, :password, :role)";
    $task = $conn->prepare($query);
    $task->bindParam(":id", $newMaxId);
    $task->bindParam(":email", $email);
    $task->bindParam(":username", $username);
   $task->bindParam(":password", $hiddenPassword);
    $task->bindParam(":role", $roleId);
    $result = $task->execute();
```

#### reviewProcess.php

```
<?php
include "../config/conn.php";
include "functions.php";
$movie_id = $_POST["movie_id"];
$user_id = $_POST["user_id"];
$grade = $_POST["gradeOfMovie"];
$text = $_POST["textOfReview"];
errors = 0;
if($text==""){
    $errors++;
if($errors==0){
    global $conn;
    $maxID = getMaxId("review", "review_id");
    $newMaxId = $maxID+1;
    $currentDate = date("Y-m-d h:i:s");
    $query = "INSERT INTO review(review id, text, grade, date, user id,
movie_id) VALUES(:id, :text, :grade, :date, :user, :movie)";
    $task = $conn->prepare($query);
    $task->bindParam(":id", $newMaxId);
    $task->bindParam(":text", $text);
    $task->bindParam(":grade", $grade);
    $task->bindParam(":date", $currentDate);
   $task->bindParam(":user", $user_id);
    $task->bindParam(":movie", $movie_id);
```

### sendMailToAdmin.php

```
<?php
include "../config/conn.php";
include "functions.php";
$userMail = $ POST["userMail"];
$subjectName = $_POST["subjectName"];
$mailText = $_POST["mailText"];
errors = 0;
subjectRegex = "/^[A-Za-z0-9\s\.,\?!@#$%^&*()\-+=]{1,100}$/";
$emailReg = "/^[\w\.]+@[a-zA-Z_]+?(\.[a-zA-Z]{2,3})+$/";
if(!preg_match($emailReg, $userMail)){
    $errors++;
if(!preg match($subjectRegex, $subjectName)){
    $errors++;
if($mailText==""){
    $errors++;
if($errors==0){
    $adminMail = getAdminData()->email;
    $to = $adminMail;
    $subject = $subjectName;
    $message = $mailText;
    $headers = "From: ".$userMail."\r\n";
    $headers .= "Reply-To: ".$userMail."\r\n";
    $headers .= "MIME-Version: 1.0\r\n";
    $headers .= "Content-Type: text/plain; charset=utf-8\r\n";
    $mailSent = mail($to, $subject, $message, $headers);
```

```
if ($mailSent) {
  echo "Email sent successfully.";
  } else {
  echo "Failed to send email.";
  }
}
```

# updateMovieProcess.php

```
<?php
include "../config/conn.php";
include "functions.php";
$movie id = $ POST["movie id"];
$picture id = $ POST["picture Id"];
$movie_title = $_POST["movie_title"];
$movie_date = $_POST["movie_date"];
$movie_description = $_POST["movie_description"];
$movie_categories = $_POST["movie_categories"];
$movie_actors = $_POST["movie_actors"];
$errors = 0;
$movieTitleReg = "/^[A-Z][A-Za-z0-9 .]{0,38}[A-Za-z0-9]$/";
if(!preg_match($movieTitleReg, $movie_title)){
    $errors++;
if($movie date==""){
    $errors++;
if($movie description==""){
    $errors++;
if(count($movie_categories)==0){
    $errors++;
if(count($movie actors)==0){
    $errors++;
if($errors==0){
    global $conn;
    $query = "DELETE FROM movie_category WHERE movie_id = :id";
    $task = $conn->prepare($query);
    $task->bindParam(":id", $movie_id);
    $result = $task->execute();
```

```
$query = "DELETE FROM movie actor WHERE movie id = :id";
    $task = $conn->prepare($query);
    $task->bindParam(":id", $movie_id);
    $result = $task->execute();
    $query = "UPDATE movie SET movie_name = :name, movie_description =
:description, date = :date, picture id = :p id WHERE movie id = :m id";
    $task = $conn->prepare($query);
    $task->bindParam(":m id", $movie id);
    $task->bindParam(":name", $movie_title);
    $task->bindParam(":description", $movie_description);
    $task->bindParam(":date", $movie_date);
    $task->bindParam(":p id", $picture id);
    $result = $task->execute();
    for($i = 0;$i<count($movie_categories);$i++){</pre>
        $queryForCategory = "INSERT INTO movie_category(movie_id, category_id)
VALUES(:m_id, :c_id)";
        $taskForCategory = $conn->prepare($queryForCategory);
        $taskForCategory->bindParam(":m_id", $movie_id);
        $taskForCategory->bindParam(":c_id", $movie_categories[$i]);
       $categoryResult = $taskForCategory->execute();
    for($k = 0; $k<count($movie_actors);$k++){</pre>
        $queryForActor = "INSERT INTO movie_actor(movie_id, actor_id)
VALUES(:m_id, :a_id)";
        $taskForActor = $conn->prepare($queryForActor);
        $taskForActor->bindParam(":m_id", $movie_id);
        $taskForActor->bindParam(":a_id", $movie_actors[$k]);
        $actorResult = $taskForActor->execute();
   if($result){
        header("Location: ../index.php?page=moviesEdit");
        die();
```

#### updateNewsProcess.php

```
include "../config/conn.php";
include "functions.php";
$news id = $ POST["id"];
$news title = $ POST["news title"];
$picture_id = $_POST["picture_id"];
errors = 0;
$titleReg = "/^[A-Z][A-Za-z0-9: ]{0,50}[A-Za-z0-9]\.$/";
if(!preg_match($titleReg, $news_title)){
    $errors++;
if($errors==0){
    global $conn;
    $query = "UPDATE news SET news_title = :title, picture_id = :pic_id WHERE
news_id = :id";
    $task = $conn->prepare($query);
    $task->bindParam(":id", $news_id);
    $task->bindParam(":title", $news_title);
    $task->bindParam(":pic_id", $picture_id);
   $result = $task->execute();
    if($result){
        header("Location: ../index.php?page=newsEdit");
        die();
```

# updateUserProcess.php

```
<?php
include "../config/conn.php";
include "functions.php";

$username = $_POST["username"];
$email = $_POST["email"];
$password = $_POST["password"];
$roleId = $_POST['roleId'];
$userId = $_POST['userId'];
$newPassword = $_POST['newPassword'];</pre>
```

```
$passwordToEnter = $password;
if($newPassword=="true"){
    $passwordToEnter = md5($password);
$errors = 0;
$usernameRegex = "/^[a-zA-Z]{3}[a-zA-Z0-9_]{0,17}$/";
passReg = "/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[a-zA-Z\d]{8,}$/";
$emailReg = "/^[\w\.]+@[a-zA-Z_]+?(\.[a-zA-Z]{2,3})+$/";
if(!preg match($usernameRegex, $username)){
    $errors++;
if(!preg match($emailReg, $email)){
    $errors++;
if($errors==0){
    global $conn;
    $query = "UPDATE user SET email = :email, username = :username, password =
:password, role_id = :role WHERE user_id = :id";
    $task = $conn->prepare($query);
    $task->bindParam(":id", $userId);
    $task->bindParam(":email", $email);
    $task->bindParam(":username", $username);
    $task->bindParam(":password", $passwordToEnter);
    $task->bindParam(":role", $roleId);
    $result = $task->execute();
    if($result){
        header("Location: ../index.php?page=usersEdit");
        die();
```

### userLog.php

```
<?php
$ip = $_SERVER['REMOTE_ADDR'];
$user = $_SESSION['user']->username;
$line = $ip.'__'.$user.'__'.date('Y-m-d H:i:s')."\n";
```

```
file_put_contents("../data/userLog.txt", $line, FILE_APPEND);
?>
```

## Style.css

```
@import
url("https://fonts.googleapis.com/css2?family=Quicksand:wght@300&display=swap"
);
:root {
  --mainColor: #171518ef;
  --fontColor: #c7ccce;
 --hoverColor: ;
  --ljubicasta: rgb(135, 57, 249);
  --roze: #c651cd;
  --siva: #363636;
  --tamnija: #1b1b1b;
  --navColor: #000000eb;
  --bgColor: #100f10;
#logoDiv {
 width: 75px;
body {
 overflow-x: hidden;
 font-family: "Quicksand", sans-serif;
 color: var(--fontColor);
 background: var(--bgColor);
#navbar {
  background-color: var(--navColor);
 position: sticky;
 top: 0;
 width: 100vw;
 backdrop-filter: blur(5px);
i {
  color: #8739f9 !important;
#navbar div span {
  color: var(--fontColor);
#navbar ul li a {
  border-radius: 20px;
  color: var(--fontColor);
#navbar ul li a:hover {
  background-color: var(--tamnija);
```

```
#vertical {
  margin-top: 12px;
#search {
 width: 300px;
  border: none;
#search:focus {
 border: none;
 outline: none;
 box-shadow: none;
.carousel-item img {
 width: 100%;
@media only screen and (max-width: 768px) {
 .col-md-8 {
   width: 100%;
.input-group-text {
  background-color: var(--tamnija);
  border: none;
.search-icon {
  font-size: 1.2rem;
  color: var(--fontColor);
#footer {
  background-color: var(--mainColor);
#copyrightDiv {
  border-top: 2px solid var(--roze);
#socialMedia a {
  border-radius: 10px;
  color: var(--fontColor);
#socialMedia a:hover {
  background-color: var(--tamnija);
 transition: 0.2s;
#links a {
 border-radius: 10px;
 color: var(--fontColor);
 text-decoration: none;
```

```
#links a:hover {
  color: var(--ljubicasta);
  transition: 0.2s;
#arrow {
  margin-right: 10px;
#slideLeft,
#slideRight {
 border-radius: 20px;
  padding: 0px 8px;
  background-color: rgba(0, 0, 0, 0.5);
#slideLeft {
  margin-right: -45px;
#slideRight {
 margin-left: -45px;
.seeMoreLink {
 border: 1px solid var(--tamnija);
  background-color: var(--mainColor);
  color: var(--roze);
  text-decoration: none;
.seeMoreLink:hover {
  border: 1px solid var(--roze);
.watchlistLink {
 border: 1px solid var(--tamnija);
 background-color: var(--mainColor);
 color: var(--fontColor);
  text-decoration: none;
@media (max-width: 650px) {
 #search{
   width: 200px;
@media(max-width: 992px){
  #vertical{
    display: none;
.watchlistLink:hover {
  border: 1px solid var(--roze);
```

```
.info:hover {
  color: var(--ljubicasta);
  transition: 0.1s;
.movieInfoNew {
  background-image: linear-gradient(to right, #000, #100f10);
.movieInfo {
  background-color: var(--navColor);
#mainMovie {
  z-index: -1;
  position: relative;
.ico {
  color: var(--ljubicasta);
.icoSecondary {
  color: var(--roze);
#mainMovie::before {
  content: "";
 position: absolute;
 top: 0;
 left: 0;
 width: 100%;
 height: 100%;
 background-image: linear-gradient(to top, rgba(0, 0, 0, 1), rgba(0, 0, 0,
0));
  z-index: 1;
#sliderText {
  margin-top: -70px;
.sectionHeader {
  display: inline-block;
  border-bottom: 2px solid var(--ljubicasta);
#logIn {
  color: var(--bgColor);
 border: 1px solid var(--ljubicasta);
 background-color: var(--ljubicasta);
#logIn:hover {
  border: 1px solid var(--ljubicasta);
```

```
color: var(--ljubicasta);
  transition: 0.2s;
  background-color: var(--bgColor);
.commingMovies {
  background-color: var(--bgColor);
.movieTerm {
  background-color: var(--ljubicasta);
 color: var(--bgColor);
  padding: 5px;
  border-radius: 5px;
.similarMovie {
  border: 2px solid var(--ljubicasta);
.similarMovie:hover {
  border: 3px solid var(--roze);
.comment {
  border-bottom: 2px solid;
  border-image: linear-gradient(to right, #8739f9, #c651cd) 1;
 background-color: var(--mainColor);
  padding: 10px;
#allComents {
  height: 300px;
  overflow: auto;
/* The following CSS will style the scrollbar for Firefox */
#allComents {
  scrollbar-width: thin;
  scrollbar-color: var(--navColor) var(--tamnija);
#allComents::-webkit-scrollbar {
 width: 10px;
  background-color: var(--tamnija);
#allComents::-webkit-scrollbar-thumb {
  background-color: var(--navColor);
#commentLogin, #commentLoginButton,
#signUpNow {
  color: var(--roze);
 display: inline-block;
```

```
position: relative;
#commentLogin::before, #commentLoginButton::before,
#signUpNow::before {
  content: "";
 position: absolute;
  bottom: 0;
  left: 0;
 width: 0;
  height: 2px;
 background-image: linear-gradient(to right, var(--ljubicasta), var(--roze));
  transition: width 0.5s ease-in-out;
#commentLogin:hover::before, #commentLoginButton:hover::before,
#signUpNow:hover::before {
 width: 100%;
#formDiv {
  background-color: var(--navColor);
.inputForForm {
 background-color: var(--tamnija);
 border: none;
  color: var(--fontColor);
.inputForForm:focus {
  background-color: var(--tamnija);
 color: var(--fontColor);
  box-shadow: 0 0 0 0.2rem rgba(135, 57, 249, 0.25);
 border-color: var(--ljubicasta);
  outline: 0;
.inputForForm::placeholder{
  color: var(--fontColor);
#submitButton {
  background-image: linear-gradient(to right, var(--ljubicasta), var(--roze));
  color: var(--tamnija);
#formDiv {
 margin-top: 100px;
 margin-bottom: 100px;
#loginBody {
 position: relative;
```

```
width: 100%;
  height: 100%;
  background-image: url(../img/too.jpg);
  background-size: cover;
  background-position: center;
#loginBody::before {
  content: "";
 position: absolute;
 top: 0;
 left: 0;
  right: 0;
  bottom: 0;
  background-color: rgba(0, 0, 0, 0.65);
  z-index: -1;
 filter: brightness(0.7);
#cnt {
 position: relative;
  z-index: 1;
.slider-transition {
 transition: all 0.5s ease;
td {
 max-width: 150px; /* or adjust as needed */
 vertical-align: middle;
.insertButton{
  background-color: var(--ljubicasta);
 color: #000;
 border-radius: 15px;
.insertButton:hover{
  background-color: var(--roze);
  color: #000;
#searchedMovieInfo {
 position: fixed;
   left: 0;
   right: 0;
   z-index: 9999;
   background: var(--navColor);
.paginationLink{
 background-color: var(--tamnija);
```

```
padding: 5px 10px;
  color: var(--ljubicasta);
  border: 1px solid var(--ljubicasta);
.paginationLink:hover{
  background-color: var(--ljubicasta);
  color: #000;
  transition: 0.4s;
.active p{
  background-color: var(--ljubicasta);
  color: #000;
@media(min-width: 768px){
  .movieDiv{
    box-shadow: 0 0 15px rgba(34, 3, 81, 0.9);
    transition: box-shadow 0.3s ease-in-out;
  .movieDiv:hover {
    box-shadow: 0 0 25px rgba(34, 3, 81, 0.95);
```

#### Main.js

```
function checkWindowWidth() {
  var windowWidth = window.innerWidth || document.documentElement.clientWidth
| document.body.clientWidth;
  if (windowWidth < 768) {</pre>
  try{
  var links = document.getElementsByClassName("watchlistLink");
  for(var i = 0;i<links.length;i++){</pre>
    links[i].innerHTML = `<i class="fa-solid fa-bookmark fs-5 mx-1</pre>
icoSecondary"></i> Add it`
  }}
  catch{
  else{
    try{
      var links = document.getElementsByClassName("watchlistLink");
      for(var i = 0;i<links.length;i++){</pre>
        links[i].innerHTML = `<i class="fa-solid fa-bookmark fs-5 mx-1</pre>
icoSecondary"></i> Add to watchlist`
```

```
catch{
window.addEventListener('resize', checkWindowWidth);
checkWindowWidth();
function checker(regex, id, messageId) {
 if (!regex.test(document.getElementById(id).value)) {
    document.getElementById(messageId).classList.add("d-block");
    return false;
  } else {
    document.getElementById(messageId).classList.remove("d-block");
    return true;
function showSearchedMovies(){
  var navHeight = document.getElementById("navbar").offsetHeight;
  document.getElementById("searchedMovieInfo").style.top = navHeight;
  var movieText = $("#search").val();
  textToFilterBy = movieText.trim().toLowerCase();
  if(textToFilterBy == ""){
    $("#searchedMovieInfo").addClass("d-none")
  else{
    var textData = {
     textFilter:textToFilterBy,
    $.ajax({
      url: "models/get_filtered_movies_data.php",
      method: "POST",
      data: textData,
      success: function(movies) {
        console.log("Data to filter by sent successfully");
        var cnt = "";
        if(!movies){
          cnt = `There are no movies matching your parameters...`;
        else{
          movies.forEach(movie => {
            var url = movie.url
            var name = url.split(".")[0];
            var ext = url.split(".")[1];
            cnt +=`<div class="d-flex justify-content-between">
                    <div class="col-2">
```

```
href="index.php?page=movie&id=${movie.movie id}"><img</pre>
src="assets/img/movies/${name+"cropped."+ext}" class="img-fluid" alt=""></a>
                    </div>
                    <div class="d-flex mx-auto align-items-center fs-5 fw-</pre>
bold">
                      ${movie.movie name}
                    </div>
                  </div>
          });
          document.getElementById("searchedMovieInfo").innerHTML = cnt;
          document.getElementById("searchedMovieInfo").classList.remove("d-
none")
      },
      error: function(xhr, status, error) {
        console.log("Error sending data to filter by to server: " + error);
   });
$("#search").keyup(showSearchedMovies);
if(window.location.href.includes("main") || window.location.pathname == "/" ||
!window.location.href.includes("page")){
    $.ajax({
        url: "models/get_news_data.php",
        dataType: "json",
        success: function (news) {
          var sliderIndex = 0;
          changeSlider();
          var intervalId = setInterval(changeSlider, 5000);
          function changeSlider() {
            var sliderDirection = "right";
            var newsItem = news[sliderIndex];
            var newsCover = document.getElementById("newsCover");
            var sliderText = document.getElementById("sliderText");
            newsCover.classList.add("slider-transition");
              sliderText.classList.add("slider-transition");
            newsCover.src = "assets/img/news/" + newsItem.url;
            sliderText.innerText = newsItem.news_title;
            setTimeout(function() {
              newsCover.classList.remove("slider-transition");
              sliderText.classList.remove("slider-transition");
            }, 500);
            if (sliderDirection === "right") {
              sliderIndex++;
              if (sliderIndex >= news.length) {
```

```
sliderIndex = 0;
            } else if (sliderDirection === "left") {
              sliderIndex--;
              if (sliderIndex < 0) {</pre>
                sliderIndex = news.length - 1;
          var slideLeft = document.getElementById("slideLeft");
          slideLeft.addEventListener("click", function () {
            clearInterval(intervalId);
            sliderDirection = "left";
            changeSlider();
            intervalId = setInterval(changeSlider, 5000);
          });
          var slideRight = document.getElementById("slideRight");
          slideRight.addEventListener("click", function () {
            clearInterval(intervalId);
            sliderDirection = "right";
            changeSlider();
            intervalId = setInterval(changeSlider, 5000);
          });
        },
        error: function(xhr, status, error) {
            console.log("Error retrieving news: " + error);
      });
if(window.location.href.includes("register")){
    $.ajax({
        url:"models/get_users_data.php",
        dataType:"json",
        success: function(data){
            localStorage.setItem("users", JSON.stringify(data));
            allUsers = data;
        },
        error: function(xhr, status, error) {
            console.log("Error retrieving users: " + error);
    });
    var allUsers = JSON.parse(localStorage.getItem(("users")));
    localStorage.removeItem("users");
    var emailReg = /^[\w\.]+@[a-zA-Z_]+?(\.[a-zA-Z]{2,3})+$/;
    var passReg = /^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[a-zA-Z\d]{8,}$/;
    var usernameReg = /^[a-zA-Z]{3}[a-zA-Z0-9_]{0,17}$/;
```

```
$("#submitButton").click(checkRegistrationForm);
    function checkRegistrationForm(){
        var err = 0;
        if(!checker(emailReg, "regInputEmail", "invalidEmail")){
        };
        if(!checker(usernameReg, "regInputUsername", "invalidUsername")){
            err++;
        else{
            var taken = 0;
            allUsers.forEach(user => {
                if(user.username.toString()==document.getElementById("regInput
Username").value){
                    document.getElementById("takenUsername").classList.add("d-
block");
                    taken++;
                    err++;
                }
            });
            if(taken == 0){
                document.getElementById("takenUsername").classList.remove("d-
block");
        if(!checker(passReg, "regInputPassword", "invalidPassword")){
            err++;
        };
        if(document.getElementById("regInputPassword").value!=document.getElem
entById("regInputRenter").value){
            document.getElementById("invalidRenter").classList.add("d-block");
            err++;
        else{
            document.getElementById("invalidRenter").classList.remove("d-
block");
        if(err==0){
            var newUserData = {
                username: document.getElementById("regInputUsername").value,
                email: document.getElementById("regInputEmail").value,
                password: document.getElementById("regInputPassword").value
              };
              $.ajax({
                url: "models/registrationProcess.php",
                method: "POST",
```

```
data: newUserData,
                success: function(response) {
                  console.log("User register sent successfully");
                  console.log("Response from server: " + response);
                  window.location.href = "index.php?page=login";
                },
                error: function(xhr, status, error) {
                  console.log("Error sending user data to server: " + error);
             });
if(window.location.href.includes("page=movie&id")){
 function checkReview(e){
    e.preventDefault();
   var err = 0;
   var movieId = document.getElementById("movieId").value;
    var userId = document.getElementById("userId").value;
    var grade = document.getElementById("gradeOption").value;
    var text = document.getElementById("reviewText").value;
   if(text == ""){
      document.getElementById("reviewTextFeedback").classList.add("d-
block");
    else{
      document.getElementById("reviewTextFeedback").classList.remove("d-
block");
    if(err==0){
     var reviewData = {
       movie_id:movieId,
       user_id:userId,
       gradeOfMovie:grade,
       textOfReview:text
      $.ajax({
       url: "models/reviewProcess.php",
        method: "POST",
       data: reviewData,
        success: function(response) {
          console.log("Review data sent successfully");
          var cnt = "";
          var reviews = response;
```

```
reviews.forEach(review => {
           cnt += `<div class="d-flex flex-column comment mb-2">
                    <div class="d-flex">
                        <i class="fa-solid fa-user fs-4 me-1</pre>
icoSecondary"></i>
                        ${review.username}
                        ${review.date}
                        <i class="fa-solid fa-star icoSecondary"></i></i>
                        ${review.grade}/10
                    </div>
                    ${review.text}
                 </div>`;
         });
         document.querySelector("#allComents").innerHTML = cnt;
         document.guerySelector("#reviewForm").innerHTML = `<p</pre>
class="icoSecondary">Thanks for writing your review!`;
         $("#commentLoginButton").addClass("d-none");
       },
       error: function(xhr, status, error) {
         console.log("Error sending review data to server: " + error);
     });
 $("#commentLoginButton").click(checkReview);
if(window.location.href.includes("insertMovie")){
 function checkMoviePicture(e){
   e.preventDefault();
   var err = 0;
   var newPictureUrl = document.getElementById("newPictureUrl").files[0];
   if(newPictureUrl){
     var mimeType = newPictureUrl.type;
     if(!mimeType.startsWith("image/")){
       err++:
       $("#invalidPictureUrl").addClass("d-block");
     else{
       $("#invalidPictureUrl").removeClass("d-block");
   else{
     $("#invalidPictureUrl").addClass("d-block");
     err ++;
   if(err == 0){
     var formData = new FormData();
     formData.append("image", newPictureUrl);
```

```
$.ajax({
      url: "models/insertMoviePictureProcess.php",
      method: "POST",
      data: formData,
      processData: false,
      contentType: false,
      success: function(response) {
        console.log("Picture data sent successfully");
        console.log("Response from server: " + response);
        window.location.href = 'index.php?page=insertMovie';
      },
      error: function(xhr, status, error) {
        console.log("Error sending picture data to server: " + error);
    })
$("#moviePictureInsert").click(checkMoviePicture);
function checkCategoryData(e){
  var categoryName = $("#newCategoryName").val();
  e.preventDefault();
  var categoryReg = /^(?=[A-Z]).{1,40}$/;
  var err=0;
  if(!checker(categoryReg, "newCategoryName", "invalidCategoryName")){
    err++;
  if(err==0){
    var categoryData = {
      name:categoryName
    $.ajax({
      url: "models/insertNewCategoryProcess.php",
      method: "POST",
      data: categoryData,
      success: function(response) {
        console.log("Category data sent successfully");
        console.log("Response from server: " + response);
        window.location.href = 'index.php?page=insertMovie';
      error: function(xhr, status, error) {
        console.log("Error sending category data to server: " + error);
    })
$("#insertMovieCategory").click(checkCategoryData);
function checkActorData(e){
 e.preventDefault();
```

```
var err = 0;
    var actorName = $("#newActorName").val();
    var actorLastName = $("#newActorLastName").val();
    var nameAndLastNameReg = /^([A-ZČĆŠŽĐ][a-zčćšžđ]+)\s*([A-ZČĆŠŽĐ][a-
z\check{c}\check{s}\check{z}d]+(\s)*)*$/;
    if(!checker(nameAndLastNameReg, "newActorName", "invalidActorName")){
    if(!checker(nameAndLastNameReg, "newActorLastName",
"invalidActorLastName")){
      err++;
    if(err==0){
      var actorData = {
        firstName:actorName,
        lastName:actorLastName
      $.ajax({
        url: "models/insertNewActorProcess.php",
        method: "POST",
        data: actorData,
        success: function(response) {
          console.log("Actor data sent successfully");
          console.log("Response from server: " + response);
          window.location.href = 'index.php?page=insertMovie';
        },
        error: function(xhr, status, error) {
          console.log("Error sending actor data to server: " + error);
      })
  $("#actorInsert").click(checkActorData);
  function checkMovieData(e){
    e.preventDefault();
    var err = 0;
    var pictureId = $("#pictureUrl").val();
    var movieTitle = $("#movieTitle").val();
    var date = $("#movieDate").val();
    var movieDescription = $("#movieDescription").val();
    var checkedCategories = [];
    document.querySelectorAll('input[name="movieCategories[]"]:checked').forEa
ch(function(cc) {
    checkedCategories.push(cc.value);
    var checkedActors = [];
    document.querySelectorAll('input[name="movieActors[]"]:checked').forEach(f
unction(ca) {
```

```
checkedActors.push(ca.value);
});
var movieTitleReg = /^[A-Z][A-Za-z0-9.]{0,38}[A-Za-z0-9]$/;
if(!checker(movieTitleReg, "movieTitle", "invalidTitle")){
  err ++;
if(date==""){
  err++;
 $("#invalidDate").addClass("d-block");
else{
  $("#invalidDate").removeClass("d-block");
if(movieDescription==""){
 err++;
  $("#invalidDescription").addClass("d-block");
else{
  $("#invalidDescription").removeClass("d-block");
if(checkedCategories.length==0){
  $("#invalidCategory").addClass("d-block");
else{
  $("#invalidCategory").removeClass("d-block");
if(checkedActors.length==0){
 err++;
  $("#invalidActor").addClass("d-block");
else{
 $("#invalidActor").removeClass("d-block");
if(err==0){
 var movieData = {
    picture_Id:pictureId,
    movie title:movieTitle,
   movie_date:date,
   movie_description:movieDescription,
   movie_categories:checkedCategories,
   movie actors:checkedActors
  $.ajax({
    url: "models/insertMovieProcess.php",
    method: "POST",
    data: movieData,
    success: function(response) {
```

```
console.log("Movie data sent successfully");
          console.log("Response from server: " + response);
          window.location.href = 'index.php?page=moviesEdit';
        },
        error: function(xhr, status, error) {
          console.log("Error sending movie data to server: " + error);
      })
  $("#movieInsert").click(checkMovieData);
if(window.location.href.includes("updateMovie")){
  function checkUpdateMovieData(e){
    e.preventDefault();
    var id = $("#movieId").val();
   var err = 0;
   var pictureId = $("#pictureUrl").val();
    var movieTitle = $("#movieTitle").val();
    var date = $("#movieDate").val();
    var movieDescription = $("#movieDescription").val();
    var checkedCategories = [];
    document.querySelectorAll('input[name="movieCategories[]"]:checked').forEa
ch(function(cc) {
    checkedCategories.push(cc.value);
    });
    var checkedActors = [];
    document.querySelectorAll('input[name="movieActors[]"]:checked').forEach(f
unction(ca) {
    checkedActors.push(ca.value);
    });
    var movieTitleReg = /^[A-Z][A-Za-z0-9.]{0,38}[A-Za-z0-9]$/;
    if(!checker(movieTitleReg, "movieTitle", "invalidTitle")){
      err ++;
    if(date==""){
      err++;
      $("#invalidDate").addClass("d-block");
    else{
      $("#invalidDate").removeClass("d-block");
    if(movieDescription==""){
      err++;
      $("#invalidDescription").addClass("d-block");
    else{
```

```
$("#invalidDescription").removeClass("d-block");
    if(checkedCategories.length==0){
      err++;
      $("#invalidCategory").addClass("d-block");
    else{
      $("#invalidCategory").removeClass("d-block");
    if(checkedActors.length==0){
      err++;
      $("#invalidActor").addClass("d-block");
    else{
      $("#invalidActor").removeClass("d-block");
    if(err==0){
     var movieData = {
        picture_Id:pictureId,
        movie_id:id,
       movie_title:movieTitle,
        movie_date:date,
        movie_description:movieDescription,
        movie_categories:checkedCategories,
       movie actors:checkedActors
      $.ajax({
       url: "models/updateMovieProcess.php",
        method: "POST",
        data: movieData,
        success: function(response) {
          console.log("Movie data sent successfully");
          console.log("Response from server: " + response);
          window.location.href = 'index.php?page=moviesEdit';
        },
        error: function(xhr, status, error) {
          console.log("Error sending movie data to server: " + error);
      })
 $("#movieUpdate").click(checkUpdateMovieData);
if(window.location.href.includes("insertNews")){
 function checkNewsPicture(e){
    e.preventDefault();
   var err = 0;
```

```
var newPictureUrl = document.getElementById("newPictureUrl").files[0];
  if(newPictureUrl){
   var mimeType = newPictureUrl.type;
    if(!mimeType.startsWith("image/")){
      $("#invalidPictureUrl").addClass("d-block");
    else{
     $("#invalidPictureUrl").removeClass("d-block");
  else{
   $("#invalidPictureUrl").addClass("d-block");
    err ++;
  if(err == 0){
    var formData = new FormData();
    formData.append("image", newPictureUrl);
    $.ajax({
      url: "models/insertNewsPictureProcess.php",
      method: "POST",
     data: formData,
      processData: false,
      contentType: false,
      success: function(response) {
        console.log("Picture data sent successfully");
        console.log("Response from server: " + response);
        window.location.href = 'index.php?page=insertNews';
      },
      error: function(xhr, status, error) {
        console.log("Error sending picture data to server: " + error);
    })
$("#newsPictureInsert").click(checkNewsPicture);
function checkNewsData(e){
 e.preventDefault();
  var err = 0;
  var titleReg = /^[A-Z][A-Za-z0-9]\{0,50\}[A-Za-z0-9]\.$/;
  var title = document.getElementById("newsTitle").value;
  var pictureId = document.getElementById("pictureUrl").value;
  if(!checker(titleReg, "newsTitle", "invalidTitle")){
   err++;
 if(err == 0){
   var newsData = {
     picture id:pictureId,
```

```
news_title:title
      $.ajax({
        url: "models/insertNewsProcess.php",
        method: "POST",
        data: newsData,
        success: function(response) {
          console.log("News data sent successfully");
          console.log("Response from server: " + response);
          window.location.href = 'index.php?page=newsEdit';
        },
        error: function(xhr, status, error) {
          console.log("Error sending news data to server: " + error);
      })
 $("#newsInsert").click(checkNewsData);
if(window.location.href.includes("updateNews")){
 function checkUpdatedNewsData(e){
    e.preventDefault();
    var err = 0;
    var titleReg = /^[A-Z][A-Za-z0-9: ]{0,50}[A-Za-z0-9]\.$/;
    var title = document.getElementById("newsTitle").value;
    var pictureId = document.getElementById("pictureUrl").value;
    var newsId = document.getElementById("newsId").value;
    if(!checker(titleReg, "newsTitle", "invalidTitle")){
      err++;
    if(err == 0){
     var newsData = {
       id:newsId,
        picture_id:pictureId,
        news_title:title
      $.ajax({
        url: "models/updateNewsProcess.php",
        method: "POST",
       data: newsData,
        success: function(response) {
          console.log("News data sent successfully");
          console.log("Response from server: " + response);
          window.location.href = 'index.php?page=newsEdit';
        },
        error: function(xhr, status, error) {
          console.log("Error sending news data to server: " + error);
```

```
})
  $("#updateNews").click(checkUpdatedNewsData);
if(window.location.href.includes("movies")){
  localStorage.removeItem("checkedCategories");
  localStorage.removeItem("limit");
  localStorage.removeItem("sort");
  function getCheckedCategories(){
    var checked = [];
    $('input[name="categories[]"]').each(function(){
      if($(this).is(':checked')){
        checked.push($(this).val());
    });
    var dataToSend = {
      categories:checked
    localStorage.setItem("checkedCategories", checked);
    localStorage.setItem("limit", 0);
    $.ajax({
      url: "models/get_number_of_movies.php",
      method: "POST",
      data:dataToSend,
      success: function(response){
        var numberOfMovies = response.num;
        var numberOfPages = Math.ceil(numberOfMovies/10);
        var cnt = "";
        for(var i = 0;i<numberOfPages;i++){</pre>
          cnt+=`<a href="#" class="text-decoration-none movie-pagination</pre>
${(i==0?"active":"")}" data-limit="${i}"><p class="me-2 paginationLink fw-
bold">${i+1}</a>`
        document.querySelector("#paginationMenu").innerHTML = cnt;
        $(".movie-pagination").click(getLimit);
      },
      error: function(xhr, status, error){
        console.log("Error retriving number of movies: ", + error);
    })
    sendData();
  var categoryCheckBoxes = $('input[name="categories[]"]');
  for(var i = 0;i<categoryCheckBoxes.length;i++){</pre>
    categoryCheckBoxes[i].addEventListener("change", getCheckedCategories);
```

```
function getLimit(e){
  e.preventDefault();
  window.scrollTo({
    top: 0,
    behavior: 'smooth'
  });
  var limit = $(this).data('limit');
  localStorage.setItem("limit", limit);
  var links = document.getElementsByClassName("movie-pagination");
  for(var i = 0;i<links.length;i++){</pre>
    links[i].classList.remove("active");
  $(this).addClass('active');
  sendData();
$(".movie-pagination").click(getLimit);
function sortOrderChanged(){
  var sortValue = $("#sort").val();
  localStorage.setItem("sort", sortValue);
  sendData();
$("#sort").change(sortOrderChanged);
function sendData(){
  var limit = localStorage.getItem('limit');
  var categories = localStorage.getItem('checkedCategories');
  var sortOdrer = localStorage.getItem("sort");
  if(limit===undefined){
    limit = 0;
  if(categories===undefined){
    categories = [];
  if(sortOdrer===undefined){
    sortOdrer = 1;
  var dataToFIlterBy = {
    limit:limit,
    categories:categories,
    sortOrder:sortOdrer
  $.ajax({
    url: "models/pagination.php",
    method: "POST",
    data: dataToFIlterBy,
    success: function(allData) {
      console.log("Limit data sent successfully");
      var user = allData.user;
      var allMovies = allData.movies;
```

```
var numberOfMovies = allData.number.num;
        var numberOfPages = Math.ceil(numberOfMovies/10);
        var promises = []; // Array to store promises
        var cnt = "";
        // Loop through allMovies using a for...of loop
        for (const movie of allMovies) {
          const name = movie.movie name;
          const url = movie.url;
          const alt = url.split(".")[0];
          const newUrl = alt+"cropped."+url.split(".")[1];
          const id = movie.movie id;
          const avgGrade = movie.grade;
          const formatted_grade = parseFloat(avgGrade).toFixed(1);
          let cnt = `<div class="col-lg-2 col-6 p-lg-0 p-1 mb-2 me-md-4 me-0">
                      <a href="index.php?page=movie&id=${id}">
                        <img src="assets/img/movies/${newUrl}" alt="${alt}"</pre>
class="img-fluid" />
                      </a>
                      <div class="p-2 movieInfo">
                        <i class="fa-solid fa-star ico"></i></i></or>
${formatted_grade}
                        <h6 class="fw-bolder">${name}</h6>
          let rb = 0;
          // Call getMovieCategories asynchronously using a Promise
          const getCategoriesPromise = new Promise((resolve, reject) => {
            getMovieCategories(movie.movie id, function(movieCategories) {
              movieCategories.forEach(category => {
                cnt += `${category.category_name}`;
                if (rb != movieCategories.length) {
                  cnt += ", ";
              });
              cnt += ''
              cnt += `<div class="d-flex justify-content-between">
                          <div class="col-10">`;
              if (user != "") {
                cnt += `<a
href="models/addMovieToWwatchList.php?movieId=${id}&userId=${user}"
class="text-decoration-none watchlistLink p-2"><i class="fa-solid fa-bookmark
fs-5 mx-1 icoSecondary"></i> Add to watchlist</a>`;
              } else {
                cnt += `<a href="index.php?page=login" class="text-decoration-</pre>
none watchlistLink p-2"><i class="fa-solid fa-bookmark fs-5 mx-1</pre>
icoSecondary"></i> Add to watchlist</a>`;
```

```
cnt += `</div>
                          <div class="mb-1">
                            <a href="index.php?page=movie&id=${id}"</pre>
class="info"><i class="fa-solid fa-circle-info info fs-4
icoSecondary"></i></a>
                          </div>
                        </div>
                      </div>
                    </div>`;
              resolve(cnt);
            });
          });
          // Store the Promise in the array
          promises.push(getCategoriesPromise);
        // Wait for all promises to resolve using Promise.all
        Promise.all(promises)
          .then(results => {
            // Combine the results into a single string
            const cnt = results.join("");
            document.getElementById("allMovies").innerHTML = cnt;
          })
          .catch(error => {
            console.log("Error: " + error);
          });
      },
      error: function(xhr, status, error) {
        console.log("Error sending limit data to server: " + error);
   });
  function getMovieCategories(id, callback) {
    var data = {
      id: id
    };
    $.ajax({
    url: "models/get_movie_categories.php",
    method: "POST",
    data: data,
    success: function(movieCategories) {
    console.log("Id data sent successfully");
    callback(movieCategories);
    },
   error: function(xhr, status, error) {
```

```
console.log("Error sending Id data to server: " + error);
   });
if(window.location.href.includes("contact")){
 function checkMailing(e){
    e.preventDefault();
     var err = 0;
     var subjectRegex = /^[A-Za-z0-9\s\.,\?!@#$%^&*()\-+=]{1,100}$/;
     var emailReg = /^[\w\.]+@[a-zA-Z_]+?(\.[a-zA-Z]{2,3})+$/;
     var subjectName = document.getElementById("userMailSubject").value;
      var userEmail = document.getElementById("userMailEmail").value;
      var mailText = document.getElementById("userMailText").value;
      if(!checker(subjectRegex, "userMailSubject", "invalidSubject")){
        err++;
      if(!checker(emailReg, "userMailEmail", "invalidEmail")){
        err++;
      if(mailText==""){
       $("#invalidText").addClass("d-block")
     else{
       $("#invalidText").removeClass("d-block")
      if(err == 0){
       var mailData = {
          userMail:userEmail,
          subjectName:subjectName,
          mailText:mailText
        $.ajax({
          url: "models/sendMailToAdmin.php",
          method: "POST",
          data: mailData,
          success: function(response) {
            console.log("Mail data sent successfully");
            console.log("Response from server: " + response);
            window.location.href = 'index.php';
          },
          error: function(xhr, status, error) {
            console.log("Error sending mail data to server: " + error);
       })
    $("#sendMail").click(checkMailing);
```

```
if(window.location.href.includes("insertUser")){
    url:"models/get_users_data.php",
    dataType:"json",
    success: function(data){
        localStorage.setItem("users", JSON.stringify(data));
        allUsers = data;
    },
    error: function(xhr, status, error) {
        console.log("Error retrieving users: " + error);
});
var allUsers = JSON.parse(localStorage.getItem(("users")));
localStorage.removeItem("users");
var emailReg = /^[\w\.]+@[a-zA-Z]+?(\.[a-zA-Z]{2,3})+$/;
var passReg = /^(?=.*[a-z])(?=.*[A-Z])(?=.*d)[a-zA-Zd]{8,}$/;
var usernameReg = /^[a-zA-Z]{3}[a-zA-Z0-9_]{0,17}$/;
$("#userInsert").click(checkNewUserData);
function checkNewUserData(){
    var err = 0;
    if(!checker(emailReg, "regInputEmail", "invalidEmail")){
    };
    if(!checker(usernameReg, "regInputUsername", "invalidUsername")){
    else{
        var taken = 0;
        allUsers.forEach(user => {
            if(user.username.toString()==document.getElementById("regInputUser
name").value){
                document.getElementById("takenUsername").classList.add("d-
block");
                taken++;
                err++;
            }
        });
        if(taken == 0){
            document.getElementById("takenUsername").classList.remove("d-
block");
    if(!checker(passReg, "regInputPassword", "invalidPassword")){
```

```
};
    if(document.getElementById("regInputPassword").value!=document.getElementB
yId("regInputRenter").value){
        document.getElementById("invalidRenter").classList.add("d-block");
        err++;
    else{
        document.getElementById("invalidRenter").classList.remove("d-block");
    if(err==0){
        var newUserData = {
            username: document.getElementById("regInputUsername").value,
            email: document.getElementById("regInputEmail").value,
            password: document.getElementById("regInputPassword").value,
            roleId: document.getElementById("userRole").value
          };
          $.ajax({
            url: "models/registrationProcess.php",
            method: "POST",
            data: newUserData,
            success: function(response) {
              console.log("User register sent successfully");
              console.log("Response from server: " + response);
              window.location.href = "index.php?page=usersEdit";
            },
            error: function(xhr, status, error) {
              console.log("Error sending user data to server: " + error);
          });
    }
if(window.location.href.includes("updateUser")){
  var currentUserUsername = $("#regInputUsername").val();
  $.ajax({
    url:"models/get_users_data.php",
    dataType:"json",
    success: function(data){
        localStorage.setItem("users", JSON.stringify(data));
        allUsers = data;
    },
    error: function(xhr, status, error) {
        console.log("Error retrieving users: " + error);
});
var allUsers = JSON.parse(localStorage.getItem(("users")));
localStorage.removeItem("users");
var emailReg = /^{\mathbb{W}}.]+0[a-zA-Z]+?(\.[a-zA-Z]{2,3})+$/;
```

```
var passReg = /^(?=.*[a-z])(?=.*[A-Z])(?=.*d)[a-zA-Zd]{8,}$/;
var usernameReg = /^[a-zA-Z]{3}[a-zA-Z0-9]{0,17}$/;
var newPass = $("#newPasswordTrue");
var userId = $("#userId").val();
var checkedPassword;
$("#userUpdate").click(checkUpdatedUserData);
function checkUpdatedUserData(){
    var err = 0;
    if(newPass.is(":checked")){
      checkedPassword = true;
    else{
      checkedPassword = false;
    if(!checker(emailReg, "regInputEmail", "invalidEmail")){
        err++;
    };
    if(!checker(usernameReg, "regInputUsername", "invalidUsername")){
        err++;
    else{
        var taken = 0;
        allUsers.forEach(user => {
            if(user.username.toString()==document.getElementById("regInputUser
name").value &&
document.getElementById("regInputUsername").value!=currentUserUsername){
                document.getElementById("takenUsername").classList.add("d-
block");
                taken++;
                err++;
        });
        if(taken == 0){
            document.getElementById("takenUsername").classList.remove("d-
block");
    if(checkedPassword){
     if(!checker(passReg, "regInputPassword", "invalidPassword")){
        err++;
```

```
if(document.getElementById("regInputPassword").value!=document.getElementB
yId("regInputRenter").value){
        document.getElementById("invalidRenter").classList.add("d-block");
    else{
        document.getElementById("invalidRenter").classList.remove("d-block");
    if(err==0){
        var updatedUserData = {
            username: document.getElementById("regInputUsername").value,
            email: document.getElementById("regInputEmail").value,
            password: document.getElementById("regInputPassword").value,
            roleId: document.getElementById("userRole").value,
            userId: userId,
            newPassword: checkedPassword
          };
          $.ajax({
            url: "models/updateUserProcess.php",
            method: "POST",
            data: updatedUserData,
            success: function(response) {
              console.log("User register sent successfully");
              console.log("Response from server: " + response);
              window.location.href = "index.php?page=usersEdit";
            },
            error: function(xhr, status, error) {
              console.log("Error sending user data to server: " + error);
          });
```