

Anagrammatic quotients of free groups

Eric Stubbley

November 7, 2021

Abstract

We determine the structure of the quotient of the free group on 26 generators by English language anagrams. This group admits a surprisingly simple presentation as a quotient of the free group by 301 of the possible 325 commutators of pairs of generators; all of the missing generators involve at least one of the letters j, q, x, z . We describe the algorithm which can be used to determine this group given any dictionary, and provide examples from the SOWPODS scrabble dictionary witnessing the 301 commutators found.

Contents

1	Introduction	1
2	Algebraic preliminaries	2
3	Strategy	4
4	Dictionary specific results	5
5	History of the anagram problem	6
6	Acknowledgements	7
	Appendices	7
A	SOWPODS anagram pairs realizing commutators	7

1 Introduction

In this article we study the structure of the group

$$A = \langle a, b, c, \dots, z \mid w_1 = w_2 \text{ for all pairs } w_i \text{ which are English language anagrams} \rangle.$$

This work was inspired by the classic article [4] by Mestre–Schoof–Washington–Zagier determining the structure of the homophonic group H . The group H has a similar definition to A except anagrams are replaced by homophones. The main result of [4] is that H is trivial (in both English and French!); moreover it can reasonably be said that H is independent of the dictionary chosen, in that the words witnessing the triviality of each generator

should belong to anything calling itself an English language dictionary. A similar study of homophonic groups for German, Korean, and Turkish was carried out in [2].

The group A is not trivial, and is not independent of the dictionary chosen. In the particular case of the SOWPODS scrabble dictionary [5], we prove the following.

Theorem 1.1. *The group A with respect to the SOWPODS scrabble dictionary is the quotient of the free group on the 26 generators a, b, \dots, z , subject to the relations $[\alpha, \beta] = 1$ for each pair of generators except the following 24:*

- the 6 commutators of each pair of j, q, x, z ,
- the 5 commutators of j with f, k, l, w, y ,
- the 6 commutators of q with b, f, g, k, w, y ,
- the 3 commutators of x with f, k, v ,
- the 4 commutators of z with f, k, v, w .

Notably the relations needed are no more complicated than commutators of the generating letters. This means that A (with this dictionary) is a right-angled Artin group!

Some commutator relation are directly witnessed by anagram pairs. For example the anagram relation $able = bale$ is nothing other than the commutator relation $[a, b] = 1$. However, not all of the commutator relations in A that appear in theorem 1.1 are directly obtainable from anagrams in this way. In section 2 we describe how some anagram relations can be simplified in the presence of commutators, in order that more commutators may be exhibited as coming from anagram relations. Section 3 describes the algorithm used to search the dictionary for commutators. For the specific case of the SOWPODS scrabble dictionary we discuss our findings in section 4. As it turns out the author has a surprising personal connection to the history of the study of the group A , which is recounted in section 5. Appendix A collects anagram pairs in the SOWPODS dictionary which exhibit the commutators in $A(\text{SOWPODS})$.

To avoid confusion, we reserve the use of lower case roman characters a, b, c, \dots, z in mathematical statements for the generators of our anagrammatic groups. We will use greek characters (α, β, \dots) , upper case roman characters (A, B, \dots) , or roman characters with subscripts (a_1, b_2, \dots) for variables.

2 Algebraic preliminaries

We will work throughout this article with the free group F_{26} with generators a, b, \dots, z .

Definition 2.1. If we are given a word $W = a_1 \dots a_n \in F_{26}$ and $\sigma \in S_n$, we define W_σ to be the word

$$W_\sigma = a_{\sigma(1)} \dots a_{\sigma(n)}.$$

For two words $W, W' \in F_{26}$ we say that W and W' are anagrams of one another if $W' = W_\sigma$ for some permutation σ .

Definition 2.2. Given a dictionary D which consists of words in the generators a, b, \dots, z we define to be $R(D)$ the normal subgroup generated by all elements $W_1 W_2^{-1}$ where $W_i \in D$ and W_1, W_2 are anagrams of one another. We say that the relation $W_1 = W_2$ is in $R(D)$ if $W_1 W_2^{-1} \in R(D)$. We define the anagram group $A(D)$ for the dictionary D to be the quotient $A(D) = F_{26}/R(D)$.

The following lemma shows that the “smallest” we can expect $A(D)$ to be is \mathbf{Z}^{26} . This is perhaps clear if we think about the fact that two words are anagrams if and only if they are written with the same multiset of letters, which is precisely what \mathbf{Z}^{26} counts. Nonetheless we provide an explicit proof by computations with commutators to get used to thinking about commutators in an anagrammatic context.

Lemma 2.3. *For any dictionary D , the abelianization map $F_{26} \rightarrow \mathbf{Z}^{26}$ factors through $A(D)$.*

Proof. To show that $A(D)$ is intermediate between F_{26} and \mathbf{Z}^{26} , it suffices to show that $R(D) \subseteq [F_{26}, F_{26}]$. Since the commutator subgroup is normal, it suffices to show that any anagram relation $W = W'$ of $R(D)$ is in $[F_{26}, F_{26}]$.

Suppose that σ is the permutation with $W' = W_\sigma$. If we write $\sigma = \prod_{i=1}^k \tau_i$ as a product of transpositions, we see that

$$WW_\sigma^{-1} = (WW_{\tau_1}^{-1})(W_{\tau_1}W_{\tau_1\tau_2}^{-1}) \dots (W_{\tau_1\dots\tau_{k-1}}W_\sigma^{-1}).$$

From this it suffices to show that WW_τ^{-1} is in the commutator subgroup of F_{26} for any transposition τ . Write

$$W = s_1\alpha s_2\beta s_3 \quad W_\tau = s_1\beta s_2\alpha s_3.$$

Then we have that

$$\begin{aligned} WW_\tau^{-1} &= s_1\alpha s_2\beta s_3 s_3^{-1}\alpha^{-1}s_2^{-1}\beta^{-1}s_1^{-1} \\ &= s_1(\alpha s_2\beta\alpha^{-1}s_2^{-1}\beta^{-1})s_1^{-1} \\ &= s_1(\alpha s_2\beta\alpha^{-1}(\beta^{-1}s_2^{-1}s_2\beta)s_2^{-1}\beta^{-1})s_1^{-1} \\ &= s_1(\alpha s_2\beta\alpha^{-1}(s_2\beta)^{-1}s_2\beta s_2^{-1}\beta^{-1})s_1^{-1} \\ &= s_1[\alpha, s_2\beta][s_2, \beta]s_1^{-1}. \end{aligned}$$

Since the commutator subgroup is normal, this computation shows that WW_τ^{-1} is in $[F_{26}, F_{26}]$. So by our previous logic we see that any anagram relation $W = W_\sigma$ is in $[F_{26}, F_{26}]$. \square

The next lemma shows how we can reduce the relations in $R(D)$ to a simpler form. The principle is to use commutators of generators that we know to be in $R(D)$ in order to remove letters from a given anagram relation.

Lemma 2.4. *Suppose the $W_1 = W_2$ is a relation in $R(D)$ where W_1, W_2 are anagrams, and that α is a character appearing in the W_i . If we have $[\alpha, \beta] \in R(D)$ for all letters β appearing in the W_i and we denote by \hat{W} the word W with all instances of the character α removed, we have that the relation $\hat{W}_1 = \hat{W}_2$ is in $R(D)$.*

Proof. If we have that $[\alpha, \beta] \in R(D)$ for each character used in the W_i , then $[\alpha, S] \in R(D)$ for any string S made using those letters (and similarly for any commutator of $\alpha^{\pm 1}, S^{\pm 1}$). In particular if we write $W_1 = S_1\alpha S_2$, then we see that

$$\begin{aligned} [\alpha, S_1]W_1W_2^{-1} &= \alpha S_1\alpha^{-1}S_1^{-1}S_1\alpha S_2W_2^{-1} \\ &= \alpha S_1S_2W_2^{-1} \end{aligned}$$

is in $R(D)$. Repeat this construction to move all instances of α to the start of W_1 , and similarly move all instances of α^{-1} to the end of W_2^{-1} . We'll be left with the relation $\alpha^k \hat{W}_1 \hat{W}_2^{-1} \alpha^{-k} \in R(D)$, noting that since W_1 and W_2 are anagrams α will appear the same number k times in each. Since $R(D)$ is normal, we thus have that the relation $\hat{W}_1 = \hat{W}_2$ is in $R(D)$, and moreover \hat{W}_1 and \hat{W}_2 are anagrams although they may not be words in the dictionary D . \square

The following consequence of lemma 2.4 describes how new relations can be generated once commutators have been found.

Corollary 2.5. *Suppose that we have relations $W_1 = W_2, W_3 = W_4$ in $R(D)$, and that after some applications of lemma 2.4 these relations become $\hat{W}_1 = \hat{W}_2, \hat{W}_3 = \hat{W}_4$. If $\hat{W}_2 = \hat{W}_3$, then the relation $\hat{W}_1 = \hat{W}_4$ is in $R(D)$.*

Proof. Immediate from multiplying $\hat{W}_1 \hat{W}_2^{-1}$ with $\hat{W}_3 \hat{W}_4^{-1}$. \square

3 Strategy

We describe the strategy that we use in our quest to simplify the presentation of $A(D)$. The basic idea is to iteratively look for commutator relations from our anagrams and then use those relations to reduce and combine our set of anagram relations as in lemma 2.4 and corollary 2.5 in the hope of finding more commutators.

Definition 3.1. We say an pair of words W_1, W_2 is an admissible pair if they are anagrams of each other and they are of the form

$$W_1 = s_1 \alpha \beta s_2 \qquad W_2 = s_1 \beta \alpha s_2$$

for strings s_1, s_2 and letters α, β . Note that if W_1, W_2 are an admissible pair, the relation $W_1 W_2^{-1}$ is a conjugate of the commutator $[\alpha, \beta]$.

Step 1: this step is consists of setting up the main data structure we work with. For each set of anagrams in D having the same image γ in \mathbf{Z}^{26} (we refer to this image as the “letter count” of a word), create a complete graph with vertices the words with that letter count. We think of the edge connecting words W_1 and W_2 as the relation $W_1 = W_2$. We call these graphs the “anagraphs” (a portmanteau of anagram and graph, not to be confused with [1]).

Step 2: search through all the anagraphs we have for any admissible pairs and add them to a running list of known commutators.

Step 3: using the admissible pairs found in the previous step, we reduce and combine our anagraphs using lemma 2.4 and corollary 2.5. Each anagraph G_γ corresponds to a word count γ in \mathbf{Z}^{26} . If a letter appears in γ and our list of admissible pairs tells us that that letter commutes with all others in γ , then we remove that letter from γ and from all the vertices of G_γ . We let γ' be and $G_{\gamma'}$ be the letter count and graph obtained by performing this reduction for each letter of γ .

This may have the effect of combining two or more anagraphs as in corollary 2.5, since letter counts $\gamma_1 \neq \gamma_2$ may reduce such that $\gamma'_1 = \gamma'_2$. When this happens we identify the anagraphs $G_{\gamma'_1}$ and $G_{\gamma'_2}$, identifying those vertices which have reduced to the same string as in corollary 2.5. In general the reduced anagraphs may end up with several connected

components; we always add in edges to ensure that each connected component is complete, which is simply ensuring the transitivity of equality for the group relations as encoded in the anagraphs.

Step 4: return to step 2 and repeat until no new admissible pairs are found and no more reduction of anagraphs occurs.

Step 5: manually treat the remaining relations.

Note that this procedure is not guaranteed to produce useful results; for example with a particularly small dictionary it could be the case that no commutators are found in the second step. With reasonable English language dictionaries fewer than 10 repetitions of the commutator finding and reduction steps are needed, and the resulting list of a few hundred words can easily be dispatched as most provide no new information.

A Sagemath [6] program written to carry out steps 1 through 4 of this strategy is available through the author's website and GitHub page.

4 Dictionary specific results

We now describe the anagram group $A(D)$ in the specific case that D is the SOWPODS scrabble word list [5].

Theorem 4.1. *The group $A(\text{SOWPODS})$ has presentation*

$$\langle a, b, \dots, z \mid \text{all commutators of a pair of generators except the 24 listed below} \rangle$$

where the missing commutators are:

- the 6 commutators of each pair of j, q, x, z
- the 5 commutators of j with f, k, l, w, y
- the 6 commutators of q with b, f, g, k, w, y
- the 3 commutators of x with f, k, v
- the 4 commutators of z with f, k, v, w

Proof. Let N be the normal closure of the set of commutators described in the theorem statement. We want to show that $N = R(\text{SOWPODS})$.

To show that $N \subseteq R(\text{SOWPODS})$ we must exhibit anagram pairs from the SOWPODS dictionary which realize each of the $301 = 325 - 24$ commutators which generate N . The algorithmic steps of the strategy outlined in section 3 realizes 271 of the 325 possible commutators of generators. All commutators not found contain at least one of the letters j, q, x, z . The missing commutators are:

- the 24 exceptional commutators in the theorem statement,
- all commutators involving the letter j except $[j, a]$, $[j, c]$, and $[j, r]$,
- all commutators involving the letter q .

There are 220 remaining letter counts which are left after the algorithm of section 3 terminates. Of these none contain the character x , and only two contain the character z . Those containing z (quartziest = quartzites and quartzose = quatorzes) yield no new information, as they are implied by the known commutators: at this point we know that e, i, s, t commute with one another which implies the first relation, and we know that e, o, r, s, t, z commute which implies the second relation. The remaining 218 letter counts each contain either j or q , and none contains both. Many of these provide no new relation, for example quickest = quickset is already implied by our knowledge that e, s, t commute. Using the 271 commutators we have already established, the other 30 commutators which are not listed as the 24 exceptional ones in the theorem statement are found among the remaining anagram groupings, bringing the total list of commutators found to $301 = 325 - 24$. See appendix A for anagram pairs which realize each of these 301 commutators.

To show that $N \supseteq R(\text{SOWPODS})$ we must show that every anagram pair from the SOWPODS dictionary is implied by the relations in N . Our algorithm verifies this for most of the anagrams in the dictionary, as any anagram which reduces to the trivial word after iterations of the second and third steps of the algorithm is implied by the relations in N . For the remaining 220 letter counts left after the algorithm terminates, one verifies manually that all are implied by the commutators in N . \square

Remark 4.2. Notably the relations in $R(D)$ are generated only by commutators of generators and not any more involved relations, making $A(\text{SOWPODS})$ a right-angled Artin group.

Remark 4.3. One consequence of the fact that $N \supseteq R(\text{SOWPODS})$ is that if $[\alpha, \beta]$ is one of the 24 exceptional commutators which do not appear in N , then all SOWPODS anagrams containing both the characters α and β have the same pattern of α and β appearing. So for example there is no anagram pair W_1, W_2 in the SOWPODS dictionary where W_1 contains a j and then an x , while W_2 contains an x and then a j . So in a sense $A(\text{SOWPODS})$ is maximally abelian, in that any commutator which could possibly arise from anagrams in the SOWPODS dictionary does arise.

5 History of the anagram problem

This work was undertaken by the author while he was a graduate student at the University of Chicago, primarily in the spring of 2017. As it turns out, there is a long and storied history of grad students at the University of Chicago studying anagrammatic groups, stretching back at least to the 1970s. While following up on references from the article [4], the author stumbled across [3]. The article [3] is an account of several whimsical math problems studied by a group of grad students at the University of Chicago in the 1970s. Apparently there was at that time a tradition of grad students attempting to determine the structure of the group A by hand, with generations of student work being logged in a large paper chart posted on the fourth floor of the mathematics building. Without computer assistance, several letters had been shown to be in the center of the group, and anagrams exhibiting many of the possible commutator pairs had been filled in on the chart.

The author only learned of this surprising connection in the spring of 2020, at which point the COVID-19 pandemic was in full force. The author has confirmed that the paper chart mentioned in [3] was still in existence until at the least the early 1990s. Unfortunately, the closure of the department due to the COVID-19 pandemic and the author's subsequent graduation from the University of Chicago prevented a thorough archaeological exploration of Eckhart Hall to determine if the paper chart has since been lost.

6 Acknowledgements

The author wishes to thank the UChicago crossword crew for encouraging this project, the UChicago pizza seminar for providing a forum where this research was first presented, and the Canada/USA Mathcamp 2020 class “Grammatical group generation” for trying to actually learn some math from this project.

A SOWPODS anagram pairs realizing commutators

Our algorithm takes 5 iterations to terminate on the SOWPODS dictionary. See table 1 for an overview of how many commutators are found at each step of the algorithm.

Iteration	Number of anagrams	Total number of commutators found
1	21640	123
2	8992	235
3	405	266
4	226	271
5	220	271

Table 1: Progress of algorithm on SOWPODS dictionary

For each of the 301 commutator relations in our presentation of $A(\text{SOWPODS})$, table 2 provides an anagram pair realizing that commutator, sorted by which iteration of the strategy they are found at and then lexicographically by (α, β) . Note that commutators from previous rounds are used in extracting a commutator from an anagram pair in round 2 and onwards.

Table 2: Anagrams pairs (w_1, w_2) exhibiting the 301 commutator relations $[\alpha, \beta]$ in our presentation of the anagram group.

Iteration found	α	β	w_1	w_2
1	a	b	able	bale
1	a	c	acre	care
1	a	d	add	dad
1	a	e	tael	teal
1	a	f	aft	fat
1	a	g	agin	gain
1	a	h	ah	ha
1	a	i	chai	chia
1	a	j	ajwan	jawan
1	a	k	oaky	okay
1	a	l	alps	laps
1	a	m	am	ma
1	a	n	an	na
1	a	o	gaol	goal
1	a	p	apt	pat
1	a	r	arm	ram
1	a	s	asp	sap

Iteration found	α	β	w_1	w_2
1	a	t	eat	eta
1	a	u	daud	duad
1	a	v	ave	vae
1	a	w	awn	wan
1	a	x	coax	coxa
1	a	y	aye	yae
1	a	z	diazin	dizain
1	b	i	carbies	caribes
1	b	l	able	albe
1	b	o	bool	obol
1	b	r	dobra	dorba
1	c	i	cion	icon
1	c	n	acne	ance
1	c	o	cotan	octan
1	c	r	acred	arced
1	c	s	panics	panisc
1	c	y	scye	syce
1	d	e	hide	hied
1	d	g	radge	ragde
1	d	i	di	id
1	d	l	badly	baldy
1	d	o	door	odor
1	d	r	padri	pardi
1	d	u	duo	udo
1	e	f	fief	fife
1	e	g	ego	geo
1	e	h	eh	he
1	e	i	lei	lie
1	e	k	eek	eke
1	e	l	angel	angle
1	e	m	em	me
1	e	n	fiend	fined
1	e	o	reo	roe
1	e	p	creep	crepe
1	e	r	tier	tire
1	e	s	cures	curse
1	e	t	eta	tea
1	e	u	deus	dues
1	e	v	evil	veil
1	e	w	ewe	wee
1	e	y	ley	lye
1	e	z	meze	mzee
1	f	i	defi	deif
1	g	i	algin	align
1	g	k	gingko	ginkgo
1	g	l	bugle	bulge
1	g	n	sign	sing

Iteration found	α	β	w_1	w_2
1	g	o	gore	ogre
1	g	r	segreant	sergeant
1	g	u	rogue	rouge
1	g	y	bogy	boyg
1	h	o	hom	ohm
1	h	s	ahs	ash
1	h	t	baht	bath
1	i	k	sik	ski
1	i	l	gild	glid
1	i	m	aim	ami
1	i	n	intro	nitro
1	i	o	viola	voila
1	i	p	sipe	spie
1	i	r	gird	grid
1	i	s	is	si
1	i	t	its	tis
1	i	v	waiver	wavier
1	i	x	deixes	dexies
1	k	o	kora	okra
1	k	r	chakra	charka
1	k	s	flaks	flask
1	k	u	kue	uke
1	k	y	skyer	syker
1	l	m	alma	amla
1	l	n	alnage	anlage
1	l	o	clod	cold
1	l	s	pulse	pusle
1	l	t	tilted	titled
1	l	u	luna	ulna
1	l	v	delving	devling
1	l	y	idly	idyl
1	m	o	moit	omit
1	m	s	prims	prism
1	m	u	mu	um
1	n	o	mono	moon
1	n	r	unred	urned
1	n	s	mense	mesne
1	n	u	gnu	gun
1	n	y	sny	syn
1	o	p	opt	pot
1	o	r	orc	roc
1	o	s	os	so
1	o	t	pinot	pinto
1	o	u	flour	fluor
1	o	w	tow	two
1	o	y	oy	yo
1	o	z	ozonic	zoonic

Iteration found	α	β	w_1	w_2
1	p	s	cups	cusps
1	p	u	pus	ups
1	p	y	spying	symping
1	r	t	parton	patron
1	r	u	run	urn
1	r	v	larva	lavra
1	r	y	trye	tyre
1	s	t	star	tsar
1	s	u	suer	user
1	s	y	busy	buys
1	t	u	lotus	louts
1	t	y	fluty	fluyt
2	b	c	bac	cab
2	b	d	bad	dab
2	b	e	bed	deb
2	b	g	bag	gab
2	b	h	boh	hob
2	b	k	bok	kob
2	b	m	bombed	mobbed
2	b	n	ban	nab
2	b	s	abs	sab
2	b	t	bat	tab
2	b	u	babu	buba
2	b	w	bawble	wabble
2	b	y	boy	yob
2	b	z	bozo	zobo
2	c	d	cade	dace
2	c	e	aced	ecad
2	c	f	cafe	face
2	c	g	corgi	orgic
2	c	h	cache	chace
2	c	j	carcajou	carjacou
2	c	l	clay	lacy
2	c	m	came	mace
2	c	p	cap	pac
2	c	t	cate	tace
2	c	u	cur	ruc
2	c	v	cive	vice
2	c	w	cawlk	wack
2	d	f	def	fed
2	d	h	dah	had
2	d	k	deke	eked
2	d	m	dam	mad
2	d	n	and	dan
2	d	p	dap	pad
2	d	s	das	sad
2	d	t	dart	trad

Iteration found	α	β	w_1	w_2
2	d	v	avid	diva
2	d	w	daw	wad
2	d	y	dray	yard
2	e	x	taxes	texas
2	f	g	fig	gif
2	f	k	faik	kaif
2	f	l	flit	lift
2	f	n	fain	naif
2	f	r	arf	far
2	f	s	fast	saft
2	f	t	eft	tef
2	f	y	oofy	yoof
2	g	h	gash	hags
2	g	m	gum	mug
2	g	p	gape	page
2	g	s	gas	sag
2	g	t	gat	tag
2	g	v	gave	vega
2	g	w	gowan	wagon
2	h	i	his	ish
2	h	k	hoka	koha
2	h	l	ashler	lasher
2	h	m	amahs	shama
2	h	n	han	nah
2	h	p	hap	pah
2	h	r	hare	rhea
2	h	u	chout	couth
2	h	w	how	who
2	h	y	hay	yah
2	i	u	situs	suits
2	i	y	lily	yill
2	j	r	jar	raj
2	k	l	alko	kola
2	k	m	kam	mak
2	k	n	ken	nek
2	k	p	keep	peek
2	k	t	kat	tak
2	k	v	kavass	vakass
2	k	w	kawa	waka
2	l	p	lap	pal
2	l	r	lear	real
2	l	w	awl	law
2	l	x	axles	laxes
2	l	z	laze	zeal
2	m	n	man	nam
2	m	p	map	pam
2	m	r	mar	ram

Iteration found	α	β	w_1	w_2
2	m	t	mat	tam
2	m	w	mew	wem
2	m	y	may	yam
2	m	z	mozo	zoom
2	n	p	nap	pan
2	n	t	nat	tan
2	n	v	nave	vane
2	n	w	naw	wan
2	n	z	winze	wizen
2	o	v	avo	ova
2	o	x	diaxon	dioxan
2	p	r	par	rap
2	p	t	pat	tap
2	p	v	pavid	vapid
2	p	w	paw	wap
2	r	s	ruse	user
2	r	w	raw	war
2	r	z	bazar	braza
2	s	v	sav	vas
2	s	w	saw	was
2	s	x	axes	saxe
2	s	z	saz	zas
2	t	v	tav	vat
2	t	w	taw	wat
2	t	x	axites	taxies
2	t	z	azote	toaze
2	u	v	uva	vau
2	u	y	guy	yug
2	v	y	nevey	yeven
2	w	y	way	yaw
3	b	f	beef	feeb
3	b	p	bleep	plebe
3	b	v	adverb	braved
3	c	k	cheek	keech
3	c	x	coexist	exotics
3	d	x	desex	sexed
3	d	z	dozen	zoned
3	f	h	flash	halfs
3	f	m	flamed	malfed
3	f	o	coif	foci
3	f	p	earflap	parafle
3	f	u	furs	surf
3	f	v	favorer	overfar
3	f	w	fretsaw	wafters
3	h	v	halvas	lavash
3	h	x	hoaxed	oxhead
3	h	z	hazmat	matzah

Iteration found	α	β	w_1	w_2
3	i	w	sinew	swine
3	i	z	sitz	zits
3	m	v	mover	vomer
3	m	x	exams	maxes
3	n	x	exons	noxes
3	p	x	expos	poxes
3	p	z	spaz	zaps
3	r	x	rexes	sexer
3	u	w	outwash	washout
3	u	x	exul	luxe
3	u	z	azurines	suzerain
3	v	w	advew	waved
3	w	x	taxwise	waxiest
3	y	z	lysozymes	zymolyses
4	b	x	bruxes	exurbs
4	c	z	citizen	zincite
4	g	x	exerting	genetrix
4	g	z	gazy	zyga
4	x	y	prexy	pyrex
manual	a	q	aquiline	quiniela
manual	b	j	baju	juba
manual	c	q	cinque	quince
manual	d	j	jumared	mudejar
manual	d	q	derequisition	requisitioned
manual	e	j	adjuster	readjust
manual	e	q	equators	quaestor
manual	g	j	gju	jug
manual	h	j	hadji	jihad
manual	h	q	haiques	quashie
manual	i	j	ijtihads	jihadist
manual	i	q	uniquet	unquiets
manual	j	m	joram	major
manual	j	n	abjoins	banjoist
manual	j	o	journos	sojourn
manual	j	p	jaup	puja
manual	j	s	joes	sjoie
manual	j	t	jeats	tajes
manual	j	u	rejoindures	surrejoined
manual	j	v	jayvee	veeyjay
manual	l	q	liquidate	qualitied
manual	m	q	masque	squame
manual	n	q	equinity	inequity
manual	o	q	quote	toque
manual	p	q	equip	pique
manual	q	r	quester	request
manual	q	s	quakes	squeak
manual	q	t	quoter	torque

Iteration found	α	β	w_1	w_2
manual	q	u	maqui	umiaq
manual	q	v	quiverer	verquire

References

- [1] *Anagrams, but where you can break apart letters: “Anagraphs”*. <https://www.youtube.com/watch?v=qTBAW-Eh0tM>. Accessed: 2021-10-31.
- [2] Herbert Gangl, Gizem Karaali, and Woohyung Lee. “Homophonic quotients of linguistic free groups: German, Korean, and Turkish”. In: *Involve* 12.3 (2019), pp. 463–474. ISSN: 1944-4176. DOI: [10.2140/involve.2019.12.463](https://doi.org/10.2140/involve.2019.12.463). URL: <https://doi.org/10.2140/involve.2019.12.463>.
- [3] Steven E. Landsburg. “Notes: The Jimmy’s Book”. In: *Amer. Math. Monthly* 93.8 (1986), pp. 636–638. ISSN: 0002-9890. DOI: [10.2307/2322324](https://doi.org/10.2307/2322324). URL: <https://doi.org/10.2307/2322324>.
- [4] Jean-François Mestre et al. “Quotients homophones des groupes libres”. In: *Experiment. Math.* 2.3 (1993), pp. 153–155. ISSN: 1058-6458. URL: <http://projecteuclid.org/euclid.em/1062620828>.
- [5] *SOWPODS Scrabble words list*. <https://www.wordgamedictionary.com/sowpods/download/sowpods.txt>. Accessed: 2021-10-31.
- [6] The Sage Developers. *SageMath, the Sage Mathematics Software System (Version 9.4)*. <https://www.sagemath.org>. 2021.