

LANE A · LOOK UP RESULTS IN PUBLIC DATA

All 47 gene-network pairs

Search public FunGen results

Likely AD variants · effects on gene activity or splicing
Pre-computed results from a fixed public data snapshot

Match results directly to each gene

Keep the source's original confidence labels
Support grade—not a shared-signal probability

**Starting gene list
(chosen in advance)**
47 gene-network pairs
25 unique genes
Top network genes
not changed by genetic results
List fixed in advance

LANE B · DOES THE SAME DNA SIGNAL LINK TO AD AND THE GENE?

27 gene-network pairs · 19 non-mitochondrial genes

1 AD-linked DNA region

Bellenguez AD · GCST90027158
Spinal-fluid biomarkers (CSF):
GCST90726396 · GCST90726397
GCST90726398
54 AD gene tests · 57 CSF screens

2 Variant affects the gene

DNA-to-gene link (QTL)
Activity (eQTL) · splicing (sQTL)
APOE protein (pQTL; NG00130.v2)
RPS15 check (NG00184.v1)
eQTL Catalogue r7

3 Data can be compared

Matching variants + genome
Complete statistical model
Matched ancestry and
variant correlation (LD)
Every item is required

4 Same DNA signal?

Probability both match
(PP.H4)
Runs only if steps 1–3 pass
Otherwise: not calculated

mtDNA

Mitochondrial genes

20 pairs · 6 genes
Need a different test
—not a negative result

Testing stops when a required step fails.

Arrows show test order—not cause and effect.