

Joshua Says

# Armored Genesys Cloud CX

*For people who already know the easy version.*

Advanced practice for contact-centre administrators, supervisors and analysts

by Joshua

**V1.** Written from the platform's public documentation as of the date below. Check every key against the source area named in *Check the work* before relying on it; corrections are dated and kept public.

25 items · V1 · 2026-09-15

Genesys is a trademark of its owner. This book is an independent, unofficial study aid. It is not affiliated with, sponsored by, or endorsed by Genesys or any employer of the author. Every item is original and written from the platform's public documentation; no certification exam question is reproduced or paraphrased, and no customer instance, configuration or data is described.

## How to run it

- 1 Read the target word first.** Write it on the line before you read the options. The platform disguises the question in the noun it uses — case or incident, skill or agent, queue or division, total or per unit.
- 2 Name the one fact that decides.** Everything else in the stem is camouflage: the deadline, the executive, the numbers, the object's name.
- 3 Principle before configuration.** Say what the platform construct is *for*, then pick the construct.
- 4 Confusion sets are the platform's favourite trap.** Every wrong option is a real thing. The test is exact role-matching, not recognition.
- 5 Mark confidence honestly.** Sure-and-wrong is a wrong mental model, and it is the only thing worth finding.
- 6 Grade in Part B.** Each distractor carries the error it encodes. Name the mold you fell for; naming it defeats it.

## Check the work — sources

Every item is written from public documentation. Before trusting a key, check it against the source area named here; corrections are dated and kept public.

|                                                                |                                                                                                                                   |
|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>Genesys Cloud Resource Center</b>                           | help.mypurecloud.com (Architect, routing, queues, Quality Management, Speech and Text Analytics, Workforce Management, Analytics) |
| <b>Genesys Cloud Developer Center</b>                          | developer.genesys.cloud (Platform API, Data Actions, integrations)                                                                |
| <b>Google Cloud — Contact Center AI Platform documentation</b> | cloud.google.com/contact-center (used only as the reference frame for what a contact-centre platform's concept list contains)     |

The seven molds: dropped element · wrong stem number · adjacent category · inverted operation · absolute language · confusion set · camouflage (the option that answers a stem fact that was never the question).

## Part A — Items

### 1. Queue vs skill vs division

A caller needs Spanish billing support in the EMEA business unit. The admin has created a queue called 'Spanish Billing EMEA.' Which constructs should have carried each requirement?

- A. A division per language
- B. A queue for billing, a language (Spanish) and/or skill on the interaction, and a division for EMEA's access boundary
- C. One skill named 'Spanish Billing EMEA'
- D. Three queues

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 2. Routing methods

A queue should first try the customer's previous agent for 30 seconds, then widen to anyone with the skill, then to the whole queue. Which routing configuration?

- A. Predictive routing
- B. Standard routing
- C. Conditional group routing only
- D. Preferred agent routing, then bullseye routing rings that relax skills over time

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 3. Utilization

An agent is on a voice call and still receives two chats. The supervisor says 'the queue is wrong.' What actually governs this?

- A. Wrap-up codes
- B. The agent's skill
- C. Utilization settings — maximum interactions per media type and which media can interrupt which, at org or agent level
- D. The queue's routing method

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 4. Architect flow types

Four needs: an inbound phone menu; hold-time announcements while waiting in queue; a web chat greeting; a self-service bot. Which Architect flow types?

- A. Inbound call flow · in-queue call flow · inbound message flow · bot flow
- B. Bot flow for all four
- C. Inbound call · inbound call · inbound message · inbound message
- D. All are inbound call flows

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 5. Data actions and data tables

An IVR must greet the caller by name from the CRM and route VIPs differently based on a list the business edits weekly. Which Architect building blocks?

- A. A skill
- B. A data action (integration call to the CRM) for the name, and a data table for the VIP list the business maintains
- C. Two data actions
- D. Hard-code the VIP list in the flow

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 6. Presence vs routing status

An agent shows 'Available' but receives no interactions. What is the likeliest state?

- A. The agent lacks a skill
- B. The queue is closed
- C. Utilization is zero
- D. Presence is Available but routing status is Off Queue — the agent has not gone On Queue

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 7. Wrap-up codes and ACW

Supervisors want to report why customers called, and give agents 45 seconds after each call to finish notes. Which two settings?

- A. Skills and utilization
- B. Evaluation forms
- C. Wrap-up codes assigned to the queue, and after-call work (ACW) configured on the queue with a time limit
- D. Scripts

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 8. Divisions, roles, permissions

A regional supervisor should see only her region's queues and agents but needs the same permissions as other supervisors. What is configured?

- A. Assign the supervisor role scoped to her division; objects (queues, users) are placed in that division
- B. A separate org
- C. A custom role per region
- D. Remove permissions

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 9. Quality Management — evaluation forms

Coaches want to score calls on greeting, verification, resolution and empathy, weighted, with a fail-all question on compliance. Which construct?

- A. A survey
- B. An evaluation form with question groups, weights and a critical (fail-all) question, assigned through a quality policy
- C. Wrap-up codes
- D. A script

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 10. Quality policies and sampling

Every agent should have three random calls evaluated each week, only calls over two minutes, only from the sales queue. Where is that set?

- A. The queue's ACW
- B. The evaluation form
- C. Manually by coaches
- D. A quality policy — conditions (queue, duration), sampling per agent, and the assigned form/evaluator

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 11. Calibration

Two evaluators score the same call 60 and 90. What is the purpose-built remedy?

- A. A new form
- B. Averaging the two scores
- C. A calibration session — multiple evaluators score the same interaction and compare against a reference
- D. Removing one evaluator

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 12. Speech and Text Analytics — topics and sentiment

Leadership wants to know how often 'cancel my subscription' comes up and how customers feel when it does. Which features, and what is a topic made of?

- A. Speech and Text Analytics — topics built from phrases that detect the intent, plus sentiment scoring on the transcript
- B. Evaluation forms
- C. Wrap-up codes
- D. Predictive routing

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 13. Transcription and recording policies

Calls in one queue must be recorded and transcribed and retained for 90 days; another queue must not be recorded at all. Where?

- A. The agent's presence
- B. Recording policies (with conditions per queue) governing recording, transcription and retention
- C. The evaluation form
- D. Utilization

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 14. Workforce Management — forecast, schedule, adherence

A planner needs next month's staffing, then shifts, then to see who was off-plan yesterday. Which three WFM pieces?

- A. Adherence → forecast → schedule
- B. All three are the same view
- C. Schedule → forecast → adherence
- D. Forecast → schedule → adherence

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 15. Performance views vs reports vs API

A supervisor wants a live wallboard; an analyst wants last quarter's handle time by queue in a spreadsheet; a developer wants the same numbers in a data lake. Which routes?

- A. Reports for all three
- B. All from the Analytics API
- C. Performance views (real-time) · exported reports/views (historical) · Analytics API (programmatic)
- D. All from performance views

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 16. Genesys Cloud Voice vs BYOC

A company wants Genesys to provide phone numbers and carriage; another has a carrier contract and SBCs it must keep. Which telephony options?

- A. Genesys Cloud Voice for the first; BYOC (Bring Your Own Carrier — cloud or premises) for the second
- B. Both must use Genesys Cloud Voice
- C. Neither needs telephony configuration
- D. Both must use BYOC

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 17. Sites, trunks, DIDs

A new office needs its own outbound caller ID, its own emergency address, and numbers routed to its IVR. Which telephony objects?

- A. A skill
- B. A site (location, emergency address, outbound settings), trunk configuration, and DID assignment to the flow
- C. A queue
- D. A division

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 18. External contacts and CRM embedding

Agents want the caller's CRM record to pop on connect, and the interaction logged back. Which mechanisms?

- A. A script
- B. Manual search
- C. A data table
- D. Screen pop via an integration/embeddable framework (or CRM client) and interaction logging through the integration

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

### 19. Scripts

Agents on the retention queue must read a compliance statement and capture three fields in order. Which feature?

- A. An evaluation form
- B. A canned response
- C. A script assigned to the queue — pages, inputs and variables shown in the interaction panel
- D. A wrap-up code

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

## 20. Callbacks

Wait time is 20 minutes; the business wants to offer to call back without losing queue position. Which capability?

- A. Callback offered from the in-queue flow, scheduled or immediate, retaining queue position
- B. A second queue
- C. Voicemail
- D. Transfer to an agent

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

## 21. Secure pause

A caller reads a card number to an agent on a recorded line. What should happen?

- A. Stop recording the whole queue
- B. The agent (or an automated trigger) pauses recording — secure pause — for the sensitive portion
- C. Nothing; recordings are encrypted
- D. Delete the recording after the call

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

## 22. Knowledge and bots

A self-service bot should answer from curated articles and hand off to an agent with the transcript when it cannot. Which pieces?

- A. A data table of answers
- B. Canned responses
- C. An IVR menu
- D. Knowledge workbench articles used by a knowledge/bot flow, with a transfer-to-queue step that carries context

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

## 23. Agent assist

During a live call the agent should see suggested articles and a running summary without leaving the interaction. Which capability class?

- A. Workforce Management
- B. Quality Management
- C. Agent assist / Agent Copilot — real-time suggestions and summarization in the agent UI
- D. Bullseye routing

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

## 24. Interaction vs conversation

A customer emails, then calls, then chats about the same order. Reporting shows three records. Is that wrong?

- A. No — each channel session is an interaction; linking them into one customer journey is done through external contacts/journey features, not by merging interactions
- B. No — email is not an interaction
- C. Yes — chats do not count
- D. Yes — they should be one interaction

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_  
Answer: \_\_\_\_\_ [ ] sure [ ] unsure [ ] guess

## 25. Predictive routing

Routing should match each interaction to the agent most likely to resolve it on first contact, learned from outcomes. Which method, and what does it need?

- A. A larger queue
- B. Predictive routing — a model trained on historical interaction and outcome data for a chosen KPI, with a fallback routing method
- C. Bullseye
- D. Preferred agent

---

Target word: \_\_\_\_\_ The one fact that decides: \_\_\_\_\_

Answer: \_\_\_\_\_ ☐ sure ☐ unsure ☐ guess

# STOP

Answers ahead. Finish Part A and mark every confidence box, then turn.

## Part B — Key and dissection

### 1. Queue vs skill vs division — B

**Rule.** Queue = where. Skill = who can. Division = who may see.

**Target word.** need · language · unit    **Decides.** Queues hold work; skills/languages match agents; divisions segment access.

**Camouflage, struck.** ~~the queue name~~

|   |                    |                                                                                                                      |
|---|--------------------|----------------------------------------------------------------------------------------------------------------------|
| A | adjacent category  | A division per language                                                                                              |
| B | <b>KEY</b>         | A queue for billing, a language (Spanish) and/or skill on the interaction, and a division for EMEA's access boundary |
| C | inverted operation | One skill named 'Spanish Billing EMEA'                                                                               |
| D | dropped element    | Three queues                                                                                                         |

### 2. Routing methods — D

**Rule.** Standard · bullseye · preferred agent · conditional group · predictive — pick by what changes over time.

**Target word.** first · then widen · then everyone    **Decides.** Bullseye relaxes criteria in timed rings; preferred agent targets a person.

**Camouflage, struck.** ~~30 seconds~~

|   |                   |                                                                                  |
|---|-------------------|----------------------------------------------------------------------------------|
| A | adjacent category | Predictive routing                                                               |
| B | dropped element   | Standard routing                                                                 |
| C | adjacent category | Conditional group routing only                                                   |
| D | <b>KEY</b>        | Preferred agent routing, then bullseye routing rings that relax skills over time |

### 3. Utilization — C

**Rule.** Utilization decides how many of what an agent can carry at once.

**Target word.** on a call AND two chats    **Decides.** Capacity per media type is utilization.

**Camouflage, struck.** ~~the queue is wrong~~

|   |                   |                                                                                                                       |
|---|-------------------|-----------------------------------------------------------------------------------------------------------------------|
| A | confusion set     | Wrap-up codes                                                                                                         |
| B | adjacent category | The agent's skill                                                                                                     |
| C | <b>KEY</b>        | Utilization settings — maximum interactions per media type and which media can interrupt which, at org or agent level |
| D | adjacent category | The queue's routing method                                                                                            |

### 4. Architect flow types — A

**Rule.** Flow type follows where the customer is and on which channel.

**Target word.** menu · while waiting · chat · bot    **Decides.** Each moment in the journey has its own flow type.

**Camouflage, struck.** —

|   |                    |                                                                          |
|---|--------------------|--------------------------------------------------------------------------|
| A | <b>KEY</b>         | Inbound call flow · in-queue call flow · inbound message flow · bot flow |
| B | absolute language  | Bot flow for all four                                                    |
| C | inverted operation | Inbound call · inbound call · inbound message · inbound message          |
| D | dropped element    | All are inbound call flows                                               |

### 5. Data actions and data tables — B

**Rule.** Data action = call out. Data table = lookup in.

**Target word.** from the CRM · list the business EDITS **Decides.** External lookups are data actions; editable reference data is a data table.

**Camouflage, struck.** weekly

|   |                   |                                                                                                                    |
|---|-------------------|--------------------------------------------------------------------------------------------------------------------|
| A | confusion set     | A skill                                                                                                            |
| B | KEY               | A data action (integration call to the CRM) for the name, and a data table for the VIP list the business maintains |
| C | adjacent category | Two data actions                                                                                                   |
| D | dropped element   | Hard-code the VIP list in the flow                                                                                 |

### 6. Presence vs routing status — D

**Rule.** On Queue is the switch; presence is the mood.

**Target word.** Available but nothing arrives **Decides.** Presence and routing status are separate.

**Camouflage, struck.** —

|   |                   |                                                                                         |
|---|-------------------|-----------------------------------------------------------------------------------------|
| A | adjacent category | The agent lacks a skill                                                                 |
| B | adjacent category | The queue is closed                                                                     |
| C | confusion set     | Utilization is zero                                                                     |
| D | KEY               | Presence is Available but routing status is Off Queue — the agent has not gone On Queue |

### 7. Wrap-up codes and ACW — C

**Rule.** Wrap-up codes label; ACW allows.

**Target word.** WHY · 45 seconds after **Decides.** Wrap-up = disposition; ACW = time to do it.

**Camouflage, struck.** —

|   |                   |                                                                                                          |
|---|-------------------|----------------------------------------------------------------------------------------------------------|
| A | confusion set     | Skills and utilization                                                                                   |
| B | adjacent category | Evaluation forms                                                                                         |
| C | KEY               | Wrap-up codes assigned to the queue, and after-call work (ACW) configured on the queue with a time limit |
| D | adjacent category | Scripts                                                                                                  |

### 8. Divisions, roles, permissions — A

**Rule.** Role × division = permission × scope.

**Target word.** same permissions · only her region **Decides.** Roles say what; divisions say where.

**Camouflage, struck.** —

|   |                    |                                                                                                        |
|---|--------------------|--------------------------------------------------------------------------------------------------------|
| A | KEY                | Assign the supervisor role scoped to her division; objects (queues, users) are placed in that division |
| B | inverted operation | A separate org                                                                                         |
| C | adjacent category  | A custom role per region                                                                               |
| D | dropped element    | Remove permissions                                                                                     |

### 9. Quality Management — evaluation forms — B

**Rule.** Form defines the rubric; policy decides which interactions get it.

**Target word.** weighted · fail-all **Decides.** Evaluation forms carry weights and critical questions.

**Camouflage, struck.** —

|   |                   |                                                                                                                        |
|---|-------------------|------------------------------------------------------------------------------------------------------------------------|
| A | confusion set     | A survey                                                                                                               |
| B | KEY               | An evaluation form with question groups, weights and a critical (fail-all) question, assigned through a quality policy |
| C | adjacent category | Wrap-up codes                                                                                                          |
| D | adjacent category | A script                                                                                                               |

### 10. Quality policies and sampling — D

**Rule.** Policy = which interactions, how many, to whom.

**Target word.** three · random · per week · conditions    **Decides.** Policies automate selection.

**Camouflage, struck.** —

|   |                   |                                                                                                      |
|---|-------------------|------------------------------------------------------------------------------------------------------|
| A | confusion set     | The queue's ACW                                                                                      |
| B | adjacent category | The evaluation form                                                                                  |
| C | dropped element   | Manually by coaches                                                                                  |
| D | <b>KEY</b>        | A quality policy — conditions (queue, duration), sampling per agent, and the assigned form/evaluator |

### 11. Calibration — C

**Rule.** Calibrate people; do not average disagreements away.

**Target word.** same call · two scores    **Decides.** Calibration aligns evaluators.

**Camouflage, struck.** —

|   |                    |                                                                                                        |
|---|--------------------|--------------------------------------------------------------------------------------------------------|
| A | adjacent category  | A new form                                                                                             |
| B | dropped element    | Averaging the two scores                                                                               |
| C | <b>KEY</b>         | A calibration session — multiple evaluators score the same interaction and compare against a reference |
| D | inverted operation | Removing one evaluator                                                                                 |

### 12. Speech and Text Analytics — topics and sentiment — A

**Rule.** Topic = phrase set → detection. Sentiment = per-utterance tone → interaction score.

**Target word.** how OFTEN · how they FEEL    **Decides.** Topics detect; sentiment scores.

**Camouflage, struck.** —

|   |                   |                                                                                                                        |
|---|-------------------|------------------------------------------------------------------------------------------------------------------------|
| A | <b>KEY</b>        | Speech and Text Analytics — topics built from phrases that detect the intent, plus sentiment scoring on the transcript |
| B | adjacent category | Evaluation forms                                                                                                       |
| C | adjacent category | Wrap-up codes                                                                                                          |
| D | confusion set     | Predictive routing                                                                                                     |

### 13. Transcription and recording policies — B

**Rule.** Recording policy = whether, what, and how long.

**Target word.** this queue yes · that queue no · 90 days    **Decides.** Policies carry the conditions and the retention.

**Camouflage, struck.** —

|   |                   |                                                                                                 |
|---|-------------------|-------------------------------------------------------------------------------------------------|
| A | confusion set     | The agent's presence                                                                            |
| B | <b>KEY</b>        | Recording policies (with conditions per queue) governing recording, transcription and retention |
| C | adjacent category | The evaluation form                                                                             |
| D | confusion set     | Utilization                                                                                     |

### 14. Workforce Management — forecast, schedule, adherence — D

**Rule.** Forecast → schedule → adherence, in that order.

**Target word.** next month · shifts · yesterday    **Decides.** Forecast demand, schedule supply, measure adherence.

**Camouflage, struck.** —

|   |                    |                                 |
|---|--------------------|---------------------------------|
| A | inverted operation | Adherence → forecast → schedule |
| B | dropped element    | All three are the same view     |
| C | inverted operation | Schedule → forecast → adherence |
| D | <b>KEY</b>         | Forecast → schedule → adherence |

**15. Performance views vs reports vs API — C****Rule.** View now, export later, API always.**Target word.** live · last quarter · data lake    **Decides.** Time horizon and consumer choose the route.**Camouflage, struck.** —

|   |                   |                                                                                                    |
|---|-------------------|----------------------------------------------------------------------------------------------------|
| A | adjacent category | Reports for all three                                                                              |
| B | dropped element   | All from the Analytics API                                                                         |
| C | <b>KEY</b>        | Performance views (real-time) · exported reports/views (historical) · Analytics API (programmatic) |
| D | dropped element   | All from performance views                                                                         |

**16. Genesys Cloud Voice vs BYOC — A****Rule.** GCV = Genesys carries. BYOC = you carry.**Target word.** provide vs KEEP    **Decides.** Who owns the carrier decides.**Camouflage, struck.** —

|   |                   |                                                                                                     |
|---|-------------------|-----------------------------------------------------------------------------------------------------|
| A | <b>KEY</b>        | Genesys Cloud Voice for the first; BYOC (Bring Your Own Carrier — cloud or premises) for the second |
| B | absolute language | Both must use Genesys Cloud Voice                                                                   |
| C | absolute language | Neither needs telephony configuration                                                               |
| D | absolute language | Both must use BYOC                                                                                  |

**17. Sites, trunks, DIDs — B****Rule.** Site = where calls originate. DID = which number reaches which flow.**Target word.** caller ID · emergency address · numbers    **Decides.** Site carries location settings; DIDs map numbers.**Camouflage, struck.** —

|   |               |                                                                                                              |
|---|---------------|--------------------------------------------------------------------------------------------------------------|
| A | confusion set | A skill                                                                                                      |
| B | <b>KEY</b>    | A site (location, emergency address, outbound settings), trunk configuration, and DID assignment to the flow |
| C | confusion set | A queue                                                                                                      |
| D | confusion set | A division                                                                                                   |

**18. External contacts and CRM embedding — D****Rule.** Integration = pop in, write back.**Target word.** pop on connect · log back    **Decides.** Embedding does both directions.**Camouflage, struck.** —

|   |                   |                                                                                                                    |
|---|-------------------|--------------------------------------------------------------------------------------------------------------------|
| A | adjacent category | A script                                                                                                           |
| B | dropped element   | Manual search                                                                                                      |
| C | confusion set     | A data table                                                                                                       |
| D | <b>KEY</b>        | Screen pop via an integration/embeddable framework (or CRM client) and interaction logging through the integration |

**19. Scripts — C****Rule.** Script = guided conversation; canned response = reusable text.**Target word.** read · capture in order    **Decides.** Scripts guide the agent during the interaction.**Camouflage, struck.** —

|   |                   |                                                                                             |
|---|-------------------|---------------------------------------------------------------------------------------------|
| A | adjacent category | An evaluation form                                                                          |
| B | adjacent category | A canned response                                                                           |
| C | <b>KEY</b>        | A script assigned to the queue — pages, inputs and variables shown in the interaction panel |
| D | confusion set     | A wrap-up code                                                                              |

## 20. Callbacks — A

**Rule.** Callback holds the place; voicemail drops it.

**Target word.** without losing POSITION **Decides.** Callback is a queued interaction type.

**Camouflage, struck.** —

|   |                    |                                                                                           |
|---|--------------------|-------------------------------------------------------------------------------------------|
| A | KEY                | Callback offered from the in-queue flow, scheduled or immediate, retaining queue position |
| B | dropped element    | A second queue                                                                            |
| C | adjacent category  | Voicemail                                                                                 |
| D | inverted operation | Transfer to an agent                                                                      |

## 21. Secure pause — B

**Rule.** Secure pause protects the segment; deletion after the fact is too late.

**Target word.** card number on a RECORDED line **Decides.** Pause the capture at the moment, not the retention later.

**Camouflage, struck.** —

|   |                    |                                                                                                 |
|---|--------------------|-------------------------------------------------------------------------------------------------|
| A | dropped element    | Stop recording the whole queue                                                                  |
| B | KEY                | The agent (or an automated trigger) pauses recording — secure pause — for the sensitive portion |
| C | absolute language  | Nothing; recordings are encrypted                                                               |
| D | inverted operation | Delete the recording after the call                                                             |

## 22. Knowledge and bots — D

**Rule.** Bot answers; escalation keeps the thread.

**Target word.** answer · then hand off WITH transcript **Decides.** Knowledge feeds the bot; transfer carries context.

**Camouflage, struck.** —

|   |                   |                                                                                                               |
|---|-------------------|---------------------------------------------------------------------------------------------------------------|
| A | adjacent category | A data table of answers                                                                                       |
| B | confusion set     | Canned responses                                                                                              |
| C | adjacent category | An IVR menu                                                                                                   |
| D | KEY               | Knowledge workbench articles used by a knowledge/bot flow, with a transfer-to-queue step that carries context |

## 23. Agent assist — C

**Rule.** Assist is live; QM is after; WFM is before.

**Target word.** DURING the call · suggestions **Decides.** Real-time assistance is its own capability.

**Camouflage, struck.** —

|   |                   |                                                                                        |
|---|-------------------|----------------------------------------------------------------------------------------|
| A | confusion set     | Workforce Management                                                                   |
| B | adjacent category | Quality Management                                                                     |
| C | KEY               | Agent assist / Agent Copilot — real-time suggestions and summarization in the agent UI |
| D | confusion set     | Bullseye routing                                                                       |

## 24. Interaction vs conversation — A

**Rule.** Interactions are atoms; the journey is the molecule.

**Target word.** three records · same order **Decides.** Interaction is per session; journey is the link.

**Camouflage, struck.** —

|   |                    |                                                                                                                                                                     |
|---|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A | KEY                | No — each channel session is an interaction; linking them into one customer journey is done through external contacts/journey features, not by merging interactions |
| B | inverted operation | No — email is not an interaction                                                                                                                                    |
| C | absolute language  | Yes — chats do not count                                                                                                                                            |
| D | inverted operation | Yes — they should be one interaction                                                                                                                                |

## 25. Predictive routing — B

**Rule.** Predictive = KPI + history + fallback. It sequences; humans still serve.

**Target word.** learned from OUTCOMES    **Decides.** Prediction requires labelled history and a fallback.

**Camouflage, struck.** —

|   |                   |                                                                                                                                  |
|---|-------------------|----------------------------------------------------------------------------------------------------------------------------------|
| A | dropped element   | A larger queue                                                                                                                   |
| B | <b>KEY</b>        | Predictive routing — a model trained on historical interaction and outcome data for a chosen KPI, with a fallback routing method |
| C | adjacent category | Bullseye                                                                                                                         |
| D | adjacent category | Preferred agent                                                                                                                  |

## Part C — Triage

Sort every item by the two marks you made. Write item numbers in the cells.

|               | Right                                         | Wrong                                                                                          |
|---------------|-----------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>Sure</b>   | Owned. Bank it.                               | <b>Wrong model. Top priority.</b> Say the rule aloud; find the construct in the documentation. |
| <b>Unsure</b> | Recognition, not mastery. Redo from the rule. | Not learned. Read the rule, then the source area.                                              |
| <b>Guess</b>  | Luck. Treat as not learned.                   | Not learned.                                                                                   |

**Mold tally.** dropped element \_\_\_\_ · wrong stem number \_\_\_\_ · adjacent category \_\_\_\_ · inverted operation \_\_\_\_ · absolute language \_\_\_\_ · confusion set \_\_\_\_ · camouflage \_\_\_\_ . The largest number is the pattern to drill.

Genesys is a trademark of its owner. This book is an independent, unofficial study aid. It is not affiliated with, sponsored by, or endorsed by Genesys or any employer of the author. Every item is original and written from the platform's public documentation; no certification exam question is reproduced or paraphrased, and no customer instance, configuration or data is described.

© 2026 Joshua. From Joshua's mind — that is the signature.