

Joshua Says

Armored ServiceNow: ITSM

For people who already know the easy version.

Advanced practice for administrators and fulfillers — every item disguised the way the platform disguises it

by Joshua

First edition. Written from the platform's public documentation as of the date below. Check every key against the source area named in *Check the work* before relying on it; corrections are dated and kept public.

26 items · edition date 2026-09-15

ServiceNow is a trademark of its owner. This book is an independent, unofficial study aid. It is not affiliated with, sponsored by, or endorsed by ServiceNow or any employer of the author. Every item is original and written from the platform's public documentation; no certification exam question is reproduced or paraphrased, and no customer instance, configuration or data is described.

How to run it

- 1 **Read the target word first.** Write it on the line before you read the options. The platform disguises the question in the noun it uses — case or incident, skill or agent, queue or division, total or per unit.
- 2 **Name the one fact that decides.** Everything else in the stem is camouflage: the deadline, the executive, the numbers, the object's name.
- 3 **Principle before configuration.** Say what the platform construct is *for*, then pick the construct.
- 4 **Confusion sets are the platform's favourite trap.** Every wrong option is a real thing. The test is exact role-matching, not recognition.
- 5 **Mark confidence honestly.** Sure-and-wrong is a wrong mental model, and it is the only thing worth finding.
- 6 **Grade in Part B.** Each distractor carries the error it encodes. Name the mold you fell for; naming it defeats it.

Check the work — sources

Every item is written from public documentation. Before trusting a key, check it against the source area named here; corrections are dated and kept public.

ServiceNow Product Documentation — IT Service Management	docs.servicenow.com › ITSM (Incident, Problem, Change, Request, Knowledge, SLA, CMDB)
ServiceNow Product Documentation — Platform	docs.servicenow.com › Now Platform (tables, business rules, Flow Designer, ACLs, update sets, import sets)
ServiceNow University — CIS-ITSM mainline blueprint	learning.servicenow.com (the public exam outline; no exam item is reproduced here)
ServiceNow Community — ITSM forums	servicenow.com/community (practitioner discussion; used for terminology only)

The seven molds: dropped element · wrong stem number · adjacent category · inverted operation · absolute language · confusion set · camouflage (the option that answers a stem fact that was never the question).

Part A — Items

1. Incident vs request vs problem

A user reports that the finance portal 'is down again — third time this month.' She also asks for a second monitor. The service desk analyst has both in one email. What does each become?

- A. An incident for the outage and a service request for the monitor; the recurrence is a candidate for a problem, not a third incident type
- B. A single incident with two tasks
- C. A problem for the outage and an incident for the monitor
- D. Two incidents

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

2. Priority from impact and urgency

An incident has Impact 3 – Low and Urgency 1 – High, on a baseline priority lookup. A manager insists it is 'obviously a P1 because the CFO is asking.' What sets the priority?

- A. Urgency alone, since it is the higher of the two
- B. The priority lookup rule from the Impact and Urgency values — here 3 – Moderate on the baseline matrix
- C. The manager, by editing the Priority field directly
- D. The assignment group's SLA

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

3. Incident state model

An analyst resolves an incident on Tuesday. The caller does not reply. On Friday the record moves to Closed without anyone touching it. What happened?

- A. The assignment group's inactivity monitor cancelled it
- B. An SLA breach auto-closed it
- C. A business rule set the state to Cancelled
- D. The auto-close property closed a Resolved incident after the configured number of days with no caller response

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

4. Major incident management

Three incidents about the same payment gateway arrive in ten minutes from three regions. The analyst wants one place to coordinate, one communication stream, and a post-incident review. Which construct?

- A. An emergency change
- B. A knowledge article marked 'known issue'
- C. A major incident, proposed from one of the incidents and promoted by a major incident manager, with the others as child incidents
- D. A problem record with three related incidents

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

5. Assignment rules vs assignment groups

Incidents in category 'Network' keep landing on the generic service desk group. The admin adds every network engineer to the service desk group so 'they'll see them.' What should have been configured?

- A. An assignment rule (or assignment data lookup) that routes category Network to the Network group
- B. An SLA definition for Network
- C. An ACL restricting the service desk from Network incidents
- D. A data lookup on the Category field

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

6. SLA definitions — start, pause, stop

A resolution SLA should start when an incident is created, pause while the state is On Hold – Awaiting Caller, and stop at Resolved. It currently keeps running during On Hold. Where is the fix?

- A. The schedule attached to the SLA
- B. The SLA definition's Pause condition
- C. The retroactive start checkbox
- D. The task SLA record on each incident

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

7. SLA schedule and time zone

A 4-hour response SLA breaches overnight on tickets nobody is contracted to work. The definition has no schedule. What is missing?

- A. A longer duration
- B. A pause condition on state Closed
- C. Retroactive start
- D. A schedule (e.g., 8–5 weekdays) on the SLA definition, with the right time-zone source

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

8. Problem, known error, workaround

Root cause of the recurring portal outage is found: a certificate that expires monthly. A temporary script renews it until the vendor fixes it. Which records and fields?

- A. A change request with the script attached
- B. An incident with a knowledge article
- C. Problem with a workaround recorded; once the cause is confirmed and the fix is pending, it is a known error
- D. A problem task marked resolved

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

9. Change types

A DBA needs to add disk to a production database tonight after an unexpected fill; there is a pre-approved, documented, low-risk procedure for exactly this. Which change type?

- A. Standard — pre-approved from a template; urgency does not change the type
- B. No change record; it is operational
- C. Emergency, because it is tonight
- D. Normal, because it is production

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

10. CAB and approvals

A normal change is scheduled for the CAB meeting. The change manager wants attendees to see conflicts, risk, and the implementation window in one place and to record approve/reject during the meeting. Which feature?

- A. An update set review
- B. Change Advisory Board workbench
- C. The change calendar alone
- D. The approval policy

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

11. Change risk assessment

Two changes look identical to the implementer, but one is scored High risk and the other Moderate. Nothing was typed into the Risk field. What produced the difference?

- A. The assignment group's default
- B. The priority lookup
- C. The CAB's vote
- D. Risk assessment questions and/or risk conditions (properties of the CI, window, and answers) computed the score

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

12. Change conflict detection

Before scheduling, an implementer wants to know if another change touches the same CI, the same window, or a blackout period. Which capability, and against what does it check?

- A. Risk assessment — against the questionnaire
- B. Impact analysis — against incidents on the CI
- C. Conflict detection — against other changes' CIs and related CIs, the planned window, and blackout/maintenance schedules
- D. SLA conflict — against breached tasks

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

13. Catalog item vs record producer vs order guide

Three needs: (1) 'Report a broken badge reader' should create an incident from the portal. (2) 'New laptop' should create a request with fulfillment tasks. (3) 'Onboard a new hire' should bundle laptop, badge and accounts into one submission. Match the constructs.

- A. 1 record producer · 2 catalog item · 3 order guide
- B. 1 catalog item · 2 record producer · 3 order guide
- C. All three are catalog items with different workflows
- D. 1 record producer · 2 order guide · 3 catalog item

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

14. Request hierarchy

A fulfiller closes the last catalog task. The RITM is still Open and the REQ still Pending. What is the expected behaviour, and what closes what?

- A. Closing a task closes the REQ directly
- B. Closing the last SCTASK closes the RITM; the RITM's flow closes it; when all RITMs are closed the REQ closes
- C. The REQ closes first, cascading down
- D. The RITM must be closed manually before any task

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

15. Knowledge article lifecycle

An analyst writes a fix and wants it visible to end users on the portal today. It shows only to her. What is the usual reason?

- A. The user criteria on the knowledge base exclude everyone
- B. The article lacks a category
- C. Articles are never visible on the portal
- D. The article is still Draft and not Published; publishing may require review/approval per the knowledge base workflow

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

16. CMDB CI classes and relationships

An incident is opened against 'Payroll App.' The analyst wants to see the servers and database it runs on before deciding impact. Where does that come from?

- A. The service catalog
- B. The assignment group's notes
- C. The incident's Configuration Item field, and the CI's relationships (Runs on, Depends on) in the CMDB — the dependency view
- D. The related list of prior incidents

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

17. CMDB identification and reconciliation

Discovery and a spreadsheet import both create 'srv-db-01,' producing duplicates. Which mechanism is meant to prevent that, and how?

- A. Identification rules (match on attributes like serial number) and reconciliation rules (which source may update which attributes), via the Identification and Reconciliation Engine
- B. An ACL on the cmdb_ci table
- C. Deleting one source
- D. A unique index on the name field

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

18. Where logic runs — business rule vs client script vs flow

Requirement: when an incident's priority becomes 1, notify the on-call group and create a task — reliably, whether the update comes from the form, the API, or an import. Where should this run?

- A. A scheduled job every minute
- B. Server side — a business rule or a Flow Designer flow triggered on the record update
- C. A UI policy
- D. A client script on the priority field

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

19. ACLs

A fulfiller can open an incident form but the Work notes field is invisible to her while a colleague in the same group sees it. Roles differ. Which control?

- A. A view rule
- B. A data policy
- C. A UI policy
- D. An access control (ACL) at the field level on incident.work_notes, evaluated by role/condition/script

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

20. Update sets vs application scope

An admin builds a new incident business rule in the sub-production instance and needs it in production. A colleague says 'it is in the global scope, so it will just be there.' What is true?

- A. Export the record as XML instead — it is the same thing
- B. Only scoped apps can be moved
- C. Configuration changes are captured in an update set, which is completed, retrieved and committed on the target instance; scope is about application boundaries, not transport
- D. Global-scope changes sync automatically

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

21. Import sets and transform maps

HR sends a CSV of locations. The admin loads it and sees rows in a staging table but nothing in cmn_location. What is missing?

- A. A transform map (with field maps and coalesce) run against the import set
- B. A business rule on cmn_location
- C. A scheduled job
- D. An update set

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

22. Notifications vs events

A notification should fire when an incident is assigned to me, but only for P1s, and it should carry the incident number and short description. The admin wants it triggered from a business rule. What is the cleanest design?

- A. A client script that sends email
- B. A notification on the incident table triggered by an event (fired from the rule) with conditions, using mail script/variables for the fields
- C. A scheduled report
- D. An inbound email action

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

23. Reports vs Performance Analytics

A manager wants (1) today's open incidents by group and (2) how that number has trended over 90 days with targets. Which tools?

- A. 1 Performance Analytics · 2 a report
- B. Both are Performance Analytics
- C. Both are reports
- D. 1 a report or dashboard on live data · 2 Performance Analytics indicators with collected snapshots

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

24. Task table inheritance

Incident, Problem, Change and Catalog Task all have Number, Assigned to, and Work notes. An admin adds a field to Task. What happens?

- A. Task cannot be modified
- B. Nothing until it is added to each child
- C. The field appears on every table extending Task — incident, problem, change, sc_task and others
- D. Only incident gets it

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

25. Inbound email actions

Replies to notification emails should append to the incident's comments, and a new email to the support address should create an incident. Which mechanism handles both?

- A. Inbound email actions — one of type Reply (update), one of type New (create), with conditions and a watermark for matching
- B. Record producers
- C. Notifications
- D. Flow Designer email step

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

26. On-call scheduling

Escalations for P1s should reach whoever is on rotation this week, not a static person. Which capability?

- A. Notification to the whole group
- B. On-Call Scheduling — rotas, shifts and escalation paths per group
- C. Assignment rules
- D. Group manager field

Target word: _____ The one fact that decides: _____

Answer: _____ ☐ sure ☐ unsure ☐ guess

STOP

Answers ahead. Finish Part A and mark every confidence box, then turn.

Part B — Key and dissection

1. Incident vs request vs problem — A

Rule. Incident restores service; request fulfils a need; problem finds the cause.

Target word. 'is down' vs 'asks for' **Decides.** Unplanned interruption = incident. Something wanted = request. A pattern of incidents = problem.

Camouflage, struck. ~~third time this month · one email~~

A	KEY	An incident for the outage and a service request for the monitor; the recurrence is a candidate for a problem, not a third incident type
B	dropped element	A single incident with two tasks
C	inverted operation	A problem for the outage and an incident for the monitor
D	adjacent category	Two incidents

2. Priority from impact and urgency — B

Rule. Priority = f(impact, urgency) via the priority data lookup; change the inputs, not the output.

Target word. what SETS priority **Decides.** Priority is derived from the two fields via the lookup table; it is read-only by default.

Camouflage, struck. ~~the CFO is asking~~

A	dropped element	Urgency alone, since it is the higher of the two
B	KEY	The priority lookup rule from the Impact and Urgency values — here 3 – Moderate on the baseline matrix
C	inverted operation	The manager, by editing the Priority field directly
D	confusion set	The assignment group's SLA

3. Incident state model — D

Rule. Resolved = fix applied, awaiting confirmation. Closed = final; reopening after close creates a new incident by policy.

Target word. Resolved → Closed, untouched **Decides.** Resolved and Closed are different states; a scheduled job closes Resolved incidents after N days.

Camouflage, struck. ~~Tuesday – Friday~~

A	adjacent category	The assignment group's inactivity monitor cancelled it
B	confusion set	An SLA breach auto-closed it
C	wrong stem number	A business rule set the state to Cancelled
D	KEY	The auto-close property closed a Resolved incident after the configured number of days with no caller response

4. Major incident management — C

Rule. Major incident: propose → promote → manage → post-incident review. Problem comes after, for the cause.

Target word. coordinate · communicate · review **Decides.** Major incident is a workflow on incident, not a separate table; children roll up.

Camouflage, struck. ~~three regions~~

A	confusion set	An emergency change
B	adjacent category	A knowledge article marked 'known issue'
C	KEY	A major incident, proposed from one of the incidents and promoted by a major incident manager, with the others as child incidents
D	adjacent category	A problem record with three related incidents

5. Assignment rules vs assignment groups — A

Rule. Assignment rules and assignment data lookups route work; groups hold people.

Target word. ROUTE to the right group **Decides.** Routing is assignment; membership is not routing.

Camouflage, struck. ~~they'll see them~~

A	KEY	An assignment rule (or assignment data lookup) that routes category Network to the Network group
B	confusion set	An SLA definition for Network
C	inverted operation	An ACL restricting the service desk from Network incidents
D	adjacent category	A data lookup on the Category field

6. SLA definitions — start, pause, stop — B

Rule. SLA definition = start · pause · stop · reset conditions + schedule + duration.

Target word. keeps running during On Hold **Decides.** Start, pause, stop and reset are four conditions on the definition.

Camouflage, struck. ~~Resolved~~

A	adjacent category	The schedule attached to the SLA
B	KEY	The SLA definition's Pause condition
C	adjacent category	The retroactive start checkbox
D	wrong stem number	The task SLA record on each incident

7. SLA schedule and time zone — D

Rule. The schedule defines when the SLA clock counts; the time-zone source decides whose clock.

Target word. breaches OVERNIGHT **Decides.** Without a schedule the clock runs 24×7.

Camouflage, struck. —

A	dropped element	A longer duration
B	adjacent category	A pause condition on state Closed
C	confusion set	Retroactive start
D	KEY	A schedule (e.g., 8–5 weekdays) on the SLA definition, with the right time-zone source

8. Problem, known error, workaround — C

Rule. Problem → root cause → known error (with workaround) → change for the permanent fix.

Target word. cause found · fix pending **Decides.** Known error = root cause known, permanent fix not yet applied; workaround lives on the problem.

Camouflage, struck. ~~vendor~~

A	adjacent category	A change request with the script attached
B	adjacent category	An incident with a knowledge article
C	KEY	Problem with a workaround recorded; once the cause is confirmed and the fix is pending, it is a known error
D	dropped element	A problem task marked resolved

9. Change types — A

Rule. Standard = pre-approved template. Normal = full assessment and CAB. Emergency = expedited approval for urgent, unplanned risk.

Target word. pre-approved, documented, low-risk **Decides.** Type is set by the approval model, not the clock.

Camouflage, struck. ~~tonight · unexpected~~

A	KEY	Standard — pre-approved from a template; urgency does not change the type
B	absolute language	No change record; it is operational
C	inverted operation	Emergency, because it is tonight
D	adjacent category	Normal, because it is production

10. CAB and approvals — B

Rule. CAB workbench runs the meeting; approval definitions decide the approvers.

Target word. during the meeting · one place **Decides.** The CAB workbench is the meeting tool; approval policies define who approves.

Camouflage, struck. —

A	confusion set	An update set review
B	KEY	Change Advisory Board workbench
C	dropped element	The change calendar alone
D	adjacent category	The approval policy

11. Change risk assessment — D

Rule. Risk = risk conditions (data-driven) + risk assessment (question-driven).

Target word. nothing typed · different scores **Decides.** Risk is calculated from assessment answers and conditions, not entered.

Camouflage, struck. identical to the implementer

A	dropped element	The assignment group's default
B	confusion set	The priority lookup
C	adjacent category	The CAB's vote
D	KEY	Risk assessment questions and/or risk conditions (properties of the CI, window, and answers) computed the score

12. Change conflict detection — C

Rule. Run conflict detection after CI and window are set; it reads related CIs and schedules.

Target word. same CI · same window · blackout **Decides.** Conflict detection is calendar-and-CI based.

Camouflage, struck. —

A	adjacent category	Risk assessment — against the questionnaire
B	adjacent category	Impact analysis — against incidents on the CI
C	KEY	Conflict detection — against other changes' CIs and related CIs, the planned window, and blackout/maintenance schedules
D	confusion set	SLA conflict — against breached tasks

13. Catalog item vs record producer vs order guide — A

Rule. Record producer → non-request table. Catalog item → REQ/RITM/SCTASK. Order guide → several items, one request.

Target word. creates an INCIDENT vs a REQUEST vs a BUNDLE **Decides.** Record producer writes to any table; catalog item creates request/RITM; order guide bundles items.

Camouflage, struck. —

A	KEY	1 record producer · 2 catalog item · 3 order guide
B	inverted operation	1 catalog item · 2 record producer · 3 order guide
C	dropped element	All three are catalog items with different workflows
D	inverted operation	1 record producer · 2 order guide · 3 catalog item

14. Request hierarchy — B

Rule. REQ contains RITMs; RITM contains SCTASKs. Completion rolls up.

Target word. what CLOSES what **Decides.** Closure flows upward: task → item → request.

Camouflage, struck. —

A	dropped element	Closing a task closes the REQ directly
B	KEY	Closing the last SCTASK closes the RITM; the RITM's flow closes it; when all RITMs are closed the REQ closes
C	inverted operation	The REQ closes first, cascading down
D	inverted operation	The RITM must be closed manually before any task

15. Knowledge article lifecycle — D

Rule. Article state and knowledge-base user criteria together decide who sees it.

Target word. visible only to her **Decides.** Draft → Review → Published; visibility also depends on user criteria.

Camouflage, struck. today

A	absolute language	The user criteria on the knowledge base exclude everyone
B	dropped element	The article lacks a category
C	absolute language	Articles are never visible on the portal
D	KEY	The article is still Draft and not Published; publishing may require review/approval per the knowledge base workflow

16. CMDB CI classes and relationships — C

Rule. CI classes form a hierarchy; relationships connect instances; the dependency map draws them.

Target word. what it RUNS ON **Decides.** Relationships live in the CMDB, between CIs of different classes.

Camouflage, struck. —

A	confusion set	The service catalog
B	adjacent category	The assignment group's notes
C	KEY	The incident's Configuration Item field, and the CI's relationships (Runs on, Depends on) in the CMDB — the dependency view
D	adjacent category	The related list of prior incidents

17. CMDB identification and reconciliation — A

Rule. Identify by rules, not names; reconcile by source authority.

Target word. duplicates from TWO SOURCES **Decides.** IRE decides identity and source precedence.

Camouflage, struck. spreadsheet

A	KEY	Identification rules (match on attributes like serial number) and reconciliation rules (which source may update which attributes), via the Identification and Reconciliation Engine
B	confusion set	An ACL on the cmdb_ci table
C	inverted operation	Deleting one source
D	adjacent category	A unique index on the name field

18. Where logic runs — business rule vs client script vs flow — B

Rule. Server decides; client renders. Anything that must always happen runs server-side.

Target word. form, API, OR import **Decides.** Client-side logic runs only in the browser.

Camouflage, struck. —

A	dropped element	A scheduled job every minute
B	KEY	Server side — a business rule or a Flow Designer flow triggered on the record update
C	adjacent category	A UI policy
D	inverted operation	A client script on the priority field

19. ACLs — D

Rule. ACLs control read/write/create/delete at table and field level; UI policies only hide/show for everyone matching a condition.

Target word. INVISIBLE to one role **Decides.** Field-level read access is ACL territory.

Camouflage, struck. ~~same group~~

A	adjacent category	A view rule
B	confusion set	A data policy
C	adjacent category	A UI policy
D	KEY	An access control (ACL) at the field level on incident.work_notes, evaluated by role/condition/script

20. Update sets vs application scope — C

Rule. Update set = transport. Scope = boundary. Data records are not captured in update sets.

Target word. MOVE it to production **Decides.** Update sets carry configuration; scope governs what an app can touch.

Camouflage, struck. ~~global~~

A	adjacent category	Export the record as XML instead — it is the same thing
B	inverted operation	Only scoped apps can be moved
C	KEY	Configuration changes are captured in an update set, which is completed, retrieved and committed on the target instance; scope is about application boundaries, not transport
D	absolute language	Global-scope changes sync automatically

21. Import sets and transform maps — A

Rule. Load → import set table → transform map (coalesce on the key) → target.

Target word. staging table, not the target **Decides.** Import set = staging; transform map = mapping and load.

Camouflage, struck. —

A	KEY	A transform map (with field maps and coalesce) run against the import set
B	adjacent category	A business rule on cmn_location
C	adjacent category	A scheduled job
D	confusion set	An update set

22. Notifications vs events — B

Rule. Notification = trigger (record/event) + who + what; events are the reusable trigger.

Target word. triggered FROM A RULE **Decides.** Events decouple the trigger from the message.

Camouflage, struck. —

A	inverted operation	A client script that sends email
B	KEY	A notification on the incident table triggered by an event (fired from the rule) with conditions, using mail script/variables for the fields
C	adjacent category	A scheduled report
D	confusion set	An inbound email action

23. Reports vs Performance Analytics — D

Rule. Reporting = point in time. Performance Analytics = time series, targets, breakdowns.

Target word. TODAY vs TREND **Decides.** Reports query now; PA stores scores over time.

Camouflage, struck. —

A	inverted operation	1 Performance Analytics · 2 a report
B	dropped element	Both are Performance Analytics
C	dropped element	Both are reports
D	KEY	1 a report or dashboard on live data · 2 Performance Analytics indicators with collected snapshots

24. Task table inheritance — C

Rule. Task is the parent class; extend it deliberately.

Target word. adds a field to TASK **Decides.** Children inherit parent fields.

Camouflage, struck. —

A	absolute language	Task cannot be modified
B	inverted operation	Nothing until it is added to each child
C	KEY	The field appears on every table extending Task — incident, problem, change, sc_task and others
D	adjacent category	Only incident gets it

25. Inbound email actions — A

Rule. Inbound email action: New · Reply · Forward, matched by watermark or subject.

Target word. REPLY vs NEW **Decides.** Inbound actions classify email by type and act on the target table.

Camouflage, struck. —

A	KEY	Inbound email actions — one of type Reply (update), one of type New (create), with conditions and a watermark for matching
B	confusion set	Record producers
C	inverted operation	Notifications
D	adjacent category	Flow Designer email step

26. On-call scheduling — B

Rule. On-call = who is responsible right now; assignment = which group owns it.

Target word. whoever is on rotation **Decides.** Rotation is time-based; assignment rules are attribute-based.

Camouflage, struck. —

A	adjacent category	Notification to the whole group
B	KEY	On-Call Scheduling — rotas, shifts and escalation paths per group
C	adjacent category	Assignment rules
D	dropped element	Group manager field

Part C — Triage

Sort every item by the two marks you made. Write item numbers in the cells.

	Right	Wrong
Sure	Owned. Bank it.	Wrong model. Top priority. Say the rule aloud; find the construct in the documentation.
Unsure	Recognition, not mastery. Redo from the rule.	Not learned. Read the rule, then the source area.
Guess	Luck. Treat as not learned.	Not learned.

Mold tally. dropped element ____ · wrong stem number ____ · adjacent category ____ · inverted operation ____ · absolute language ____ · confusion set ____ · camouflage ____ · The largest number is the pattern to drill.

ServiceNow is a trademark of its owner. This book is an independent, unofficial study aid. It is not affiliated with, sponsored by, or endorsed by ServiceNow or any employer of the author. Every item is original and written from the platform's public documentation; no certification exam question is reproduced or paraphrased, and no customer instance, configuration or data is described.

© 2026 Joshua. From Joshua's mind — that is the signature.