

Joshua Says

Armored Genesys Cloud CX

For people who already know the easy version.

Advanced practice for contact-centre administrators, supervisors and analysts

by Joshua

First edition. Written from the platform's public documentation as of the date below. Check every key against the source area named in *Check the work* before relying on it; corrections are dated and kept public.

25 items · edition date 2026-09-15

Genesys is a trademark of its owner. This book is an independent, unofficial study aid. It is not affiliated with, sponsored by, or endorsed by Genesys or any employer of the author. Every item is original and written from the platform's public documentation; no certification exam question is reproduced or paraphrased, and no customer instance, configuration or data is described.

How to run it

- 1 Read the target word first.** Write it on the line before you read the options. The platform disguises the question in the noun it uses — case or incident, skill or agent, queue or division, total or per unit.
- 2 Name the one fact that decides.** Everything else in the stem is camouflage: the deadline, the executive, the numbers, the object's name.
- 3 Principle before configuration.** Say what the platform construct is *for*, then pick the construct.
- 4 Confusion sets are the platform's favourite trap.** Every wrong option is a real thing. The test is exact role-matching, not recognition.
- 5 Mark confidence honestly.** Sure-and-wrong is a wrong mental model, and it is the only thing worth finding.
- 6 Grade in Part B.** Each distractor carries the error it encodes. Name the mold you fell for; naming it defeats it.

Check the work — sources

Every item is written from public documentation. Before trusting a key, check it against the source area named here; corrections are dated and kept public.

Genesys Cloud Resource Center	help.mypurecloud.com (Architect, routing, queues, Quality Management, Speech and Text Analytics, Workforce Management, Analytics)
Genesys Cloud Developer Center	developer.genesys.cloud (Platform API, Data Actions, integrations)
Google Cloud — Contact Center AI Platform documentation	cloud.google.com/contact-center (used only as the reference frame for what a contact-centre platform's concept list contains)

The seven molds: dropped element · wrong stem number · adjacent category · inverted operation · absolute language · confusion set · camouflage (the option that answers a stem fact that was never the question).

Part A — Items

1. Queue vs skill vs division

A caller needs Spanish billing support in the EMEA business unit. The admin has created a queue called 'Spanish Billing EMEA.' Which constructs should have carried each requirement?

- A. A division per language
- B. A queue for billing, a language (Spanish) and/or skill on the interaction, and a division for EMEA's access boundary
- C. One skill named 'Spanish Billing EMEA'
- D. Three queues

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

2. Routing methods

A queue should first try the customer's previous agent for 30 seconds, then widen to anyone with the skill, then to the whole queue. Which routing configuration?

- A. Preferred agent routing, then bullseye routing rings that relax skills over time
- B. Predictive routing
- C. Standard routing
- D. Conditional group routing only

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

3. Utilization

An agent is on a voice call and still receives two chats. The supervisor says 'the queue is wrong.' What actually governs this?

- A. Wrap-up codes
- B. The queue's routing method
- C. Utilization settings — maximum interactions per media type and which media can interrupt which, at org or agent level
- D. The agent's skill

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

4. Architect flow types

Four needs: an inbound phone menu; hold-time announcements while waiting in queue; a web chat greeting; a self-service bot. Which Architect flow types?

- A. All are inbound call flows
- B. Inbound call · inbound call · inbound message · inbound message
- C. Bot flow for all four
- D. Inbound call flow · in-queue call flow · inbound message flow · bot flow

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

5. Data actions and data tables

An IVR must greet the caller by name from the CRM and route VIPs differently based on a list the business edits weekly. Which Architect building blocks?

- A. Two data actions
- B. A data action (integration call to the CRM) for the name, and a data table for the VIP list the business maintains
- C. A skill
- D. Hard-code the VIP list in the flow

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

6. Presence vs routing status

An agent shows 'Available' but receives no interactions. What is the likeliest state?

- A. Presence is Available but routing status is Off Queue — the agent has not gone On Queue
- B. Utilization is zero
- C. The agent lacks a skill
- D. The queue is closed

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

7. Wrap-up codes and ACW

Supervisors want to report why customers called, and give agents 45 seconds after each call to finish notes. Which two settings?

- A. Evaluation forms
- B. Scripts
- C. Wrap-up codes assigned to the queue, and after-call work (ACW) configured on the queue with a time limit
- D. Skills and utilization

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

8. Divisions, roles, permissions

A regional supervisor should see only her region's queues and agents but needs the same permissions as other supervisors. What is configured?

- A. Remove permissions
- B. A separate org
- C. A custom role per region
- D. Assign the supervisor role scoped to her division; objects (queues, users) are placed in that division

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

9. Quality Management — evaluation forms

Coaches want to score calls on greeting, verification, resolution and empathy, weighted, with a fail-all question on compliance. Which construct?

- A. Wrap-up codes
- B. An evaluation form with question groups, weights and a critical (fail-all) question, assigned through a quality policy
- C. A script
- D. A survey

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

10. Quality policies and sampling

Every agent should have three random calls evaluated each week, only calls over two minutes, only from the sales queue. Where is that set?

- A. A quality policy — conditions (queue, duration), sampling per agent, and the assigned form/evaluator
- B. The evaluation form
- C. Manually by coaches
- D. The queue's ACW

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

11. Calibration

Two evaluators score the same call 60 and 90. What is the purpose-built remedy?

- A. Removing one evaluator
- B. Averaging the two scores
- C. A calibration session — multiple evaluators score the same interaction and compare against a reference
- D. A new form

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

12. Speech and Text Analytics — topics and sentiment

Leadership wants to know how often 'cancel my subscription' comes up and how customers feel when it does. Which features, and what is a topic made of?

- A. Evaluation forms
- B. Predictive routing
- C. Wrap-up codes
- D. Speech and Text Analytics — topics built from phrases that detect the intent, plus sentiment scoring on the transcript

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

13. Transcription and recording policies

Calls in one queue must be recorded and transcribed and retained for 90 days; another queue must not be recorded at all. Where?

- A. The agent's presence
- B. Recording policies (with conditions per queue) governing recording, transcription and retention
- C. Utilization
- D. The evaluation form

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

14. Workforce Management — forecast, schedule, adherence

A planner needs next month's staffing, then shifts, then to see who was off-plan yesterday. Which three WFM pieces?

- A. Forecast → schedule → adherence
- B. Adherence → forecast → schedule
- C. Schedule → forecast → adherence
- D. All three are the same view

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

15. Performance views vs reports vs API

A supervisor wants a live wallboard; an analyst wants last quarter's handle time by queue in a spreadsheet; a developer wants the same numbers in a data lake. Which routes?

- A. All from performance views
- B. All from the Analytics API
- C. Performance views (real-time) · exported reports/views (historical) · Analytics API (programmatic)
- D. Reports for all three

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

16. Genesys Cloud Voice vs BYOC

A company wants Genesys to provide phone numbers and carriage; another has a carrier contract and SBCs it must keep. Which telephony options?

- A. Both must use Genesys Cloud Voice
- B. Neither needs telephony configuration
- C. Both must use BYOC
- D. Genesys Cloud Voice for the first; BYOC (Bring Your Own Carrier — cloud or premises) for the second

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

17. Sites, trunks, DIDs

A new office needs its own outbound caller ID, its own emergency address, and numbers routed to its IVR. Which telephony objects?

- A. A division
- B. A site (location, emergency address, outbound settings), trunk configuration, and DID assignment to the flow
- C. A queue
- D. A skill

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

18. External contacts and CRM embedding

Agents want the caller's CRM record to pop on connect, and the interaction logged back. Which mechanisms?

- A. Screen pop via an integration/embeddable framework (or CRM client) and interaction logging through the integration
- B. Manual search
- C. A script
- D. A data table

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

19. Scripts

Agents on the retention queue must read a compliance statement and capture three fields in order. Which feature?

- A. A canned response
- B. An evaluation form
- C. A script assigned to the queue — pages, inputs and variables shown in the interaction panel
- D. A wrap-up code

Target word: _____ The one fact that decides: _____
Answer: _____ [] sure [] unsure [] guess

20. Callbacks

Wait time is 20 minutes; the business wants to offer to call back without losing queue position. Which capability?

- A. Voicemail
- B. A second queue
- C. Transfer to an agent
- D. Callback offered from the in-queue flow, scheduled or immediate, retaining queue position

Target word: _____ The one fact that decides: _____

Answer: _____ [] sure [] unsure [] guess

21. Secure pause

A caller reads a card number to an agent on a recorded line. What should happen?

- A. Nothing; recordings are encrypted
- B. The agent (or an automated trigger) pauses recording — secure pause — for the sensitive portion
- C. Stop recording the whole queue
- D. Delete the recording after the call

Target word: _____ The one fact that decides: _____

Answer: _____ [] sure [] unsure [] guess

22. Knowledge and bots

A self-service bot should answer from curated articles and hand off to an agent with the transcript when it cannot. Which pieces?

- A. Knowledge workbench articles used by a knowledge/bot flow, with a transfer-to-queue step that carries context
- B. Canned responses
- C. A data table of answers
- D. An IVR menu

Target word: _____ The one fact that decides: _____

Answer: _____ [] sure [] unsure [] guess

23. Agent assist

During a live call the agent should see suggested articles and a running summary without leaving the interaction. Which capability class?

- A. Bullseye routing
- B. Workforce Management
- C. Agent assist / Agent Copilot — real-time suggestions and summarization in the agent UI
- D. Quality Management

Target word: _____ The one fact that decides: _____

Answer: _____ [] sure [] unsure [] guess

24. Interaction vs conversation

A customer emails, then calls, then chats about the same order. Reporting shows three records. Is that wrong?

- A. Yes — chats do not count
- B. No — email is not an interaction
- C. Yes — they should be one interaction
- D. No — each channel session is an interaction; linking them into one customer journey is done through external contacts/journey features, not by merging interactions

Target word: _____ The one fact that decides: _____

Answer: _____ [] sure [] unsure [] guess

25. Predictive routing

Routing should match each interaction to the agent most likely to resolve it on first contact, learned from outcomes. Which method, and what does it need?

- A. Bullseye
- B. Predictive routing — a model trained on historical interaction and outcome data for a chosen KPI, with a fallback routing method
- C. Preferred agent
- D. A larger queue

Target word: _____ The one fact that decides: _____

Answer: _____ [] sure [] unsure [] guess

STOP

Answers ahead. Finish Part A and mark every confidence box, then turn.

Part B — Key and dissection

1. Queue vs skill vs division — B

Rule. Queue = where. Skill = who can. Division = who may see.

Target word. need · language · unit **Decides.** Queues hold work; skills/languages match agents; divisions segment access.

Camouflage, struck. ~~the queue name~~

A	adjacent category	A division per language
B	KEY	A queue for billing, a language (Spanish) and/or skill on the interaction, and a division for EMEA's access boundary
C	inverted operation	One skill named 'Spanish Billing EMEA'
D	dropped element	Three queues

2. Routing methods — A

Rule. Standard · bullseye · preferred agent · conditional group · predictive — pick by what changes over time.

Target word. first · then widen · then everyone **Decides.** Bullseye relaxes criteria in timed rings; preferred agent targets a person.

Camouflage, struck. ~~30 seconds~~

A	KEY	Preferred agent routing, then bullseye routing rings that relax skills over time
B	adjacent category	Predictive routing
C	dropped element	Standard routing
D	adjacent category	Conditional group routing only

3. Utilization — C

Rule. Utilization decides how many of what an agent can carry at once.

Target word. on a call AND two chats **Decides.** Capacity per media type is utilization.

Camouflage, struck. ~~the queue is wrong~~

A	confusion set	Wrap-up codes
B	adjacent category	The queue's routing method
C	KEY	Utilization settings — maximum interactions per media type and which media can interrupt which, at org or agent level
D	adjacent category	The agent's skill

4. Architect flow types — D

Rule. Flow type follows where the customer is and on which channel.

Target word. menu · while waiting · chat · bot **Decides.** Each moment in the journey has its own flow type.

Camouflage, struck. —

A	dropped element	All are inbound call flows
B	inverted operation	Inbound call · inbound call · inbound message · inbound message
C	absolute language	Bot flow for all four
D	KEY	Inbound call flow · in-queue call flow · inbound message flow · bot flow

5. Data actions and data tables — B

Rule. Data action = call out. Data table = lookup in.

Target word. from the CRM · list the business EDITS **Decides.** External lookups are data actions; editable reference data is a data table.

Camouflage, struck. weekly

A	adjacent category	Two data actions
B	KEY	A data action (integration call to the CRM) for the name, and a data table for the VIP list the business maintains
C	confusion set	A skill
D	dropped element	Hard-code the VIP list in the flow

6. Presence vs routing status — A

Rule. On Queue is the switch; presence is the mood.

Target word. Available but nothing arrives **Decides.** Presence and routing status are separate.

Camouflage, struck. —

A	KEY	Presence is Available but routing status is Off Queue — the agent has not gone On Queue
B	confusion set	Utilization is zero
C	adjacent category	The agent lacks a skill
D	adjacent category	The queue is closed

7. Wrap-up codes and ACW — C

Rule. Wrap-up codes label; ACW allows.

Target word. WHY · 45 seconds after **Decides.** Wrap-up = disposition; ACW = time to do it.

Camouflage, struck. —

A	adjacent category	Evaluation forms
B	adjacent category	Scripts
C	KEY	Wrap-up codes assigned to the queue, and after-call work (ACW) configured on the queue with a time limit
D	confusion set	Skills and utilization

8. Divisions, roles, permissions — D

Rule. Role × division = permission × scope.

Target word. same permissions · only her region **Decides.** Roles say what; divisions say where.

Camouflage, struck. —

A	dropped element	Remove permissions
B	inverted operation	A separate org
C	adjacent category	A custom role per region
D	KEY	Assign the supervisor role scoped to her division; objects (queues, users) are placed in that division

9. Quality Management — evaluation forms — B

Rule. Form defines the rubric; policy decides which interactions get it.

Target word. weighted · fail-all **Decides.** Evaluation forms carry weights and critical questions.

Camouflage, struck. —

A	adjacent category	Wrap-up codes
B	KEY	An evaluation form with question groups, weights and a critical (fail-all) question, assigned through a quality policy
C	adjacent category	A script
D	confusion set	A survey

10. Quality policies and sampling — A

Rule. Policy = which interactions, how many, to whom.

Target word. three · random · per week · conditions **Decides.** Policies automate selection.

Camouflage, struck. —

A	KEY	A quality policy — conditions (queue, duration), sampling per agent, and the assigned form/evaluator
B	adjacent category	The evaluation form
C	dropped element	Manually by coaches
D	confusion set	The queue's ACW

11. Calibration — C

Rule. Calibrate people; do not average disagreements away.

Target word. same call · two scores **Decides.** Calibration aligns evaluators.

Camouflage, struck. —

A	inverted operation	Removing one evaluator
B	dropped element	Averaging the two scores
C	KEY	A calibration session — multiple evaluators score the same interaction and compare against a reference
D	adjacent category	A new form

12. Speech and Text Analytics — topics and sentiment — D

Rule. Topic = phrase set → detection. Sentiment = per-utterance tone → interaction score.

Target word. how OFTEN · how they FEEL **Decides.** Topics detect; sentiment scores.

Camouflage, struck. —

A	adjacent category	Evaluation forms
B	confusion set	Predictive routing
C	adjacent category	Wrap-up codes
D	KEY	Speech and Text Analytics — topics built from phrases that detect the intent, plus sentiment scoring on the transcript

13. Transcription and recording policies — B

Rule. Recording policy = whether, what, and how long.

Target word. this queue yes · that queue no · 90 days **Decides.** Policies carry the conditions and the retention.

Camouflage, struck. —

A	confusion set	The agent's presence
B	KEY	Recording policies (with conditions per queue) governing recording, transcription and retention
C	confusion set	Utilization
D	adjacent category	The evaluation form

14. Workforce Management — forecast, schedule, adherence — A

Rule. Forecast → schedule → adherence, in that order.

Target word. next month · shifts · yesterday **Decides.** Forecast demand, schedule supply, measure adherence.

Camouflage, struck. —

A	KEY	Forecast → schedule → adherence
B	inverted operation	Adherence → forecast → schedule
C	inverted operation	Schedule → forecast → adherence
D	dropped element	All three are the same view

15. Performance views vs reports vs API — C

Rule. View now, export later, API always.

Target word. live · last quarter · data lake **Decides.** Time horizon and consumer choose the route.

Camouflage, struck. —

A	dropped element	All from performance views
B	dropped element	All from the Analytics API
C	KEY	Performance views (real-time) · exported reports/views (historical) · Analytics API (programmatic)
D	adjacent category	Reports for all three

16. Genesys Cloud Voice vs BYOC — D

Rule. GCV = Genesys carries. BYOC = you carry.

Target word. provide vs KEEP **Decides.** Who owns the carrier decides.

Camouflage, struck. —

A	absolute language	Both must use Genesys Cloud Voice
B	absolute language	Neither needs telephony configuration
C	absolute language	Both must use BYOC
D	KEY	Genesys Cloud Voice for the first; BYOC (Bring Your Own Carrier — cloud or premises) for the second

17. Sites, trunks, DIDs — B

Rule. Site = where calls originate. DID = which number reaches which flow.

Target word. caller ID · emergency address · numbers **Decides.** Site carries location settings; DIDs map numbers.

Camouflage, struck. —

A	confusion set	A division
B	KEY	A site (location, emergency address, outbound settings), trunk configuration, and DID assignment to the flow
C	confusion set	A queue
D	confusion set	A skill

18. External contacts and CRM embedding — A

Rule. Integration = pop in, write back.

Target word. pop on connect · log back **Decides.** Embedding does both directions.

Camouflage, struck. —

A	KEY	Screen pop via an integration/embeddable framework (or CRM client) and interaction logging through the integration
B	dropped element	Manual search
C	adjacent category	A script
D	confusion set	A data table

19. Scripts — C

Rule. Script = guided conversation; canned response = reusable text.

Target word. read · capture in order **Decides.** Scripts guide the agent during the interaction.

Camouflage, struck. —

A	adjacent category	A canned response
B	adjacent category	An evaluation form
C	KEY	A script assigned to the queue — pages, inputs and variables shown in the interaction panel
D	confusion set	A wrap-up code

20. Callbacks — D

Rule. Callback holds the place; voicemail drops it.

Target word. without losing POSITION **Decides.** Callback is a queued interaction type.

Camouflage, struck. —

A	adjacent category	Voicemail
B	dropped element	A second queue
C	inverted operation	Transfer to an agent
D	KEY	Callback offered from the in-queue flow, scheduled or immediate, retaining queue position

21. Secure pause — B

Rule. Secure pause protects the segment; deletion after the fact is too late.

Target word. card number on a RECORDED line **Decides.** Pause the capture at the moment, not the retention later.

Camouflage, struck. —

A	absolute language	Nothing; recordings are encrypted
B	KEY	The agent (or an automated trigger) pauses recording — secure pause — for the sensitive portion
C	dropped element	Stop recording the whole queue
D	inverted operation	Delete the recording after the call

22. Knowledge and bots — A

Rule. Bot answers; escalation keeps the thread.

Target word. answer · then hand off WITH transcript **Decides.** Knowledge feeds the bot; transfer carries context.

Camouflage, struck. —

A	KEY	Knowledge workbench articles used by a knowledge/bot flow, with a transfer-to-queue step that carries context
B	confusion set	Canned responses
C	adjacent category	A data table of answers
D	adjacent category	An IVR menu

23. Agent assist — C

Rule. Assist is live; QM is after; WFM is before.

Target word. DURING the call · suggestions **Decides.** Real-time assistance is its own capability.

Camouflage, struck. —

A	confusion set	Bullseye routing
B	confusion set	Workforce Management
C	KEY	Agent assist / Agent Copilot — real-time suggestions and summarization in the agent UI
D	adjacent category	Quality Management

24. Interaction vs conversation — D

Rule. Interactions are atoms; the journey is the molecule.

Target word. three records · same order **Decides.** Interaction is per session; journey is the link.

Camouflage, struck. —

A	absolute language	Yes — chats do not count
B	inverted operation	No — email is not an interaction
C	inverted operation	Yes — they should be one interaction
D	KEY	No — each channel session is an interaction; linking them into one customer journey is done through external contacts/journey features, not by merging interactions

25. Predictive routing — B

Rule. Predictive = KPI + history + fallback. It sequences; humans still serve.

Target word. learned from OUTCOMES **Decides.** Prediction requires labelled history and a fallback.

Camouflage, struck. —

A	adjacent category	Bullseye
B	KEY	Predictive routing — a model trained on historical interaction and outcome data for a chosen KPI, with a fallback routing method
C	adjacent category	Preferred agent
D	dropped element	A larger queue

Part C — Triage

Sort every item by the two marks you made. Write item numbers in the cells.

	Right	Wrong
Sure	Owned. Bank it.	Wrong model. Top priority. Say the rule aloud; find the construct in the documentation.
Unsure	Recognition, not mastery. Redo from the rule.	Not learned. Read the rule, then the source area.
Guess	Luck. Treat as not learned.	Not learned.

Mold tally. dropped element ____ · wrong stem number ____ · adjacent category ____ · inverted operation ____ · absolute language ____ · confusion set ____ · camouflage ____ · The largest number is the pattern to drill.

Genesys is a trademark of its owner. This book is an independent, unofficial study aid. It is not affiliated with, sponsored by, or endorsed by Genesys or any employer of the author. Every item is original and written from the platform's public documentation; no certification exam question is reproduced or paraphrased, and no customer instance, configuration or data is described.

© 2026 Joshua. From Joshua's mind — that is the signature.