

D122

Family Nurse Practitioner Clinical Internship I

Armored Drill

8 concepts · 12 items · 4 transfer items

What this is. Every concept in this course's public description, re-asked with more disguise than a practice test uses. Each stem carries facts that do not decide it. Every wrong answer is a named trap.

Source. Scope from the course's public description in the WGU Institutional Catalog (September 2026); items written from the field's standard body of knowledge. No WGU assessment item, course material or proprietary content is used or reproduced. Not affiliated with or endorsed by Western Governors University.

Method © 2026 Erik Daniel Lindquist — Course Mastery Coach, armored drill. Items drafted with AI assistance under his direction.

How to run it

Paper first. Pencil. One pass, no notes, a timer if you want the pressure.

1. **Before you read the options**, fill the strip under the item: the target word (what is actually being asked), and the one fact in the stem that decides it.
2. **Principle before arithmetic**. Name the rule, then compute.
3. **Camouflage**. Most of every stem does not matter. Ask: which single fact decides this?
4. **Inverse pairs are the bait**. If two options are opposites, one of them is the trap built for you.
5. **Mark sure, unsure or guess** honestly. Sure-and-wrong is the most valuable miss on the page — it is a wrong mental model.
6. **Absolutes** (always, never, guarantee) are usually wrong. And recognizing an answer is not the same as owning it.
7. Items with a **heavy black bar** on the left are **transfer items**: the same principle, reversed or solved for a different variable.
8. Stop at the STOP page. Then grade, fill the triage grid, and tally the traps you fell for. The biggest tally is what you drill next.

The strip, filled in, looks like this:

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	_____	

Items

1.

During a precepted visit, a 47-year-old teacher who coaches the school chess team says she has had headaches every morning for two weeks. Her blood pressure is 148/92 and her fundi are normal. Her preceptor has practiced for 20 years. In which SOAP section should the morning headaches be documented?

- A. Subjective.
- B. Objective.
- C. Assessment.
- D. Plan.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	_____	

2. [TRANSFER — reversed stem / different variable]

A patient's hemoglobin A1C result of 7.2% comes back during the visit. In which SOAP section does the result belong?

- A. Assessment.
- B. Plan.
- C. Objective.
- D. Subjective.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	_____	

3.

A 42-year-old yoga instructor with a history of migraines since college reports a headache that began suddenly while lifting weights an hour ago and reached full intensity within a minute. She calls it the worst headache of her life. Her usual migraines build slowly with an aura. What is the most appropriate next step?

- A. Send her for emergency evaluation, including head imaging, now.
- B. Schedule an outpatient MRI within the next month.
- C. Give her usual migraine medicine and follow up in two weeks.
- D. Diagnose a tension-type headache from exercise and advise rest.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	_____	

4.

A 51-year-old band director who is planning a trip to Italy has an average office blood pressure of 136/92 across two properly measured visits. A pharmacy kiosk reading last month was 124/78. How is his blood pressure classified?

- A. Stage 2 hypertension.
- B. Normal blood pressure.
- C. Stage 1 hypertension.
- D. Elevated blood pressure.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

5. [TRANSFER — reversed stem / different variable]

A patient's averaged readings place her in stage 1 hypertension. Which average fits?

- A. 118/92
- B. 134/84
- C. 142/88
- D. 128/78

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

6.

A 49-year-old marathon runner with no symptoms has labs drawn for a work physical. His father was diagnosed with diabetes at 60. From the same blood sample, his A1C is 7.1% and his fasting glucose is 134 mg/dL. What is the correct interpretation?

- A. An oral glucose tolerance test is required before any diagnosis.
- B. Prediabetes.
- C. Unlikely diabetes, because he runs marathons.
- D. Type 2 diabetes is diagnosed; no repeat testing is needed to confirm.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

7. [TRANSFER — reversed stem / different variable]

Which single result falls in the prediabetes range?

- A. A1C 6.5%
- B. A1C 6.0%
- C. Fasting glucose 95 mg/dL
- D. Random glucose 210 mg/dL with thirst and frequent urination

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

8.

A 20-year-old college point guard with a tournament next week rolled his ankle two hours ago. He limped but walked from the car to the exam room. There is marked swelling and bruising over the outside of the ankle. He is tender just in front of the lateral malleolus, with no tenderness at the posterior edge or tip of either malleolus, the navicular, or the base of the fifth metatarsal. What is the best plan?

- A. Order x-rays for every ankle injury in athletes.
- B. Order ankle x-rays because of the marked swelling and bruising.
- C. Order an MRI to check the ligaments before he can play.
- D. No x-ray; manage as a sprain with support, early mobility, and follow-up.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

9.

A 24-year-old graduate student has had a sore throat for two days. Her roommate had the flu last week. Temperature is 38.6 °C, she has no cough, her tonsils have white exudate, and her anterior cervical nodes are tender. What is the best next step?

- A. Prescribe amoxicillin without testing, since the score is high.
- B. Give antibiotics to all patients with a sore throat and fever.
- C. Do a rapid strep test and prescribe penicillin or amoxicillin only if it is positive.
- D. Test for influenza only, because of her roommate.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

10. [TRANSFER — reversed stem / different variable]

A 50-year-old has a sore throat with a fever of 38.4 °C, no cough, and tonsillar exudate. His anterior cervical nodes are not tender. What is his Centor/McIsaac score?

- A. 3
- B. 2
- C. 4
- D. 1

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

11.

A 60-year-old man who owns a hardware store and has no urinary symptoms asks whether he should have a PSA test. His neighbor was recently treated for prostate cancer. The USPSTF recommendation for men 55 to 69 is an individual decision. What is the best approach?

- A.** Recommend against PSA testing at any age.
- B.** Order the PSA for all men over 50.
- C.** Discuss potential benefits and harms, including false positives and overtreatment, and decide together based on his values.
- D.** Tell him to decide on his own and order whatever he chooses.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

12.

A 52-year-old woman with type 2 diabetes, well controlled on metformin, has an LDL of 130 mg/dL. She walks three miles daily and her mother lived to 94. She has no known heart disease. What is the most appropriate lipid plan?

- A.** No statin, because she exercises daily and has a family history of long life.
- B.** Lifestyle changes only until LDL reaches 190 mg/dL.
- C.** No statin, because she has no known heart disease.
- D.** Start at least a moderate-intensity statin along with lifestyle measures.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

STOP

Answers and dissection follow. Finish every item and every strip first.

Key and dissection

Struck-through text is the camouflage: facts that do not decide the item.

1. Answer A Concept 1

During a precepted visit, a 47-year-old teacher ~~who coaches the school chess team~~ says she has had headaches every morning for two weeks. Her blood pressure is 148/92 and her fundi are normal. ~~Her preceptor has practiced for 20 years.~~ In which SOAP section should the morning headaches be documented?

Target word: SOAP placement **Decides:** The headaches are patient-reported.

A	Correct	Symptoms the patient reports belong in Subjective.
B	Confusion set	Objective holds measured or observed data such as the blood pressure and fundi.
C	Adjacent category	Assessment holds the diagnosis and reasoning, not the reported symptom.
D	Dropped element	The plan lists actions; the symptom itself must first be recorded as history.

2. Answer C Concept 1 • transfer

A patient's hemoglobin A1C result of 7.2% comes back during the visit. In which SOAP section does the result belong?

Target word: reverse: measured data placement **Decides:** A lab value is measured data.

A	Adjacent category	The diagnosis the lab supports goes in Assessment; the value itself is Objective.
B	Confusion set	Plan holds next steps, such as a repeat A1C in 3 months.
C	Correct	Lab results are measured data.
D	Inverted operation	Subjective is for what the patient reports.

3. Answer A Concept 2

A 42-year-old ~~yoga instructor with a history of migraines since college~~ reports a headache that began suddenly while lifting weights an hour ago and reached full intensity within a minute. She calls it the worst headache of her life. Her usual migraines build slowly with an aura. What is the most appropriate next step?

Target word: next step **Decides:** Sudden, maximal-at-onset "worst headache" = possible subarachnoid hemorrhage.

A	Correct	A thunderclap headache must be treated as a possible bleed until proven otherwise.
B	Dropped element	Right idea, wrong urgency; this needs same-day emergency evaluation.
C	Camouflage	Anchors on her migraine history; this headache has a different, dangerous pattern.
D	Adjacent category	A benign exertional cause cannot be assumed until a bleed is excluded.

4. Answer A Concept 3

A 51-year-old band director ~~who is planning a trip to Italy~~ has an average office blood pressure of 136/92 across two properly measured visits. ~~A pharmacy kiosk reading last month was 124/78.~~ How is his blood pressure classified?

Target word: BP category **Decides:** Diastolic 92 is stage 2; the higher category wins.

A	Correct	Diastolic ≥ 90 is stage 2 even though systolic is in the stage 1 range.
B	Wrong stem number	Uses the single kiosk reading instead of the averaged office readings.
C	Dropped element	Classifies by systolic alone and ignores the diastolic value.
D	Adjacent category	Elevated requires diastolic below 80.

5. Answer B Concept 3 • transfer

A patient's averaged readings place her in stage 1 hypertension. Which average fits?

Target word: reverse: reading from category **Decides:** Stage 1 = 130–139 or 80–89, with neither value in stage 2.

A	Confusion set	Diastolic 92 is stage 2 despite a normal systolic.
B	Correct	Both numbers fall in stage 1 and neither reaches stage 2.
C	Dropped element	Reads only the diastolic; systolic 142 is stage 2.
D	Adjacent category	That is elevated blood pressure.

6. Answer D Concept 4

A 49-year-old ~~marathon runner~~ with no symptoms has labs drawn for a work physical. ~~His father was diagnosed with diabetes at 60.~~ From the same blood sample, his A1C is 7.1% and his fasting glucose is 134 mg/dL. What is the correct interpretation?

Target word: diagnosis **Decides:** Two abnormal tests from the same sample confirm diabetes.

A	Confusion set	OGTT is one option, not a requirement.
B	Adjacent category	Both values exceed prediabetes ranges (A1C 5.7–6.4%, fasting 100–125).
C	Camouflage	Fitness does not override diagnostic lab results.
D	Correct	Two different abnormal tests from the same sample confirm the diagnosis.

7. Answer B Concept 4 • transfer

Which single result falls in the prediabetes range?

Target word: reverse: value from category **Decides:** Prediabetes = A1C 5.7–6.4% or fasting 100–125 mg/dL.

A	Adjacent category	6.5% is the diabetes threshold.
B	Correct	Falls within 5.7–6.4%.
C	Inverted operation	Below 100 is normal.
D	Confusion set	Random $\geq$ 200 with classic symptoms is diabetes.

8. Answer D Concept 5

A 20-year-old college point guard ~~with a tournament next week~~ rolled his ankle two hours ago. He limped but walked from the car to the exam room. ~~There is marked swelling and bruising over the outside of the ankle.~~ He is tender just in front of the lateral malleolus, with no tenderness at the posterior edge or tip of either malleolus, the navicular, or the base of the fifth metatarsal. What is the best plan?

Target word: imaging decision **Decides:** He can bear weight and has no bony tenderness at Ottawa points.

A	Absolute language	The rules exist to avoid unneeded imaging, athlete or not.
B	Camouflage	Swelling and bruising are not part of the Ottawa criteria.
C	Adjacent category	MRI is not a first-line test for an acute, uncomplicated sprain.
D	Correct	Ottawa rules are negative, so imaging is not indicated.

9. Answer C Concept 6

A 24-year-old graduate student has had a sore throat for two days. ~~Her roommate had the flu last week.~~ Temperature is 38.6 °C, she has no cough, her tonsils have white exudate, and her anterior cervical nodes are tender. What is the best next step?

Target word: testing and treatment **Decides:** Centor/McIsaac score of 4 calls for rapid strep testing.

A	Dropped element	Skips confirmation and risks unneeded antibiotics.
B	Absolute language	Most sore throats are viral; stewardship requires testing.
C	Correct	A high score supports testing; treat confirmed strep.
D	Camouflage	Exudate, tender nodes, and no cough point toward strep, not flu.

10. Answer B Concept 6 · transfer

A 50-year-old has a sore throat with a fever of 38.4 °C, no cough, and tonsillar exudate. His anterior cervical nodes are not tender. What is his Centor/McIsaac score?

Target word: compute the score **Decides:** Fever +1, no cough +1, exudate +1, nodes 0, age $\geq 45 -1$.

A	Dropped element	Leaves out the -1 for age 45 or older.
B	Correct	$1 + 1 + 1 + 0 - 1 = 2$.
C	Inverted operation	Adds a point for age instead of subtracting it.
D	Confusion set	Treats the absence of cough as not scoring, when absent cough earns a point.

11. Answer C Concept 7

A 60-year-old man ~~who owns a hardware store~~ and has no urinary symptoms asks whether he should have a PSA test. His neighbor was recently treated for prostate cancer. The USPSTF recommendation for men 55 to 69 is an individual decision. What is the best approach?

Target word: approach to a preference-sensitive test **Decides:** Benefits and harms are closely balanced for his age group.

A	Confusion set	The recommendation against screening applies to men 70 and older.
B	Absolute language	Routine screening without discussion ignores the balanced evidence.
C	Correct	Shared decision-making fits a C-grade, individual-decision service.
D	Dropped element	Shared decision-making requires giving balanced information, not just deferring.

12. Answer D Concept 8

A 52-year-old woman with type 2 diabetes, well controlled on metformin, has an LDL of 130 mg/dL. ~~She walks three miles daily and her mother lived to 94.~~ She has no known heart disease. What is the most appropriate lipid plan?

Target word: statin indication **Decides:** Diabetes at age 40–75 is a statin benefit group.

A	Camouflage	Neither fact removes her diabetes-based indication.
B	Confusion set	$LDL \geq 190$ is a separate benefit group; diabetes alone qualifies her.
C	Dropped element	Primary prevention in diabetes does not require existing ASCVD.
D	Correct	Adults 40–75 with diabetes warrant at least moderate-intensity statin therapy.

Triage grid

Write each item number in the box it belongs to.

	Right	Wrong
Sure	Owned.	Concept inversion — top priority. A wrong mental model; it survives rewording.
Unsure / guess	Recognition, not mastery. Re-drill with the transfer.	Not learned yet.

Trap tally

For every miss, find the letter you chose in the key and tally its trap. The biggest number is the pattern to drill.

Trap	What it does	In this drill	Your misses
Dropped element	Leaves out a required term or step.	8	
Wrong stem number	A figure copied from the prompt that is not the answer.	1	
Adjacent category	The right idea in the wrong bucket.	8	
Inverted operation	Direction flipped: add/subtract, cause/effect, higher/lower.	3	
Absolute language	Always, never, guarantee — where judgment applies.	3	
Confusion set	Every option is real; the test is exact role-matching.	8	
Camouflage	Answers a stem fact that was never the question.	5	

Anchor rows — the concept list

One row per concept: the rule to lock in, the trap that catches people, and the tell in the question that signals it.

#	Concept	Rule	Trap	Tell
1	SOAP documentation	Subjective = what the patient or family reports; Objective = what is measured or observed (vitals, exam, labs); Assessment = diagnoses and reasoning; Plan = tests, treatment, education, follow-up.	Putting patient-reported symptoms in Objective or exam findings in Assessment.	Whether the information came from the patient's report or from measurement.
2	Red flags drive the differential	Rule out the most dangerous plausible diagnosis first; red flags such as a sudden "worst headache of my life" require emergency evaluation before routine causes are considered.	Anchoring on a known history, such as migraines, and treating the usual cause.	Sudden onset, maximal severity, or a new pattern in a patient with a chronic complaint.
3	Blood pressure categories (ACC/AHA 2017)	Normal < 120/< 80; elevated 120-129/< 80; stage 1 130-139 or 80-89; stage 2 ≥ 140 or ≥ 90; use the average of properly measured readings on 2 or more occasions, and the higher category wins.	Classifying by systolic pressure alone.	A reading where systolic and diastolic fall in different categories.
4	Diagnosing type 2 diabetes	Diabetes = A1C ≥ 6.5%, fasting glucose ≥ 126, 2-hour OGTT ≥ 200, or random ≥ 200 with classic symptoms; without symptoms, two abnormal results (same or separate samples) are needed. Prediabetes = A1C 5.7-6.4% or fasting 100-125.	Requiring an OGTT, or confusing the prediabetes and diabetes cutoffs.	A1C or glucose values near a cutoff.
5	Ottawa ankle rules	Ankle x-rays are needed only if there is bone tenderness at the posterior edge or tip of either malleolus, or the patient cannot bear weight for 4 steps both right after injury and in the office.	Ordering x-rays because of swelling or bruising.	An ankle injury with the location of tenderness and weight-bearing status.
6	Sore throat: Centor/McIsaac and testing	Score 1 point each for fever, absent cough, tender anterior cervical nodes, and tonsillar exudate or swelling; add 1 for age 3-14, subtract 1 for age 45 or older; test with a rapid strep test when the score suggests strep and treat only confirmed cases.	Prescribing antibiotics for sore throat without testing.	Sore throat with a list of findings and the patient's age.

#	Concept	Rule	Trap	Tell
7	Shared decision-making	When benefits and harms are closely balanced (e.g., PSA screening for men 55-69), present options, risks, and benefits and let the patient's values guide the choice.	Ordering or refusing the test by default without discussion.	A preference-sensitive service with a C-grade or "individual decision" recommendation.
8	Statin benefit groups	Statins are indicated for clinical ASCVD, LDL $\geq$ 190 mg/dL, diabetes in ages 40-75, or elevated 10-year ASCVD risk; diabetes alone at 40-75 warrants at least a moderate-intensity statin.	Waiting for LDL to reach 190 before treating a patient with diabetes.	An adult 40-75 with diabetes and a "borderline" LDL.

Course scope (public description): Family Nurse Practitioner Clinical Internship I prepares the graduate nursing student to perform the role of an advanced practice nurse with the essential competencies and skills necessary to deliver primary care to individuals, families, and groups throughout the life span. Using the precepted clinical setting, this course will provide opportunities for the graduate nursing student to combine competencies developed in preparatory advanced practice coursework to deliver patient-centered healthcare. This course will also provide the graduate nursing student with opportunities to conduct advanced health assessments and use the competencies of advanced pathophysiology, pharmacology, and health promotion for individuals and populations across the life span to build self-efficacy in individuals and groups, determine correct diagnoses, and establish plans of care that include patient and population preferences. All MSN Core courses, as well as Advanced Pathophysiology for the Advanced Practice Nurse, Advanced Pharmacology for the Advanced Practice Nurse, and Advanced Health Assessment for the Advanced Practice Nurse and FNP Specialty courses must be completed before taking this course.