

D124

Family Nurse Practitioner Clinical Internship III

Armored Drill

8 concepts · 12 items · 4 transfer items

What this is. Every concept in this course's public description, re-asked with more disguise than a practice test uses. Each stem carries facts that do not decide it. Every wrong answer is a named trap.

Source. Scope from the course's public description in the WGU Institutional Catalog (September 2026); items written from the field's standard body of knowledge. No WGU assessment item, course material or proprietary content is used or reproduced. Not affiliated with or endorsed by Western Governors University.

Method © 2026 Erik Daniel Lindquist — Course Mastery Coach, armored drill. Items drafted with AI assistance under his direction.

How to run it

Paper first. Pencil. One pass, no notes, a timer if you want the pressure.

1. **Before you read the options**, fill the strip under the item: the target word (what is actually being asked), and the one fact in the stem that decides it.
2. **Principle before arithmetic**. Name the rule, then compute.
3. **Camouflage**. Most of every stem does not matter. Ask: which single fact decides this?
4. **Inverse pairs are the bait**. If two options are opposites, one of them is the trap built for you.
5. **Mark sure, unsure or guess** honestly. Sure-and-wrong is the most valuable miss on the page — it is a wrong mental model.
6. **Absolutes** (always, never, guarantee) are usually wrong. And recognizing an answer is not the same as owning it.
7. Items with a **heavy black bar** on the left are **transfer items**: the same principle, reversed or solved for a different variable.
8. Stop at the STOP page. Then grade, fill the triage grid, and tally the traps you fell for. The biggest tally is what you drill next.

The strip, filled in, looks like this:

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	_____	

Items

1.

A 67-year-old retired postal carrier who swims three times a week has a DXA scan. Her femoral neck T-score is -2.7 and her Z-score is -1.4 . She had a normal mammogram last month. How is her bone density classified?

- A. Low bone mass (osteopenia).
- B. Normal, because she swims regularly.
- C. Low bone mass, based on the Z-score of -1.4 .
- D. Osteoporosis.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

2. [TRANSFER — reversed stem / different variable]

Which T-score falls in the low bone mass (osteopenia) range?

- A. $+1.8$
- B. -0.6
- C. -1.8
- D. -3.1

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

3.

A 26-year-old physical therapist completed the HPV vaccine series at 13. Her only cervical cytology, three years ago, was normal. She recently started a new relationship and runs a book club. What cervical screening does she need today?

- A. Cytology every year from now on.
- B. Co-testing with cytology and HPV.
- C. Cervical cytology (Pap test) today.
- D. No screening, because she received the HPV vaccine.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

4.

A 74-year-old retired firefighter takes warfarin for atrial fibrillation with a stable INR of 2.4 for the past year. He volunteers at an animal shelter. He now has a urinary tract infection, and the culture shows the organism is sensitive to trimethoprim-sulfamethoxazole, nitrofurantoin, and cephalexin. What is the best approach?

- A. Choose a lower-interaction option such as cephalexin and still check INR within a few days.
- B. Any antibiotic is safe with warfarin if the course is under a week.
- C. Stop warfarin for the full antibiotic course.
- D. Use trimethoprim-sulfamethoxazole with no INR check, since his INR has been stable.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

5.

A 72-year-old woman who teaches piano has newly found atrial fibrillation. She has hypertension and type 2 diabetes and a BMI of 31. She has no history of stroke, heart failure, or vascular disease. What is her CHA2DS2-VASc score?

- A. 5
- B. 4
- C. 2
- D. 3

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

6. [TRANSFER — reversed stem / different variable]

A man with atrial fibrillation has no other risk factors, and his CHA2DS2-VASc score is 2 from age alone. What is his age?

- A. Under 65.
- B. 65 to 74.
- C. 75 or older.
- D. Any age over 65.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

7.

A 58-year-old accountant who enjoys fishing has chest x-ray-confirmed community-acquired pneumonia. He is alert and oriented, his temperature is 38.9 °C, respiratory rate 22, blood pressure 128/80, and BUN 14 mg/dL. He can take oral medicines. What is the most appropriate disposition?

- A. Intensive care admission.
- B. Outpatient treatment with oral antibiotics and close follow-up.
- C. Hospital admission, because his temperature is 38.9 °C.
- D. Hospital admission, because the pneumonia is confirmed on x-ray.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

8. [TRANSFER — reversed stem / different variable]

An 80-year-old with pneumonia is newly confused. BUN is 25 mg/dL, respiratory rate is 24, and blood pressure is 100/58. What is the CURB-65 score?

- A. 3
- B. 5
- C. No score needed; everyone over 75 is admitted.
- D. 4

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

9.

A 35-year-old architect has had nasal congestion and thick green discharge for 6 days. She has mild facial pressure and a temperature of 37.6 °C, and she feels a little better than two days ago. She is leaving for a work conference in Denver next week. What is the best management?

- A. Symptomatic care such as saline irrigation and analgesics, with return precautions.
- B. Amoxicillin-clavulanate because the discharge is green.
- C. Sinus CT to confirm bacterial infection.
- D. Antibiotics so she is well for her trip.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

10.

A 48-year-old sales manager who recently bought a boat says, "I know I drink more than I should on weekends, but it's how I unwind, and my friends all drink." His liver enzymes are normal and he has two teenagers. Which response best reflects motivational interviewing?

- A.** "Part of you enjoys how drinking helps you relax, and part of you is wondering if it's more than it should be."
- B.** "Heavy drinking always leads to liver disease."
- C.** "You need to cut down to two drinks or fewer, starting this weekend."
- D.** "Your liver tests are normal, so it's probably not a problem."

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

11.

A 30-year-old kindergarten teacher had her first day of her last menstrual period on June 10, 2026. She took a positive home pregnancy test on July 8, 2026, and is excited because it is her first pregnancy. Using Naegele's rule, what is her estimated due date?

- A.** April 15, 2027
- B.** March 17, 2027
- C.** March 3, 2027
- D.** March 10, 2027

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

12. [TRANSFER — reversed stem / different variable]

Using Naegele's rule, a patient's estimated due date is January 20, 2027. What was the first day of her last menstrual period?

- A.** October 13, 2026
- B.** April 20, 2026
- C.** April 27, 2026
- D.** April 13, 2026

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

STOP

Answers and dissection follow. Finish every item and every strip first.

Key and dissection

Struck-through text is the camouflage: facts that do not decide the item.

1. Answer D Concept 1

A 67-year-old ~~retired postal carrier who swims three times a week~~ has a DXA scan. Her femoral neck T-score is -2.7 and her Z-score is -1.4 . ~~She had a normal mammogram last month.~~ How is her bone density classified?

Target word: bone density category **Decides:** T-score -2.7 is at or below -2.5 .

A	Adjacent category	Osteopenia is between -1.0 and -2.5 .
B	Camouflage	Activity does not change the measured T-score.
C	Wrong stem number	Postmenopausal women are classified by T-score, not Z-score.
D	Correct	A T-score of -2.5 or lower defines osteoporosis.

2. Answer C Concept 1 • transfer

Which T-score falls in the low bone mass (osteopenia) range?

Target word: reverse: value from category **Decides:** Between -1.0 and -2.5 .

A	Confusion set	Positive scores are above the young-adult mean.
B	Adjacent category	-1.0 or higher is normal.
C	Correct	Falls between -1.0 and -2.5 .
D	Inverted operation	More negative than -2.5 is osteoporosis.

3. Answer C Concept 2

A 26-year-old ~~physical therapist~~ completed the HPV vaccine series at 13. Her only cervical cytology, three years ago, was normal. She recently started a new relationship ~~and runs a book club~~. What cervical screening does she need today?

Target word: screening test and timing **Decides:** Age 21–29 with a normal Pap 3 years ago.

A	Absolute language	Annual screening is not recommended for average-risk patients.
B	Adjacent category	Co-testing is an option for ages 30–65, not under 30.
C	Correct	Ages 21–29 are screened with cytology every 3 years; she is due.
D	Camouflage	Vaccinated people follow the same screening schedule.

4. Answer A Concept 3

A 74-year-old ~~retired firefighter~~ takes warfarin for atrial fibrillation with a stable INR of 2.4 for the past year. ~~He volunteers at an animal shelter.~~ He now has a urinary tract infection, and the culture shows the organism is sensitive to trimethoprim-sulfamethoxazole, nitrofurantoin, and cephalexin. What is the best approach?

Target word: safe antibiotic plan **Decides:** TMP-SMX strongly raises INR with warfarin.

A	Correct	Avoids the strongest interaction while monitoring for any change.
B	Absolute language	Short courses can still raise INR significantly.
C	Inverted operation	Interrupting anticoagulation raises stroke risk.
D	Dropped element	Past stability does not protect against a new drug interaction.

5. Answer B Concept 4

A 72-year-old woman ~~who teaches piano~~ has newly found atrial fibrillation. She has hypertension and type 2 diabetes ~~and a BMI of 31~~. She has no history of stroke, heart failure, or vascular disease. What is her CHA2DS2-VASc score?

Target word: compute the score **Decides:** Age 65–74 (1) + female (1) + hypertension (1) + diabetes (1).

A	Camouflage	Adds a point for obesity, which is not in the score.
B	Correct	$1 + 1 + 1 + 1 = 4$.
C	Confusion set	Treats age under 75 as zero, mixing up the two age bands.
D	Dropped element	Leaves out the female sex point.

6. Answer C Concept 4 • transfer

A man with atrial fibrillation has no other risk factors, and his CHA2DS2-VASc score is 2 from age alone. What is his age?

Target word: solve for age **Decides:** Only age 75 or older scores 2.

A	Inverted operation	Under 65 earns no age points.
B	Adjacent category	That age band earns 1 point.
C	Correct	Age ≥ 75 earns 2 points.
D	Absolute language	Ages 65–74 score only 1.

7. Answer B Concept 5

A 58-year-old accountant ~~who enjoys fishing~~ has chest x-ray-confirmed community-acquired pneumonia. He is alert and oriented, his temperature is 38.9 °C, respiratory rate 22, blood pressure 128/80, and BUN 14 mg/dL. He can take oral medicines. What is the most appropriate disposition?

Target word: disposition from CURB-65 **Decides:** CURB-65 score of 0.

A	Inverted operation	ICU care is considered at the highest scores, not 0.
B	Correct	A score of 0 supports outpatient care.
C	Adjacent category	Fever is not a CURB-65 criterion.
D	Absolute language	Confirmed pneumonia alone does not require admission.

8. Answer D Concept 5 • transfer

An 80-year-old with pneumonia is newly confused. BUN is 25 mg/dL, respiratory rate is 24, and blood pressure is 100/58. What is the CURB-65 score?

Target word: compute the score **Decides:** Confusion 1, BUN 1, RR 0, BP 1 (diastolic ≤ 60), age 1.

A	Dropped element	Misses the diastolic ≤ 60 criterion because systolic is above 90.
B	Confusion set	Scores the respiratory rate of 24; the cutoff is 30.
C	Absolute language	Age earns only 1 point at 65 or older; there is no automatic 75 cutoff.
D	Correct	$1 + 1 + 0 + 1 + 1 = 4$.

9. Answer A Concept 6

A 35-year-old architect has had nasal congestion and thick green discharge for 6 days. She has mild facial pressure and a temperature of 37.6 °C, and she feels a little better than two days ago. ~~She is leaving for a work conference in Denver next week.~~ What is the best management?

Target word: antibiotic decision **Decides:** Under 10 days, improving, no severe onset.

A	Correct	The course fits viral rhinosinusitis; no bacterial criterion is met.
B	Confusion set	Discharge color does not distinguish bacterial from viral infection.
C	Adjacent category	Imaging is not needed for uncomplicated acute sinusitis.
D	Camouflage	Travel plans do not create an indication.

10. Answer A Concept 7

A 48-year-old sales manager ~~who recently bought a boat~~ says, "I know I drink more than I should on weekends, but it's how I unwind, and my friends all drink." ~~His liver enzymes are normal and he has two teenagers.~~ Which response best reflects motivational interviewing?

Target word: MI technique **Decides:** A reflection that captures both sides of his ambivalence.

A	Correct	A double-sided reflection draws out ambivalence without pushing.
B	Absolute language	Scare tactics and absolutes raise resistance.
C	Inverted operation	Directing is the righting reflex MI avoids.
D	Camouflage	Normal labs do not settle the behavior question and shut down the conversation.

11. Answer B Concept 8

A 30-year-old kindergarten teacher had her first day of her last menstrual period on June 10, 2026. ~~She took a positive home pregnancy test on July 8, 2026, and is excited because it is her first pregnancy.~~ Using Naegele's rule, what is her estimated due date?

Target word: EDD **Decides:** June 10 + 7 days = June 17; – 3 months = March 17; + 1 year.

A	Wrong stem number	Starts from the positive test date instead of the LMP.
B	Correct	June 10 + 7 days – 3 months + 1 year = March 17, 2027.
C	Inverted operation	Subtracts 7 days instead of adding them.
D	Dropped element	Leaves out the + 7 days.

12. Answer D Concept 8 • transfer

Using Naegele's rule, a patient's estimated due date is January 20, 2027. What was the first day of her last menstrual period?

Target word: solve for LMP **Decides:** Reverse the rule: – 7 days, + 3 months, – 1 year.

A	Confusion set	Subtracts 3 months when reversing instead of adding them.
B	Dropped element	Leaves out the 7-day adjustment.
C	Inverted operation	Adds 7 days when reversing instead of subtracting.
D	Correct	January 20 – 7 days = January 13; + 3 months = April 13, 2026.

Triage grid

Write each item number in the box it belongs to.

	Right	Wrong
Sure	Owned.	Concept inversion — top priority. A wrong mental model; it survives rewording.
Unsure / guess	Recognition, not mastery. Re-drill with the transfer.	Not learned yet.

Trap tally

For every miss, find the letter you chose in the key and tally its trap. The biggest number is the pattern to drill.

Trap	What it does	In this drill	Your misses
Dropped element	Leaves out a required term or step.	5	
Wrong stem number	A figure copied from the prompt that is not the answer.	2	
Adjacent category	The right idea in the wrong bucket.	6	
Inverted operation	Direction flipped: add/subtract, cause/effect, higher/lower.	7	
Absolute language	Always, never, guarantee — where judgment applies.	6	
Confusion set	Every option is real; the test is exact role-matching.	5	
Camouflage	Answers a stem fact that was never the question.	5	

Anchor rows — the concept list

One row per concept: the rule to lock in, the trap that catches people, and the tell in the question that signals it.

#	Concept	Rule	Trap	Tell
1	DXA T-score categories	T-score -1.0 or higher = normal; between -1.0 and -2.5 = low bone mass (osteopenia); -2.5 or lower = osteoporosis.	Reading the less negative number as worse, or using the Z-score in postmenopausal women.	A T-score near -1.0 or -2.5 .
2	Cervical cancer screening intervals	Ages 21-29: cytology every 3 years; ages 30-65: cytology every 3 years, high-risk HPV testing every 5 years, or co-testing every 5 years; HPV vaccination does not change screening.	Screening yearly, or using HPV testing alone in a 25-year-old.	Age plus date of last normal result.
3	Warfarin interactions and INR monitoring	Many antibiotics (e.g., trimetho prim-sulfamethoxazole, metronidazole, fluoroquinolones) raise INR on warfarin; choose a lower-interaction option when possible or check INR within days of starting.	Assuming a stable INR stays stable after a short antibiotic course.	A patient on warfarin who needs a new short-term drug.
4	CHA2DS2-VASc stroke risk	Score: CHF 1, hypertension 1, age ≥ 75 = 2, diabetes 1, prior stroke/TIA 2, vascular disease 1, age 65-74 = 1, female sex 1; anticoagulation is recommended at ≥ 2 in men and ≥ 3 in women.	Forgetting the sex point or scoring age 65-74 as 2.	Atrial fibrillation with a list of age and conditions.
5	CURB-65 for pneumonia disposition	One point each for confusion, BUN > 19 mg/dL, respiratory rate ≥ 30 , systolic < 90 or diastolic ≤ 60 , and age ≥ 65 ; 0-1 outpatient, 2 consider admission, 3 or more hospitalize.	Admitting everyone with a confirmed pneumonia, or scoring fever.	Confirmed community-acquired pneumonia plus vitals and BUN.
6	Acute bacterial vs. viral sinusitis	Suspect bacterial sinusitis only with symptoms lasting 10 or more days without improvement, severe onset (high fever with purulent discharge for 3-4 days), or worsening after initial improvement; otherwise treat symptoms.	Prescribing antibiotics because nasal discharge is green or yellow.	Duration and course of nasal symptoms.
7	Motivational interviewing	Use open questions, affirmations, reflections, and summaries (OARS) to draw out the patient's own reasons for change; avoid the "righting reflex" of arguing or lecturing.	Listing risks and telling the patient what to do.	A patient who voices mixed feelings about a behavior.

#	Concept	Rule	Trap	Tell
8	Estimating the due date (Naegele's rule)	EDD = first day of the last menstrual period + 7 days – 3 months + 1 year (about 280 days).	Starting from the date of the positive test, or adding 7 days in the wrong direction.	An LMP date and a question about the due date.

Course scope (public description): Family Nurse Practitioner Clinical Internship III prepares the graduate nursing student to perform the role of an advanced practice nurse with the essential competencies and skills necessary to deliver primary care to individuals, families, and groups across throughout the lifespan. In the precepted clinical setting, the student will combine competencies developed in preparatory advanced practice coursework to deliver consumer-centered healthcare. Therefore, the graduate will conduct advanced health assessments and utilize the competencies of advanced pathophysiology, pharmacology, and health promotion for individuals and populations across the life span to build self- efficacy in individuals and groups, to determine correct diagnoses, and to establish plans of care that include consumer and population preferences. All MSN Core courses, FNP Specialty course, and Family Nurse Practitioner Internship I and II must be completed before taking this course.