

D588

Human Sexuality

Armored Drill

8 concepts · 12 items · 4 transfer items

What this is. Every concept in this course's public description, re-asked with more disguise than a practice test uses. Each stem carries facts that do not decide it. Every wrong answer is a named trap.

Source. Scope from the course's public description in the WGU Institutional Catalog (September 2026); items written from the field's standard body of knowledge. No WGU assessment item, course material or proprietary content is used or reproduced. Not affiliated with or endorsed by Western Governors University.

Method © 2026 Erik Daniel Lindquist — Course Mastery Coach, armored drill. Items drafted with AI assistance under his direction.

How to run it

Paper first. Pencil. One pass, no notes, a timer if you want the pressure.

1. **Before you read the options**, fill the strip under the item: the target word (what is actually being asked), and the one fact in the stem that decides it.
2. **Principle before arithmetic**. Name the rule, then compute.
3. **Camouflage**. Most of every stem does not matter. Ask: which single fact decides this?
4. **Inverse pairs are the bait**. If two options are opposites, one of them is the trap built for you.
5. **Mark sure, unsure or guess** honestly. Sure-and-wrong is the most valuable miss on the page — it is a wrong mental model.
6. **Absolutes** (always, never, guarantee) are usually wrong. And recognizing an answer is not the same as owning it.
7. Items with a **heavy black bar** on the left are **transfer items**: the same principle, reversed or solved for a different variable.
8. Stop at the STOP page. Then grade, fill the triage grid, and tally the traps you fell for. The biggest tally is what you drill next.

The strip, filled in, looks like this:

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	_____	

Items

1.

A school-based health center, which recently repainted its waiting room, offers HPV vaccine to 11- and 12-year-olds. A parent asks why it is given so young. What is the best explanation?

- A.** It works best before any exposure to HPV, and younger children produce a stronger immune response.
- B.** Because it clears HPV infections a child may already have.
- C.** Because children that age are usually sexually active.
- D.** It is recommended only for girls.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

2.

A 20-year-old student at a campus clinic with a new appointment app has a new sexual partner and no symptoms. She asks whether she needs STI testing. Based on current screening recommendations, what is the best answer?

- A.** Yes; annual chlamydia and gonorrhea screening is recommended for sexually active women under 25, since these infections are often silent.
- B.** Only once in her lifetime.
- C.** Only if she develops symptoms.
- D.** No, if her partner seems healthy.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

3. [TRANSFER — reversed stem / different variable]

For which group is annual chlamydia screening routinely recommended even without symptoms?

- A.** Women over 25 with no risk factors.
- B.** All men over 50.
- C.** Only people who have symptoms.
- D.** Sexually active women under 25.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

4.

A man living with HIV who works as a high school teacher has taken his treatment every day and has had an undetectable viral load for 12 months. His partner asks about the risk of getting HIV from sex. Which statement is accurate?

- A. Undetectable means he is cured.
- B. With a sustained undetectable viral load, there is effectively no risk of sexual HIV transmission, though other STIs are still possible.
- C. The risk is the same as if he were not treated.
- D. Teachers must tell their schools about their status.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

5. [TRANSFER — reversed stem / different variable]

What condition must be met for Undetectable = Untransmittable to apply?

- A. The person with HIV takes PrEP.
- B. A sustained undetectable viral load while continuing treatment as prescribed.
- C. A negative HIV antibody test.
- D. One undetectable test, after which treatment can stop.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

6.

A school board in a district that just opened a new football field is choosing a sexual health curriculum. Which statement best reflects the research evidence?

- A. Abstinence-only programs reliably delay first sex.
- B. Teaching about contraception increases sexual activity.
- C. Programs should be scheduled around football season.
- D. Comprehensive programs covering abstinence and contraception are linked to delayed first sex and more contraceptive use, without increasing sexual activity.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

7.

A county health educator, whose office recently moved downtown, drafts an STI prevention flyer for young adults. It reads at a 12th-grade level and uses terms like asymptomatic and prophylaxis. What is the best revision?

- A. Translate the current draft word for word into another language.
- B. Add more medical detail so it is complete.
- C. Rewrite in plain language at about a 6th- to 8th-grade level, define needed terms, and test with young adults.
- D. Keep it at 12th-grade level, since the readers are adults.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

8.

At a party in a large rented apartment, a person who earlier agreed to go home with someone is now heavily intoxicated, slurring, and unsteady. Can this person give consent to sexual activity?

- A. Yes, because they agreed earlier in the evening.
- B. Yes, as long as they do not say no.
- C. No; an incapacitated person cannot give consent, regardless of earlier agreement.
- D. It depends on who rented the apartment.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

9. [TRANSFER — reversed stem / different variable]

Which statement about consent is accurate?

- A. Being in a relationship implies consent.
- B. Once given, consent covers the rest of the night.
- C. Consent can be withdrawn at any time, even after activity has started.
- D. Silence means yes.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

10.

A health survey from a city that recently opened a new light-rail line finds higher rates of depression among lesbian, gay, and bisexual adults than among heterosexual adults. Which explanation is best supported by public health research?

- A.** Being lesbian, gay, or bisexual is itself a mental disorder.
- B.** Minority stress: chronic exposure to stigma, discrimination, and concealment raises risk.
- C.** The new light-rail line increased stress.
- D.** Individuals in these groups simply cope poorly.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

11.

County A, population 250,000, which has three hospitals, reported 1,000 chlamydia cases last year. County B, population 40,000, reported 240 cases. Which county had the higher rate?

- A.** County B: 600 per 100,000 vs. 400 per 100,000 in County A.
- B.** County A, because it reported more cases.
- C.** County A, because it has more hospitals to diagnose cases.
- D.** They are about equal.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

12. [TRANSFER — reversed stem / different variable]

A city of 80,000 has a gonorrhea rate of 150 per 100,000. About how many cases were reported?

- A.** About 533
- B.** 150
- C.** 12,000
- D.** 120

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

STOP

Answers and dissection follow. Finish every item and every strip first.

Key and dissection

Struck-through text is the camouflage: facts that do not decide the item.

1. Answer A Concept 1

A school-based health center, ~~which recently repainted its waiting room,~~ offers HPV vaccine to 11- and 12-year-olds. A parent asks why it is given so young. What is the best explanation?

Target word: rationale for timing **Decides:** Protection works best before exposure; stronger response at younger ages.

A	Correct	Both reasons underlie the routine 11–12 recommendation.
B	Inverted operation	The vaccine prevents infection; it does not treat it.
C	Confusion set	Timing is about protection before exposure, not current activity.
D	Dropped element	It is recommended for all genders.

2. Answer A Concept 2

A 20-year-old student at a campus clinic ~~with a new appointment app~~ has a new sexual partner and no symptoms. She asks whether she needs STI testing. Based on current screening recommendations, what is the best answer?

Target word: screening recommendation **Decides:** Sexually active and under 25.

A	Correct	Matches the standard screening recommendation.
B	Absolute language	Screening is recommended yearly while risk continues.
C	Dropped element	Ignores that most infections have no symptoms.
D	Confusion set	A partner's appearance says nothing about infection.

3. Answer D Concept 2 · transfer

For which group is annual chlamydia screening routinely recommended even without symptoms?

Target word: identify the screening group **Decides:** Age and sexual activity.

A	Adjacent category	Older women are screened based on risk, not routinely.
B	Inverted operation	Reverses the age and sex of the recommended group.
C	Dropped element	Screening is for people without symptoms.
D	Correct	The core routine screening group.

4. Answer B Concept 3

A man living with HIV ~~who works as a high school teacher~~ has taken his treatment every day and has had an undetectable viral load for 12 months. His partner asks about the risk of getting HIV from sex. Which statement is accurate?

Target word: transmission risk **Decides:** Sustained undetectable viral load on treatment.

A	Confusion set	HIV remains; stopping treatment lets the virus rebound.
B	Correct	Undetectable = Untransmittable, limited to HIV.
C	Inverted operation	Treatment that suppresses the virus prevents sexual transmission.
D	Camouflage	His job is irrelevant to transmission risk.

5. Answer B Concept 3 · transfer

What condition must be met for Undetectable = Untransmittable to apply?

Target word: requirement for U=U **Decides:** Ongoing treatment with sustained suppression.

A	Adjacent category	PrEP is prevention for people without HIV.
B	Correct	Suppression must be maintained over time.
C	Confusion set	Antibody tests diagnose infection; they do not measure viral load.
D	Dropped element	Stopping treatment lets the viral load return.

6. Answer D Concept 4

A school board in a district ~~that just opened a new football field~~ is choosing a sexual health curriculum. Which statement best reflects the research evidence?

Target word: evidence on program types **Decides:** Comprehensive vs. abstinence-only outcomes.

A	Adjacent category	Evidence does not show reliable delays.
B	Inverted operation	Studies do not show an increase.
C	Camouflage	Unrelated to program content or outcomes.
D	Correct	Consistent finding across reviews.

7. Answer C Concept 5

A county health educator, ~~whose office recently moved downtown,~~ drafts an STI prevention flyer for young adults. It reads at a 12th-grade level and uses terms like asymptomatic and prophylaxis. What is the best revision?

Target word: best revision **Decides:** Reading level too high for a general audience.

A	Adjacent category	Translation does not fix reading level or jargon.
B	Inverted operation	Makes the text harder, not easier.
C	Correct	Plain language plus audience testing improves understanding.
D	Absolute language	Many adults read below 12th grade; plain language helps everyone.

8. Answer C Concept 6

At a party ~~in a large rented apartment,~~ a person who earlier agreed to go home with someone is now heavily intoxicated, slurring, and unsteady. Can this person give consent to sexual activity?

Target word: capacity to consent **Decides:** Incapacitation.

A	Dropped element	Consent is ongoing and does not carry over.
B	Inverted operation	The absence of a no is not a yes.
C	Correct	Consent requires capacity at the time of activity.
D	Camouflage	The location is irrelevant.

9. Answer C Concept 6 • transfer

Which statement about consent is accurate?

Target word: fact about consent **Decides:** Consent is ongoing and revocable.

A	Confusion set	Relationship status never substitutes for consent.
B	Absolute language	Consent can be withdrawn.
C	Correct	Consent is ongoing.
D	Inverted operation	Consent must be clearly given.

10. Answer B Concept 7

A health survey from a city ~~that recently opened a new light rail line~~ finds higher rates of depression among lesbian, gay, and bisexual adults than among heterosexual adults. Which explanation is best supported by public health research?

Target word: best explanation **Decides:** Stigma-related chronic stress.

A	Confusion set	Removed as a diagnosis decades ago; not supported.
B	Correct	The leading, evidence-supported explanation.
C	Camouflage	Irrelevant to the group difference.
D	Adjacent category	Places cause on the individual and ignores social conditions.

11. Answer A Concept 8

County A, population 250,000, ~~which has three hospitals,~~ reported 1,000 chlamydia cases last year. County B, population 40,000, reported 240 cases. Which county had the higher rate?

Target word: compare rates **Decides:** Cases per 100,000 residents.

A	Correct	$240 / 40,000 \times 100,000 = 600$; $1,000 / 250,000 \times 100,000 = 400$.
B	Dropped element	Ignores population size.
C	Camouflage	Hospital count does not decide the rate.
D	Confusion set	The rates differ by 50%.

12. Answer D Concept 8 • transfer

A city of 80,000 has a gonorrhea rate of 150 per 100,000. About how many cases were reported?

Target word: solve for cases **Decides:** $150 \times 80,000 / 100,000$.

A	Inverted operation	$80,000 / 150$ divides instead of multiplying.
B	Wrong stem number	The rate, not the count.
C	Confusion set	Treats the rate as per 1,000.
D	Correct	$150 \times 0.8 = 120$.

Triage grid

Write each item number in the box it belongs to.

	Right	Wrong
Sure	Owned.	Concept inversion — top priority. A wrong mental model; it survives rewording.
Unsure / guess	Recognition, not mastery. Re-drill with the transfer.	Not learned yet.

Trap tally

For every miss, find the letter you chose in the key and tally its trap. The biggest number is the pattern to drill.

Trap	What it does	In this drill	Your misses
Dropped element	Leaves out a required term or step.	6	
Wrong stem number	A figure copied from the prompt that is not the answer.	1	
Adjacent category	The right idea in the wrong bucket.	5	
Inverted operation	Direction flipped: add/subtract, cause/effect, higher/lower.	8	
Absolute language	Always, never, guarantee — where judgment applies.	3	
Confusion set	Every option is real; the test is exact role-matching.	8	
Camouflage	Answers a stem fact that was never the question.	5	

Anchor rows — the concept list

One row per concept: the rule to lock in, the trap that catches people, and the tell in the question that signals it.

#	Concept	Rule	Trap	Tell
1	HPV vaccination timing	HPV vaccine is routinely recommended at ages 11-12 (can start at 9) for all genders because it works best before any exposure and immune response is stronger at younger ages; it prevents, not treats, infection.	Thinking early vaccination implies sexual activity or that the vaccine treats existing infection.	Parents asking why a preteen needs the vaccine.
2	Screening for silent STIs	Chlamydia and gonorrhea are often symptomless, so annual screening is recommended for sexually active women under 25 and others at increased risk.	Testing only when symptoms appear.	A young, sexually active person with no symptoms.
3	Undetectable = Untransmittable	A person with HIV who takes treatment and keeps a sustained undetectable viral load has effectively no risk of transmitting HIV sexually; this does not prevent other STIs.	Equating undetectable with cured, or thinking treatment does not change transmission.	An undetectable viral load maintained on treatment.
4	What sex education evidence shows	Comprehensive programs that cover abstinence and contraception are linked to delayed first sex and more contraceptive use and do not increase sexual activity; abstinence-only programs have not shown reliable delays.	Believing information about contraception increases sexual activity.	A school board comparing program types.
5	Plain-language health materials	Write for about a 6th- to 8th-grade reading level, use short sentences and familiar words, define needed terms, and test with the target audience.	Adding technical detail or assuming adults need advanced text.	A draft full of medical terms at a high reading level.
6	Consent	Consent is clear, freely given, ongoing, and can be withdrawn at any time; a person who is incapacitated cannot consent.	Treating earlier agreement, silence, or a relationship as consent.	Intoxication, a prior yes, or no clear agreement.
7	Minority stress	Higher rates of some health problems among sexual and gender minority groups are linked to chronic stress from stigma, discrimination, and concealment, not to orientation itself.	Attributing disparities to orientation or to personal weakness.	A disparity by sexual orientation in survey data.
8	Rates, not counts	Compare places using rates: $\text{cases} \div \text{population} \times 100,000$; expected cases = rate $\times$ population $\div 100,000$.	Comparing raw counts across populations of different size.	Two places with different populations and case counts.

Course scope (public description): Human Sexuality provides learners with foundational knowledge surrounding public health issues, behaviors, risks, prevention, and treatment for sexual health. Learners explore the relationship between one's environment, biological makeup, and personal choices, and analyze how each could impact sexual health, psychological factors, and physical well-being for an individual. Learners examine inequities related to status, age, ethnicity, citizenship, disability, and sexual orientation, addressing challenges and gaps in public sexual healthcare services. Learners then take critical foundational knowledge and produce educational materials for target populations. Learners identify community resources, data sources, and sexual health education materials. This gives learners an opportunity to explore health literacy, methods of meeting the needs of specific communities, and gaps in sexual public health resources. Learners leave this course with an understanding of key human sexuality issues, their causes, and potential resolutions within public health settings.