

D447

Women's and Children's Nursing

Armored Drill

8 concepts · 12 items · 4 transfer items

What this is. Every concept in this course's public description, re-asked with more disguise than a practice test uses. Each stem carries facts that do not decide it. Every wrong answer is a named trap.

Source. Scope from the course's public description in the WGU Institutional Catalog (September 2026); items written from the field's standard body of knowledge. No WGU assessment item, course material or proprietary content is used or reproduced. Not affiliated with or endorsed by Western Governors University.

Method © 2026 Erik Daniel Lindquist — Course Mastery Coach, armored drill. Items drafted with AI assistance under his direction.

How to run it

Paper first. Pencil. One pass, no notes, a timer if you want the pressure.

1. **Before you read the options**, fill the strip under the item: the target word (what is actually being asked), and the one fact in the stem that decides it.
2. **Principle before arithmetic**. Name the rule, then compute.
3. **Camouflage**. Most of every stem does not matter. Ask: which single fact decides this?
4. **Inverse pairs are the bait**. If two options are opposites, one of them is the trap built for you.
5. **Mark sure, unsure or guess** honestly. Sure-and-wrong is the most valuable miss on the page — it is a wrong mental model.
6. **Absolutes** (always, never, guarantee) are usually wrong. And recognizing an answer is not the same as owning it.
7. Items with a **heavy black bar** on the left are **transfer items**: the same principle, reversed or solved for a different variable.
8. Stop at the STOP page. Then grade, fill the triage grid, and tally the traps you fell for. The biggest tally is what you drill next.

The strip, filled in, looks like this:

Target word _____	The one fact that decides _____	Answer _____	[] sure [] unsure [] guess
-----------------------------	---	------------------------	----------------------------------

Items

1.

A 27-year-old kindergarten teacher, who found out she was pregnant at her sister's wedding, reports that the first day of her last menstrual period was June 10, 2026. Her cycles are regular. Using Naegele's rule, what is her estimated due date?

- A. September 17, 2026
- B. March 10, 2027
- C. March 17, 2027
- D. March 3, 2027

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

2. [TRANSFER — reversed stem / different variable]

A patient's estimated due date by Naegele's rule is January 20, 2027. What was the first day of her last menstrual period?

- A. April 20, 2026
- B. October 13, 2026
- C. April 27, 2026
- D. April 13, 2026

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

3.

One hour after a vaginal birth, a 32-year-old mother, whose partner is taking photos, has heavy bleeding. Her fundus is soft, boggy, and above the umbilicus. This is her third baby. What should the nurse do first?

- A. Call the provider before touching the fundus.
- B. Massage the fundus until it is firm.
- C. Encourage her to rest, since third babies often bleed more.
- D. Give a bolus of IV fluids.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

4.

A laboring patient, who drove herself to the hospital and is receiving oxytocin, has fetal heart rate dips that begin after the peak of each contraction and return to baseline after it ends. Her doula is present. What should the nurse do first?

- A. Increase the oxytocin to speed delivery.
- B. Stop the oxytocin and turn her onto her side.
- C. Ask the doula to coach her breathing and wait.
- D. Continue to monitor; this pattern is benign.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

5. [TRANSFER — reversed stem / different variable]

Fetal heart rate dips begin and end with each contraction and mirror its shape. What is the most likely cause?

- A. Fetal head compression, a benign finding
- B. Uteroplacental insufficiency
- C. Fetal distress requiring immediate delivery
- D. Umbilical cord compression

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

6.

A 24-year-old first-time mother, who is O-negative and works at a bank, gave birth to an O-positive baby. She received Rh immune globulin at 28 weeks. Her mother is also O-negative. What does the nurse anticipate?

- A. No dose is needed, since she received one at 28 weeks.
- B. Give Rh immune globulin to the newborn.
- C. No dose is needed, because this is her first baby.
- D. Give Rh immune globulin to the mother within 72 hours of birth.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

7.

At 1 minute, a newborn whose parents chose the name before the ultrasound has a heart rate of 110, a weak cry with slow, irregular breathing, some flexion of the arms and legs, a grimace when the feet are stimulated, and a pink body with blue hands and feet. The delivery room is warm. What is the Apgar score?

- A. 10
- B. 6
- C. 4
- D. 5

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

8. [TRANSFER — reversed stem / different variable]

A newborn's 5-minute Apgar is 9. Heart rate, breathing, tone, and reflexes each scored 2. What was the color score?

- A. 1 (pink body, blue hands and feet)
- B. 9
- C. 0
- D. 2

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

9.

A patient with severe preeclampsia, who is a dental hygienist and whose husband is traveling, is on IV magnesium sulfate. Her deep tendon reflexes are now absent and her respiratory rate is 10. What should the nurse do?

- A. Increase the infusion rate to prevent seizures.
- B. Continue the infusion; absent reflexes mean it is working.
- C. Recheck reflexes in 4 hours.
- D. Stop the magnesium infusion and prepare calcium gluconate.

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

10.

A 4-year-old who goes to preschool three days a week is brought in with a sudden high fever. He is drooling, sitting forward on his hands, and has a muffled voice. His older sister has a cold. What should the nurse avoid?

- A.** Keeping him calm and upright on a parent's lap
- B.** Taking a throat culture because his sister has a cold
- C.** Examining his throat with a tongue blade
- D.** Having airway equipment ready

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

11.

A healthy infant, whose parents both work at a hospital and who is breastfed, weighed 3.4 kg at birth. About how much should she weigh at 12 months?

- A.** About 10.2 kg
- B.** About 13.6 kg
- C.** About 3.4 kg
- D.** About 6.8 kg

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

12. [TRANSFER — reversed stem / different variable]

A healthy 6-month-old weighs 7.0 kg and has grown as expected. About what was the birth weight?

- A.** About 7.0 kg
- B.** About 14 kg
- C.** About 3.5 kg
- D.** About 2.3 kg

Target word	The one fact that decides	Answer	[] sure [] unsure [] guess
_____	_____	___	

STOP

Answers and dissection follow. Finish every item and every strip first.

Key and dissection

Struck-through text is the camouflage: facts that do not decide the item.

1. Answer C Concept 1

A 27-year-old kindergarten teacher, ~~who found out she was pregnant at her sister's wedding~~, reports that the first day of her last menstrual period was June 10, 2026. Her cycles are regular. Using Naegele's rule, what is her estimated due date?

Target word: EDD **Decides:** June 10 + 7 days = June 17; – 3 months = March 17; + 1 year.

A	Inverted operation	Adds 3 months instead of subtracting them.
B	Dropped element	Leaves out the 7 days.
C	Correct	June 17 minus 3 months is March 17, in the next year.
D	Confusion set	Subtracts 7 days instead of adding.

2. Answer D Concept 1 • transfer

A patient's estimated due date by Naegele's rule is January 20, 2027. What was the first day of her last menstrual period?

Target word: solve for LMP **Decides:** Reverse: – 7 days, + 3 months, – 1 year.

A	Dropped element	Leaves out the 7-day step.
B	Confusion set	Subtracts 3 months when working backward instead of adding.
C	Inverted operation	Adds 7 days when working backward instead of subtracting.
D	Correct	Check: April 13 + 7 = April 20; – 3 months = January 20, 2027.

3. Answer B Concept 2

One hour after a vaginal birth, a 32-year-old mother, ~~whose partner is taking photos~~, has heavy bleeding. Her fundus is soft, boggy, and above the umbilicus. ~~This is her third baby~~. What should the nurse do first?

Target word: first action for a boggy uterus **Decides:** Atony is treated first with fundal massage.

A	Dropped element	Drops the immediate nursing action that can stop the bleeding.
B	Correct	Massage stimulates the uterus to contract and compress bleeding vessels.
C	Camouflage	Uses the birth order detail; heavy bleeding still needs action now.
D	Adjacent category	Supports volume but does not stop the source of bleeding.

4. Answer B Concept 3

A laboring patient, ~~who drove herself to the hospital~~ and is receiving oxytocin, has fetal heart rate dips that begin after the peak of each contraction and return to baseline after it ends. ~~Her doula is present~~. What should the nurse do first?

Target word: act on late decelerations **Decides:** Late decelerations = placental insufficiency.

A	Inverted operation	More contractions further reduce placental blood flow.
B	Correct	These steps improve blood flow to the placenta.
C	Camouflage	Leans on the doula; the pattern needs nursing action.
D	Confusion set	That describes early decelerations.

5. Answer A Concept 3 • transfer

Fetal heart rate dips begin and end with each contraction and mirror its shape. What is the most likely cause?

Target word: reverse: from pattern to cause **Decides:** Mirror-image dips = early decelerations = head compression.

A	Correct	Early decelerations need no intervention.
B	Confusion set	That causes late decelerations.
C	Absolute language	Early decelerations are reassuring.
D	Adjacent category	That causes variable decelerations.

6. Answer D Concept 4

A 24-year-old first-time mother, who is O-negative ~~and works at a bank~~, gave birth to an O-positive baby. She received Rh immune globulin at 28 weeks. ~~Her mother is also O-negative.~~ What does the nurse anticipate?

Target word: Rh immune globulin after birth **Decides:** Rh-negative mother + Rh-positive baby.

A	Dropped element	The postpartum dose is still needed.
B	Inverted operation	It goes to the mother, not the baby.
C	Absolute language	Protection is for future pregnancies.
D	Correct	Prevents sensitization that could harm a future Rh-positive baby.

7. Answer B Concept 5

At 1 minute, a newborn ~~whose parents chose the name before the ultrasound~~ has a heart rate of 110, a weak cry with slow, irregular breathing, some flexion of the arms and legs, a grimace when the feet are stimulated, and a pink body with blue hands and feet. ~~The delivery room is warm.~~ What is the Apgar score?

Target word: Apgar total **Decides:** HR 2 + resp 1 + tone 1 + reflex 1 + color 1.

A	Absolute language	A full score needs a strong cry, active motion, and fully pink skin.
B	Correct	$2 + 1 + 1 + 1 + 1 = 6$.
C	Confusion set	Scores blue hands and feet as 0; a pink body with blue extremities is 1.
D	Wrong stem number	Scores a heart rate of 110 as 1; over 100 is 2.

8. Answer A Concept 5 • transfer

A newborn's 5-minute Apgar is 9. Heart rate, breathing, tone, and reflexes each scored 2. What was the color score?

Target word: solve for the missing component **Decides:** $9 - 8 = 1$.

A	Correct	8 points from the other four leaves 1 for color.
B	Wrong stem number	The total, not the color score.
C	Dropped element	Would make the total 8.
D	Inverted operation	Would make the total 10.

9. Answer D Concept 6

A patient with severe preeclampsia, ~~who is a dental hygienist and whose husband is traveling~~, is on IV magnesium sulfate. Her deep tendon reflexes are now absent and her respiratory rate is 10. What should the nurse do?

Target word: act on magnesium toxicity **Decides:** Absent reflexes + RR under 12 = toxicity.

A	Absolute language	Would worsen toxicity.
B	Inverted operation	Loss of reflexes means toxicity, not effect.
C	Dropped element	Drops the dangerous breathing rate.
D	Correct	These signs mean toxic levels; calcium is the antidote.

10. Answer C Concept 7

A 4-year-old ~~who goes to preschool three days a week~~ is brought in with a sudden high fever. He is drooling, sitting forward on his hands, and has a muffled voice. ~~His older sister has a cold.~~ What should the nurse avoid?

Target word: what not to do **Decides:** Signs of epiglottitis.

A	Inverted operation	That is the correct approach, not one to avoid.
B	Camouflage	Uses the sister's cold; a throat swab is unsafe here.
C	Correct	This can trigger complete airway blockage.
D	Adjacent category	Preparation is appropriate.

11. Answer A Concept 8

A healthy infant, ~~whose parents both work at a hospital and who is breastfed~~, weighed 3.4 kg at birth. About how much should she weigh at 12 months?

Target word: expected weight at 1 year **Decides:** Weight roughly triples by 12 months.

A	Correct	$3.4 \times 3 = 10.2$ kg.
B	Inverted operation	Quadruples; that is closer to age 2 and a half.
C	Wrong stem number	The birth weight.
D	Confusion set	Doubling, which is expected by about 5–6 months.

12. Answer C Concept 8 • transfer

A healthy 6-month-old weighs 7.0 kg and has grown as expected. About what was the birth weight?

Target word: solve for birth weight **Decides:** Birth weight doubles by about 6 months.

A	Wrong stem number	The current weight.
B	Inverted operation	Doubles the current weight instead of halving.
C	Correct	$7.0 \div 2 = 3.5$ kg.
D	Confusion set	Divides by 3, the 12-month rule.

Triage grid

Write each item number in the box it belongs to.

	Right	Wrong
Sure	Owled.	Concept inversion — top priority. A wrong mental model; it survives rewording.
Unsure / guess	Recognition, not mastery. Re-drill with the transfer.	Not learned yet.

Trap tally

For every miss, find the letter you chose in the key and tally its trap. The biggest number is the pattern to drill.

Trap	What it does	In this drill	Your misses
Dropped element	Leaves out a required term or step.	6	
Wrong stem number	A figure copied from the prompt that is not the answer.	4	
Adjacent category	The right idea in the wrong bucket.	3	
Inverted operation	Direction flipped: add/subtract, cause/effect, higher/lower.	9	
Absolute language	Always, never, guarantee — where judgment applies.	4	
Confusion set	Every option is real; the test is exact role-matching.	7	
Camouflage	Answers a stem fact that was never the question.	3	

Anchor rows — the concept list

One row per concept: the rule to lock in, the trap that catches people, and the tell in the question that signals it.

#	Concept	Rule	Trap	Tell
1	Naegele's rule	Estimated due date = first day of the last menstrual period + 7 days – 3 months + 1 year.	Forgetting the 7 days or adding 3 months instead of subtracting.	A last menstrual period date and "estimated date of birth."
2	Postpartum hemorrhage: boggy uterus	Uterine atony is the top cause of postpartum hemorrhage; a soft, boggy fundus is massaged first, then emptying the bladder and uterotonic drugs follow.	Calling the provider or starting fluids before firming the uterus.	A soft fundus above the umbilicus with heavy bleeding after birth.
3	Fetal heart rate decelerations	Early decelerations mirror contractions (head compression, benign); variable decelerations are cord compression; late decelerations start after the contraction peak (placental insufficiency) and need action: stop oxytocin, turn to the side, give fluids, notify.	Treating all decelerations as the same, or ignoring late ones.	Timing of a heart-rate dip relative to the contraction.
4	Rh immune globulin	An Rh-negative mother gets Rh immune globulin at about 28 weeks and within 72 hours after birth if the newborn is Rh-positive, to prevent antibodies that harm future pregnancies.	Giving it to the newborn, or skipping it for a first baby.	Maternal Rh-negative status and a newborn blood type.
5	Apgar scoring	Score heart rate, respiratory effort, muscle tone, reflex irritability, and color from 0–2 each at 1 and 5 minutes; 7–10 is reassuring, 4–6 needs some help, 0–3 needs resuscitation.	Scoring a heart rate under 100 as 2, or blue hands as 0 when the body is pink.	Newborn findings described at 1 or 5 minutes.
6	Magnesium sulfate toxicity	Magnesium for preeclampsia is monitored by reflexes, breathing, and urine output; absent reflexes or respirations under 12 mean stop the infusion and prepare calcium gluconate.	Treating lost reflexes as a sign the drug is working well.	A preeclamptic patient on magnesium with a change in reflexes or breathing.
7	Epiglottitis	A child with drooling, high fever, muffled voice, and tripod posture may have epiglottitis; do not look in the throat with a tongue blade, keep the child calm and upright, and prepare for airway support.	Doing a throat exam or throat culture right away.	Sudden drooling and difficulty swallowing in a young child.

#	Concept	Rule	Trap	Tell
8	Infant weight milestones	Infants typically double birth weight by about 5-6 months and triple it by about 12 months.	Doubling by 12 months or tripling by 6 months.	A birth weight and an age with a question about expected weight.

Course scope (public description): Women's and Children's Nursing prepares students to provide safe, equitable, high-quality nursing care, pharmacological care, and emotional support for diverse women and pediatric populations. This course focuses on antepartum, intrapartum, postpartum, neonatal clinical nursing, and women's health. This course builds on growth and development of children, nursing care for children and adolescents with acute and chronic alterations of the respiratory, cardiovascular, hematologic, endocrine, reproductive, gastrointestinal, renal, neurologic, musculoskeletal, and integumentary systems. This course explores how social determinants of health impact health risk and outcomes in women and pediatric populations. A variety of populations and settings are used in the experiential learning components of this course. Co-requisites: D445 and D446. Prerequisites: All prelicensure nursing curriculum courses from previous terms.