

Prusawire Key-bak mounting bracket



telefaksi

[VIEW IN BROWSER](#)

updated 4. 8. 2025 | published 4. 8. 2025

Summary

Prusawire Key-bak mounting bracket

[3D Printers](#) > [Prusa Parts & Upgrades](#)

Tags: [keybak](#) [prusawire](#)

Mounting bracket for Key-bak.

Required hardware:

- 3 pcs M3x12 SHCS
- 1 pc M3x20 or M3x16 SHCS, both work
- 4 pcs M3 Threaded Insert - M3x5x4 (Voron spec)
- 1 pc Key-bak Super48 36" 13oz (Voron Switchwire spec)

Anchor mounting to the gantry is the same as in door puller version. Same goes for mounting the bracket to the frame, same hardware as in door puller version. Counterweight idler doesn't require any modifications so print parts needed for that from Prusawire files.

This remix is based on



Prusawire 2025.B1 (BETA 1)

by Ella Fox

Model files



STEP source files

2 files



prusawire_key-bak_bracket.step

☐ Updated with counterbore bridging




prusawire_key-bak_anchor.step

☐ Updated with counterbore bridging



Fusion source files

2 files



prusawire_key-bak_bracket.f3d

☐ Updated with counterbore bridging



prusawire_key-bak_anchor.f3d

☐ Updated with counterbore bridging



key-bak_anchor.3mf




key-bak_anchor_cap.3mf

☐ Updated with counterbore bridging



key-bak_bracket_plate.3mf



key-bak_bracket_left.3mf

☐ Updated with counterbore bridging



key-bak_bracket_right.3mf

License ©

This work is licensed under a
GNU



General Public License v3.0

-
- ✗ | Sharing without ATTRIBUTION
 - ✓ | Remix Culture allowed
 - ✓ | Commercial Use
 - ✓ | Meets Open Definition
 - i | Share under the same license