



1. Java Pre-defined  
Classes
2. Packages

# Java Pre-defined Classes


# Java Pre-defined Classes

# 1. Java Pre-defined Classes

ArrayList  
HashMap  
String  
StringBuilder  
Double  
Integer  
StringBuffer  
JLabel  
JFrame  
JButton  
JTextField  
InputStream  
ResultSet  
PreparedStatement  
Connection  
BufferedReader  
BufferedWriter  
SQLException  
IOException  
NullPointerException  
LocalDateTime  
LocalDate  
LocalTime  
Scanner  
HashSet  
LinkedList  
Vector  
Math  
File  
ArrayIndexOutOfBoundsException

Java


# 1. Java Pre-defined Classes




# 1. Java Pre-defined Classes



# 1. Java Pre-defined Classes



# 1. Java Pre-defined Classes



## Wrapper classes

---

Class	Primitive type
Integer	int
Long	long
Double	double
Character	char
String	char[]




Packages


A package is a namespace that organizes a set of related classes




## 2. Packages




## 2. Packages



## 2. Packages



## 2. Packages



## 2. Packages

ArrayList  
HashMap  
StringBuffer  
Double  
LinkedList  
String  
Integer  
Vector  
HashSet  
Random  
Math  
StringBuffer  
JLabel  
Scanner  
LocalDate  
JFrame  
JButton  
LocalTime  
ArrayIndexOutOfBoundsException  
File  
JTextField  
LocalDateTime  
NullPointerException  
BufferedWriter  
BufferedReader  
InputStream  
IOException  
SQLException  
Connection  
PreparedStatement  
ResultSet

**La Salle**





### Java SE Platform API Specification

“No hay elogio más grande que la imitación.”

*James Gosling, famoso científico de la computación conocido como el padre del  
lenguaje de programación Java*

