

ZAP Scanning Report

Sites: <https://code.ionicframework.com> <https://code.jquery.com>
<https://www.gstatic.com> <https://www.google.com> <https://code.highcharts.com> <https://unpkg.com> <https://use.fontawesome.com>
<https://cdn.datatables.net> <https://cdn.jsdelivrivr.net> <https://epusluh.bppsdmp.pertanian.go.id>

Generated on Thu, 10 Aug 2023 13:24:09

ZAP Version: 2.12.0

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	6
Low	9
Informational	6

Alerts

Name	Risk Level	Number of Instances
Absence of Anti-CSRF Tokens	Medium	6
Content Security Policy (CSP) Header Not Set	Medium	9
Cross-Domain Misconfiguration	Medium	16
Hidden File Found	Medium	1
Missing Anti-clickjacking Header	Medium	8
Vulnerable JS Library	Medium	2
Application Error Disclosure	Low	2
Cookie with SameSite Attribute None	Low	4
Cross-Domain JavaScript Source File Inclusion	Low	53
Information Disclosure - Debug Error Messages	Low	1
Private IP Disclosure	Low	1
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Low	9
Strict-Transport-Security Header Not Set	Low	103
Timestamp Disclosure - Unix	Low	27
X-Content-Type-Options Header Missing	Low	100
Information Disclosure - Sensitive Information in URL	Informational	1
Information Disclosure - Suspicious Comments	Informational	53
Loosely Scoped Cookie	Informational	112
Modern Web Application	Informational	5

Retrieved from Cache	Informational	721
User Agent Fuzzer	Informational	550

Alert Detail

Medium	Absence of Anti-CSRF Tokens
Description	<p>No Anti-CSRF tokens were found in a HTML submission form.</p> <p>A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL /form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf.</p> <p>CSRF attacks are effective in a number of situations, including:</p> <ul style="list-style-type: none"> * The victim has an active session on the target site. * The victim is authenticated via HTTP auth on the target site. * The victim is on the same local network as the target site. <p>CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.</p>
URL	https://epusluh.bppsdpmp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<form method="POST" action="https://epusluh.bppsdpmp.pertanian.go.id/portal/public/pemohon/login" id="form-login-heder" enctype="multipart/form-data">
URL	https://epusluh.bppsdpmp.pertanian.go.id/portal/public/login
Method	GET
Attack	
Evidence	<form action="https://epusluh.bppsdpmp.pertanian.go.id/portal/public/login/act_login" method="post" id="upload">
URL	https://epusluh.bppsdpmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<form method="POST" action="https://epusluh.bppsdpmp.pertanian.go.id/portal/public/pemohon/login" id="form-login-heder" enctype="multipart/form-data">
URL	https://epusluh.bppsdpmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<form method="POST" action="https://epusluh.bppsdpmp.pertanian.go.id/portal/public/pemohon/login" id="form-login-heder" enctype="multipart/form-data">
URL	https://epusluh.bppsdpmp.pertanian.go.id/portal/public/registrasi
Method	GET

Attack	
Evidence	<form method="POST" action="https://epusluh.bppsdp.pertanian.go.id/portal/public/pemohon/login" id="form-login-heder" enctype="multipart/form-data">
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<form method="post" action="https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi/store" id="form-registrasi">
Instances	6
Solution	<p>Phase: Architecture and Design</p> <p>Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.</p> <p>For example, use anti-CSRF packages such as the OWASP CSRFGuard.</p> <p>Phase: Implementation</p> <p>Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script.</p> <p>Phase: Architecture and Design</p> <p>Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330).</p> <p>Note that this can be bypassed using XSS.</p> <p>Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation.</p> <p>Note that this can be bypassed using XSS.</p> <p>Use the ESAPI Session Management control.</p> <p>This control includes a component for CSRF.</p> <p>Do not use the GET method for any request that triggers a state change.</p> <p>Phase: Implementation</p> <p>Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.</p>
Reference	http://projects.webappsec.org/Cross-Site-Request-Forgery http://cwe.mitre.org/data/definitions/352.html
CWE Id	352
WASC Id	9
Plugin Id	10202
Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/

Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/favicon.ico
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/login
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/getCountingWebsite
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/homeMaps
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	
Instances	9
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html http://www.w3.org/TR/CSP/

	http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html http://www.html5rocks.com/en/tutorials/security/content-security-policy/ http://caniuse.com/#feat=contentsecuritypolicy http://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038

Medium	Cross-Domain Misconfiguration
Description	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://cdn.jsdelivr.net/npm/@popperjs/core@2.10.2/dist/umd/popper.min.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.min.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://cdn.jsdelivr.net/npm/select2-bootstrap-5-theme@1.3.0/dist/select2-bootstrap-5-theme.min.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/css/select2.min.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *

URL	https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://cdn.jsdelivr.net/npm/summernote@0.8.18/dist/summernote-bs4.min.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://cdn.jsdelivr.net/npm/summernote@0.8.18/dist/summernote.min.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://code.jquery.com/jquery-3.6.0.min.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	access-control-allow-origin: *
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	access-control-allow-origin: *
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Instances	16
Solution	<p>Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance).</p> <p>Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.</p>
Reference	https://vulncat.fortify.com/en/detail?id=desc.config.dotnet.html5_overly_permissive_cors_policy
CWE Id	264
WASC Id	14
Plugin Id	10098

Medium	Hidden File Found
Description	A sensitive file was identified as accessible or available. This may leak administrative, configuration, or credential information which can be leveraged by a malicious individual to further attack the system or conduct social engineering efforts.
URL	https://epusluh.bppsdp.pertanian.go.id/info.php
Method	GET
Attack	
Evidence	HTTP/1.1 200 OK
Instances	1
Solution	Consider whether or not the component is actually required in production, if it isn't then disable it. If it is then ensure access to it requires appropriate authentication and authorization, or limit exposure to internal systems or specific source IPs, etc.
Reference	https://blog.hboeck.de/archives/892-Introducing-Snallygaster-a-Tool-to-Scan-for-Secrets-on-Web-Servers.html https://www.php.net/manual/en/function.phpinfo.php
CWE Id	538
WASC Id	13
Plugin Id	40035

Medium	Missing Anti-clickjacking Header
Description	The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/login
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/getCountingWebsite
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/homeMaps
Method	GET

Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	
Instances	8
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	Vulnerable JS Library
Description	The identified library jquery, version 3.2.1 is vulnerable.
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/chart.js/Chart.min.js
Method	GET
Attack	
Evidence	/*! * Chart.js v2.8.0
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/js/jquery-3.2.1.min.js
Method	GET
Attack	
Evidence	jquery-3.2.1.min.js
Instances	2
Solution	Please upgrade to the latest version of jquery.
Reference	https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/ https://nvd.nist.gov/vuln/detail/CVE-2019-11358 https://github.com/jquery/jquery/commit/753d591aea698e57d6db58c9f722cd0808619b1b https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
CWE Id	829
WASC Id	
Plugin Id	10003

Low	Application Error Disclosure
Description	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/getCountingWebsite
Method	GET
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Instances	2
Solution	Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	90022

Low	Cookie with SameSite Attribute None
Description	A cookie has been set with its SameSite attribute set to "none", which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Set-Cookie: _cfuvid
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Set-Cookie: _cfuvid
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Set-Cookie: _cfuvid
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Set-Cookie: _cfuvid
Instances	4
Solution	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.
Reference	https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site
CWE Id	1275
WASC Id	13
Plugin Id	10054

Low	Cross-Domain JavaScript Source File Inclusion
Description	The page includes one or more script files from a third-party domain.
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/sweetalert2@9"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/highcharts.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/accessibility.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/export-data.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/exporting.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<script src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET

Attack	
Evidence	<script src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/summernote@0.8.18/dist/summernote-bs4.min.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/highcharts.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/accessibility.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/export-data.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/exporting.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	<script src="https://use.fontawesome.com/1a21f72c26.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/login
Method	GET
Attack	
Evidence	<script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/login
Method	GET

Attack	
Evidence	<script src="https://www.google.com/recaptcha/api.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<script src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<script src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/summernote@0.8.18/dist/summernote-bs4.min.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/highcharts.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/accessibility.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/export-data.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/exporting.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET

Attack	
Evidence	<script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	<script src="https://use.fontawesome.com/1a21f72c26.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<script src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<script src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/summernote@0.8.18/dist/summernote-bs4.min.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/highcharts.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/accessibility.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/export-data.js"></script>
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/panduan
Method	GET

Attack	
Evidence	<script src="https://code.highcharts.com/modules/exporting.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	<script src="https://use.fontawesome.com/1a21f72c26.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<script src="https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<script src="https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<script src="https://cdn.jsdelivr.net/npm/summernote@0.8.18/dist/summernote-bs4.min.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/highcharts.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/accessibility.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET

Attack	
Evidence	<script src="https://code.highcharts.com/modules/export-data.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<script src="https://code.highcharts.com/modules/exporting.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	<script src="https://use.fontawesome.com/1a21f72c26.js"></script>
Instances	53
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	829
WASC Id	15
Plugin Id	10017

Low	Information Disclosure - Debug Error Messages
Description	The response appeared to contain common error messages returned by platforms such as ASP.NET, and Web-servers such as IIS and Apache. You can configure the list of common debug messages.
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	Internal Server Error
Instances	1
Solution	Disable debugging messages before pushing to production.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	10023

Low	Private IP Disclosure
Description	A private IP (such as 10.x.x.x, 172.x.x.x, 192.168.x.x) or an Amazon EC2 private hostname (for example, ip-10-0-56-78) has been found in the HTTP response body. This information might be helpful for further attacks targeting internal systems.
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	10.21.11.1

Instances	1
Solution	Remove the private IP address from the HTTP response body. For comments, use JSP/ASP/PHP comment instead of HTML/JavaScript comment which can be seen by client browsers.
Reference	https://tools.ietf.org/html/rfc1918
CWE Id	200
WASC Id	13
Plugin Id	2

Low	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)
Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.1.8
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/login/auto?username=dGFtdQ==
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.1.8
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.1.8
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/login
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.1.8
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.1.8
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/getCountingWebsite
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.1.8
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/homeMaps
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.1.8
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET

Attack	
Evidence	X-Powered-By: PHP/8.1.8
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.1.8
Instances	9
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	200
WASC Id	13
Plugin Id	10037

Low	Strict-Transport-Security Header Not Set
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	

Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css
Method	GET
Attack	
Evidence	
URL	https://code.jquery.com/jquery-3.6.0.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/datatables/datatables.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/datatables/datatables.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/datepicker/css/bootstrap-datepicker.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/datepicker/js/bootstrap-datepicker.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/images/favicon.ico
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/images/kementan.png
Method	GET

Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/mdb/css/mdb.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/mdb/css/style.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/mdb/js/jquery.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/dist/css/adminlte.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/dist/js/adminlte.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/dist/js/demo.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/dist/js/pages/dashboard.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/files/foto_kegiatan/53/2023/7/53_202307_SL-NTT-4-1.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/files/foto_kegiatan/53/2023/7/53_202307_SL-NTT-4-3.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/bootstrap/js/bootstrap.bundle.min.js

Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/chart.js/Chart.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/daterangepicker/daterangepicker.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/fontawesome-free/css/all.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/fontawesome-free/webfonts/fa-solid-900.woff
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/fontawesome-free/webfonts/fa-solid-900.woff2
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/icheck-bootstrap/icheck-bootstrap.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/jqvmap/jqvmap.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/overlayScrollbars/css/OverlayScrollbars.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/tempusdominus-bootstrap-4/css/tempusdominus-bootstrap-4.min.css
Method	GET

Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/favicon.ico
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate/animate.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animation/js/animation.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css/bootstrap.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js/bootstrap.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css/font-awesome.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts/fontawesome-webfont.woff2?v=4.7.0
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/img/img-login-new.jpg
Method	GET
Attack	
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/style.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel/assets/owl.carousel.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel/assets/owl.theme.default.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel/owl.carousel.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap/indonesia.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap/jquery-jvectormap-2.0.5.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap/jquery-jvectormap-2.0.5.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/animation/animate.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css/bootstrap.css
Method	GET
Attack	
Evidence	
	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js

URL	/bootstrap.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/bootstrap/js/popper.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/counterup/jquery.counterup.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/counterup/jquery.waypoints.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/elagent-icon/fonts/ElegantIcons.ttf
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/elagent-icon/fonts/ElegantIcons.woff
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/elagent-icon/style.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/css/lightbox.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/images/close.png
Method	GET
Attack	
Evidence	
	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/images

URL	/loading.gif
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/images/next.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/images/prev.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/js/lightbox.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/assets/wow/wow.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/css/responsive.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/css/style.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/datepicker/css/bootstrap-datepicker.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/datepicker/js/bootstrap-datepicker.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/img/favicon.ico
Method	GET

Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/img/logo-kementan.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/img/typography/leaf_left.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/img/typography/leaf_right.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/img/typography/man_01.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/img/typography/man_02.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/jquery-3.2.1.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/jquery.wavify.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/main.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/parallaxie.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/pre-loader.js

Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public//themeAssets/js/TweenMax.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public//webfile/logo-footer/logo-kementan-full.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public//webfile/logo-footer/maxresdefault.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public//webfile/logo-footer/simluh.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/gedung-kementan.jpg
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/login
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/getCountingWebsite
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/homeMaps
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/page/panduan

Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/themeAssets/img/logo-kementan.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/webfile/header-footer/logo-berakhlak_7.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/webfile/header-footer/logo-gratifikasi.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/webfile/header-footer/logo-kementan-full_4.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdlmp.pertanian.go.id/portal/public/webfile/header-footer/maxresdefault.png
Method	GET
Attack	
Evidence	
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	

URL	https://www.google.com/recaptcha/api.js
Method	GET
Attack	
Evidence	
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cgis/recaptcha_en.js
Method	GET
Attack	
Evidence	
Instances	103
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html https://owasp.org/www-community/Security-Headers http://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security http://caniuse.com/stricttransportsecurity http://tools.ietf.org/html/rfc6797
CWE Id	319
WASC Id	15
Plugin Id	10035

Low	Timestamp Disclosure - Unix
Description	A timestamp was disclosed by the application/web server - Unix
URL	https://code.jquery.com/jquery-3.6.0.min.js
Method	GET
Attack	
Evidence	1691641157
URL	https://code.jquery.com/jquery-3.6.0.min.js
Method	GET
Attack	
Evidence	1691641165
URL	https://code.jquery.com/jquery-3.6.0.min.js
Method	GET
Attack	
Evidence	1691641438
URL	https://code.jquery.com/jquery-3.6.0.min.js
Method	GET
Attack	
Evidence	1691641448
URL	https://code.jquery.com/jquery-3.6.0.min.js
Method	GET
Attack	
Evidence	1691641911
URL	https://code.jquery.com/jquery-3.6.0.min.js

Method	GET
Attack	
Evidence	1691641914
URL	https://code.jquery.com/jquery-3.6.0.min.js
Method	GET
Attack	
Evidence	1691641919
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	1691638931
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	1691639049
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1396182291
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1426881987
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1508970993
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1518500249
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1537002063
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1541459225
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET

Attack	
Evidence	1555081692
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1695183700
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1732584193
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1747873779
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1779033703
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1859775393
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1899447441
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1925078388
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1955562222
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	1986661051
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	

Evidence	1996064986
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	2000000000
Instances	27
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	http://projects.webappsec.org/w/page/13246936/Information%20Leakage
CWE Id	200
WASC Id	13
Plugin Id	10096

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	

URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css
Method	GET
Attack	
Evidence	
URL	https://code.jquery.com/jquery-3.6.0.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/datatables/datatables.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/datatables/datatables.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/datepicker/css/bootstrap-datepicker.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/datepicker/js/bootstrap-datepicker.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/images/favicon.ico
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/assets/images/kementan.png
Method	GET
Attack	

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/mdb/css/mdb.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/mdb/css/style.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/mdb/js/jquery.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/dist/css/adminlte.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/dist/js/adminlte.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/dist/js/demo.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/dist/js/pages/dashboard.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/files/foto_kegiatan/53/2023/7/53_202307_SL-NTT-4-1.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/files/foto_kegiatan/53/2023/7/53_202307_SL-NTT-4-3.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/bootstrap/js/bootstrap.bundle.min.js
Method	GET

Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/chart.js/Chart.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/daterangepicker/daterangepicker.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/fontawesome-free/css/all.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/fontawesome-free/webfonts/fa-solid-900.woff
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/fontawesome-free/webfonts/fa-solid-900.woff2
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/icheck-bootstrap/icheck-bootstrap.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/jqvmap/jqvmap.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/overlayScrollbars/css/OverlayScrollbars.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/tempusdominus-bootstrap-4/css/tempusdominus-bootstrap-4.min.css
Method	GET
Attack	

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/login/animate/animate.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/login/animation/js/animation.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/login/bootstrap-5/css/bootstrap.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/login/bootstrap-5/js/bootstrap.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/login/fonts/font-awesome-4.7.0/css/font-awesome.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/login/fonts/font-awesome-4.7.0/fonts/fontawesome-webfont.woff2?v=4.7.0
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/login/img/img-login-new.jpg
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/login/style.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/owlcarousel/assets/owl.carousel.min.css

Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/owlcarousel/assets/owl.theme.default.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/owlcarousel/owl.carousel.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/plugins/jvectormap/indonesia.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/plugins/jvectormap/jquery-jvectormap-2.0.5.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/plugins/jvectormap/jquery-jvectormap-2.0.5.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/assets/animation/animate.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/assets/bootstrap/css/bootstrap.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/assets/bootstrap/js/bootstrap.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/assets/bootstrap/js/popper.min.js

Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/counterup/jquery.counterup.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/counterup/jquery.waypoints.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/elagent-icon/fonts/ElegantIcons.ttf
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/elagent-icon/fonts/ElegantIcons.woff
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/elagent-icon/style.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/css/lightbox.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/images/close.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/images/loading.gif
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/images/next.png

Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/images/prev.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/js/lightbox.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/wow/wow.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/css/responsive.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/css/style.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/datepicker/css/bootstrap-datepicker.min.css
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/datepicker/js/bootstrap-datepicker.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/img/favicon.ico
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/img/logo-kementan.png
Method	GET
Attack	
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/img/typography/leaf_left.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/img/typography/leaf_right.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/img/typography/man_01.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/img/typography/man_02.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/jquery-3.2.1.min.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/jquery.wavify.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/main.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/parallaxie.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/pre-loader.js
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/js/TweenMax.min.js
Method	GET
Attack	

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer/logo-kementan-full.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer/maxresdefault.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer/simluh.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/gedung-kementan.jpg
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/login
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/getCountingWebsite
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/homeMaps
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img/logo-kementan.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/header-footer/logo-berakhlak_7.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/header-footer/logo-gratifikasi.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/header-footer/logo-kementan-full_4.png
Method	GET
Attack	
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/header-footer/maxresdefault.png
Method	GET
Attack	
Evidence	
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	
Instances	100
Solution	<p>Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.</p> <p>If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.</p>
	http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx

Reference	https://owasp.org/www-community/Security-Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	Information Disclosure - Sensitive Information in URL
Description	The request appeared to contain sensitive information leaked in the URL. This can violate PCI and most organizational compliance policies. You can configure the list of strings for this check to add or remove values specific to your environment.
URL	https://epusluh.bppsdpmp.pertanian.go.id/epusluh-ci4/public/login/auto?username=dGFtdQ==
Method	GET
Attack	
Evidence	username
Instances	1
Solution	Do not pass sensitive information in URIs.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	10024

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	select
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Db
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	from
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	select
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	user

URL	https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	select
URL	https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.min.js
Method	GET
Attack	
Evidence	select
URL	https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js
Method	GET
Attack	
Evidence	query
URL	https://cdn.jsdelivr.net/npm/summernote@0.8.18/dist/summernote-bs4.min.js
Method	GET
Attack	
Evidence	Select
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	from
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	select
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	where
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	from
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	select
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	where
URL	https://code.highcharts.com/modules/exporting.js

Method	GET
Attack	
Evidence	from
URL	https://code.jquery.com/jquery-3.6.0.min.js
Method	GET
Attack	
Evidence	username
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	from
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/datatables/datatables.min.js
Method	GET
Attack	
Evidence	select
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/datatables/datatables.min.js
Method	GET
Attack	
Evidence	user
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/datepicker/js/bootstrap-datepicker.js
Method	GET
Attack	
Evidence	from
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/datepicker/js/bootstrap-datepicker.js
Method	GET
Attack	
Evidence	later
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/datepicker/js/bootstrap-datepicker.js
Method	GET
Attack	
Evidence	user
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/assets/mdb/js/jquery.min.js
Method	GET
Attack	
Evidence	username
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/dist/js/adminlte.js
Method	GET
Attack	

Evidence	todo
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/dist/js/pages/dashboard.js
Method	GET
Attack	
Evidence	todo
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/bootstrap/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	from
URL	https://epusluh.bppsdp.pertanian.go.id/epusluh-ci4/public/plugins/chart.js/Chart.min.js
Method	GET
Attack	
Evidence	where
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	from
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	from
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	username
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/login/bootstrap-5/js/bootstrap.min.js
Method	GET
Attack	
Evidence	select
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//assets/plugins/jvectormap/jquery-jvectormap-2.0.5.min.js
Method	GET
Attack	
Evidence	select
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/assets/bootstrap/js/bootstrap.min.js
Method	GET
Attack	
Evidence	from
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/js/lightbox.js

Method	GET
Attack	
Evidence	from
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/assets/lightbox/js/lightbox.js
Method	GET
Attack	
Evidence	user
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/js/jquery-3.2.1.min.js
Method	GET
Attack	
Evidence	db
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/js/jquery-3.2.1.min.js
Method	GET
Attack	
Evidence	select
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/js/main.js
Method	GET
Attack	
Evidence	select
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public//themeAssets/js/TweenMax.min.js
Method	GET
Attack	
Evidence	from
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/login
Method	GET
Attack	
Evidence	username
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	username
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	username
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	select
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/registrasi

Method	GET
Attack	
Evidence	username
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	dB
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	from
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	later
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	query
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	select
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	user
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	username
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	db
Instances	53
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	10027

[illegible]

[illegible]

[illegible]

URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js

Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET

Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	

Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	

URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/export-data.js

[illegible]

[illegible]

Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	

URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	
Instances	112
Solution	Always scope cookies to a FQDN (Fully Qualified Domain Name).
Reference	https://tools.ietf.org/html/rfc6265#section-4.1 https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html http://code.google.com/p/browsersec/wiki/Part2#Same-origin_policy_for_cookies
CWE Id	565
WASC Id	15
Plugin Id	90033

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	https://epusluh.bppsdmp.pertanian.go.id/epusluh-ci4/public/
Method	GET
Attack	
Evidence	<i class="fas fa-bars"></i>
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/
Method	GET
Attack	
Evidence	Informasi
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	
Evidence	Informasi
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	
Evidence	Informasi
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	
Evidence	Informasi
Instances	5
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	

WASC Id	
Plugin Id	10109

Informational	Retrieved from Cache
Description	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956726
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956739
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956744
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956751
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956753
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956758
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956776
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956783
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css

Method	GET
Attack	
Evidence	Age: 11956787
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956804
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956811
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956827
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956832
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956838
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956841
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956845
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956886
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956897
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET

Attack	
Evidence	Age: 11956910
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956951
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11956956
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957383
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957399
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957406
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957416
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957427
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957433
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957434
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	

Evidence	Age: 11957456
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957457
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957459
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957468
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957469
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957471
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957487
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957505
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957524
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957527
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957543

URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957551
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957572
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957582
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957587
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957588
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957667
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957668
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957675
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957692
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957721
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css

Method	GET
Attack	
Evidence	Age: 11957724
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957737
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957741
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11957928
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11958046
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11958066
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11958142
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11958187
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11958210
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11958212
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET

Attack	
Evidence	Age: 11958217
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11958220
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11958223
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11958225
URL	https://cdn.datatables.net/1.11.3/css/dataTables.bootstrap4.min.css
Method	GET
Attack	
Evidence	Age: 11958324
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610718
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610736
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610743
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610749
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610767
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	

Evidence	Age: 27610779
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610802
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610828
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610829
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610847
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610878
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610887
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610911
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27610942
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611374
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611390

URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611399
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611407
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611420
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611425
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611447
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611451
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611463
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611481
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611497
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611520
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js

Method	GET
Attack	
Evidence	Age: 27611552
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611657
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611662
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611681
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611682
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611716
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611731
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611740
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611768
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27611793
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET

Attack	
Evidence	Age: 27611833
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27612026
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27612050
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27612055
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27612110
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27612143
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27612173
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27612212
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27612293
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27612299
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	

Evidence	Age: 27612305
URL	https://cdn.datatables.net/1.11.3/js/dataTables.bootstrap4.min.js
Method	GET
Attack	
Evidence	Age: 27612309
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611013
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611031
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611037
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611045
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611061
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611074
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611097
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611118
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611121

URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611131
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611172
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611182
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611236
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611669
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611685
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611694
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611702
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611713
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611720
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js

Method	GET
Attack	
Evidence	Age: 27611742
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611747
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611758
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611776
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611793
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611813
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611839
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611951
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611952
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27611974
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET

Attack	
Evidence	Age: 27611977
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612007
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612026
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612032
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612057
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612063
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612113
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612335
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612342
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612345
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	

Evidence	Age: 27612434
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612465
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612503
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612563
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612598
URL	https://cdn.datatables.net/1.11.3/js/jquery.dataTables.min.js
Method	GET
Attack	
Evidence	Age: 27612602
URL	https://cdn.jsdelivr.net/npm/@popperjs/core@2.10.2/dist/umd/popper.min.js
Method	GET
Attack	
Evidence	HIT
URL	https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	HIT
URL	https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.min.js
Method	GET
Attack	
Evidence	HIT
URL	https://cdn.jsdelivr.net/npm/select2-bootstrap-5-theme@1.3.0/dist/select2-bootstrap-5-theme.min.css
Method	GET
Attack	
Evidence	HIT
URL	https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/css/select2.min.css
Method	GET
Attack	

Evidence	HIT
URL	https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js
Method	GET
Attack	
Evidence	HIT
URL	https://cdn.jsdelivr.net/npm/summernote@0.8.18/dist/summernote-bs4.min.js
Method	GET
Attack	
Evidence	HIT
URL	https://cdn.jsdelivr.net/npm/summernote@0.8.18/dist/summernote.min.css
Method	GET
Attack	
Evidence	HIT
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 487930
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 487942
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 487947
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 487954
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 487959
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 487961
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 487978

URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 487986
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 487990
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 487999
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488012
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488016
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488034
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488036
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488044
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488047
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488052
URL	https://code.highcharts.com/highcharts.js

Method	GET
Attack	
Evidence	Age: 488092
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488100
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488126
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488153
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488586
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488596
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488601
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488602
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488610
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488619
URL	https://code.highcharts.com/highcharts.js
Method	GET

Attack	
Evidence	Age: 488625
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488632
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488636
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488637
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488659
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488662
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488669
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488670
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488674
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488693
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	

Evidence	Age: 488708
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488727
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488732
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488746
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488757
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488761
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488773
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488785
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488786
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488888
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488894

URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488896
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488943
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488948
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488957
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488961
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488966
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488978
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 488989
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489020
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489021
URL	https://code.highcharts.com/highcharts.js

Method	GET
Attack	
Evidence	Age: 489122
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489228
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489235
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489237
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489251
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489256
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489358
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489492
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489500
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489505
URL	https://code.highcharts.com/highcharts.js
Method	GET

Attack	
Evidence	Age: 489511
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489518
URL	https://code.highcharts.com/highcharts.js
Method	GET
Attack	
Evidence	Age: 489529
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 487929
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 487941
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 487947
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 487953
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 487958
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 487960
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 487978
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	

Evidence	Age: 487985
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 487989
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488000
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488012
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488017
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488034
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488037
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488044
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488051
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488053
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488056

URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488091
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488100
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488153
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488585
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488595
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488600
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488601
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488609
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488618
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488624
URL	https://code.highcharts.com/modules/accessibility.js

Method	GET
Attack	
Evidence	Age: 488631
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488634
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488636
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488658
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488659
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488661
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488669
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488673
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488694
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488709
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET

Attack	
Evidence	Age: 488733
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488739
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488747
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488759
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488765
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488778
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488788
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488789
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488890
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488899
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	

Evidence	Age: 488904
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488946
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488948
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488954
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488965
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488967
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488972
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 488988
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489002
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489026
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489027

URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489134
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489229
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489234
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489235
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489255
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489266
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489360
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489500
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489504
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489513
URL	https://code.highcharts.com/modules/accessibility.js

Method	GET
Attack	
Evidence	Age: 489519
URL	https://code.highcharts.com/modules/accessibility.js
Method	GET
Attack	
Evidence	Age: 489529
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 487929
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 487941
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 487947
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 487953
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 487958
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 487960
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 487978
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 487985
URL	https://code.highcharts.com/modules/export-data.js
Method	GET

Attack	
Evidence	Age: 487989
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 487999
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488012
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488015
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488034
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488035
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488044
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488053
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488054
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488056
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	

Evidence	Age: 488091
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488099
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488152
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488585
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488595
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488600
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488601
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488609
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488618
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488624
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488631

URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488635
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488658
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488661
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488669
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488673
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488692
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488708
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488737
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488739
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488747
URL	https://code.highcharts.com/modules/export-data.js

Method	GET
Attack	
Evidence	Age: 488765
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488776
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488786
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488789
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488890
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488895
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488904
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488946
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488953
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488963
URL	https://code.highcharts.com/modules/export-data.js

Method	GET
Attack	
Evidence	Age: 488966
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488981
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 488986
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489026
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489027
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489130
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489227
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489234
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489252
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489253
URL	https://code.highcharts.com/modules/export-data.js
Method	GET

Attack	
Evidence	Age: 489268
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489358
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489486
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489500
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489504
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489514
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489519
URL	https://code.highcharts.com/modules/export-data.js
Method	GET
Attack	
Evidence	Age: 489529
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 487930
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 487942
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	

Evidence	Age: 487947
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 487954
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 487960
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 487961
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 487979
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 487986
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 487990
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 487999
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488013
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488016
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488035

URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488036
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488044
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488052
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488054
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488090
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488099
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488123
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488154
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488586
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488596
URL	https://code.highcharts.com/modules/exporting.js

Method	GET
Attack	
Evidence	Age: 488601
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488602
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488609
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488618
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488625
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488632
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488635
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488637
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488659
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488663
URL	https://code.highcharts.com/modules/exporting.js
Method	GET

Attack	
Evidence	Age: 488670
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488674
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488693
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488709
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488730
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488733
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488748
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488764
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488766
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488777
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	

Evidence	Age: 488789
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488818
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488890
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488895
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488899
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488943
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488947
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488952
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488957
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488964
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488968

URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488980
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 488987
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489021
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489022
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489133
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489232
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489235
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489253
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489256
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489259
URL	https://code.highcharts.com/modules/exporting.js

Method	GET
Attack	
Evidence	Age: 489358
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489497
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489498
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489504
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489505
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489515
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489518
URL	https://code.highcharts.com/modules/exporting.js
Method	GET
Attack	
Evidence	Age: 489529
URL	https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css
Method	GET
Attack	
Evidence	HIT
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912206
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET

Attack	
Evidence	Age: 1912219
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912225
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912231
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912235
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912238
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912255
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912263
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912269
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912289
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912291
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	

Evidence	Age: 1912312
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912317
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912320
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912323
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912329
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912366
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912376
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912395
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912430
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912863
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912879

URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912886
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912896
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912907
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912913
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912914
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912936
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912937
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912939
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912947
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912951
URL	https://unpkg.com/aos@2.3.1/dist/aos.css

Method	GET
Attack	
Evidence	Age: 1912970
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1912986
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913009
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913011
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913023
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913032
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913061
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913063
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913068
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913156
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET

Attack	
Evidence	Age: 1913165
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913168
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913194
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913214
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913215
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913220
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913226
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913241
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913410
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913509
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	

Evidence	Age: 1913536
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913539
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913634
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913686
URL	https://unpkg.com/aos@2.3.1/dist/aos.css
Method	GET
Attack	
Evidence	Age: 1913806
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1233922
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1233941
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1233946
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1233953
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1233971
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1233983

URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234010
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234030
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234044
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234046
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234082
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234093
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234121
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234578
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234594
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234601
URL	https://unpkg.com/aos@2.3.1/dist/aos.js

Method	GET
Attack	
Evidence	Age: 1234611
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234622
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234631
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234651
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234658
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234667
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234685
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234701
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234731
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234756
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET

Attack	
Evidence	Age: 1234940
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234950
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234970
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234972
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1234980
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1235016
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1235022
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1235025
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1235246
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1235254
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	

Evidence	Age: 1235501
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1235503
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1235509
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1235514
URL	https://unpkg.com/aos@2.3.1/dist/aos.js
Method	GET
Attack	
Evidence	Age: 1235522
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 2167
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 2172
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 2189
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 2197
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 2201
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	

Evidence	Age: 2207
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 2232
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 2868
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 2870
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 2880
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 2884
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 3143
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 3227
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 3669
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 3678
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 3680

URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 3688
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 4942
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5037
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5039
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5094
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5243
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5254
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5262
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5270
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5338
URL	https://use.fontawesome.com/1a21f72c26.css

Method	GET
Attack	
Evidence	Age: 5353
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5354
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5356
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5364
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5369
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5388
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5409
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5432
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5900
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5908
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET

Attack	
Evidence	Age: 5915
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5917
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5925
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5936
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5938
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5946
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5951
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5961
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 5993
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6002
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	

Evidence	Age: 6012
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6025
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6058
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6089
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6208
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6224
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6245
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6248
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6261
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6277
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6278

URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6333
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6391
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6400
URL	https://use.fontawesome.com/1a21f72c26.css
Method	GET
Attack	
Evidence	Age: 6542
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2015
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2023
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2039
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2187
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2193
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2198
URL	https://use.fontawesome.com/1a21f72c26.js

Method	GET
Attack	
Evidence	Age: 2205
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2221
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2224
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2260
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2833
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2878
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2879
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2881
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2901
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 2985
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET

Attack	
Evidence	Age: 3154
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 3175
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 3195
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 3228
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 4917
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 4923
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 4941
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 4943
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5042
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5187
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	

Evidence	Age: 5189
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5242
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5253
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5259
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5266
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5271
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5273
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5345
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5348
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5355
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5359

URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5402
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5412
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5425
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5466
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5898
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5908
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5913
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5914
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5921
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5930
URL	https://use.fontawesome.com/1a21f72c26.js

Method	GET
Attack	
Evidence	Age: 5942
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5948
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5949
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5965
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5972
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 5974
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6021
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6038
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6042
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6060
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET

Attack	
Evidence	Age: 6066
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6092
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6101
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6198
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6207
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6211
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6230
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6240
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6259
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6267
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	

Evidence	Age: 6268
URL	https://use.fontawesome.com/1a21f72c26.js
Method	GET
Attack	
Evidence	Age: 6429
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 1407268
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 1407271
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 1407329
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 1770790
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 1770798
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 1770801
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2137644
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2137662
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2137676

URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2138348
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2138618
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2138647
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2138651
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2138704
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2355936
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2355956
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2355963
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356032
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356034
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css

Method	GET
Attack	
Evidence	Age: 2356048
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356050
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356097
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356104
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356158
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356594
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356610
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356618
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356630
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356640
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET

Attack	
Evidence	Age: 2356655
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356683
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356698
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356705
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356718
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356783
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356934
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356942
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356951
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2356960
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	

Evidence	Age: 2357031
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2357086
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2357118
URL	https://use.fontawesome.com/releases/v4.7.0/css/font-awesome-css.min.css
Method	GET
Attack	
Evidence	Age: 2357238
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	Age: 11585
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	Age: 11895
URL	https://www.gstatic.com/recaptcha/releases/pCoGBhjs9s8EhFOHJFe8cqis/recaptcha__en.js
Method	GET
Attack	
Evidence	Age: 162464
Instances	721
Solution	<p>Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:</p> <p>Cache-Control: no-cache, no-store, must-revalidate, private</p> <p>Pragma: no-cache</p> <p>Expires: 0</p> <p>This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.</p>
Reference	https://tools.ietf.org/html/rfc7234 https://tools.ietf.org/html/rfc7231 http://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html (obsoleted by rfc7234)
CWE Id	
WASC Id	
Plugin Id	10050

Informational

User Agent Fuzzer

Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public
Method	GET

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/

Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animate
Method	GET

Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion

Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/animstion
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/animstion/js
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/css
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/bootstrap-5/js
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/css
Method	GET

Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts

Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/fonts/font-awesome-4.7.0/fonts
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/login/img
Method	GET
	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)

Attack	Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/login/img
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel/assets

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/owlcarousel/assets
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/assets/plugins/jvectormap
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/faq
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/page/panduan
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/registrasi
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/animation
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)

Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML,

Attack	like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/css
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js

Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/bootstrap/js
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/counterup
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts

Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/elagent-icon/fonts
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/css
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/images
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/lightbox/js

Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/assets/wow
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/css
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)

Attack	Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/css
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/datepicker/js
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img
Method	GET

Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/img/typography

Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/img/typography
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/themeAssets/js
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile
Method	GET

Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/webfile
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdmp.pertanian.go.id/portal/public/webfile/header-footer

Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/header-footer
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	

URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://epusluh.bppsdp.pertanian.go.id/portal/public/webfile/logo-footer
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Instances	550
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	
Plugin Id	10104