

Index

abrasion loss (see data, rubber)
 absolute error (see data, slope)
 adjacent value 25-26
 Andrews, D. F. 15
 animal data (see data, animal)
 Anscombe, F. J. 5, 36, 296, 338, 339
 anti-aliasing boundary of level region 264-267
 aspect ratio (see banking)
 Babinet point (see data, polarization)
 banking 87-91, 159-160, 162-163, 218-227, 253
 barley data (see data, barley)
 Becker, R. A. 15, 173, 359
 Bentley, J. 320
 Berkson, J. 12, 179
 bin packing data (see data, bin packing)
 bisquare fitting (see fitting, bisquare)
 bivariate data 8-9, 86-87
 bivariate distribution 146-147, 294-295
 body weight (see data, animal)
 book design and production 359-360
 box plot 25-27
 box plot, bin packing data 69
 box plot, fly data 138
 box plot, fusion-time data 47
 box plot, hamster data 293
 box plot, polarization data 132-133
 box plot, singer data 27, 35
 brain weight (see data, animal)
 brushing (see direct manipulation, brushing)
 carbon age (see data, dating)
 carbon dioxide time series (see data, carbon dioxide)
 chain length (see data, food web)
 Chambers, J. M. 274, 359
 circle diameter (see data, Playfair)
 Cleveland, R. B. 161
 Cleveland, W. S. 2, 15, 20, 27, 49, 88, 89, 94, 121, 142,
 161, 164, 173, 218, 274, 299

color encoding of level plot, ROYGBIV 264
color encoding of level plot, THVL 264-267, 360
compression ratio (see data, ethanol)
conditioning plot (see coplot)
contour plot 238-245, 270
contour plot, galaxy data 238-239
contour plot, Grosse's connection algorithm 242-244
coplot of data 182-186, 270, 276-281
coplot of data, environmental data 276-281
coplot of data, ethanol data 189-190
coplot of data, galaxy data 232-233
coplot of data, rubber data 185-187
coplot of data, slope data 221-223
coplot of data, soil data 259-261
coplot of surface 196-199, 270, 285-286
coplot of surface, environmental data 286-289
coplot of surface, ethanol data 196-198
coplot of surface, galaxy data 234-235
coplot of surface, rubber data 202-203, 211
coplot of surface, slope data 226-227
Costigan-Eaves, P. 14
country (see data, livestock)
CP ratio (see data, ganglion)
cropping 201, 282-285
cropping plot, environmental data 284-285
cropping plot, rubber data 201
cut-and-stack plot 162-163
cut-and-stack plot, carbon dioxide data 162-163
cycle plot 164-165
cycle plot, carbon dioxide data 164-165
Daniel, C. 5, 36, 296, 339
data, animal 172-176
data, barley 4-6, 12-13, 328-340
data, bin packing 68-81
data, carbon dioxide 159-169
data, dating 110-113, 116-117
data, environmental 146-148, 272-292
data, ethanol 10-11, 188-190, 196-198, 214-217, 254-255, 271
data, fly 136-142, 178-180
data, food web 58-67
data, fusion time 42-56, 82-85
data, galaxy 228-239, 246-253, 256
data, ganglion 86-87, 91-92, 103-110, 177-178
data, hamster 293-297
data, iris 298-301

- data, livestock 303-319
- data, melanoma 152-158
- data, ozone 148-151
- data, Playfair 142-145
- data, polarization 8-9, 119-133
- data, rubber 180-187, 200-203, 206-213, 270-271
- data, run time 320-327
- data, singer 6-8, 16-17, 20-25, 27, 31-32, 34-41
- data, slope 218-227
- data, soil 257-265, 268-269
- data, sunspot 158
- data rectangle 88, 201
- dating data (see data, dating)
- Davis, J. C. 240
- Deming, W. E. 5
- dependence panel 184
- depth perception (see visual perception, depth)
- Descartes, R. 14
- Devlin, S. J. 88
- direct manipulation 14-15
- direct manipulation, animal data 172-176
- direct manipulation, bin packing data 80-81
- direct manipulation, brushing 172-176, 191-194, 270, 294-297
- direct manipulation, conditioning 191-194
- direct manipulation, enhanced linking 191-194, 294-297
- direct manipulation, hamster data 294-297
- direct manipulation, labeling 172-176
- direct manipulation, motion 256, 267-268, 270, 359
- direct manipulation, outlier detection 80-81
- direct manipulation, rubber data 191-193
- discrete data 31, 136-137, 139
- distance from 45° (see data, slope)
- dot plot, livestock data 310
- dot plot, Playfair data 142-143
- dot plot, singer data 34
- Draper, D. 36
- easting coordinate (see data, soil)
- east-west coordinate (see data, galaxy)
- ecosystem dimension (see data, food web)
- empty space (see data, bin packing)
- environmental data (see data, environmental)
- equal-count algorithm 131, 133-135, 184, 186
- equivalence ratio (see data, ethanol)
- erase mode of brushing 174-175
- ethanol data (see data, ethanol)

- facet number (see data, fly)
- factor-plane plot 270, 285-286
- Fan, J. 94
- Feiner, S. K. 249, 257, 266, 268
- Fisher, R. A. 2, 5, 12, 142, 179, 301, 328, 329
- Fisher-Keller, M. A. 15, 256
- fitted values 34-41, 102-103
- fitting, bisquare 112-119, 156, 161, 171, 194-195, 204, 282, 309
- fitting, bisquare parametric fit to barley data 334-335
- fitting, bisquare parametric fit to dating data 114-116
- fitting, bisquare parametric fit to livestock data 309-315
- fitting, bisquare parametric fit to rubber data 200-203, 209, 211
- fitting, bisquare parametric fit to slope data 224, 226-227
- fitting, conditionally linear 196, 205
- fitting, conditionally quadratic 205, 282
- fitting, least-squares 93, 108-109, 112-113, 194-195, 282, 309
- fitting, least-squares parametric fit to dating data 112-113
- fitting, least-squares parametric fit to fly data 140, 178-179
- fitting, least-squares parametric fit to ganglion data 91-92, 106-107, 177-178
- fitting, least-squares parametric fit to Playfair data 144-145
- fitting, least-squares parametric fit to run-time data 325-327
- fitting, location 34-41, 102-103, 112
- fitting, loess 8-9, 87-88, 93-101, 114, 118-119, 154-155, 161, 170-171, 195-196, 204-205, 282
- fitting, loess fit to carbon dioxide data 161-167
- fitting, loess fit to environmental data 282-289
- fitting, loess fit to melanoma data 152-154, 158
- fitting, loess fit to soil data 262-265, 268-269
- fitting, loess robust fit to ethanol data 196-198
- fitting, loess robust fit to galaxy data 234-235, 238-239, 246-247, 249-251
- fitting, loess robust fit to polarization data 123-126
- fitting, mad fit to bin packing data 72-73, 76-77
- fitting, mean fit to food-web data 64-65
- fitting, mean fit to fusion-time data 54, 84
- fitting, mean fit to singer data 34
- fitting, median fit to bin packing data 72-73, 76-77
- fitting, normal distribution 29-30, 33, 39-41, 108-109
- fitting, parametric 93, 194-195, 308
- fitting, repeated loess 155
- fitting, robust 72-73, 108-109, 112, 156, 161, 171, 194-195, 282, 309
- fitting, seasonal loess 161, 170-171
- fitting, spread 70, 72-73

- fitting, standard deviation fit to fusion-time data 84
- fitting, standard deviation fit to singer data 39-40
- fly data (see data, fly)
- Foley, J. D. 249, 257, 266, 268
- food-web data (see data, food web)
- Fowlkes, E. B. 15, 80
- Friedman, J. H. 15, 256
- Funkhouser, H. G. 14
- fusion-time data (see data, fusion time)
- galaxy data (see data, galaxy)
- ganglion data (see data, ganglion)
- Geomview 359
- given panel 184
- given plot 131
- given plot, polarization data 131
- Gnanadesikan, R. 21
- graphical order of panels 20
- Grosse, E. 88, 94, 240, 242
- Hald, A. 12
- hamster data (see data, hamster)
- hardness (see data, rubber)
- Hastie, T. 94
- height (see data, singer)
- histogram 6-8
- Hoaglin, D. C. 50, 72, 112, 118, 308
- Hodges, J. S. 36
- homogeneity (see pooling)
- Hughes, J. F. 249, 257, 266, 268
- hypervariate data 10, 272-273
- Imhof, E. 238, 264
- improvisation 232, 259, 296
- input (see data, run time)
- interaction 185, 190, 308
- interquartile range 25
- iris data (see data, iris)
- jittering (see visual perception, jittering)
- Julesz, B. 42, 82
- Kleiner, B. 274
- lack of fit 92, 98-100
- lasting mode of brushing 174-175
- least-squares fitting (see fitting, least-squares)
- leptokurtosis 70
- level of multiway dot plot 303-307
- level panel 230
- level plot of data 230-231, 270

level plot of data, galaxy data 230-231
level plot of surface 245-248, 264-267, 270
level plot of surface, galaxy data 246-247
level plot of surface, soil data 262-265
level region 230
Levy, S. 359
linking panels (see visual perception, linking panels)
livestock data (see data, livestock)
Loader, C. 94
location 25, 29, 102-103
loess (see fitting, loess)
log transformation (see transformation, log)
machine (see data, run time)
mad 50
main effect 308-309
Mallows, C. L. 36
Marr, D. 267
Mather, K. 328
McDonald, J. A. 15
McGill, M. E. 15, 89, 218, 360
McGill, R. 89, 218, 359
McIlroy, D. 320
McLain, D. H. 240
McRae, J. E. 161
m-d plot 22-23, 149
m-d plot, fusion-time data 52-53
m-d plot, iris data 300-301
m-d plot, ozone data 149-151
m-d plot, singer data 22-23
mean 29-30
median 18
median absolute deviation (see mad)
melanoma time series (see data, melanoma)
monotone spread 47, 50, 104
Mosteller, F. 50, 72, 112, 118, 308
motion (see visual perception, motion)
multivariate distribution 293-294
multiway data 12-13, 302-303
multiway dot plot 4-6, 302-307
multiway dot plot, barley data 4-6, 12-13, 329-333
multiway dot plot, differences 324
multiway dot plot, livestock data 302-307, 311-313
multiway dot plot, livestock fit 314-315
multiway dot plot, run-time data 320-324
multiway dot plot, run-time fit 326-327

- multiway dot plot, superposition 321-323
- Munzner, T. 359
- neighborhood weight 95, 101, 118-119, 195, 204-205
- normal distribution 29-30
- normal q-q plot 28-33, 108-109, 205
- normal q-q plot, bin packing data 70-71, 73-74, 76, 80-81
- normal q-q plot, carbon dioxide data 168
- normal q-q plot, dating data 116-117
- normal q-q plot, environmental data 146-147, 292
- normal q-q plot, ethanol data 214, 216
- normal q-q plot, fly data 138-139
- normal q-q plot, food-web data 60-65
- normal q-q plot, fusion-time data 48-49, 54-57
- normal q-q plot, galaxy data 237
- normal q-q plot, ganglion data 108-109
- normal q-q plot, melanoma data 156
- normal q-q plot, polarization data 120-121, 123, 127
- normal q-q plot, rubber data 212-213
- normal q-q plot, singer data 31-32, 39
- normal quantile function 29-31
- normal quantile-quantile plot (see normal q-q plot)
- number of runs (see data, bin packing)
- NV and VV subjects (see data, fusion time)
- organ weight (see data, hamster)
- orthogonal view 252-255
- outside value 25-27
- oxides of nitrogen (see data, ethanol)
- ozone concentration (see data, environmental)
- ozone data (see data, ozone)
- panels, coordinate system 181
- panels, graphical order 20
- panels, order for multiway dot plot 304-306
- parametric fitting (see fitting, parametric)
- particulate concentration (see data, polarization)
- petal length and width (see data, iris)
- percent (see data, slope)
- perspective view 252-256, 267-269
- Phillips, M. 359
- platykurtosis 70
- Playfair data (see data, Playfair)
- Playfair, W. 142
- polarization data (see data, polarization)
- pooling 36-38, 104-105, 132-133
- population of cities (see data, Playfair)
- PostScript® 360

- power transformation (see transformation, power)
- Pregibon, D. 36
- probabilistic inference 12-14, 33, 82-85, 142, 177-179, 270-271, 301, 339-340
- q-q plot 21-25
- q-q plot, bin packing data 73, 75
- q-q plot, food-web data 66
- q-q plot, fusion-time data 52-54
- q-q plot, singer data 21-22, 24, 36-37
- quantile 16-19, 29-31
- quantile plot 16-20
- quantile plot, food-web data 58-59, 66
- quantile plot, fusion-time data 44
- quantile plot, singer data 16-17, 20, 38
- quantile-quantile plot (see q-q plot)
- Quark XPress® 360
- quartile 18
- radial position (see data, galaxy)
- random dot stereogram 42-43
- Renderman® 360
- repeated loess (see fitting, repeated loess)
- residual dependence coplot 205, 207-208
- residual dependence coplot, ethanol data 214
- residual dependence coplot, galaxy data 236
- residual dependence coplot, rubber data 207-208, 210
- residual dependence level plot, livestock data 319
- residual dependence multiway dot plot, barley data 336-337
- residual dependence multiway dot plot, livestock data 316-318
- residual dependence multiway dot plot, run-time data 325
- residual dependence scatterplot 103-104, 205
- residual dependence scatterplot, dating data 112-113, 116
- residual dependence scatterplot, ethanol data 214-215
- residual dependence scatterplot, fly data 140
- residual dependence scatterplot, ganglion data 103-104, 107
- residual dependence scatterplot, Playfair data 145
- residual dependence scatterplot, polarization data 123-126
- residual dependence scatterplot, rubber data 206
- residual dependence scatterplot, slope data 224-226
- residual-fit spread plot (see r-f spread plot)
- residuals 35, 102-103
- resistivity (see data, soil)
- resolution (see data, slope)
- retinal area (see data, ganglion)
- r-f spread plot 40-41, 108, 205
- r-f spread plot, barley data 334

- r-f spread plot, carbon dioxide data 169
- r-f spread plot, environmental data 292
- r-f spread plot, ethanol data 214, 216
- r-f spread plot, food-web data 66
- r-f spread plot, fusion-time data 54-55
- r-f spread plot, galaxy data 237
- r-f spread plot, ganglion data 108
- r-f spread plot, melanoma data 157
- r-f spread plot, polarization data 123, 127
- r-f spread plot, rubber data 212-213
- r-f spread plot, run-time data 326
- r-f spread plot, singer data 40-41
- r-f spread plot, slope data 224-226
- robust fitting (see fitting, robust)
- robustness weight 118-119, 194-195, 204
- Rock, I. 249, 267
- rotation (see 3-D plot, motion)
- rote data analysis 14, 85, 177-179, 270-271, 339
- rubber data (see data, rubber)
- run-time data (see data, run time)
- S 359
- scatterplot 8-11
- scatterplot, bin packing data 77
- scatterplot, dating data 111
- scatterplot, environmental data 146
- scatterplot, ethanol data 10-11
- scatterplot, fly data 136-137
- scatterplot, galaxy data 228-229
- scatterplot, ganglion data 86-88
- scatterplot, ozone data 148-151
- scatterplot, Playfair data 144
- scatterplot, polarization data 8-9, 119-122
- scatterplot, soil data 258
- scatterplot and fit, dating data 112-113, 115-116
- scatterplot and fit, environmental data 148
- scatterplot and fit, fly data 140
- scatterplot and fit, ganglion data 88, 91-92, 106-107
- scatterplot and fit, Playfair data 145
- scatterplot and fit, polarization data 123-126
- scatterplot matrix 180-181, 274-275
- scatterplot matrix, environmental data 272-275
- scatterplot matrix, ethanol data 188-189
- scatterplot matrix, hamster data 294-295
- scatterplot matrix, iris data 298-299
- scatterplot matrix, rubber data 180-181

scatterplot matrix, slope data 220
seasonal loess (see fitting, seasonal loess)
sepal length and width (see data, iris)
shading (see 3-D plot, shading)
shape of distribution 26, 69-71
shift of distribution 21-23
Shyu, W. M. 88, 94
singer data (see data, singer)
site (see data, barley)
skewness 25-26, 44-46
slicing 128-134, 137-140
slit angle (see data, galaxy)
slope data (see data, slope)
s-l plot 50-51, 104-105, 205
s-l plot, bin packing data 78-79
s-l plot, environmental data 290-291
s-l plot, ethanol data 214-215, 217
s-l plot, food-web data 60-64
s-l plot, fusion-time data 50-51
s-l plot, ganglion data 105, 107
s-l plot, rubber data 212
Snee, R. D. 182
Snyder, W. V. 240
software 359-360
soil data (see data, soil)
solar radiation (see data, environmental)
sort algorithm (see data, run time)
south-north coordinate (see data, galaxy)
spatial-data component 259
spread 25
spread-location plot (see s-l plot)
standard deviation 29-30
stereo view 42-43, 256
Stuetzle, W. 15
sunspot time series (see data, sunspot)
surplus of fit 98-100
table look-up (see visual perception, table look-up)
temperature of air (see data, environmental)
temperature of incubator (see data, fly)
tensile strength (see data, rubber)
Terpenning, I. 161, 164
texture symbols (see visual perception, texture symbols)
thorium age (see data, dating)
3-D plot 249-256, 267-270
3-D plot, ethanol data 254-255

- 3-D plot, galaxy data 249-253, 256
- 3-D plot, motion 256, 267-268
- 3-D plot, shading 267-270, 360
- 3-D plot, soil data 268-269
- 3-D plot, stereo 256
- 3-D plot, wireframe 249-255
- Tibshirani, R. 94
- time series component 154, 160
- time series plot, carbon dioxide data 159-160
- time series plot, carbon dioxide fit 162-163, 164, 166-167
- time series plot, carbon dioxide residuals 165-166, 168
- time series plot, melanoma data 152
- time series plot, melanoma fit 152-153, 158
- time series plot, melanoma residuals 152-153, 156
- time series plot, sunspot data 158
- transformation, log 48-49, 51, 56, 78-79, 110, 217
- transformation, power 56-58, 67, 120-121, 143
- transient mode of brushing 173-174
- trimmed sample standard deviation 196
- trivariate data 10-11, 180-181
- Tufte, E. R. 142, 264, 286
- Tukey, J. W. 2, 15, 22, 25, 27, 36, 50, 72, 112, 118, 182, 256, 296, 308
- Tukey mean-difference plot (see m-d plot)
- Tukey, P. A. 15, 182, 274
- univariate data 6-7, 16-17
- van Dam, A. 249, 257, 266, 268
- variety (see data, barley)
- velocity (see data, galaxy)
- visualization, fitting and graphing 1, 41, 122
- visualization, philosophy 1, 5, 12-14, 82-85, 177-179, 270-271, 301, 339-340
- visualization, tools matter 1, 6, 339-340
- visual perception 2
- visual perception, banking 87-91, 159-160, 162-163, 184, 218-227, 253
- visual perception, box plot 27
- visual perception, circle area and dot plot 142-143
- visual perception, color 264-266
- visual perception, contour and level order 245
- visual perception, depth 249-256, 267-269
- visual perception, jittering 121-122
- visual perception, linking panels 274-275, 294-296, 298-299
- visual perception, magnifying effect of residuals 138-139, 144-145, 208
- visual perception, m-d plot 23
- visual perception, motion 256, 267-268
- visual perception, multiway dot plot 304-307

- visual perception, table look-up 249, 269
- visual perception, texture symbols 298-299
- visual perception, unfitted scatterplot 8-9, 123
- visual perception, visual reference grid 20
- voice part (see data, singer)
- Watt, A. 249, 257, 266, 268
- Wilk, M. B. 21
- Wilks, A. R. 359
- wind speed (see data, environmental)
- wireframe plot (see 3-D plot, wireframe)
- Wood, F. 36, 296
- Yates, F. 182, 328
- year (see data, barley)
- yield (see data, barley)
- Zyda, M. J. 240