

PHA.RX Data Definitions

(Client Server 5.67)



```
admin
  admin.codes
  admin.imm.comments
  admin.imm.components
  admin.imm.mult.dose.lot
  admin.increments
    admin.inc.ndcs
    admin.inc.queries
      admin.inc.queries.sev
    admin.inc.rules
    admin.inc.text
  admin.next.reassess.meds
  admin.queries
    admin.queries.sev
  admin.reassess
    admin.reassess.meds
    admin.reassess.qrys
      admin.reassess.mult.qrys
    admin.reassess.screens
  reassess.audit
    reassess.audit.new.qrys
    reassess.audit.new.mqrys
    reassess.audit.new.scrns
    reassess.audit.old.qrys
    reassess.audit.old.mqrys
    reassess.audit.old.scrns
  admin.rules
  admin.text
admin.date.time.x
admin.log
  admin.log.imm.components
  admin.log.imm.new.cmts
  admin.log.imm.new.ds.lot
  admin.log.imm.old.cmts
  admin.log.imm.old.ds.lot
  admin.log.new.cmts
  admin.log.new.qrys
    admin.log.new.qrys.sev
  admin.log.old.cmts
  admin.log.old.qrys
    admin.log.old.qrys.sev
admin.sched.x
bar.batch
  bar.txns
    bar.txn.queries
bar.ltc.activity
bill.group
  bill.group.rxs
compound.ver.rpt
  compound.ver.rpt.meds
dispensed.manual.rx.top
  dispensed.manual.x
dispensed.x
display.med.times.md
display.med.times.sd
  display.med.tm.sd.atimes
dup.labels
failed.txn.queue
  failed.txn.clin.alert
home.med.active.x
home.med.class.int.x
home.med.drug.int.x
home.med.generic.int.x
home.med.ingred.int.x
home.med.patient.x
hub.queue
  hub.q.alt.comments
  hub.q.comments
  hub.q.da.comments
  hub.q.drug.classes
  hub.q.pending.comments
infusions
  infusions.comments
  infusions.queries
    infusions.queries.sev
ins.benefit.check
  ins.benefit.check.plans
    ins.benefit.check.alts
    ins.benefit.check.notes
lab.view.group.monitor.x
labels.temp
locals
main
  additives
  adjust.spec.times
  adjust.times
```

```
admin.times.blocked
adrs
  adrs.subs
allergies
  allergies.subs
alt.bottles
  alt.additives
  alt.adrs
    alt.adrs.subs
  alt.allergies
    alt.allergies.subs
  alt.carriers
  alt.ddc.results
    alt.ddc.results.dis.desc
    alt.ddc.results.problems
    alt.ddc.results.cond.desc
    alt.ddc.results.prob.desc
  alt.disease.cis
  alt.disease.contra.inds
  alt.dose.calculations
  alt.dose.warnings
  alt.dose.warnings.typ
    alt.dose.warnings.comp
    alt.dose.warnings.text
  alt.dup.therapy
    alt.dup.therapy.classes
    alt.dup.therapy.rxs
    alt.dup.therapy.rxs.meds
    alt.dup.therapy.rxs.cmp
  alt.duplicates
    alt.duplicate.hmed.comps
    alt.duplicate.hmed.instrs
  alt.food.interactions
  alt.interactions
    alt.interaction.hmed.comp
    alt.interaction.hmed.inst
    alt.interactions.subs
    alt.interactions.text
  alt.label.comments
alt.sequences
api.errors
  api.errors.problems
  api.errors.problems.text
audit.trail
  audit.trail.alt
  audit.trail.alt.detail
  audit.trail.detail
cancel.comments
carriers
charge.table
clinical.alerts
  clinical.alerts.details
cumulative.dose.warn.dtls
da.comments
dc.comments
dc.comments.undo
ddc.results
  ddc.results.dis.desc
  ddc.results.problems
  ddc.results.cond.desc
  ddc.results.prob.desc
deactivated.periods
disease.cis
disease.contra.inds
dispense.adjustments
dose.calculations
dose.instructions
dose.warnings
dose.warnings.typ
  dose.warnings.comp
  dose.warnings.text
duplicate.therapy
  duplicate.therapy.classes
  duplicate.therapy.rxs
  duplicate.therapy.rxs.med
  duplicate.therapy.rxs.cmp
duplicates
  duplicate.hmed.instrs
  duplicates.hmed.comps
food.interactions
imm.conflicts
imm.schedule.conflicts
ingr.dose.warnings
ingredients
inp.refills
interactions
  interaction.hmed.instrs
  interactions.hmed.comps
  interactions.subs
  interactions.text
ivs.infuse.adjustments
```

```
lab.group.result.history
  lab.group.result.his.text
label.comments
linked.dm.orders
links
manually.credited.doses
medications
  rule.comments
merged.dm.orders
  merged.dm.orders.meds
nur.ack.rej.rev.cmts
nur.acknowledgments
  nur.acknowledgment.reject
  nur.acknowledgment.signs
nur.reviews
onc.data.carriers
onc.data.components
onc.data.lab.results
  order.edit.types
out.label.directions
out.refill.multiples
out.refill.reversals
  out.refill.reversal.com
out.refills
  out.refill.comments
  out.refill.partial
  out.refill.partial.com
pending.comments
pending.comments.undo
pha.rules
  pha.rules.description
pom.changes.edits
pom.changes.text
prep.instructions
protocols
protocols.text
queries
  queries.mult
renew.history
renewal.notices.printed
review
  review.text
rules
  rules.text
rx.comments
session.orders
tapers
  taper.dose.instructions
tpn.components
transfer.out.comments
txns
  txn.comments
  txn.components
  txn.components.day
  txns.day
warnings
mar.bill.rpt.x
med.temp
nur.hh.x
oe.activity
  oe.activity.edit.types
  oe.activity.links
  oe.activity.nur.ack.rej
oe.log
out.activity
pcs.xfer.queue
refill.x
rpt.vals
scanned.med.pt.x
scanned.med.x
temp.vac.conflict.in
  temp.vac.conflict.in.drg
temp.vac.conflict.out
  temp.vac.conflict.out.drg
  temp.vac.conflict.out.nm
  temp.vac.conflict.out.con
  temp.vac.conflict.out.msg
  temp.vac.conflict.out.pmg
temp.vac.file.in
  temp.vac.file.components
  temp.vac.file.conflict.nm
  temp.vac.file.conflicts
temp.vac.file.out
  temp.vac.file.out.conf.nm
  temp.vac.file.out.confs
  temp.vac.file.out.conf.ms
  temp.vac.file.out.pmg
tr.label.data
```

admin

```
[admin.urn,admin.q]
?(T)TRA[tr,traQ]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.urn	10	URN	L	PHA.RX	tr
admin.q	6	PINT	R		traQ
admin.billing.code	10	FREE	L		? (T) TRA[tr,traQ] 9
admin.bottle.number	3	PINT	R		? (T) TRA[tr,traQ] 8
admin.bottle.type	2	PINT	R		? (T) TRA[tr,traQ] 7
admin.ccdqr.audit.urn	8	URN	L	MRI.DRC	? (T) TRA[tr,traQ] 2 20
admin.charge	10	MONEY	R		? (T) TRA[tr,traQ] 6
admin.charged	1	YN	L		? (T) TRA[tr,traQ] 2 7
admin.co.cp.type	5	FREE	L		? (T) TRA[tr,traQ] 2 12
admin.co.cp.type.name	25	FREE	L		? (T) TRA[tr,traQ] 2 13
admin.co.signer	10	FREE	L	MIS.USER	? (T) TRA[tr,traQ] 2 11
admin.cp.type	5	FREE	L	NUR.NURSE.TYPE	? (T) TRA[tr,traQ] 2 4
admin.cp.type.name	25	FREE	L		? (T) TRA[tr,traQ] 2 5
admin.date	8	DATE	L		? (T) TRA[tr,traQ] 1
admin.date.time	13	FREE	L		VAL=@admin.date_._@admin.time
admin.device	30	FREE	L	UNV.CLIENT	? (T) TRA[tr,traQ] 2 1
admin.disp.date	8	DATE	L		VAL=@admin.disp.date.time#0.
admin.disp.date.time	13	FREE	L		? (T) TRA[tr,traQ] 16
admin.disp.time	4	HHMM	L		VAL=@admin.disp.date.time#1.
admin.dose	30	FREE	L		? (T) TRA[tr,traQ] 17
admin.doses	10	PINT	R		? (T) TRA[tr,traQ] 5
admin.entry.date	8	DATE	L		? (T) TRA[tr,traQ] 10
admin.entry.seconds	10	PINT	R		VAL=%Z.date.clinical(@admin.entry.date)*86400+%Z.t VAL=ime.in(@admin.entry.time)
admin.entry.time	4	HHMM	L		? (T) TRA[tr,traQ] 11
admin.exp	6	PINT	R		? (T) TRA[tr,traQ] 2 8
admin.facility	10	FREE	L	MIS.FACILITY	? (T) TRA[tr,traQ] 3 2
admin.file.seconds	10	PINT	R		? (T) TRA[tr,traQ] 3 0
admin.given	1	YN	L		? (T) TRA[tr,traQ] 14
admin.hrs.reassess	3	INTZ	R		? (T) TRA[tr,traQ] 2 22
admin.imm.assoc.event	1	YN	L		? (T) TRA[tr,traQ] IMM 10
admin.imm.del.mgmt.site	10	FREE	L	MIS.SITE	? (T) TRA[tr,traQ] IMM 3
admin.imm.elig.date	8	DATE	L		? (T) TRA[tr,traQ] IMM 14
admin.imm.elig.status	15	FREE	L		? (T) TRA[tr,traQ] IMM 13
admin.imm.exp.date	8	DATE	L		? (T) TRA[tr,traQ] IMM 9
admin.imm.incl.in.hist	1	YN	L		? (T) TRA[tr,traQ] IMM 7
admin.imm.infrmd.cnsnt	1	CHOICE	L		? (T) TRA[tr,traQ] IMM 2
admin.imm.inj.site	10	FREE	L		? (T) TRA[tr,traQ] IMM 6
admin.imm.lot.number	20	FREE	L		? (T) TRA[tr,traQ] IMM 8
admin.imm.manuf.free	30	FREE	L		? (T) TRA[tr,traQ] IMM 11
admin.imm.manufacturer	10	FREE	L	MIS.MFR	? (T) TRA[tr,traQ] IMM 12
admin.imm.reason	10	FREE	L	MIS.IMM.REASON	? (T) TRA[tr,traQ] IMM 0
admin.imm.reg.reason	10	FREE	L	MIS.IMM.REASON	? (T) TRA[tr,traQ] IMM 1
admin.imm.service.loc	10	FREE	L		? (T) TRA[tr,traQ] IMM 4
admin.imm.var.reason	10	FREE	L	MIS.IMM.REASON	? (T) TRA[tr,traQ] IMM 5
admin.imm.vis.given.date	8	DATE	L		? (T) TRA[tr,traQ] IMM 15
admin.imm.vis.pub.date	8	DATE	L		? (T) TRA[tr,traQ] IMM 16
admin.inc.charged	1	YN	L		? (T) TRA[tr,traQ] 3 9
admin.inc.complete	1	YN	L		? (T) TRA[tr,traQ] 3 5
admin.inj.site	15	FREE	L		? (T) TRA[tr,traQ] 15
admin.items	10	PINT	R		? (T) TRA[tr,traQ] 4
admin.last.edit	10	PINT	R		? (T) TRA[tr,traQ] 2 15
admin.last.titrate.convovl	11	DEC.C	R		? (T) TRA[tr,traQ] TI 2
admin.last.titrate.cs.cpt	5	FREE	L	NUR.NURSE.TYPE	? (T) TRA[tr,traQ] TI 6
admin.last.titrate.cs.usr	10	FREE	L	MIS.USER	? (T) TRA[tr,traQ] TI 5
admin.last.titrate.cumvol	11	DEC.C	R		? (T) TRA[tr,traQ] TI 3
admin.last.titrate.dt.tm	13	FREE	L		? (T) TRA[tr,traQ] TI 0
admin.last.titrate.rate	27	FREE	L		? (T) TRA[tr,traQ] TI 1
admin.last.titrate.user	10	FREE	L	MIS.USER	? (T) TRA[tr,traQ] TI 4
admin.man.disp.flag	3	PINT	R		? (T) TRA[tr,traQ] 2 3
admin.min.after.reassess	3	INTZ	R		? (T) TRA[tr,traQ] 2 25
admin.min.before.reassess	3	INTZ	R		? (T) TRA[tr,traQ] 2 24
admin.mins.reassess	2	INTZ	R		? (T) TRA[tr,traQ] 2 23
admin.module	8	FREE	L		? (T) TRA[tr,traQ] 3 12
admin.ndc	11	PINT	R		? (T) TRA[tr,traQ] 2 9
admin.next.reassess.time	13	FREE	L		? (T) TRA[tr,traQ] 2 21
admin.orm.case	10	FREE	L		? (T) TRA[tr,traQ] 3 10
admin.orm.doc.tool	1	YN	L		? (T) TRA[tr,traQ] 3 14
admin.orm.phase	12	FREE	L		? (T) TRA[tr,traQ] 3 6
admin.orm.rate.doc	1	YN	L		? (T) TRA[tr,traQ] 3 4
admin.orm.record.section	12	FREE	L		? (T) TRA[tr,traQ] 3 13
admin.over.date	8	DATE	L		? (T) TRA[tr,traQ] 2 18
admin.over.doctor	10	FREE	L	MIS.DOC	? (T) TRA[tr,traQ] 2 16
admin.over.sig	20	FREE	L	MIS.DIR	? (T) TRA[tr,traQ] 2 17
admin.over.time	4	HHMM	L		? (T) TRA[tr,traQ] 2 19

admin.pcs.guid	36	FREE	L		? (T) TRA[tr,traQ]2 0
admin.pt.care.location	10	FREE	L	MIS.LOCN	? (T) TRA[tr,traQ]3 15
admin.pt.location	10	FREE	L	MIS.LOCN	? (T) TRA[tr,traQ]3 11
admin.rec.user	10	FREE	L	MIS.USER	? (T) TRA[tr,traQ]2 2
admin.scanned	3	CHOICE	L		? (T) TRA[tr,traQ]2 10
admin.scanned.pt	3	CHOICE	L		? (T) TRA[tr,traQ]2 14
admin.sched.date	8	DATE	L		VAL=@admin.sched.date.time#0.
admin.sched.date.time	13	FREE	L		? (T) TRA[tr,traQ] 19
admin.sched.time	4	HHMM	L		VAL=@admin.sched.date.time#1.
admin.seconds	10	PINT	R		VAL=%Z.date.clinical(@admin.date)*86400+%Z.time.in VAL=(@admin.time)
admin.source.appl	10	FREE	L		? (T) TRA[tr,traQ]3 1
admin.suppress.assess	1	YN	L		? (T) TRA[tr,traQ]3 7
admin.suppress.reassess	1	YN	L		? (T) TRA[tr,traQ]3 8
admin.time	4	HHMM	L		? (T) TRA[tr,traQ] 2
admin.txn	10	PINT	R		? (T) TRA[tr,traQ] 13
admin.type	1	CHOICE	L		? (T) TRA[tr,traQ] 0
admin.undone	1	FREE	L		? (T) TRA[tr,traQ] 18
admin.units	10	FREE	L	PHA.FORMS	? (T) TRA[tr,traQ] 20
admin.unsigned	1	YN	L		? (T) TRA[tr,traQ]2 6
admin.user	10	FREE	L	MIS.USER	? (T) TRA[tr,traQ] 3
admin.variance	4	PINT	R		? (T) TRA[tr,traQ] 12

€

i

admin.codes

[admin.urn,admin.q,admin.reason.code]

? (T) TRA[tr,traQ]RC[tdrc]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.reason.code	15	FREE	L	PHA.RC	tdrc

€

i

admin.imm.comments

[admin.urn,admin.q,admin.imm.comment.q]

? (T) TRA[tr,traQ] IMMEC[traIEC]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.imm.comment.q	3	PINT	R		traIEC
admin.imm.comment	60	TEXT	L		? (T) TRA[tr,traQ] IMMEC[traIEC] VALUE

€

i

admin.imm.components

[admin.urn,admin.q,admin.imm.component]

? (T) TRA[tr,traQ] IMMCMP[gvac]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.imm.component	15	FREE	L	MIS.VAC.CMP	gvac
admin.imm.comp.vis.pub.dt	8	DATE	L		? (T) TRA[tr,traQ] IMMCMP[gvac] 1
admin.imm.eff.dose	1	YN	L		? (T) TRA[tr,traQ] IMMCMP[gvac] 0

€

i

admin.imm.mult.dose.lot

[admin.urn,admin.q,admin.imm.mdl.q]

? (T) TRA[tr,traQ] IMM["DL",trIDLq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.imm.mdl.q	3	INT	R		trIDLq
admin.imm.mdl.dose	10	DEC.C	R		? (T) TRA[tr,traQ] IMM["DL",trIDLq] 0
admin.imm.mdl.dose.units	10	FREE	L		? (T) TRA[tr,traQ] IMM["DL",trIDLq] 1
admin.imm.mdl.exp.date	8	DATE	L		? (T) TRA[tr,traQ] IMM["DL",trIDLq] 4
admin.imm.mdl.inj.site	10	FREE	L	MIS.ADMIN.SITE	? (T) TRA[tr,traQ] IMM["DL",trIDLq] 2
admin.imm.mdl.lot.num	20	FREE	L		? (T) TRA[tr,traQ] IMM["DL",trIDLq] 3

€

i

admin.increments

[admin.urn,admin.q,admin.inc.q]

? (T) TRA[tr,traQ] INC[adINq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.inc.q					adINq
admin.inc.date	8	DATE	L		? (T) TRA[tr,traQ] INC[adINq] 0
admin.inc.device	30	FREE	L	UNV.CLIENT	? (T) TRA[tr,traQ] INC[adINq] 17
admin.inc.dose	30	FREE	L		? (T) TRA[tr,traQ] INC[adINq] 3
admin.inc.end.dosing	1	FREE	L		? (T) TRA[tr,traQ] INC[adINq] 11
admin.inc.entry.date	8	DATE	L		? (T) TRA[tr,traQ] INC[adINq] 13
admin.inc.entry.time	4	HHMM	L		? (T) TRA[tr,traQ] INC[adINq] 14
admin.inc.given	1	YN	L		? (T) TRA[tr,traQ] INC[adINq] 2

admin.inc.module	8	FREE	L		? (T) TRA[tr,traQ] INC[adINq] 9
admin.inc.orm.case	10	FREE	L		? (T) TRA[tr,traQ] INC[adINq] 18
admin.inc.orm.phase	12	FREE	L		? (T) TRA[tr,traQ] INC[adINq] 10
admin.inc.orm.record.sec	12	FREE	L		? (T) TRA[tr,traQ] INC[adINq] 19
admin.inc.pcs.guid	36	FREE	L		? (T) TRA[tr,traQ] INC[adINq] 8
admin.inc.pt.location	10	FREE	L	MIS.LOCN	? (T) TRA[tr,traQ] INC[adINq] 15
admin.inc.reason.code	15	FREE	L	PHA.RC	? (T) TRA[tr,traQ] INC[adINq] 12
admin.inc.rec.user	10	FREE	L	MIS.USER	? (T) TRA[tr,traQ] INC[adINq] 16
admin.inc.scanned	3	CHOICE	L		? (T) TRA[tr,traQ] INC[adINq] 5
admin.inc.scanned.pt	3	CHOICE	L		? (T) TRA[tr,traQ] INC[adINq] 6
admin.inc.time	4	TIME	L		? (T) TRA[tr,traQ] INC[adINq] 1
admin.inc.undone	1	FREE	L		? (T) TRA[tr,traQ] INC[adINq] 7
admin.inc.user	10	FREE	L	MIS.USER	? (T) TRA[tr,traQ] INC[adINq] 4

admin.inc.ndcs [admin.urn,admin.q,admin.inc.q,admin.inc.ndc.scanned,admin.inc.med.scanned] ? (T) TRA[tr,traQ] INC[adINq] NDCX[ndcS,tf]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.inc.ndc.scanned	18	PINT	R		ndcS
admin.inc.med.scanned	10	FREE	L	PHA.DRUG	tf
admin.inc.scanned.exp.dt	8	DATE	L		? (T) TRA[tr,traQ] INC[adINq] NDCX[ndcS,tf] 0

admin.inc.queries [admin.urn,admin.q,admin.inc.q,admin.inc.assmnt,admin.inc.query] ? (T) TRA[tr,traQ] INC[adINq] Q[ghca,ggv]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.inc.assmnt	15	FREE	L	MIS.ASSMNT	ghca
admin.inc.query	10	FREE	L	MIS.QUERY	ggv
admin.inc.qry.abnormal	1	FREE	L		? (T) TRA[tr,traQ] INC[adINq] Q[ghca,ggv] 6
admin.inc.qry.rem.abnrml	1	FREE	L		? (T) TRA[tr,traQ] INC[adINq] Q[ghca,ggv] 7
admin.inc.qry.resp	60	FREE	L		? (T) TRA[tr,traQ] INC[adINq] Q[ghca,ggv] 0
admin.inc.qry.resp.yn.cmt	75	FREE	L		? (T) TRA[tr,traQ] INC[adINq] Q[ghca,ggv] 5
admin.inc.qry.response	60	FREE	L		VAL=IF{@MIS.QUERY.date.type.x %Z.date.query.out (@P VAL=HA.RX.admin.inc.qry.resp);@MIS.GROUP.RESP.elem VAL=ent.response[@MIS.QUERY.group.resp,@PHA.RX.adm VAL=in.inc.qry.resp];@PHA.RX.admin.inc.qry.resp} VAL=@MIS.QUERY.text[PHA.RX.admin.inc.query] VAL=@PHA.RX.admin.inc.qry.text_": "_@PHA.RX.admin. VAL=inc.qry.response
admin.inc.qry.text	60	FREE	L		
admin.inc.qry.txt.resp	130	FREE	L		

admin.inc.queries.sev [admin.urn,admin.q,admin.inc.q,admin.inc.assmnt,admin.inc.query,admin.inc.qry.sev] ? (T) TRA[tr,traQ] INC[adINq] Q[ghca,ggv] M[traQQ]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.inc.qry.sev	3	PINT	R		traQQ
admin.inc.qry.sev.resp	10	FREE	L		? (T) TRA[tr,traQ] INC[adINq] Q[ghca,ggv] M[traQQ] 0
admin.inc.qry.sev.responses	30	FREE	L		VAL=IF{@MIS.GROUP.RESP.element.response[@MIS.QUERY VAL=.group.resp,@PHA.RX.admin.inc.qry.sev.resp];@P VAL=HA.RX.admin.inc.qry.sev.resp} VAL=@PHA.RX.admin.inc.qry.text_": "_IF{@PHA.RX.adm VAL=in.inc.qry.sev.responses;@PHA.RX.admin.inc.qry.s VAL=ev.resp}
admin.inc.qry.sev.txt.rsp	80	FREE	L		

admin.inc.rules [admin.urn,admin.q,admin.inc.q,admin.inc.rule.q] ? (T) TRA[tr,traQ] INC[adINq] ARULE[arQ]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.inc.rule.q	3	PINT	R		arQ
admin.inc.rule	10	FREE	L	PHA.RULE	? (T) TRA[tr,traQ] INC[adINq] ARULE[arQ] 0
admin.inc.rule.comment	10	FREE	L	MIS.OVER.CMT	? (T) TRA[tr,traQ] INC[adINq] ARULE[arQ] 1

admin.inc.text [admin.urn,admin.q,admin.inc.q,admin.inc.text.q] ? (T) TRA[tr,traQ] INC[adINq] T[traITQ]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.inc.text.q	3	PINT	R		traITQ
admin.inc.text.line	60	TEXT	L		? (T) TRA[tr,traQ] INC[adINq] T[traITQ] VALUE



admin.next.reassess.meds

[admin.urn,admin.q,admin.next.assess.med]
?(T)TRA[tr,traQ]NAM[tf]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.next.assess.med	10	FREE	L	PHA.DRUG	tf
admin.next.assess.assmnt	15	FREE	L	MIS.ASSMNT	?(T)TRA[tr,traQ]NAM[tf] 0
admin.next.assess.hrs	3	INTZ	R		?(T)TRA[tr,traQ]NAM[tf] 3
admin.next.assess.mins	2	INTZ	R		?(T)TRA[tr,traQ]NAM[tf] 4
admin.next.assess.once	1	YN	L		?(T)TRA[tr,traQ]NAM[tf] 2
admin.next.assess.rule	10	FREE	L	PHA.RULE	?(T)TRA[tr,traQ]NAM[tf] 1



admin.queries

[admin.urn,admin.q,admin.assmnt,admin.query]
?(T)TRA[tr,traQ]Q[ghca,ggv]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.assmnt	15	FREE	L	MIS.ASSMNT	ghca
admin.query	10	FREE	L	MIS.QUERY	ggv
admin.qry.abnormal	1	FREE	L		?(T)TRA[tr,traQ]Q[ghca,ggv] 6
admin.qry.remove.abnormal	1	FREE	L		?(T)TRA[tr,traQ]Q[ghca,ggv] 7
admin.qry.resp	60	FREE	L		?(T)TRA[tr,traQ]Q[ghca,ggv] 0
admin.qry.resp.yn.comment	75	FREE	L		?(T)TRA[tr,traQ]Q[ghca,ggv] 5
admin.qry.response	60	FREE	L		VAL=IF{@MIS.QUERY.date.type.x %Z.date.query.out(@P VAL=HA.RX.admin.qry.resp);@MIS.GROUP.RESP.element. VAL=response[@MIS.QUERY.group.resp,@PHA.RX.admin.q VAL=ry.resp];@PHA.RX.admin.qry.resp}
admin.qry.text	60	FREE	L		VAL=@MIS.QUERY.text[PHA.RX.admin.query]
admin.qry.text.and.resp	130	FREE	L		VAL=@PHA.RX.admin.qry.text_": "_@PHA.RX.admin.qry. VAL=response



admin.queries.sev

[admin.urn,admin.q,admin.assmnt,admin.query,admin.qry.sev]
?(T)TRA[tr,traQ]Q[ghca,ggv]M[traQQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.qry.sev	3	PINT	R		traQQ
admin.qry.sev.resp	10	FREE	L		?(T)TRA[tr,traQ]Q[ghca,ggv]M[traQQ] 0
admin.qry.sev.response	30	FREE	L		VAL=IF{@MIS.GROUP.RESP.element.response[@MIS.QUERY VAL=.group.resp,@PHA.RX.admin.qry.sev.resp];@PHA.R VAL=X.admin.qry.sev.resp}
admin.qry.sev.text.resp	80	FREE	L		VAL=@PHA.RX.admin.qry.text_": "_IF{@PHA.RX.admin.q VAL=ry.sev.response;@PHA.RX.admin.qry.sev.resp}



admin.reassess

[admin.urn,admin.q,admin.reassess.q]
?(T)TRA[tr,traQ]RA[trarQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.reassess.q	3	PINT	R		trarQ
admin.rea.ccdqr.audit.urn	8	URN	L	MRI.DRC	?(T)TRA[tr,traQ]RA[trarQ] 16
admin.reassess.cmt	30	FREE	L		?(T)TRA[tr,traQ]RA[trarQ] 10
admin.reassess.dt	8	DATE	L		?(T)TRA[tr,traQ]RA[trarQ] 2
admin.reassess.file.dt	8	DATE	L		?(T)TRA[tr,traQ]RA[trarQ] 4
admin.reassess.file.tm	4	HHMM	L		?(T)TRA[tr,traQ]RA[trarQ] 5
admin.reassess.file.user	10	FREE	L	MIS.USER	?(T)TRA[tr,traQ]RA[trarQ] 7
admin.reassess.hours	3	INTZ	R		?(T)TRA[tr,traQ]RA[trarQ] 13
admin.reassess.imm.ra.cmt	15	CHOICE	L		?(T)TRA[tr,traQ]RA[trarQ]2 4
admin.reassess.imm.reactn	3	FREE	L		?(T)TRA[tr,traQ]RA[trarQ]2 3
admin.reassess.minutes	2	INTZ	R		?(T)TRA[tr,traQ]RA[trarQ] 14
admin.reassess.reason	15	FREE	L	PHA.RC	?(T)TRA[tr,traQ]RA[trarQ] 9
admin.reassess.req	1	YN	L		?(T)TRA[tr,traQ]RA[trarQ] 8
admin.reassess.sch.dt	8	DATE	L		?(T)TRA[tr,traQ]RA[trarQ] 0
admin.reassess.sch.tm	4	HHMM	L		?(T)TRA[tr,traQ]RA[trarQ] 1
admin.reassess.terminal	30	FREE	L		?(T)TRA[tr,traQ]RA[trarQ] 12
admin.reassess.tm	4	HHMM	L		?(T)TRA[tr,traQ]RA[trarQ] 3
admin.reassess.undo	1	YN	L		?(T)TRA[tr,traQ]RA[trarQ] 11
admin.reassess.user	10	FREE	L	MIS.USER	?(T)TRA[tr,traQ]RA[trarQ] 6
admin.reassess.variance	3	INTZ	R		?(T)TRA[tr,traQ]RA[trarQ] 15



admin.reassess.meds

[admin.urn,admin.q,admin.reassess.q,admin.reassess.med]

? (T) TRA[tr,traQ]RA[trarQ]M[tf]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.reassess.med	10	FREE	L	PHA.DRUG	tf
admin.reassess.med.assmnt	15	FREE	L	MIS.ASSMNT	? (T) TRA[tr,traQ]RA[trarQ]M[tf] 0
admin.reassess.med.hrs	3	INTZ	R		? (T) TRA[tr,traQ]RA[trarQ]M[tf] 3
admin.reassess.med.mins	2	INTZ	R		? (T) TRA[tr,traQ]RA[trarQ]M[tf] 4
admin.reassess.med.next	1	YN	L		? (T) TRA[tr,traQ]RA[trarQ]M[tf] 5
admin.reassess.med.once	1	YN	L		? (T) TRA[tr,traQ]RA[trarQ]M[tf] 2
admin.reassess.med.rule	10	FREE	L	PHA.RULE	? (T) TRA[tr,traQ]RA[trarQ]M[tf] 1



admin.reassess.qrys

[admin.urn,admin.q,admin.reassess.q,admin.reassess.assmnt,admin.reassess.qry]
? (T) TRA[tr,traQ]RA[trarQ]Q[ghca,ggv]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.reassess.assmnt	15	FREE	L	MIS.ASSMNT	ghca
admin.reassess.qry	10	FREE	L	MIS.QUERY	ggv
admin.reassess.abnormal	1	FREE	L		? (T) TRA[tr,traQ]RA[trarQ]Q[ghca,ggv] 6
admin.reassess.qry.resp	75	QRY.RESP	L		? (T) TRA[tr,traQ]RA[trarQ]Q[ghca,ggv] 0
admin.reassess.qry.text	60	FREE	L		VAL=@MIS.QUERY.text[PHA.RX.admin.reassess.qry]
admin.reassess.qry.yn.cmt	25	FREE	L		? (T) TRA[tr,traQ]RA[trarQ]Q[ghca,ggv] 5
admin.reassess.qrytxtrsp	137	FREE	L		VAL=@admin.reassess.qry.text_" : " IF{@MIS.QUERY.da VAL=te.type.x %Z.date.query.out (@PHA.RX.admin.reas VAL=sess.qry.resp);@MIS.GROUP.RESP.element.respons VAL=e[@MIS.QUERY.group.resp,@PHA.RX.admin.reassess VAL=.qry.resp];@PHA.RX.admin.reassess.qry.resp}
admin.reassess.rem.abnorm	1	FREE	L		? (T) TRA[tr,traQ]RA[trarQ]Q[ghca,ggv] 7



admin.reassess.mult.qrys

[admin.urn,admin.q,admin.reassess.q,admin.reassess.assmnt,admin.reassess.qry,admin.reassess.mqry.seqno]
? (T) TRA[tr,traQ]RA[trarQ]Q[ghca,ggv]M[ggvN]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.reassess.mqry.seqno	3	PINT	R		ggvN
admin.reassess.mqry.resp	75	QRY.RESP	L		? (T) TRA[tr,traQ]RA[trarQ]Q[ghca,ggv]M[ggvN] 0
admin.reassess.mqry.text	60	FREE	L		VAL=@MIS.QUERY.text[PHA.RX.admin.reassess.qry]
admin.reassess.mqry.txtrs	137	FREE	L		VAL=@admin.reassess.mqry.text_" : " IF{@MIS.QUERY.d VAL=ate.type.x %Z.date.query.out (@PHA.RX.admin.rea VAL=ssess.mqry.resp);@MIS.GROUP.RESP.element.respo VAL=nse[@MIS.QUERY.group.resp,@PHA.RX.admin.reasse VAL=ss.mqry.resp];@PHA.RX.admin.reassess.mqry.resp VAL=}



admin.reassess.screens

[admin.urn,admin.q,admin.reassess.q,admin.reassess.screen.q]
? (T) TRA[tr,traQ]RA[trarQ]CDS[traSq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.reassess.screen.q	3	PINT	R		traSq
admin.reassess.screen	15	FREE	L	MIS.ASSMNT	? (T) TRA[tr,traQ]RA[trarQ]CDS[traSq] 0



reassess.audit

[admin.urn,admin.q,admin.reassess.q,reassess.aud.q]
? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
reassess.aud.q	3	PINT	R		trrrAU
reassess.aud.dt	8	DATE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 0
reassess.aud.n.imm.ra.cmt	15	CHOICE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 2 13
reassess.aud.n.imm.reactn	3	FREE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 2 11
reassess.aud.new.cmt	30	FREE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 19
reassess.aud.new.dt	8	DATE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 9
reassess.aud.new.hours	3	INTZ	R		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 2 3
reassess.aud.new.mins	2	INTZ	R		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 2 5
reassess.aud.new.reason	15	FREE	L	PHA.RC	? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 17
reassess.aud.new.req	1	YN	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 15
reassess.aud.new.sch.dt	8	DATE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 5
reassess.aud.new.sch.tm	4	HHMM	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 7
reassess.aud.new.terminal	30	FREE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 2 1
reassess.aud.new.tm	4	HHMM	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 11
reassess.aud.new.user	10	FREE	L	MIS.USER	? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 13
reassess.aud.o.imm.ra.cmt	15	CHOICE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 2 12
reassess.aud.o.imm.reactn	3	FREE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 2 10
reassess.aud.old.cmt	30	FREE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrrAU] 18

reassess.aud.old.dt	8	DATE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 8
reassess.aud.old.hours	3	INTZ	R		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 2 2
reassess.aud.old.mins	2	INTZ	R		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 2 4
reassess.aud.old.reason	15	FREE	L	PHA.RC	? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 16
reassess.aud.old.req	1	YN	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 14
reassess.aud.old.sch.dt	8	DATE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 4
reassess.aud.old.sch.tm	4	HHMM	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 6
reassess.aud.old.terminal	30	FREE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 2 0
reassess.aud.old.tm	4	HHMM	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 10
reassess.aud.old.user	10	FREE	L	MIS.USER	? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 12
reassess.aud.tm	4	HHMM	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 1
reassess.aud.type	1	CHOICE	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 3
reassess.aud.user	10	FREE	L	MIS.USER	? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU] 2



reassess.audit.new.grys

[admin.urn,admin.q,admin.reassess.q,reassess.aud.q,reassess.aud.new.assmnt,reassess.aud.new.qry]
? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]NQ[ghca,ggv]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
reassess.aud.new.assmnt	15	FREE	L	MIS.ASSMNT	ghca
reassess.aud.new.qry	10	FREE	L	MIS.QUERY	ggv
reassess.aud.new.qry.resp	75	QRY.RESP	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]NQ[ghca,ggv] 0



reassess.audit.new.mqrys

[admin.urn,admin.q,admin.reassess.q,reassess.aud.q,reassess.aud.new.assmnt,reassess.aud.new.qry,reassess.aud.new.mqry.seq]
? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]NQ[ghca,ggv]M[ggvN]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
reassess.aud.new.mqry.seq	3	PINT	R		ggvN
reassess.aud.new.mqry.rsp	75	QRY.RESP	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]NQ[ghca,ggv]M[ggvN] 0



reassess.audit.new.scrns

[admin.urn,admin.q,admin.reassess.q,reassess.aud.q,reassess.audit.new.scrn.q]
? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]NS[trNSq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
reassess.audit.new.scrn.q	3	PINT	R		trNSq
reassess.audit.new.scrn	15	FREE	L	MIS.ASSMNT	? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]NS[trNSq] 0



reassess.audit.old.grys

[admin.urn,admin.q,admin.reassess.q,reassess.aud.q,reassess.aud.old.assmnt,reassess.aud.old.qry]
? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]OQ[ghca,ggv]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
reassess.aud.old.assmnt	15	FREE	L	MIS.ASSMNT	ghca
reassess.aud.old.qry	10	FREE	L	MIS.QUERY	ggv
reassess.aud.old.qry.resp	75	QRY.RESP	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]OQ[ghca,ggv] 0



reassess.audit.old.mqrys

[admin.urn,admin.q,admin.reassess.q,reassess.aud.q,reassess.aud.old.assmnt,reassess.aud.old.qry,reassess.aud.old.mqry.seq]
? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]OQ[ghca,ggv]M[ggvN]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
reassess.aud.old.mqry.seq	3	PINT	R		ggvN
reassess.aud.old.mqry.rsp	75	QRY.RESP	L		? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]OQ[ghca,ggv]M[ggvN] 0



reassess.audit.old.scrns

[admin.urn,admin.q,admin.reassess.q,reassess.aud.q,reassess.audit.old.scrn.q]
? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]OS[trOSq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
reassess.audit.old.scrn.q	3	PINT	R		trOSq
reassess.audit.old.scrn	15	FREE	L	MIS.ASSMNT	? (T) TRA[tr,traQ]RA[trarQ]AU[trrAU]OS[trOSq] 0



admin.rules

[admin.urn,admin.q,admin.rule.q]
? (T) TRA[tr,traQ]ARULE[arQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.rule.q	3	PINT	R		arQ
admin.rule	10	FREE	L	PHA.RULE	? (T) TRAL[tr,traQ]ARULE[arQ] 0
admin.rule.comment	10	FREE	L	MIS.OVER.CMT	? (T) TRAL[tr,traQ]ARULE[arQ] 1



admin.text

[admin.urn,admin.q,admin.text.q]
? (T) TRAL[tr,traQ]T[traTQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.text.q	3	PINT	R		traTQ
admin.text.line	60	TEXT	L		? (T) TRAL[tr,traQ]T[traTQ]VALUE



admin.date.time.x

[admin.date.x.urn,admin.date.x.date.time,admin.date.x.admin.q]
? (T) TRADTX[tr,traLA,traQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.date.x.urn	10	URN	L	PHA.RX	tr
admin.date.x.date.time	13	FREE	L		traLA
admin.date.x.admin.q	6	PINT	R		traQ
admin.date.x.given	1	YN	L		? (T) TRADTX[tr,traLA,traQ]VALUE



admin.log

[al.date,al.time,al.user,al.q]
? (T) TRAL[trALD,trALT,gu,traLQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
al.date	8	DATE	L		trALD
al.time	4	HHMM	L		trALT
al.user	10	FREE	L	MIS.USER	gu
al.q	1	PINT	R		traLQ
al.admin.inc.q	10	URN	L		? (T) TRAL[trALD,trALT,gu,traLQ]INC 0
al.admin.q	10	URN	L		? (T) TRAL[trALD,trALT,gu,traLQ] 2
al.imm.new.assoc.event	1	YN	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 21
al.imm.new.del.mgmt.site	10	FREE	L	MIS.SITE	? (T) TRAL[trALD,trALT,gu,traLQ]IMM 7
al.imm.new.elig.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 7
al.imm.new.elig.status	15	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 5
al.imm.new.exp.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 19
al.imm.new.incl.in.hist	1	YN	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 15
al.imm.new.infrmd.cnsnt	1	CHOICE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 5
al.imm.new.inj.site	10	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 13
al.imm.new.lot.number	20	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 17
al.imm.new.manuf.free	30	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 3
al.imm.new.manufacturer	10	FREE	L	MIS.MFR	? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 1
al.imm.new.reason	10	FREE	L	MIS.IMM.REASON	? (T) TRAL[trALD,trALT,gu,traLQ]IMM 1
al.imm.new.reg.reason	10	FREE	L	MIS.IMM.REASON	? (T) TRAL[trALD,trALT,gu,traLQ]IMM 3
al.imm.new.service.loc	30	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 9
al.imm.new.var.reason	10	FREE	L	MIS.IMM.REASON	? (T) TRAL[trALD,trALT,gu,traLQ]IMM 11
al.imm.new.vis.given.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 9
al.imm.new.vis.pub.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 11
al.imm.old.assoc.event	1	YN	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 20
al.imm.old.del.mgmt.site	10	FREE	L	MIS.SITE	? (T) TRAL[trALD,trALT,gu,traLQ]IMM 6
al.imm.old.elig.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 6
al.imm.old.elig.status	15	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 4
al.imm.old.exp.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 18
al.imm.old.incl.in.hist	1	YN	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 14
al.imm.old.infrmd.cnsnt	1	CHOICE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 4
al.imm.old.inj.site	10	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 12
al.imm.old.lot.number	20	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 16
al.imm.old.manuf.free	30	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 2
al.imm.old.manufacturer	10	FREE	L	MIS.MFR	? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 0
al.imm.old.reason	10	FREE	L	MIS.IMM.REASON	? (T) TRAL[trALD,trALT,gu,traLQ]IMM 0
al.imm.old.reg.reason	10	FREE	L	MIS.IMM.REASON	? (T) TRAL[trALD,trALT,gu,traLQ]IMM 2
al.imm.old.service.loc	30	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM 8
al.imm.old.var.reason	10	FREE	L	MIS.IMM.REASON	? (T) TRAL[trALD,trALT,gu,traLQ]IMM 10
al.imm.old.vis.given.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 8
al.imm.old.vis.pub.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,traLQ]IMM["2"] 10
al.inc.new.admin.dose	10	FREE	L		? (T) TRAL[trALD,trALT,gu,traLQ]INC 14
al.inc.new.client	30	FREE	L	UNV.CLIENT	? (T) TRAL[trALD,trALT,gu,traLQ]INC 12
al.inc.new.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,traLQ]INC 6
al.inc.new.given	1	YN	L		? (T) TRAL[trALD,trALT,gu,traLQ]INC 9
al.inc.new.reason.code	15	FREE	L	PHA.RC	? (T) TRAL[trALD,trALT,gu,traLQ]INC 10
al.inc.new.rec.user	10	FREE	L	MIS.USER	? (T) TRAL[trALD,trALT,gu,traLQ]INC 16
al.inc.new.time	4	HHMM	L		? (T) TRAL[trALD,trALT,gu,traLQ]INC 7
al.inc.new.user	10	FREE	L	MIS.USER	? (T) TRAL[trALD,trALT,gu,traLQ]INC 8

al.inc.old.admin.dose	10	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] INC 13
al.inc.old.client	30	FREE	L	UNV.CLIENT	? (T) TRAL[trALD,trALT,gu,trALQ] INC 11
al.inc.old.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,trALQ] INC 1
al.inc.old.given	1	YN	L		? (T) TRAL[trALD,trALT,gu,trALQ] INC 4
al.inc.old.reason.code	15	FREE	L	PHA.RC	? (T) TRAL[trALD,trALT,gu,trALQ] INC 5
al.inc.old.rec.user	10	FREE	L	MIS.USER	? (T) TRAL[trALD,trALT,gu,trALQ] INC 15
al.inc.old.time	4	HHMM	L		? (T) TRAL[trALD,trALT,gu,trALQ] INC 2
al.inc.old.user	10	FREE	L	MIS.USER	? (T) TRAL[trALD,trALT,gu,trALQ] INC 3
al.new.admin.dose	10	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 22
al.new.admin.src.appl	10	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 17
al.new.client	30	FREE	L	UNV.CLIENT	? (T) TRAL[trALD,trALT,gu,trALQ] 20
al.new.co.signer	10	FREE	L	MIS.USER	? (T) TRAL[trALD,trALT,gu,trALQ] 2 1
al.new.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 11
al.new.given	1	YN	L		? (T) TRAL[trALD,trALT,gu,trALQ] 14
al.new.inj.site	15	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 16
al.new.ov.admin.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 9
al.new.ov.admin.doctor	10	FREE	L	MIS.DOC	? (T) TRAL[trALD,trALT,gu,trALQ] 2 5
al.new.ov.admin.sig	20	FREE	L	MIS.DIR	? (T) TRAL[trALD,trALT,gu,trALQ] 2 7
al.new.ov.admin.time	4	HHMM	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 11
al.new.reason.code	15	FREE	L	PHA.RC	? (T) TRAL[trALD,trALT,gu,trALQ] 15
al.new.reassess.dt	8	DATE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 13
al.new.reassess.tm	4	HHMM	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 15
al.new.rec.user	10	FREE	L	MIS.USER	? (T) TRAL[trALD,trALT,gu,trALQ] 18
al.new.terminal	20	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 3
al.new.time	4	HHMM	L		? (T) TRAL[trALD,trALT,gu,trALQ] 12
al.new.units	10	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 24
al.new.user	10	FREE	L	MIS.USER	? (T) TRAL[trALD,trALT,gu,trALQ] 13
al.old.admin.dose	10	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 21
al.old.admin.src.appl	10	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 16
al.old.client	30	FREE	L	UNV.CLIENT	? (T) TRAL[trALD,trALT,gu,trALQ] 19
al.old.co.signer	10	FREE	L	MIS.USER	? (T) TRAL[trALD,trALT,gu,trALQ] 2 0
al.old.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 5
al.old.given	1	YN	L		? (T) TRAL[trALD,trALT,gu,trALQ] 8
al.old.inj.site	15	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 10
al.old.ov.admin.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 8
al.old.ov.admin.doctor	10	FREE	L	MIS.DOC	? (T) TRAL[trALD,trALT,gu,trALQ] 2 4
al.old.ov.admin.sig	20	FREE	L	MIS.DIR	? (T) TRAL[trALD,trALT,gu,trALQ] 2 6
al.old.ov.admin.time	4	HHMM	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 10
al.old.reason.code	15	FREE	L	PHA.RC	? (T) TRAL[trALD,trALT,gu,trALQ] 9
al.old.reassess.dt	8	DATE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 12
al.old.reassess.tm	4	HHMM	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 14
al.old.rec.user	10	FREE	L	MIS.USER	? (T) TRAL[trALD,trALT,gu,trALQ] 17
al.old.terminal	20	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 2 2
al.old.time	4	HHMM	L		? (T) TRAL[trALD,trALT,gu,trALQ] 6
al.old.units	10	FREE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 23
al.old.user	10	FREE	L	MIS.USER	? (T) TRAL[trALD,trALT,gu,trALQ] 7
al.rx.urn	10	URN	L	PHA.RX	? (T) TRAL[trALD,trALT,gu,trALQ] 1
al.sch.date	8	DATE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 3
al.sch.time	4	HHMM	L		? (T) TRAL[trALD,trALT,gu,trALQ] 4
al.type	1	CHOICE	L		? (T) TRAL[trALD,trALT,gu,trALQ] 0



admin.log.imm.components

[al.date,al.time,al.user,al.q,al.imm.component]
? (T) TRAL[trALD,trALT,gu,trALQ] IMMCMP[gvac]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
al.imm.component	15	FREE	L	MIS.VAC.CMP	gvac
al.imm.comp.new.vispub.dt	8	DATE	L		? (T) TRAL[trALD,trALT,gu,trALQ] IMMCMP[gvac] 3
al.imm.comp.old.vispub.dt	8	DATE	L		? (T) TRAL[trALD,trALT,gu,trALQ] IMMCMP[gvac] 2
al.imm.new.eff.dose	1	YN	L		? (T) TRAL[trALD,trALT,gu,trALQ] IMMCMP[gvac] 1
al.imm.old.eff.dose	1	YN	L		? (T) TRAL[trALD,trALT,gu,trALQ] IMMCMP[gvac] 0



admin.log.imm.new.cmts

[al.date,al.time,al.user,al.q,al.imm.new.comment.q]
? (T) TRAL[trALD,trALT,gu,trALQ] IMMNC[trALIN]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
al.imm.new.comment.q	3	PINT	R		trALIN
al.imm.new.comment	60	TEXT	L		? (T) TRAL[trALD,trALT,gu,trALQ] IMMNC[trALIN] VALUE



admin.log.imm.new.ds.lot

[al.date,al.time,al.user,al.q,al.imm.new.dose.lot.q]
? (T) TRAL[trALD,trALT,gu,trALQ] IMM.NDL[trIDLq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
------------	-----	-----------	---	-------------	------------------

al.imm.new.dose.lot.q	3	INT	R		trIDLq
al.imm.new.dose.lot.dose	10	DEC.C	R		? (T) TRAL[trALD, trALT, gu, trALQ] IMM.NDL[trIDLq] 0
al.imm.new.dose.lot.dunit	10	FREE	L		? (T) TRAL[trALD, trALT, gu, trALQ] IMM.NDL[trIDLq] 1
al.imm.new.dose.lot.exp	8	DATE	L		? (T) TRAL[trALD, trALT, gu, trALQ] IMM.NDL[trIDLq] 4
al.imm.new.dose.lot.isite	10	FREE	L		? (T) TRAL[trALD, trALT, gu, trALQ] IMM.NDL[trIDLq] 2
al.imm.new.dose.lot.lot	20	FREE	L		? (T) TRAL[trALD, trALT, gu, trALQ] IMM.NDL[trIDLq] 3






admin.log.imm.old.cmts
[al.date, al.time, al.user, al.q, al.imm.old.comment.q]
? (T) TRAL[trALD, trALT, gu, trALQ] IMMOG[trALIO]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
al.imm.old.comment.q	3	PINT	R		trALIO
al.imm.old.comment	60	TEXT	L		? (T) TRAL[trALD, trALT, gu, trALQ] IMMOG[trALIO] VALUE






















al.old.comment 60 TEXT L ? (T) TRAL[trALD,trALT,gu,trALQ]OQ[trALO]VALUE



admin.log.old.qrys

[al.date,al.time,al.user,al.q,al.old.assmnt,al.old.query]
?(T) TRAL[trALD,trALT,gu,trALQ]OQ[ghca,ggv]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
al.old.assmnt	15	FREE	L	MIS.ASSMNT	ghca
al.old.query	10	FREE	L	MIS.QUERY	ggv
al.old.query.resp	60	FREE	L		?(T) TRAL[trALD,trALT,gu,trALQ]OQ[ghca,ggv] 0
al.old.query.resp.yn.com	75	FREE	L		?(T) TRAL[trALD,trALT,gu,trALQ]OQ[ghca,ggv] 5
al.old.query.response	70	FREE	L		VAL=IF(@MIS.QUERY.date.type.x %Z.date.query.out(@P VAL=HA.RX.al.old.query.resp);@MIS.GROUP.RESP.eleme VAL=nt.response[@MIS.QUERY.group.resp,@PHA.RX.al.o VAL=ld.query.resp];@PHA.RX.al.old.query.resp)
al.old.query.text	60	FREE	L		VAL=@MIS.QUERY.text[PHA.RX.al.old.query]
al.old.query.text.resp	130	FREE	L		VAL=@PHA.RX.al.old.query.text_: "@PHA.RX.al.old. VAL=query.response



admin.log.old.qrys.sev

[al.date,al.time,al.user,al.q,al.old.assmnt,al.old.query,al.old.qry.sev]
?(T) TRAL[trALD,trALT,gu,trALQ]OQ[ghca,ggv]M[traOS]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
al.old.qry.sev	3	PINT	R		traOS
al.old.qry.sev.resp	10	FREE	L		?(T) TRAL[trALD,trALT,gu,trALQ]OQ[ghca,ggv]M[traOS] 0
al.old.qry.sev.response	30	FREE	L		VAL=IF(@MIS.GROUP.RESP.element.response[@MIS.QUERY VAL=.group.resp,@PHA.RX.al.old.qry.sev.resp];@PHA. VAL=RX.al.old.qry.sev.resp)
al.old.qry.sev.text.resp	130	FREE	L		VAL=@PHA.RX.al.old.query.text_: "@PHA.RX.al.old. VAL=qry.sev.response



admin.sched.x

[admin.sched.x.urn,admin.sched.x.dt.tm]
?(T) TRASX[tr,traSD]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.sched.x.urn	10	URN	L	PHA.RX	tr
admin.sched.x.dt.tm	13	FREE	L		traSD
admin.sched.x.admin.q	6	PINT	R		?(T) TRASX[tr,traSD] 0



bar.batch

[bar.txn.date,bar.txn.database]
?(T) TRBAR[gyD,gn1]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
bar.txn.date	13	FREE	L		gyD
bar.txn.database	12	FREE	L	MIS.APPL.DB	gn1
bar.batch.end.time	4	HHMM	L		?(T) TRBAR[gyD,gn1] 1
bar.batch.start.time	4	HHMM	L		?(T) TRBAR[gyD,gn1] 0



bar.txns

[bar.txn.date,bar.txn.database,bar.txn.counter]
?(T) TRBAR[gyD,gn1,gyC]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
bar.txn.counter	5	URN	L		gyC
bar.txn.account.int	30	URN	L	ADM.PAT	?(T) TRBAR[gyD,gn1,gyC] 11
bar.txn.account.no	20	FREE	L		?(T) TRBAR[gyD,gn1,gyC] 6
bar.txn.amount	8	MONEY	R		?(T) TRBAR[gyD,gn1,gyC] 2
bar.txn.comment	35	FREE	L		?(T) TRBAR[gyD,gn1,gyC] 5
bar.txn.cost.amt	8	MONEY	R		?(T) TRBAR[gyD,gn1,gyC] 15
bar.txn.cost.bas.det	1	FREE	L		?(T) TRBAR[gyD,gn1,gyC]RX 2
bar.txn.count	3	INT	R		?(T) TRBAR[gyD,gn1,gyC] 3
bar.txn.disp.fee	9	MONEY	R		?(T) TRBAR[gyD,gn1,gyC]RX 4
bar.txn.facility	10	FREE	L	MIS.FACILITY	?(T) TRBAR[gyD,gn1,gyC] 15
bar.txn.gl.corp	4	FREE	L	MIS.GL.CORP	?(T) TRBAR[gyD,gn1,gyC] 12
bar.txn.ingred.cost	9	MONEY	R		?(T) TRBAR[gyD,gn1,gyC]RX 3
bar.txn.ndc.din	12	FREE	L		?(T) TRBAR[gyD,gn1,gyC]RX 8
bar.txn.ordering.phys	10	FREE	L	MIS.DOC	?(T) TRBAR[gyD,gn1,gyC] 9
bar.txn.performing.phys	10	FREE	L	MIS.DOC	?(T) TRBAR[gyD,gn1,gyC] 10
bar.txn.procedure	10	FREE	L	BAR.PROC	?(T) TRBAR[gyD,gn1,gyC] 1
bar.txn.pt.amt.due	9	MONEY	R		?(T) TRBAR[gyD,gn1,gyC] 14

bar.txn.rev.site	10	FREE	L	MIS.REV.SITE	? (T) TRBAR[gyD,gn1,gyC] 13
bar.txn.reverse	1	FREE	L		? (T) TRBAR[gyD,gn1,gyC] 4
bar.txn.rx.number	11	FREE	L		? (T) TRBAR[gyD,gn1,gyC]RX 1
bar.txn.rx.urn	10	URN	L	PHA.RX	? (T) TRBAR[gyD,gn1,gyC]RX 0
bar.txn.sales.tax	9	MONEY	R		? (T) TRBAR[gyD,gn1,gyC]RX 5
bar.txn.sales.tax.per.bas	2	FREE	L		? (T) TRBAR[gyD,gn1,gyC]RX 7
bar.txn.sales.tax.perc	4	DEC	R		? (T) TRBAR[gyD,gn1,gyC]RX 6
bar.txn.service.date	8	DATE	L		? (T) TRBAR[gyD,gn1,gyC] 0
bar.txn.service.time	4	TIME	L		? (T) TRBAR[gyD,gn1,gyC] 17
bar.txn.transfer.urn	20	URN	L		? (T) TRBAR[gyD,gn1,gyC] 8

€ i					
bar.txn.queries [bar.txn.date,bar.txn.database,bar.txn.counter,bar.txn.query] ? (T) TRBAR[gyD,gn1,gyC]CD[ggv]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
bar.txn.query	10	FREE	L	MIS.QUERY	ggv
bar.txn.query.text	60	FREE	L		VAL=@MIS.QUERY.text[@PHA.RX.bar.txn.query]
bar.txn.response	75	FREE	L		? (T) TRBAR[gyD,gn1,gyC]CD[ggv] 0

i					
bar.ltc.activity [bar.ltc.act.seconds,bar.ltc.act.acct,bar.ltc.act.rx] ? (T) TRBARX[trbarX,aa,tr]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
bar.ltc.act.seconds	10	PINT	R		trbarX
bar.ltc.act.acct	30	FREE	L	PHA.PAT	aa
bar.ltc.act.rx	10	URN	L	PHA.RX	tr
bar.ltc.act	1	PINT	R		? (T) TRBARX[trbarX,aa,tr] 0

i					
bill.group [grp.patient,grp.rev.site,grp.billing.code,grp.txn.type,grp.doctor,grp.billing.source,grp.service.date,grp.gl.corp] /TRBG[aa,gyr,bd,tuztT,ggg,trBSC,trSD,gvCN]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
grp.patient	30	URN	L	ADM.PAT	aa
grp.rev.site	10	FREE	L	MIS.REV.SITE	gyr
grp.billing.code	10	FREE	L	BAR.PROC	bd
grp.txn.type	1	CHOICE	L		tuztT
grp.doctor	10	FREE	L	MIS.DOC	ggg
grp.billing.source	3	CHOICE	L		trBSC
grp.service.date	8	DATE	L		trSD
grp.gl.corp	4	FREE	L	MIS.GL.CORP	gvCN
grp.amount	3	INT	R		/TRBG[aa,gyr,bd,tuztT,ggg,trBSC,trSD,gvCN] 0
grp.charge	8	MONEY	R		/TRBG[aa,gyr,bd,tuztT,ggg,trBSC,trSD,gvCN] 1
grp.cost	8	MONEY	R		/TRBG[aa,gyr,bd,tuztT,ggg,trBSC,trSD,gvCN] 3
grp.description	35	FREE	L		/TRBG[aa,gyr,bd,tuztT,ggg,trBSC,trSD,gvCN] 2
grp.ftp.lic	15	FREE	L		/TRBG[aa,gyr,bd,tuztT,ggg,trBSC,trSD,gvCN] 5
grp.ftp.name	30	NAME	L		/TRBG[aa,gyr,bd,tuztT,ggg,trBSC,trSD,gvCN] 4
grp.ftp.npi	10	PINT	R		/TRBG[aa,gyr,bd,tuztT,ggg,trBSC,trSD,gvCN] 6

€ i					
bill.group.rxs [grp.patient,grp.rev.site,grp.billing.code,grp.txn.type,grp.doctor,grp.billing.source,grp.service.date,grp.gl.corp,grp.rx] /TRBG[aa,gyr,bd,tuztT,ggg,trBSC,trSD,gvCN]RX[tr]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
grp.rx	10	URN	L	PHA.RX	tr

i					
compound.ver.rpt [compound.ver.rpt.date,compound.ver.rpt.rx,compound.ver.rpt.q] *(T1) TRCVR[tcvrd,tr,tcvrg]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
compound.ver.rpt.date	8	DATE	L		tcvrd
compound.ver.rpt.rx	10	URN	L	PHA.RX	tr
compound.ver.rpt.q	4	PINT	R		tcvrg
compound.ver.rpt.loc	10	FREE	L	MIS.LOCN	*(T1) TRCVR[tcvrd,tr,tcvrg] 2
compound.ver.rpt.type	3	CHOICE	L		*(T1) TRCVR[tcvrd,tr,tcvrg] 0
compound.ver.rpt.user	10	FREE	L	MIS.USER	*(T1) TRCVR[tcvrd,tr,tcvrg] 1

**compound.ver.rpt.meds**

[compound.ver.rpt.date,compound.ver.rpt.rx,compound.ver.rpt.q,compound.ver.rpt.med]

*(T1)TRCVR[tcvrd,tr,tcvrq]M[tf]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
compound.ver.rpt.med	10	FREE	L	PHA.DRUG	tf
compound.ver.rpt.med.bar	18	FREE	L		*(T1)TRCVR[tcvrd,tr,tcvrq]M[tf] 0
compound.ver.rpt.med.exp	6	FREE	L		*(T1)TRCVR[tcvrd,tr,tcvrq]M[tf] 1

**dispensed.manual.rx.top**

[disp.man.urn]

?(T)TRDM[tr]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
disp.man.urn	10	URN	L	PHA.RX	tr

**dispensed.manual.x**

[disp.man.urn,disp.man.date.time,disp.man.q]

?(T)TRDM[tr,trdmA,trdmQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
disp.man.date.time	13	FREE	L		trdmA
disp.man.q	3	PINT	R		trdmQ
disp.man.admin.q	3	PINT	R		?(T)TRDM[tr,trdmA,trdmQ] 13
disp.man.alt.iv.seq	2	PINT	R		?(T)TRDM[tr,trdmA,trdmQ] 8
disp.man.billing.code	10	FREE	L		?(T)TRDM[tr,trdmA,trdmQ] 11
disp.man.bottle.number	3	PINT	R		?(T)TRDM[tr,trdmA,trdmQ] 10
disp.man.bottle.type	2	PINT	R		?(T)TRDM[tr,trdmA,trdmQ] 9
disp.man.charge	9	MONEY	R		?(T)TRDM[tr,trdmA,trdmQ] 2
disp.man.charge.type	10	URN	L	PHA.CT	?(T)TRDM[tr,trdmA,trdmQ] 1
disp.man.charged	1	YN	L		?(T)TRDM[tr,trdmA,trdmQ] 12
disp.man.cost	9	MONEY	R		?(T)TRDM[tr,trdmA,trdmQ] 3
disp.man.date	8	DATE	L		VAL=@disp.man.date.time#.
disp.man.dosage	20	FREE	L		?(T)TRDM[tr,trdmA,trdmQ] 5
disp.man.dose	10	DEC.C	R		?(T)TRDM[tr,trdmA,trdmQ] 4
disp.man.doses	8	PINT	R		?(T)TRDM[tr,trdmA,trdmQ] 14
disp.man.flag	1	CHOICE	L		?(T)TRDM[tr,trdmA,trdmQ] 16
disp.man.handling.fee	9	MONEY	R		?(T)TRDM[tr,trdmA,trdmQ] 7
disp.man.items	8	DEC	R		?(T)TRDM[tr,trdmA,trdmQ] 15
disp.man.machine	10	FREE	L	PHA.DM	?(T)TRDM[tr,trdmA,trdmQ] 18
disp.man.seconds	10	PINT	R		VAL=%Z.date.clinical(@disp.man.date)*86400+%Z.time
disp.man.service.date	10	PINT	R		VAL=.in(@disp.man.time)
disp.man.sig	20	FREE	L	MIS.DIR	?(T)TRDM[tr,trdmA,trdmQ] 17
disp.man.time	4	HHMM	L		?(T)TRDM[tr,trdmA,trdmQ] 6
disp.man.type	1	CHOICE	L		VAL=@disp.man.date.time#1.
					?(T)TRDM[tr,trdmA,trdmQ] 0

**dispensed.x**

[dispensed.urn,dispensed.date.time]

?(T)TRD[tr,trdA]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
dispensed.urn	10	URN	L	PHA.RX	tr
dispensed.date.time	13	FREE	L		trdA
dispensed.admin.q	3	PINT	R		?(T)TRD[tr,trdA] 13
dispensed.alt.iv.seq	2	PINT	R		?(T)TRD[tr,trdA] 8
dispensed.billing.code	10	FREE	L		?(T)TRD[tr,trdA] 11
dispensed.bottle.number	3	PINT	R		?(T)TRD[tr,trdA] 10
dispensed.bottle.type	2	PINT	R		?(T)TRD[tr,trdA] 9
dispensed.charge	9	MONEY	R		?(T)TRD[tr,trdA] 2
dispensed.charge.type	10	URN	L	PHA.CT	?(T)TRD[tr,trdA] 1
dispensed.charged	1	YN	L		?(T)TRD[tr,trdA] 12
dispensed.cost	9	MONEY	R		?(T)TRD[tr,trdA] 3
dispensed.date	8	DATE	L		VAL=@dispensed.date.time#.
dispensed.dosage	20	FREE	L		?(T)TRD[tr,trdA] 5
dispensed.dose	10	DEC.C	R		?(T)TRD[tr,trdA] 4
dispensed.flag	1	CHOICE	L		?(T)TRD[tr,trdA] 14
dispensed.handling.fee	9	MONEY	R		?(T)TRD[tr,trdA] 7
dispensed.machine	10	FREE	L	PHA.DM	?(T)TRD[tr,trdA] 16
dispensed.seconds	10	PINT	R		VAL=%Z.date.clinical(@dispensed.date)*86400+%Z.time
dispensed.service.date	10	PINT	R		VAL=.in(@dispensed.time)
dispensed.sig	20	FREE	L	MIS.DIR	?(T)TRD[tr,trdA] 15
dispensed.time	4	HHMM	L		?(T)TRD[tr,trdA] 6
					VAL=@dispensed.date.time#1.



display.med.times.md

```
[med.times.md.urn,med.times.md.q]  
/TRmmd[tr,trmdQ]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
med.times.md.urn	10	URN	L	PHA.RX	tr
med.times.md.q	6	PINT	R		trmdQ
med.times.md.day.1	4	FREE	L		/TRmmd[tr,trmdQ] 1
med.times.md.day.10	4	FREE	L		/TRmmd[tr,trmdQ] 10
med.times.md.day.11	4	FREE	L		/TRmmd[tr,trmdQ] 11
med.times.md.day.12	4	FREE	L		/TRmmd[tr,trmdQ] 12
med.times.md.day.13	4	FREE	L		/TRmmd[tr,trmdQ] 13
med.times.md.day.14	4	FREE	L		/TRmmd[tr,trmdQ] 14
med.times.md.day.15	4	FREE	L		/TRmmd[tr,trmdQ] 15
med.times.md.day.16	4	FREE	L		/TRmmd[tr,trmdQ] 16
med.times.md.day.17	4	FREE	L		/TRmmd[tr,trmdQ] 17
med.times.md.day.18	4	FREE	L		/TRmmd[tr,trmdQ] 18
med.times.md.day.19	4	FREE	L		/TRmmd[tr,trmdQ] 19
med.times.md.day.2	4	FREE	L		/TRmmd[tr,trmdQ] 2
med.times.md.day.20	4	FREE	L		/TRmmd[tr,trmdQ] 20
med.times.md.day.21	4	FREE	L		/TRmmd[tr,trmdQ] 21
med.times.md.day.22	4	FREE	L		/TRmmd[tr,trmdQ] 22
med.times.md.day.23	4	FREE	L		/TRmmd[tr,trmdQ] 23
med.times.md.day.24	4	FREE	L		/TRmmd[tr,trmdQ] 24
med.times.md.day.25	4	FREE	L		/TRmmd[tr,trmdQ] 25
med.times.md.day.26	4	FREE	L		/TRmmd[tr,trmdQ] 26
med.times.md.day.27	4	FREE	L		/TRmmd[tr,trmdQ] 27
med.times.md.day.28	4	FREE	L		/TRmmd[tr,trmdQ] 28
med.times.md.day.29	4	FREE	L		/TRmmd[tr,trmdQ] 29
med.times.md.day.3	4	FREE	L		/TRmmd[tr,trmdQ] 3
med.times.md.day.30	4	FREE	L		/TRmmd[tr,trmdQ] 30
med.times.md.day.31	4	FREE	L		/TRmmd[tr,trmdQ] 31
med.times.md.day.32	4	FREE	L		/TRmmd[tr,trmdQ] 32
med.times.md.day.33	4	FREE	L		/TRmmd[tr,trmdQ] 33
med.times.md.day.34	4	FREE	L		/TRmmd[tr,trmdQ] 34
med.times.md.day.35	4	FREE	L		/TRmmd[tr,trmdQ] 35
med.times.md.day.36		FREE	L		/TRmmd[tr,trmdQ] 36
med.times.md.day.37		FREE	L		/TRmmd[tr,trmdQ] 37
med.times.md.day.38		FREE	L		/TRmmd[tr,trmdQ] 38
med.times.md.day.39		FREE	L		/TRmmd[tr,trmdQ] 39
med.times.md.day.4	4	FREE	L		/TRmmd[tr,trmdQ] 4
med.times.md.day.40		FREE	L		/TRmmd[tr,trmdQ] 40
med.times.md.day.41		FREE	L		/TRmmd[tr,trmdQ] 41
med.times.md.day.42		FREE	L		/TRmmd[tr,trmdQ] 42
med.times.md.day.43		FREE	L		/TRmmd[tr,trmdQ] 43
med.times.md.day.44		FREE	L		/TRmmd[tr,trmdQ] 44
med.times.md.day.45		FREE	L		/TRmmd[tr,trmdQ] 45
med.times.md.day.46		FREE	L		/TRmmd[tr,trmdQ] 46
med.times.md.day.47		FREE	L		/TRmmd[tr,trmdQ] 47
med.times.md.day.48		FREE	L		/TRmmd[tr,trmdQ] 48
med.times.md.day.49		FREE	L		/TRmmd[tr,trmdQ] 49
med.times.md.day.5	4	FREE	L		/TRmmd[tr,trmdQ] 5
med.times.md.day.50		FREE	L		/TRmmd[tr,trmdQ] 50
med.times.md.day.51	4	FREE	L		/TRmmd[tr,trmdQ] 2 1
med.times.md.day.52	4	FREE	L		/TRmmd[tr,trmdQ] 2 2
med.times.md.day.53	4	FREE	L		/TRmmd[tr,trmdQ] 2 3
med.times.md.day.54	4	FREE	L		/TRmmd[tr,trmdQ] 2 4
med.times.md.day.55	4	FREE	L		/TRmmd[tr,trmdQ] 2 5
med.times.md.day.56	4	FREE	L		/TRmmd[tr,trmdQ] 2 6
med.times.md.day.57	4	FREE	L		/TRmmd[tr,trmdQ] 2 7
med.times.md.day.58	4	FREE	L		/TRmmd[tr,trmdQ] 2 8
med.times.md.day.59	4	FREE	L		/TRmmd[tr,trmdQ] 2 9
med.times.md.day.6	4	FREE	L		/TRmmd[tr,trmdQ] 6
med.times.md.day.60	4	FREE	L		/TRmmd[tr,trmdQ] 2 10
med.times.md.day.61	4	FREE	L		/TRmmd[tr,trmdQ] 2 11
med.times.md.day.62	4	FREE	L		/TRmmd[tr,trmdQ] 2 12
med.times.md.day.63	4	FREE	L		/TRmmd[tr,trmdQ] 2 13
med.times.md.day.64	4	FREE	L		/TRmmd[tr,trmdQ] 2 14
med.times.md.day.65	4	FREE	L		/TRmmd[tr,trmdQ] 2 15
med.times.md.day.66	4	FREE	L		/TRmmd[tr,trmdQ] 2 16
med.times.md.day.67	4	FREE	L		/TRmmd[tr,trmdQ] 2 17
med.times.md.day.68	4	FREE	L		/TRmmd[tr,trmdQ] 2 18
med.times.md.day.69	4	FREE	L		/TRmmd[tr,trmdQ] 2 19
med.times.md.day.7	4	FREE	L		/TRmmd[tr,trmdQ] 7
med.times.md.day.70	4	FREE	L		/TRmmd[tr,trmdQ] 2 20
med.times.md.day.71	4	FREE	L		/TRmmd[tr,trmdQ] 2 21
med.times.md.day.72	4	FREE	L		/TRmmd[tr,trmdQ] 2 22
med.times.md.day.73	4	FREE	L		/TRmmd[tr,trmdQ] 2 23

med.times.md.day.74	4	FREE	L	/TRmmd[tr,trmdQ]2 24
med.times.md.day.75	4	FREE	L	/TRmmd[tr,trmdQ]2 25
med.times.md.day.76	4	FREE	L	/TRmmd[tr,trmdQ]2 26
med.times.md.day.77	4	FREE	L	/TRmmd[tr,trmdQ]2 27
med.times.md.day.78	4	FREE	L	/TRmmd[tr,trmdQ]2 28
med.times.md.day.79	4	FREE	L	/TRmmd[tr,trmdQ]2 29
med.times.md.day.8	4	FREE	L	/TRmmd[tr,trmdQ] 8
med.times.md.day.80	4	FREE	L	/TRmmd[tr,trmdQ]2 30
med.times.md.day.81	4	FREE	L	/TRmmd[tr,trmdQ]2 31
med.times.md.day.82	4	FREE	L	/TRmmd[tr,trmdQ]2 32
med.times.md.day.83	4	FREE	L	/TRmmd[tr,trmdQ]2 33
med.times.md.day.84	4	FREE	L	/TRmmd[tr,trmdQ]2 34
med.times.md.day.85	4	FREE	L	/TRmmd[tr,trmdQ]2 35
med.times.md.day.86	4	FREE	L	/TRmmd[tr,trmdQ]2 36
med.times.md.day.87	4	FREE	L	/TRmmd[tr,trmdQ]2 37
med.times.md.day.88	4	FREE	L	/TRmmd[tr,trmdQ]2 38
med.times.md.day.89	4	FREE	L	/TRmmd[tr,trmdQ]2 39
med.times.md.day.9	4	FREE	L	/TRmmd[tr,trmdQ] 9
med.times.md.day.90	4	FREE	L	/TRmmd[tr,trmdQ]2 40
med.times.md.day.91	4	FREE	L	/TRmmd[tr,trmdQ]2 41
med.times.md.day.92	4	FREE	L	/TRmmd[tr,trmdQ]2 42
med.times.md.day.93	4	FREE	L	/TRmmd[tr,trmdQ]2 43
med.times.md.day.94	4	FREE	L	/TRmmd[tr,trmdQ]2 44
med.times.md.day.95	4	FREE	L	/TRmmd[tr,trmdQ]2 45
med.times.md.day.96	4	FREE	L	/TRmmd[tr,trmdQ]2 46
med.times.md.day.97	4	FREE	L	/TRmmd[tr,trmdQ]2 47
med.times.md.day.98	4	FREE	L	/TRmmd[tr,trmdQ]2 48
med.times.md.day.99	4	FREE	L	/TRmmd[tr,trmdQ]2 49
med.times.md.shift	3	FREE	L	/TRmmd[tr,trmdQ] 0



display.med.times.sd

```
[med.times.sd.urn,med.times.sd.q]
/TRmsd[tr,trsdQ]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
med.times.sd.urn	10	URN	L	PHA.RX	tr
med.times.sd.q	6	PINT	R		trsdQ
mar.rx.data	0	FREE	L		VAL=%PHA.RX.mar.rx.data(urn)^(bottle.type,mar.form VAL=at,mar.section)
med.times.sd.shift.1	4	FREE	L		/TRmsd[tr,trsdQ] 0
med.times.sd.shift.2	4	FREE	L		/TRmsd[tr,trsdQ] 1
med.times.sd.shift.3	4	FREE	L		/TRmsd[tr,trsdQ] 2



display.med.tm.sd.atimes

```
[med.times.sd.urn,med.times.sd.q,med.tm.sd.admin.time]
/TRmsd[tr,trsdQ]AT[tmarT]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
med.tm.sd.admin.time	4	HHMM	L		tmarT
med.tm.sd.admin.bot.type	2	FREE	L		/TRmsd[tr,trsdQ]AT[tmarT] 10
med.tm.sd.admin.cosig.mgm	10	FREE	L		/TRmsd[tr,trsdQ]AT[tmarT] 5
med.tm.sd.admin.cosig.typ	25	FREE	L		/TRmsd[tr,trsdQ]AT[tmarT] 7
med.tm.sd.admin.dose	10	DEC.C	R		/TRmsd[tr,trsdQ]AT[tmarT] 3
med.tm.sd.admin.dose.unit	10	FREE	L	PHA.FORMS	/TRmsd[tr,trsdQ]AT[tmarT] 4
med.tm.sd.admin.monogram	10	FREE	L		/TRmsd[tr,trsdQ]AT[tmarT] 0
med.tm.sd.admin.not.given	1	FREE	L		/TRmsd[tr,trsdQ]AT[tmarT] 2
med.tm.sd.admin.reason.cd	15	FREE	L		/TRmsd[tr,trsdQ]AT[tmarT] 1
med.tm.sd.admin.site	10	FREE	L		/TRmsd[tr,trsdQ]AT[tmarT] 6
med.tm.sd.admin.site.name	5	FREE	L		/TRmsd[tr,trsdQ]AT[tmarT] 9
med.tm.sd.admin.user.type	5	FREE	L		/TRmsd[tr,trsdQ]AT[tmarT] 8



dup.labels

```
[dup.label.q]
/TRDUPL[trdq]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
dup.label.q	3	PINT	R		trdq
dup.label.count	2	INT	R		/TRDUPL[trdq] 3
dup.label.from.bottle	3	INT	R		/TRDUPL[trdq] 1
dup.label.num.disp	3	INT	R		/TRDUPL[trdq] 4
dup.label.to.bottle	3	INT	R		/TRDUPL[trdq] 2
dup.label.urn	10	URN	L	PHA.RX	/TRDUPL[trdq] 0



failed.txn.queue

[fail.seconds,fail.oe.urn]
?(T)TR.FAILQ[trfs,po]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
fail.seconds	10	PINT	R		trfs
fail.oe.urn	11	URN	L	OE.ORD	po
fail.med	10	FREE	L	PHA.DRUG	? (T) TR.FAILQ[trfs,po] 3
fail.message	100	FREE	L		? (T) TR.FAILQ[trfs,po]MSG 0
fail.mri.urn	25	URN	L	MRI.PAT	? (T) TR.FAILQ[trfs,po] 1
fail.order.type	10	FREE	L	PHA.OT	? (T) TR.FAILQ[trfs,po] 2
fail.patient	30	URN	L	ADM.PAT	? (T) TR.FAILQ[trfs,po] 0
fail.source	11	FREE	L		? (T) TR.FAILQ[trfs,po] 4
fail.status	1	FREE	L		? (T) TR.FAILQ[trfs,po] 6
fail.user	10	FREE	L	MIS.USER	? (T) TR.FAILQ[trfs,po] 5



failed.txn.clin.alert

[fail.seconds,fail.oe.urn,failed.txn.alert.urn,failed.txn.alert.q]
?(T)TR.FAILQ[trfs,po]CLA[gqa,trfaq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
failed.txn.alert.urn	10	FREE	L	MIS.CLIN.ALERT	gqa
failed.txn.alert.q	3	PINT	R		trfaq
failed.txn.alert.det	72	FREE	L		? (T) TR.FAILQ[trfs,po]CLA[gqa,trfaq] 0
failed.txn.alert.doc	10	FREE	L	MIS.DOC	? (T) TR.FAILQ[trfs,po]CLA[gqa,trfaq] 1



home.med.active.x

[hmed.active.x.dc.or.act,hmed.active.x.mri.urn,hmed.active.x.hmed.urn]
?(T)TRHMAX[trDA,ea,hxx]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
hmed.active.x.dc.or.act	8	FREE	L		trDA
hmed.active.x.mri.urn	25	URN	L	PHA.MRI	ea
hmed.active.x.hmed.urn	10	PINT	R	RXM.RX	hxx



home.med.class.int.x

[home.med.cl.int.x.pt,home.med.cl.int.x.class,home.med.cl.int.x.hm.urn]
?(T)TRHMCIX[ea,tdc,hxx]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
home.med.cl.int.x.pt	25	URN	L	PHA.MRI	ea
home.med.cl.int.x.class	15	FREE	L	PHA.CLASS	tdc
home.med.cl.int.x.hm.urn	10	PINT	R	RXM.RX	hxx
home.med.cl.int.x.med	10	FREE	L	PHA.DRUG	? (T) TRHMCIX[ea,tdc,hxx]VALUE



home.med.drug.int.x

[home.med.drug.int.x.pt,home.med.drug.int.x.drug,home.med.drug.int.x.hmurn]
?(T)TRHMDIX[ea,tf,hxx]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
home.med.drug.int.x.pt	25	URN	L	PHA.MRI	ea
home.med.drug.int.x.drug	10	FREE	L	PHA.DRUG	tf
home.med.drug.int.x.hmurn	10	PINT	R	RXM.RX	hxx
home.med.drug.int.x.val	1	FREE	L		? (T) TRHMDIX[ea,tf,hxx]VALUE



home.med.generic.int.x

[home.med.gen.int.x.pt,home.med.gen.int.x.gen,home.med.gen.int.x.hm.urn]
?(T)TRHMGIX[ea,tdg,hxx]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
home.med.gen.int.x.pt	25	URN	L	PHA.MRI	ea
home.med.gen.int.x.gen	12	FREE	L	PHA.GENERIC	tdg
home.med.gen.int.x.hm.urn	10	PINT	R	RXM.RX	hxx
home.med.gen.int.x.med	10	FREE	L	PHA.DRUG	? (T) TRHMGIX[ea,tdg,hxx]VALUE



home.med.ingred.int.x

[home.med.ingr.int.x.pt,home.med.ingr.int.x.ingr,home.med.ingr.int.x.hmurn]
?(T)TRHMIIX[ea,tdm,hxx]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
home.med.ingr.int.x.pt	25	URN	L	PHA.MRI	ea
home.med.ingr.int.x.ingr	10	FREE	L	PHA.INGR	tdm
home.med.ingr.int.x.hmurn	10	PINT	R	RXM.RX	hxx
home.med.ingr.int.x.med	10	FREE	L	PHA.DRUG	? (T) TRHMIIX[ea,tdm,hxx] VALUE



home.med.patient.x

[home.med.patient.x.pt,home.med.patient.x.hm.urn]
? (T) TRHMPX[ea,hxx]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
home.med.patient.x.pt	25	URN	L	PHA.MRI	ea
home.med.patient.x.hm.urn	10	PINT	R	RXM.RX	hxx
home.med.patient.x.value	1	FREE	L		? (T) TRHMPX[ea,hxx] VALUE



hub.queue

[hub.seconds,hub.q]
*(T6) TRHQ[trHQS,trHQQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
hub.seconds	10	PINT	R		trHQS
hub.q	2	PINT	R		trHQQ
..no.longer.in.use.1	25	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 20
hub.activity.type	2	CHOICE	L		*(T6) TRHQ[trHQS,trHQQ] 5
hub.bottle.sequence	10	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 10
hub.cancel	1	YN	L		*(T6) TRHQ[trHQS,trHQQ] 15
hub.confidential.rx	1	YN	L		*(T6) TRHQ[trHQS,trHQQ] 12
hub.days.supply	8	DEC2	R		*(T6) TRHQ[trHQS,trHQQ]R 2
hub.dose.set	39	FREE	L		*(T6) TRHQ[trHQS,trHQQ]2 4
hub.dosing.weight	7	PDEC3	R		*(T6) TRHQ[trHQS,trHQQ]2 5
hub.dosing.weight.source	20	CHOICE	L		*(T6) TRHQ[trHQS,trHQQ]2 7
hub.dosing.weight.units	2	CHOICE	L		*(T6) TRHQ[trHQS,trHQQ]2 6
hub.edit.doctor	30	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 21
hub.item	40	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 13
hub.iv.order.type	1	CHOICE	L		*(T6) TRHQ[trHQS,trHQQ] 18
hub.max.refills	20	FREE	L		*(T6) TRHQ[trHQS,trHQQ]R 0
hub.mri.urn	25	URN	L	PHA.MRI	*(T6) TRHQ[trHQS,trHQQ] 2
hub.order.rate	25	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 19
hub.ordering.doctor	30	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 11
hub.patient	30	FREE	L	PHA.PAT	*(T6) TRHQ[trHQS,trHQQ] 1
hub.pending	1	YN	L		*(T6) TRHQ[trHQS,trHQQ]2 1
hub.prn.reason	30	FREE	L		*(T6) TRHQ[trHQS,trHQQ]2 0
hub.q.admin.inc.flag	3	PINT	R		*(T6) TRHQ[trHQS,trHQQ] 22
hub.q.event.no	4	PINT	R		*(T6) TRHQ[trHQS,trHQQ] 14
hub.qty.of.refill	20	FREE	L		*(T6) TRHQ[trHQS,trHQQ]R 4
hub.qty.per.refill	20	FREE	L		*(T6) TRHQ[trHQS,trHQQ]R 3
hub.ready	1	YN	L		*(T6) TRHQ[trHQS,trHQQ] 0
hub.remaining.refills	20	FREE	L		*(T6) TRHQ[trHQS,trHQQ]R 1
hub.route	20	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 7
hub.rx	20	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 3
hub.rx.type	5	CHOICE	L		*(T6) TRHQ[trHQS,trHQQ] 4
hub.rx.urn	10	URN	L	PHA.RX	*(T6) TRHQ[trHQS,trHQQ] 16
hub.sig.sch	20	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 6
hub.start	11	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 8
hub.stop	11	FREE	L		*(T6) TRHQ[trHQS,trHQQ] 9
hub.titrate.bottle.type	2	PINT	R		*(T6) TRHQ[trHQS,trHQQ]TI["2"] 6
hub.titrate.clin.us.cpty	5	FREE	L	NUR.NURSE.TYPE	*(T6) TRHQ[trHQS,trHQQ]TI["2"] 4
hub.titrate.clin.us.cptyn	25	FREE	L		*(T6) TRHQ[trHQS,trHQQ]TI["2"] 5
hub.titrate.clin.user	10	FREE	L	MIS.USER	*(T6) TRHQ[trHQS,trHQQ]TI["2"] 3
hub.titrate.co.cp.type	5	FREE	L	NUR.NURSE.TYPE	*(T6) TRHQ[trHQS,trHQQ]TI["2"] 1
hub.titrate.co.cp.type.nm	25	FREE	L		*(T6) TRHQ[trHQS,trHQQ]TI["2"] 2
hub.titrate.co.signer	10	FREE	L	MIS.USER	*(T6) TRHQ[trHQS,trHQQ]TI["2"] 0
hub.total.doses	3	PINT	R		*(T6) TRHQ[trHQS,trHQQ]2 2
hub.total.doses.admin	3	PINT	R		*(T6) TRHQ[trHQS,trHQQ]2 3
hub.total.qty.dispensed	20	FREE	L		*(T6) TRHQ[trHQS,trHQQ]R 5
hub.unverified.flag	1	YN	L		*(T6) TRHQ[trHQS,trHQQ] 17



hub.q.alt.comments

[hub.seconds,hub.q,hub.qbt,hub.q.alt.cmt]
*(T6) TRHQ[trHQS,trHQQ]B[trHB]CM[trHBCM]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
hub.q.alt.cmt	3	PINT	R		trHBCM
hub.alt.comment	60	FREE	L		*(T6) TRHQ[trHQS,trHQQ]B[trHB]CM[trHBCM] 0



hub.q.comments

[hub.seconds, hub.q, hub.q.cmt]
* (T6) TRHQ[trHQS, trHQQ] CM[trHCM]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
hub.q.cmt	3	PINT	R		trHCM
hub.comment	60	FREE	L		* (T6) TRHQ[trHQS, trHQQ] CM[trHCM] 0

hub.q.da.comments

[hub.seconds, hub.q, hub.q.da.cmt]
* (T6) TRHQ[trHQS, trHQQ] CMDA[trDAC]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
hub.q.da.cmt	3	PINT	R		trDAC
hub.da.comment	35	FREE	L		* (T6) TRHQ[trHQS, trHQQ] CMDA[trDAC] 0

hub.q.drug.classes

[hub.seconds, hub.q, hub.drug.class]
* (T6) TRHQ[trHQS, trHQQ] DC[tdc]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
hub.drug.class	15	FREE	L	PHA.CLASS	tdc
hub.drug.class.name	30	FREE	L		* (T6) TRHQ[trHQS, trHQQ] DC[tdc] 0

hub.q.pending.comments

[hub.seconds, hub.q, hub.q.pend.cmt]
* (T6) TRHQ[trHQS, trHQQ] CMPND[trPCQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
hub.q.pend.cmt	2	PINT	R		trPCQ
hub.pend.comment	35	TEXT	L		* (T6) TRHQ[trHQS, trHQQ] CMPND[trPCQ] 0

infusions

[infusion.urn, infusion.admin.q, infusion.q, infusion.edit.count]
? (T) TRIN[tr, traQ, trINq, trINeq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
infusion.urn	10	URN	L	PHA.RX	tr
infusion.admin.q	6	PINT	R		traQ
infusion.q	6	URN	L		trINq
infusion.edit.count	2	PINT	R		trINeq
infusion.action	17	CHOICE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 4
infusion.adjust.date	8	DATE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 2 5
infusion.adjust.guid	22	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 2 4
infusion.adjust.time	4	HHMM	L		? (T) TRIN[tr, traQ, trINq, trINeq] 2 6
infusion.admin.guid	36	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 2 7
infusion.bottle.type	2	PINT	R		? (T) TRIN[tr, traQ, trINq, trINeq] 2 9
infusion.ccdqr.audit.urn	8	URN	L	MRI.DRC	? (T) TRIN[tr, traQ, trINq, trINeq] 10
infusion.clin.user	10	FREE	L	MIS.USER	? (T) TRIN[tr, traQ, trINq, trINeq] 3 5
infusion.clin.user.cp.ty	5	FREE	L	NUR.NURSE.TYPE	? (T) TRIN[tr, traQ, trINq, trINeq] 3 6
infusion.clin.user.cp.tyn	25	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 3 7
infusion.container.vol	19	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 1
infusion.cp.type	5	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 8
infusion.cp.type.name	25	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 9
infusion.cs.user	10	FREE	L	MIS.USER	? (T) TRIN[tr, traQ, trINq, trINeq] 3 8
infusion.cs.user.cp.ty	5	FREE	L	NUR.NURSE.TYPE	? (T) TRIN[tr, traQ, trINq, trINeq] 3 9
infusion.cs.user.cp.ty.nm	25				? (T) TRIN[tr, traQ, trINq, trINeq] 3 10
infusion.cumulative.vol	19	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 2
infusion.date	8	DATE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 2 1
infusion.dose	30	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 5
infusion.guid	36	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 2 0
infusion.intake.vol	11	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 7
infusion.lv.warning	2	PINT	R		? (T) TRIN[tr, traQ, trINq, trINeq] 11
infusion.module	8	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 3 1
infusion.non.admin.guid	36	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 2 8
infusion.orm.case	10	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 3 3
infusion.orm.phase	12	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 3 2
infusion.orm.record.sec	12	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 3 4
infusion.pt.location	10	FREE	L	MIS.LOCN	? (T) TRIN[tr, traQ, trINq, trINeq] 3 0
infusion.rate	27	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 0
infusion.seconds	2	PINT	R		? (T) TRIN[tr, traQ, trINq, trINeq] 2 3
infusion.site	15	FREE	L		? (T) TRIN[tr, traQ, trINq, trINeq] 6
infusion.time	4	HHMM	L		? (T) TRIN[tr, traQ, trINq, trINeq] 2 2

infusion.user

10

FREE

L

MIS.USER

? (T) TRIN[tr,traQ,trINq,trINeq]|3

€

i

infusions.comments

[infusion.urn,infusion.admin.q,infusion.q,infusion.edit.count,infusion.comment.q]

? (T) TRIN[tr,traQ,trINq,trINeq]CMT[trINcq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
infusion.comment.q	3	PINT	R		trINcq
infusion.comment	60	TEXT	L		? (T) TRIN[tr,traQ,trINq,trINeq]CMT[trINcq]VALUE

€

i

infusions.queries

[infusion.urn,infusion.admin.q,infusion.q,infusion.edit.count,infusion.assessment,infusion.query]

? (T) TRIN[tr,traQ,trINq,trINeq]Q[ghca,ggv]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
infusion.assessment	15	FREE	L	MIS.ASSMNT	ghca
infusion.query	10	FREE	L	MIS.QUERY	ggv
infusion.query.resp	60	FREE	L		? (T) TRIN[tr,traQ,trINq,trINeq]Q[ghca,ggv] 0
infusion.query.response	60	FREE	L		VAL=IF{@MIS.QUERY.date.type.x %Z.date.query.out (@i VAL=nfusion.query.resp);@MIS.GROUP.RESP.element.re VAL=sponse[@MIS.QUERY.group.resp,@infusion.query.r VAL=esp];@infusion.query.resp}
infusion.query.text	60	FREE	L		VAL=@MIS.QUERY.text[infusion.query]
infusion.query.txt.rsp	130	FREE	L		VAL=@infusion.query.text"_": "_@infusion.query.resp VAL=onse
infusion.query.yncmt	75	FREE	L		? (T) TRIN[tr,traQ,trINq,trINeq]Q[ghca,ggv] 5

€

i

infusions.queries.sev

[infusion.urn,infusion.admin.q,infusion.q,infusion.edit.count,infusion.assessment,infusion.query,infusion.gry.sev]

? (T) TRIN[tr,traQ,trINq,trINeq]Q[ghca,ggv]M[trQQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
infusion.gry.sev	3	PINT	R		trQQ
infusion.gry.sev.resp	10	FREE	L		? (T) TRIN[tr,traQ,trINq,trINeq]Q[ghca,ggv]M[trQQ] 0

i

ins.benefit.check

[ins.ben.ck.order]

/ (T) INSBC[tr]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
ins.ben.ck.order	10	URN	L	PHA.RX	tr
ins.ben.ck.med.ordered	45	FREE	L		/ (T) INSBC[tr] 0

€

i

ins.benefit.check.plans

[ins.ben.ck.order,ins.ben.ck.plan.q]

/ (T) INSBC[tr]P[ibcPQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
ins.ben.ck.plan.q	3	PINT	R		ibcPQ
ins.ben.ck.payer	15	FREE	L		/ (T) INSBC[tr]P[ibcPQ] 4
ins.ben.ck.payer.name	30	FREE	L		/ (T) INSBC[tr]P[ibcPQ] 5
ins.ben.ck.plan	15	FREE	L		/ (T) INSBC[tr]P[ibcPQ] 0
ins.ben.ck.plan.name	30	FREE	L		/ (T) INSBC[tr]P[ibcPQ] 1
ins.ben.ck.plan.status	30	FREE	L		/ (T) INSBC[tr]P[ibcPQ] 2
ins.ben.ck.plan.tier	1	PINT	R		/ (T) INSBC[tr]P[ibcPQ] 3

€

i

ins.benefit.check.alts

[ins.ben.ck.order,ins.ben.ck.plan.q,ins.ben.ck.alt.q]

/ (T) INSBC[tr]P[ibcPQ]A[ibcAQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
ins.ben.ck.alt.q	3	PINT	R		ibcAQ
ins.ben.ck.alt.med	45	FREE	L		/ (T) INSBC[tr]P[ibcPQ]A[ibcAQ] 0
ins.ben.ck.alt.med.tier	1	PINT	R		/ (T) INSBC[tr]P[ibcPQ]A[ibcAQ] 2
ins.ben.ck.alt.med.type	30	FREE	L		/ (T) INSBC[tr]P[ibcPQ]A[ibcAQ] 1
ins.ben.ck.alt.ndc	30	FREE	L		/ (T) INSBC[tr]P[ibcPQ]A[ibcAQ] 3

€

i

ins.benefit.check.notes

```
[ins.ben.ck.order,ins.ben.ck.plan.q,ins.ben.ck.notes.q]
/(T)INSBC[tr]P[ibcPQ]N[ibcNQ]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
ins.ben.ck.notes.q	3	PINT	R		ibcNQ
ins.ben.ck.notes.text	79	TEXT	L		/(T)INSBC[tr]P[ibcPQ]N[ibcNQ]VALUE



lab.view.group.monitor.x

```
[lab.vw.grp.patient,lab.vw.grp.test.group,lab.vw.grp.urn]
?(T)TRLVG[aa,ssv,tr]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
lab.vw.grp.patient	30	FREE	L	PHA.PAT	aa
lab.vw.grp.test.group	10	FREE	L	LAB.C.TEST.VIEW	ssv
lab.vw.grp.urn	10	URN	L	PHA.RX	tr
lab.vw.grp.review.display	8	FREE	L		?(T)TRLVG[aa,ssv,tr] 0



labels.temp

```
[label.q]
/LBLS[trq]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
label.q	3	PINT	R		trq
label.bottle.due	13	FREE	L		/LBLS[trq] 6
label.bottle.num	3	PINT	R		/LBLS[trq] 5
label.bottle.type	2	PINT	R		/LBLS[trq] 7
label.can.flag	1	YN	L		/LBLS[trq] 13
label.dc.flag	1	YN	L		/LBLS[trq] 11
label.doses	4	INT	R		/LBLS[trq] 3
label.items	8	DEC	R		/LBLS[trq] 10
label.number	3	INT	R		/LBLS[trq] 2
label.refill	3	INT	R		/LBLS[trq] 4
label.refill.partial	3	FREE	L		/LBLS[trq] 8
label.refill.reversal	3	FREE	L		/LBLS[trq] 9
label.status	4	CHOICE	L		/LBLS[trq] 12
label.type	2	CHOICE	L		/LBLS[trq] 0
label.urn	10	URN	L	PHA.RX	/LBLS[trq] 1



locals

```
[]
]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
access	10	FREE	L	PHA.ACCESS	
act.date	8	DATE	L		
act.type	11	CHOICE	L		
any.adj.queries	1	FREE	L		VAL=%PHA.RX.ee.cds.any.queries(urn,"ADJ")
any.ci.queries	1	FREE	L		VAL=%PHA.RX.ee.cds.any.queries(urn,"CI",bottle.typ VAL=e)
any.nf.queries	1	FREE	L		VAL=%PHA.RX.ee.cds.any.queries(urn,"NF")
any.ot.queries	1	FREE	L		VAL=%PHA.RX.ee.cds.any.queries(urn,"OT")
any.pom.queries	1	FREE	L		VAL=%PHA.RX.ee.cds.any.queries(urn,"POM")
bottle.due	13	FREE	L		VAL=@label.bottle.due[/label.q]
bottle.number	3	INT	R		VAL=@label.bottle.num[/label.q]
cart	10	FREE	L	PHA.CART	
charge.formula	10	URN	L	PHA.CR	
class	15	FREE	L	PHA.CLASS	
count	5	PINT	R		
ctrl.sched.num	1	FREE	L		
database	12	FREE	L	MIS.APPL.DB	
date	8	DATE	L		
date10	10	DATE10	L		
dc.cancel.date.or.active	8	FREE	L		
dc.date.or.active	8	FREE	L		
debits.credits.both	1	CHOICE	L		
doctor	10	FREE	L	MIS.DOC	
drug.ingredient	10	FREE	L	PHA INGR	
drug.or.ci	20	FREE	L		
edit.com	1	YN	L		
ee.cds	1	PANEL	L		
extemp	10	FREE	L	PHA.EXTEMP	
facility	10	FREE	L	MIS.FACILITY	
fail.rule	0	FREE	L		VAL=1^/RULE.ERR
from	10	FREE	L		
generic	12	FREE	L	PHA.GENERIC	
incl.comments	1	YN	L		
incl.inactives	1	YN	L		

inp.out.both	10	CHOICE	L		
inv.type	3	CHOICE	L		
iv.worksheet	4	FREE	L		
last.rxs.doctor	10	FREE	L	MIS.DOC	VAL=%PHA.RX.last.rxs.doctor("")
location	10	FREE	L	MIS.LOCN	
mar.format	10	FREE	L	PHA.MARF	
mar.section	10	FREE	L	PHA.MARS	
may.verify	1	FREE	L		VAL=/(.D) PHA.VERIFY
mic.activity	1	CHOICE	L		
mic.days	2	INT	R		
new.page	1	CHOICE	L		
next.refill.date.time	13	FREE	L		VAL=%PHA.RX.inp.next.refill(PHA.RX.urn)
num.lock	20	FREE	L		VAL="Edit Rx # "_@p.PHA.RX.number
ord.grp	10	FREE	L	PHA.OG	
order.group	10	FREE	L	PHA.OG	
order.set	10	FREE	L	PHA.SO	
pha.site	10	FREE	L	PHA.SITE	VAL=@PHA.SITE.user.site
pro.pat.status	3	FREE	L		
profile.fmt	10	FREE	L	PHA.PRF	
rx.prefix	3	FREE	L		VAL=@PHA.SITE.rx.prefix[@PHA.SITE.user.site]
rx.q	3	PINT	R		
rx.site	10	FREE	L	PHA.SITE	
search.for.word	15	FREE	L		
seconds	10	PINT	R		
sort	9	CHOICE	L		
taper.order	1	FREE	L		VAL=@tapers[urn,1]
thru	10	FREE	L		
time	4	HHMM	L		
trap.fsv.conflicts	1	YN	L		VAL=/.TRAP.FSV
yn	1	YN	L		





main

[urn]

\$(T)TR[tr]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
urn	10	URN	L		tr
...use.me.1	0	FREE	L		\$(T)TR[tr]PED 2
...use.me.3	0	FREE	L		\$(T)TR[tr]I 0
...no.longer.in.use.1	1	YN	L		\$(T)TR[tr]3 25
...use.me.1	10	FREE	L	MIS.DOC	\$(T)TR[tr]IM 19
...use.me.6	1	FREE	L		\$(T)TR[tr]M 6
acknowledge.reason.type	6	CHOICE	L		\$(T)TR[tr]4 14
admin.forms.per.dose	35	FREE	L		VAL=@dose:8D/@PHA.DRUG.dispense.size[@med]*@PHA.DRUG.UG.strength.amt2[@med]/@PHA.DRUG.strength.amt1 VAL=[@med]:4D
admin.inc.pt.transfer	1	YN	L		\$(T)TR[tr]4 22
admin.total.sched.gvn	3	PINT	R		\$(T)TR[tr]ADT 1
admin.total.sched.ngvn	3	PINT	R		\$(T)TR[tr]ADT 2
admin.total.undone	3	PINT	R		\$(T)TR[tr]ADT 5
admin.total.unsched.gvn	3	PINT	R		\$(T)TR[tr]ADT 3
admin.total.unsched.ngvn	3	PINT	R		\$(T)TR[tr]ADT 4
adr.comment	10	FREE	L	PHA.OVER	\$(T)TR[tr]M 22
adr.comment.name	30	FREE	L		VAL=@PHA.RX.adr.comment's.name
allergy.comment	10	FREE	L	PHA.OVER	\$(T)TR[tr]M 20
allergy.comment.name	30	FREE	L		VAL=@PHA.RX.allergy.comment's.name
alt.doses.in.sequence	2	PINT	R		\$(T)TR[tr]A 0
alt.rate.in.mls.per.hr	6	FREE	L		VAL=(@PHA.PARAM.volume.per.ml[@alt.rate.volume.uni VAL=t]*@alt.rate.volume:8D/(@PHA.PARAM.time.per.mi VAL=nute[@alt.rate.time.unit]:6D/60*@alt.rate.time VAL=)
alt.sequence.start	2	PINT	R		\$(T)TR[tr]A 1
alt.total.bottles	2	PINT	R		\$(T)TR[tr]A 2
aom.action.type	4	CHOICE	L		\$(T)TR[tr]4 16
appl	12	FREE	L	MIS.APPL.DB	\$(T)TR[tr]2 24
auto.verified	1	FREE	L		\$(T)TR[tr]3 27
base	10	FREE	L	PHA.DRUG	\$(T)TR[tr]C 0
base.charge	9	MONEY	R		\$(T)TR[tr]C 5
base.cost	9	MONEY	R		\$(T)TR[tr]C 4
base.disp.forms	9	PDEC	R		\$(T)TR[tr]C 2
base.dose	11	PDEC.C	R		\$(T)TR[tr]C 1
base.handling.fee	9	MONEY	R		\$(T)TR[tr]C 7
batch.date	8	DATE	L		\$(T)TR[tr]BC 0
batch.time	4	HHMM	L		\$(T)TR[tr]BC 1
billing.code	10	FREE	L		\$(T)TR[tr]B 1
billing.code.override	10	FREE	L		\$(T)TR[tr]B 9
bulk	1	YN	L		\$(T)TR[tr]M 15
calc.dose.volume.unit	10	FREE	L		VAL=IF{@calculated.dose.volume @PHA.DRUG.order.uni VAL=t[IF{@ds.order.by="FLUID" @first.carrier;@firs VAL=t.additive;@med}];""}

calced.num.dispense	8	DECZ	R	\$ (T) TR[tr]4 19
calculated.dose.volume	14	PDEC.C	R	\$ (T) TR[tr]CD 6
calculated.weight	7	PDEC2	R	\$ (T) TR[tr]CD 14
can.auto.credits	9	PINT	R	\$ (T) TR[tr]2 31
cancel.date	8	DATE	L	\$ (T) TR[tr]2 3
cancel.date.and.time	13	FREE	L	VAL=IF(@PHA.RX.cancel.date %Z.date.out(@PHA.RX.can VAL=cel.date) "-" _@PHA.RX.cancel.time)
cancel.seconds	10	PINT	R	VAL=%Z.date.clinical(@PHA.RX.cancel.date)*86400+%Z VAL=.time.in(@PHA.RX.cancel.time)
cancel.time	4	TIME	L	\$ (T) TR[tr]2 4
cancel.user	10	FREE	L	MIS.USER \$ (T) TR[tr]2 5
cart.amount	8	DEC	R	\$ (T) TR[tr]M 16
cart.doses	8	INT	R	\$ (T) TR[tr]M 17
cds	15	FREE	L	MIS.SCREEN \$ (T) TR[tr]2 18
charge	9	MONEY	R	\$ (T) TR[tr]B 2
charge.type	10	URN	L	PHA.CT \$ (T) TR[tr]B 0
charting.unit	10	FREE	L	PHA.FORMS \$ (T) TR[tr]M 26
chemo	1	YN	L	\$ (T) TR[tr]3 15
chemo.cycle	10	FREE	L	PHA.SO \$ (T) TR[tr]3 16
chemo.cycle.number	2	PINT	R	\$ (T) TR[tr]3 17
chemo.cycle.start.date	8	DATE	L	\$ (T) TR[tr]3 20
chemo.verified	1	FREE	L	\$ (T) TR[tr]3 18
chemo.verified.user	10	FREE	L	MIS.USER \$ (T) TR[tr]3 19
clinical.indication	10	URN	L	PHA.CLI \$ (T) TR[tr]M 11
clinical.indication.name	30	FREE	L	VAL=@PHA.RX.clinical.indication's.name
compound.units	10	FREE	L	PHA.UNITS \$ (T) TR[tr]C 6
controlled	1	FREE	L	\$ (T) TR[tr]M 4
copied.from.aom.urn	10	PINT	R	RXM.RX \$ (T) TR[tr]4 13
copied.from.urn	10	URN	L	PHA.RX \$ (T) TR[tr]3 11
cost	9	MONEY	R	\$ (T) TR[tr]B 3
cumulative.dose.comments	2	PINT	R	\$ (T) TR[tr]CUMDSW 2
cumulative.dose.errors	2	PINT	R	\$ (T) TR[tr]CUMDSW 3
cumulative.dose.warn.ovr	10	FREE	L	PHA.OVER \$ (T) TR[tr]CUMDSW 0
cumulative.dose.warnings	2	PINT	R	\$ (T) TR[tr]CUMDSW 1
current.drip.rate	27	FREE	L	\$ (T) TR[tr]PED 1
cvx.code	3	PINT	R	MIS.CVX \$ (T) TR[tr]4 17
da.auto.credits	9	PINT	R	\$ (T) TR[tr]5 1
daily.volume	6	FREE	L	VAL=(@PHA.PARAM.volume.per.ml[@rate.volume.unit]*@ VAL=rate.volume:8D/(@PHA.PARAM.time.per.minute[@ra VAL=te.time.unit]*@rate.time:6D/60)*24)
daw.code	1	CHOICE	L	\$ (T) TR[tr]3 13
dc.auto	1	CHOICE	L	\$ (T) TR[tr]3 12
dc.auto.credits	9	PINT	R	\$ (T) TR[tr]2 7
dc.date	8	DATE	L	\$ (T) TR[tr] 5
dc.date.and.time	13	FREE	L	VAL=%Z.date.out(@dc.date) "-" _@dc.time'"'"
dc.date.time	13	FREE	L	VAL=@dc.date._ _@dc.time
dc.msg	12	CHOICE	L	\$ (T) TR[tr]2 21
dc.seconds	10	PINT	R	VAL=%Z.date.clinical(@dc.date)*86400+%Z.time.in(@d VAL=c.time)
dc.time	4	HHMM	L	\$ (T) TR[tr] 6
dc.total.dose.prn.date	8	DATE	L	\$ (T) TR[tr]4 27
dc.total.dose.prn.time	4	TIME	L	\$ (T) TR[tr]4 28
dc.user	10	FREE	L	MIS.USER \$ (T) TR[tr]2 20
ddc.comment	10	FREE	L	PHA.OVER \$ (T) TR[tr]M 23
ddc.comment.name	30	FREE	L	VAL=@PHA.RX.ddc.comment's.name
deactivate.credit.stop	13	FREE	L	\$ (T) TR[tr]2 25
deactivate.date	8	DATE	L	\$ (T) TR[tr]2 12
deactivate.date.and.time	13	FREE	L	VAL=IF(@PHA.RX.deactivate.date %Z.date.out(@PHA.RX VAL=.deactivate.date) "-" _@PHA.RX.deactivate.time)
deactivate.date.time	13	FREE	L	VAL=@PHA.RX.deactivate.date._ _@PHA.RX.deactivate.t VAL=ime
deactivate.seconds	10	PINT	R	VAL=%Z.date.clinical(@PHA.RX.deactivate.date)*8640 VAL=0+%Z.time.in(@PHA.RX.deactivate.time)
deactivate.time	4	HHMM	L	\$ (T) TR[tr]2 13
deactivate.user	10	FREE	L	MIS.USER \$ (T) TR[tr]2 14
device	30	FREE	L	UNV.CLIENT \$ (T) TR[tr] 24
dis.cont.comment	10	FREE	L	PHA.OVER \$ (T) TR[tr]M 23
dis.cont.comment.name	30	FREE	L	VAL=@PHA.RX.dis.cont.comment's.name
disp.form.id	30	FREE	L	VAL=@PHA.FORMS.name[@PHA.DRUG.dispense.form[@med]]
disp.forms	9	PDEC5	R	\$ (T) TR[tr]M 8
disp.forms.per.dose	9	PDEC5	R	\$ (T) TR[tr]M 2
disp.per.dose	50	FREE	L	VAL=IF(IF(@dose>0 @disp.forms.per.dose)^XX (XX,@di VAL=sp.form.id_IF{1'=XX "S"},"PER DOSE") }
dispense.by	3	CHOICE	L	\$ (T) TR[tr]I 16
dose	10	DEC.C	R	\$ (T) TR[tr]M 1
dose.and.unit	21	FREE	L	VAL=IF(@order.type's.type'"'"MED" '"';@dose>0 %Z.com VAL=ma.out("D",@dose) "-" _@PHA.DRUG.order.unit[@me VAL=d];@dose.description;"None") }
dose.description	20	FREE	L	\$ (T) TR[tr]M 9
dose.rng.comment	10	FREE	L	PHA.OVER \$ (T) TR[tr]M 27
dose.rng.comment.name	30	FREE	L	VAL=@PHA.RX.dose.rng.comment's.name
dose.type.dft	1	YN	L	\$ (T) TR[tr]3 29

dose.type.sel	15	FREE	L	PHA.DOSE.TYPE	\$(T)TR[tr]3 28
dose.warning.found	1	YN	L		\$(T)TR[tr]M["2"] 6
dosing.amount	11	PDEC4.C	R		\$(T)TR[tr]CD 4
dosing.factor.unit	2	CHOICE	L		\$(T)TR[tr]CD 5
dosing.ordered.height	6	DEC2	R		\$(T)TR[tr]DW 3
dosing.ordered.weight	7	PDEC3	R		\$(T)TR[tr]DW 4
dosing.unit	10	FREE	L		VAL=IF{@dosing.amount @PHA.DRUG.order.unit[IF{@ds. VAL=order.by="FLUID" @first.carrier;@first.additiv VAL=e;@med}};""}
dosing.weight	7	PDEC3	R		\$(T)TR[tr]DW 0
dosing.weight.source	20	CHOICE	L		\$(T)TR[tr]DW 2
dosing.weight.units	2	CHOICE	L		\$(T)TR[tr]DW 1
ds.calc.dose.percent	3	PINT	R		\$(T)TR[tr]CD 17
ds.height	6	DEC2	R		\$(T)TR[tr]CD 16
ds.order.by	10	CHOICE	L		\$(T)TR[tr]CD 0
ds.weight.description	20	FREE	L		\$(T)TR[tr]CD 8
duplicate.comment	10	FREE	L	PHA.OVER	\$(T)TR[tr]M 21
duplicate.comment.name	30	FREE	L		VAL=@PHA.RX.duplicate.comment's.name
duplicate.therapy.cmt	10	FREE	L	PHA.OVER	\$(T)TR[tr]M 21
duplicate.therapy.cmt.nm	30	FREE	L		VAL=@PHA.RX.duplicate.therapy.cmt's.name
duration	22	FREE	L		\$(T)TR[tr]I 4
duration.days	4	INT	R		\$(T)TR[tr]2 10
duration.hours	4	INT	R		\$(T)TR[tr]2 11
duration.hr	5	INT	R		\$(T)TR[tr]I 9
duration.hr.display	5	INT	R		VAL=IF{@order.type.short="A" @alt.duration.hr;@dur VAL=ation.hr}
duration.hr.unit	10	FREE	L		\$(T)TR[tr]I 10
duration.min	5	INT	R		\$(T)TR[tr]I 11
duration.min.display	5	INT	R		VAL=IF{@order.type.short="A" @alt.duration.min;@du VAL=ration.min}
duration.min.unit	10	FREE	L		\$(T)TR[tr]I 12
duration.sec	5	INT	R		\$(T)TR[tr]I 13
duration.sec.unit	10	FREE	L		\$(T)TR[tr]I 14
ee.imm.admin.by	10	FREE	L	MIS.USER	\$(T)TR[tr]IM 0
ee.imm.assoc.event	1	YN	L		\$(T)TR[tr]IM 23
ee.imm.date.read	8	DATE	L		\$(T)TR[tr]IM 24
ee.imm.deliv.mgmt.site	10	FREE	L	MIS.SITE	\$(T)TR[tr]IM 20
ee.imm.given	1	YN	L		\$(T)TR[tr]IM 7
ee.imm.given.date	8	DATE	L		\$(T)TR[tr]IM 8
ee.imm.given.time	4	HHMM	L		\$(T)TR[tr]IM 9
ee.imm.incl.in.history	1	YN	L		\$(T)TR[tr]IM 14
ee.imm.informed.consent	1	CHOICE	L		\$(T)TR[tr]IM 6
ee.imm.manufacturer	10	FREE	L	MIS.MFR	\$(T)TR[tr]IM 5
ee.imm.reaction	3	INT	R		\$(T)TR[tr]IM 27
ee.imm.reaction.comment	15	CHOICE	L		\$(T)TR[tr]IM 35
ee.imm.read.by	10	FREE	L	MIS.USER	\$(T)TR[tr]IM 26
ee.imm.reason	10	FREE	L	MIS.IMM.REASON	\$(T)TR[tr]IM 3
ee.imm.reason.not.given	10	FREE	L	MIS.IMM.REASON	\$(T)TR[tr]IM 10
ee.imm.regional.reason	10	FREE	L	MIS.IMM.REASON	\$(T)TR[tr]IM 4
ee.imm.service.location	30	FREE	L		\$(T)TR[tr]IM 21
ee.imm.time.read	4	HHMM	L		\$(T)TR[tr]IM 25
ee.imm.variance.reason	10	FREE	L	MIS.IMM.REASON	\$(T)TR[tr]IM 28
ee.old.imm.exp.date	8	DATE	L		\$(T)TR[tr]IM 29
ee.old.imm.inj.site	10	FREE	L	MIS.ADMIN.SITE	\$(T)TR[tr]IM 18
ee.old.imm.lot.number	20	FREE	L		\$(T)TR[tr]IM 15
emar.order.admin	1	YN	L		\$(T)TR[tr]4 26
emar.override.chg.dispens	1	YN	L		\$(T)TR[tr]4 5
emar.override.display	9	CHOICE	L		\$(T)TR[tr]4 4
enter.date	8	DATE	L		\$(T)TR[tr] 2
enter.date.and.time	13	FREE	L		VAL=%Z.date.out(@enter.date)_"-"_@enter.time
enter.time	4	HHMM	L		\$(T)TR[tr] 3
enter.user	10	FREE	L	MIS.USER	\$(T)TR[tr] 4
expiration.date	8	DATE	L		\$(T)TR[tr]2 9
factor	5	PDEC2	R		\$(T)TR[tr]CD 2
fat.rx	10	URN	L	PHA.RX	\$(T)TR[tr]PED 6
first.dose.date	8	DATE	L		\$(T)TR[tr] 29
first.dose.time	4	HHMM	L		\$(T)TR[tr] 30
fix.dc.stock.med	1	YN	L		\$(T)TR[tr]4 23
fixed.total.volume	11	PDEC.C	R		\$(T)TR[tr]I 19
flush.rx	10	URN	L	PHA.RX	\$(T)TR[tr]PED 7
focus.pom.edit	2	FREE	L		\$(T)TR[tr]4 12
food.int.comment	10	FREE	L	PHA.OVER	\$(T)TR[tr]M 24
food.int.comment.name	30	FREE	L		VAL=@PHA.RX.food.int.comment's.name
from.or.sch	1	YN	L		\$(T)TR[tr]3 14
haf.type	5	CHOICE	L		\$(T)TR[tr]PED 15
handling.fee	9	MONEY	R		\$(T)TR[tr]B 5
id	30	URN	L	PHA.RX	VAL=@PHA.RX.number
imm.additional.fee	10	MONEY	R		\$(T)TR[tr]IM 30
imm.amount	10	MONEY	R		\$(T)TR[tr]IM 17
imm.conflict.comment	10	FREE	L	PHA.OVER	\$(T)TR[tr]M["2"] 2
imm.conflict.comment.name	30	FREE	L		VAL=@PHA.RX.imm.conflict.comment's.name

imm.date.read.so	4	FREE	L		\$ (T) TR[tr]IM 33
imm.drug	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]IM 2
imm.eligibility.date	8	DATE	L		\$ (T) TR[tr]IM["2"] 2
imm.eligibility.status	15	FREE	L		\$ (T) TR[tr]IM["2"] 1
imm.given.date.so	4	FREE	L		\$ (T) TR[tr]IM 31
imm.given.time.so	4	HHMM	L		\$ (T) TR[tr]IM 32
imm.manufacturer	10	FREE	L	MIS.MFR	\$ (T) TR[tr]IM 5
imm.manufacturer.free	30	FREE	L		\$ (T) TR[tr]IM["2"] 0
imm.new.dose.count	5	PINT	R		\$ (T) TR[tr]IM 13
imm.old.dose.count	5	PINT	R		\$ (T) TR[tr]IM 12
imm.order.unit	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]IM 22
imm.paid	1	YN	L		\$ (T) TR[tr]IM 16
imm.sch.conf.comment	10	FREE	L	PHA.OVER	\$ (T) TR[tr]M["2"] 3
imm.sch.conf.comment.name	30	FREE	L		VAL=@PHA.RX.imm.sch.conf.comment's.name
imm.time.read.so	4	HHMM	L		\$ (T) TR[tr]IM 34
imm.vaccine	15	FREE	L	MIS.VACCINE	\$ (T) TR[tr]IM 1
imm.vis.given.date	8	DATE	L		\$ (T) TR[tr]IM["2"] 3
imm.vis.pub.date	8	DATE	L		\$ (T) TR[tr]IM["2"] 4
immunization	1	YN	L		\$ (T) TR[tr]3 31
incremental	1	YN	L		\$ (T) TR[tr]4 25
infce	5	CHOICE	L		\$ (T) TR[tr]3 1
infuse.over	3	INT	R		\$ (T) TR[tr]CD 9
infuse.over.unit	3	CHOICE	L		\$ (T) TR[tr]CD 10
initial.doses	8	INT	R		\$ (T) TR[tr]M 13
inp.days.supply	2	PINT	R		\$ (T) TR[tr]B 10
interaction.comment	10	FREE	L	PHA.OVER	\$ (T) TR[tr]M 12
interaction.comment.name	30	FREE	L		VAL=@PHA.RX.interaction.comment's.name
interactions.checked	1	FREE	L		\$ (T) TR[tr]M 5
interactions.found	3	PINT	R		\$ (T) TR[tr]M 3
inventory	10	FREE	L	MM.INVENT	\$ (T) TR[tr]2 19
inventory.edited	1	YN	L		\$ (T) TR[tr]2 32
inventory.substitute	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]2 26
label.comment.last.edited	10	PINT	R		\$ (T) TR[tr]CM 0
last.bottle	3	INT	R		\$ (T) TR[tr]I 15
last.clinical.edit	10	PINT	R		\$ (T) TR[tr]3 30
last.edit.date	8	DATE	L		\$ (T) TR[tr]2 0
last.edit.date.and.time	13	FREE	L		VAL=%Z.date.out(@last.edit.date)_"-"_@last.edit.ti VAL=me'"-"
last.edit.doctor	10	FREE	L	MIS.DOC	\$ (T) TR[tr]4 8
last.edit.time	4	HHMM	L		\$ (T) TR[tr]2 1
last.edit.user	10	FREE	L	MIS.USER	\$ (T) TR[tr]2 2
lot	20	FREE	L		\$ (T) TR[tr]2 8
maintenance	1	YN	L		\$ (T) TR[tr]CD 1
maintenance.rate	27	FREE	L		\$ (T) TR[tr]CD 3
med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]M 0
med.nf	60	FREE	L		\$ (T) TR[tr]M["2"] 0
med.nf.units	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]M["2"] 1
med.units	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]M 19
meds	90	FREE	L		VAL=%PHA.RX.drugs(urn,1,90)
module.source	11	FREE	L		\$ (T) TR[tr]3 26
mri.urn	25	URN	L	MRI.PAT	VAL=@PHA.PAT.mri.urn[@PHA.RX.patient]
new.rx	11	FREE	L		
no.undocumented.times	1	FREE	L		\$ (T) TR[tr] 28
non.formulary	1	FREE	L		\$ (T) TR[tr]3 8
number	11	FREE	L		\$ (T) TR[tr] 0
number.stripped	9	FREE	L		VAL=%PHA.RX.num.strip(@number)
number.to.dispense	8	DEC	R		\$ (T) TR[tr]M 7
oe.urn	10	FREE	L		\$ (T) TR[tr]2 23
oe.urn.original	10	FREE	L		\$ (T) TR[tr]4 7
onc.rx.actual.or.ibw	1	CHOICE	L		\$ (T) TR[tr]ONC["2"] 6
onc.rx.adj.body.wt.criter	1	YN	L		\$ (T) TR[tr]ONC["3"] 8
onc.rx.albumin.date	8	DATE	L		\$ (T) TR[tr]ONC["3"] 3
onc.rx.albumin.label	12	FREE	L		\$ (T) TR[tr]ONC["3"] 6
onc.rx.albumin.result	7	FREE	L		\$ (T) TR[tr]ONC["3"] 2
onc.rx.albumin.time	4	HHMM	L		\$ (T) TR[tr]ONC["3"] 4
onc.rx.albumin.units	12	FREE	L		\$ (T) TR[tr]ONC["3"] 5
onc.rx.auc	2	PINT	R		\$ (T) TR[tr]ONC 20
onc.rx.bsa	6	PDEC2	R		\$ (T) TR[tr]ONC 1
onc.rx.bsa.formula	30	FREE	L		\$ (T) TR[tr]ONC 0
onc.rx.carboplatin.ds	8	DECZ	R		\$ (T) TR[tr]ONC 17
onc.rx.creat.clear.form	17	FREE	L		\$ (T) TR[tr]ONC["2"] 0
onc.rx.creat.clear.label	12	FREE	L		\$ (T) TR[tr]ONC["3"] 0
onc.rx.creat.clear.units	12	FREE	L		\$ (T) TR[tr]ONC["3"] 1
onc.rx.creatinine.clear	19	FREE	L		\$ (T) TR[tr]ONC 18
onc.rx.creatinine.cleardt	8	DATE	L		\$ (T) TR[tr]ONC 19
onc.rx.creatinine.cleartm	4	HHMM	L		\$ (T) TR[tr]ONC["2"] 4
onc.rx.cycle	3	PINT	R		\$ (T) TR[tr]ONC 9
onc.rx.diagnosis	50	FREE	L		\$ (T) TR[tr]ONC 8
onc.rx.dose.adjust.criter	1	YN	L		\$ (T) TR[tr]ONC["2"] 8
onc.rx.dose.adjust.reason	60	FREE	L		\$ (T) TR[tr]ONC["2"] 7
onc.rx.dose.ordered	20	FREE	L		\$ (T) TR[tr]ONC["2"] 2

onc.rx.dose.ordered.unrnd	20	FREE	L	\$ (T) TR[tr]ONC["2"] 3
onc.rx.dosing.weight	7	DEC3Z	R	\$ (T) TR[tr]ONC["3"] 7
onc.rx.height.in.cm	6	DEC2Z	R	\$ (T) TR[tr]ONC 4
onc.rx.height.in.ft	1	INTZ	R	\$ (T) TR[tr]ONC 10
onc.rx.height.in.in	5	DEC2Z	R	\$ (T) TR[tr]ONC 11
onc.rx.ibw	7	DEC3Z	R	\$ (T) TR[tr]ONC 15
onc.rx.ibw.formula	9	FREE	L	\$ (T) TR[tr]ONC 16
onc.rx.ideal.bsa	6	PDEC2	R	\$ (T) TR[tr]ONC["2"] 9
onc.rx.ideal.bsa.formula	30	FREE	L	\$ (T) TR[tr]ONC["2"] 10
onc.rx.ord.number	3	PINT	R	\$ (T) TR[tr]ONC 5
onc.rx.order.dose	20	FREE	L	\$ (T) TR[tr]ONC["2"] 11
onc.rx.order.physician	10	FREE	L	\$ (T) TR[tr]ONC 12
onc.rx.percentage.dose	3	PINT	R	\$ (T) TR[tr]ONC["2"] 5
onc.rx.plan.urn	2	PINT	R	\$ (T) TR[tr]ONC 6
onc.rx.pt.adj.body.weight	7	DEC3Z	R	\$ (T) TR[tr]ONC["3"] 9
onc.rx.rate.dur.label	14	FREE	L	\$ (T) TR[tr]ONC["3"] 10
onc.rx.rate.dur.value	33	FREE	L	\$ (T) TR[tr]ONC["3"] 11
onc.rx.rate.dur.vol.label	14	FREE	L	\$ (T) TR[tr]ONC["3"] 10
onc.rx.rate.dur.vol.value	33	FREE	L	\$ (T) TR[tr]ONC["3"] 11
onc.rx.rounding.factor	5	PDEC2	R	\$ (T) TR[tr]ONC 2
onc.rx.route	10	FREE	L	\$ (T) TR[tr]ONC["3"] 12
onc.rx.serum.creat.date	8	DATE	L	\$ (T) TR[tr]ONC["2"] 15
onc.rx.serum.creat.label	12	FREE	L	\$ (T) TR[tr]ONC["2"] 13
onc.rx.serum.creat.time	4	HHMM	L	\$ (T) TR[tr]ONC["2"] 16
onc.rx.serum.creat.units	12	FREE	L	\$ (T) TR[tr]ONC["2"] 14
onc.rx.serum.creatinine	7	FREE	L	\$ (T) TR[tr]ONC["2"] 12
onc.rx.weight.in.kg	7	DEC3Z	R	\$ (T) TR[tr]ONC 3
onc.rx.weight.in.lb	4	INTZ	R	\$ (T) TR[tr]ONC 13
onc.rx.weight.in.oz	5	DEC2Z	R	\$ (T) TR[tr]ONC 14
onc.rx.wt.bsa	6	PDEC2	R	\$ (T) TR[tr]ONC["2"] 11
onc.rx.wt.bsa.formula	18	FREE	L	\$ (T) TR[tr]ONC 7
order.admin.orm.phase	16	FREE	L	\$ (T) TR[tr]5 0
order.rate	27	FREE	L	\$ (T) TR[tr]I 17
order.rate.display	27	FREE	L	VAL=%PHA.RX.rate.display (IF{@order.type.short="A" VAL=@alt.order.rate;@order.rate})
order.site	10	FREE	L	\$ (T) TR[tr]2 17
order.source	10	FREE	L	\$ (T) TR[tr]3 21
order.string	70	FREE	L	\$ (T) TR[tr]3 24
order.type	10	FREE	L	\$ (T) TR[tr] 7
order.type.name	30	FREE	L	VAL=@PHA.OT.name[@order.type]
order.type.short	1	FREE	L	VAL=@PHA.OT.type.short[@order.type]
order.type.text	35	FREE	L	VAL=%PHA.RX.rx.type.text (PHA.RX.urn)
orig.emar.override.disp	9	CHOICE	L	\$ (T) TR[tr]4 20
original.wt.in.kg	7	DEC3	R	\$ (T) TR[tr]NUR 3
out.date.written	8	DATE	L	\$ (T) TR[tr]0 5
out.date.written.so	4	FREE	L	\$ (T) TR[tr]0 6
out.dea.number	10	FREE	L	\$ (T) TR[tr]0 2
out.lot.exp	30	FREE	L	\$ (T) TR[tr]0 3
out.max.refills	2	INT	R	\$ (T) TR[tr]0 0
out.number.per.refill	8	DEC	R	\$ (T) TR[tr]0 1
out.quantity.left	10	INT	R	VAL=@out.total.ordered+@total.out.man.dispensed-@t VAL=otal.dispensed
out.total.ordered	10	INT	R	\$ (T) TR[tr]0 4
override.dc.order	1	YN	L	\$ (T) TR[tr]4 3
page.detail	70	FREE	L	\$ (T) TR[tr]P 2
page.dhr	70	FREE	L	\$ (T) TR[tr]P 0
page.trailer	70	FREE	L	\$ (T) TR[tr]P 1
patient	30	FREE	L	\$ (T) TR[tr] 11
patient.name	30	FREE	L	VAL=@PHA.RX.patient's.name
patient.number	12	FREE	L	VAL=@PHA.RX.patient's.acct.number
patient.type	3	CHOICE	L	\$ (T) TR[tr] 12
pcs.incomplete	1	YN	L	\$ (T) TR[tr]3 6
pcs.iv.spreadsheet	1	YN	L	\$ (T) TR[tr]4 1
pcs.last.update.rx	10	PINT	R	\$ (T) TR[tr]4 9
pending	1	YN	L	\$ (T) TR[tr] 25
pending.source	3	CHOICE	L	\$ (T) TR[tr]4 2
per.protocol	1	YN	L	\$ (T) TR[tr]CD 7
physician	10	FREE	L	\$ (T) TR[tr] 18
physician.dea.number	10	FREE	L	\$ (T) TR[tr]3 0
pom.bolus	1	YN	L	\$ (T) TR[tr]2 30
pom.bsa.method	1	CHOICE	L	\$ (T) TR[tr]3 23
pom.chg.date.time	13	FREE	L	\$ (T) TR[tr]PCHG 14
pom.chg.edit.total.doses	3	PINT	R	\$ (T) TR[tr]PCHG2 4
pom.chg.last.admin.date	8	DATE	L	\$ (T) TR[tr]PCHG 0
pom.chg.last.admin.given	1	YN	L	\$ (T) TR[tr]PCHG 16
pom.chg.last.admin.time	4	HHMM	L	\$ (T) TR[tr]PCHG 1
pom.chg.new.ord.reason	7	FREE	L	\$ (T) TR[tr]PCHG2 5
pom.chg.new.sch	3	FREE	L	\$ (T) TR[tr]PCHG 6
pom.chg.new.sig	20	FREE	L	\$ (T) TR[tr]PCHG 5
pom.chg.new.start.date	8	DATE	L	\$ (T) TR[tr]PCHG 8
pom.chg.new.start.time	4	HHMM	L	\$ (T) TR[tr]PCHG 9

pom.chg.new.stop.date	8	DATE	L	\$ (T) TR[tr]PCHG 17
pom.chg.new.stop.time	4	TIME	L	\$ (T) TR[tr]PCHG 18
pom.chg.new.total.doses	3	PINT	R	\$ (T) TR[tr]PCHG2 3
pom.chg.old.sch	3	FREE	L	\$ (T) TR[tr]PCHG 7
pom.chg.old.sig	20	FREE	L	\$ (T) TR[tr]PCHG 4
pom.chg.old.stop.date	8	DATE	L	\$ (T) TR[tr]PCHG 10
pom.chg.old.stop.time	4	HHMM	L	\$ (T) TR[tr]PCHG 11
pom.chg.old.total.doses	3	PINT	R	\$ (T) TR[tr]PCHG2 2
pom.chg.order.doctor	10	FREE	L	MIS.DOC \$ (T) TR[tr]PCHG 12
pom.chg.pcs.reviewed	1	YN	L	\$ (T) TR[tr]PCHG 15
pom.chg.sch.dose.date	8	DATE	L	\$ (T) TR[tr]PCHG 2
pom.chg.sch.dose.time	4	HHMM	L	\$ (T) TR[tr]PCHG 3
pom.chg.trans.action	10	FREE	L	\$ (T) TR[tr]PCHG2 0
pom.chg.trans.screen.disp	1	YN	L	\$ (T) TR[tr]PCHG2 1
pom.chg.user	10	FREE	L	MIS.USER \$ (T) TR[tr]PCHG 13
pom.days	4	FREE	L	\$ (T) TR[tr]2 27
pom.hours	2	FREE	L	\$ (T) TR[tr]2 28
pom.tot.volume	6	FREE	L	\$ (T) TR[tr]2 29
prn.level	8	DEC	R	\$ (T) TR[tr]M 10
prn.no.initial.dispense	8	DEC	R	\$ (T) TR[tr]3 7
prn.reason	10	FREE	L	PHA.PR \$ (T) TR[tr]3 10
prn.reason.free	30	FREE	L	\$ (T) TR[tr]4 0
qs.drug	10	FREE	L	PHA.DRUG \$ (T) TR[tr]PED 12
qs.drug.disp.forms	9	PDEC	R	\$ (T) TR[tr]PED 14
qs.volume	11	PDEC.C	R	\$ (T) TR[tr]PED 13
range.dose.high	11	DECZ.C	R	\$ (T) TR[tr]RDO 1
range.dose.low	11	DECZ.C	R	\$ (T) TR[tr]RDO 0
rate	27	FREE	L	\$ (T) TR[tr]I 3
rate.display	20	FREE	L	VAL=%PHA.RX.rate.display (IF{@order.type.short="A" VAL=@alt.rate;@rate})
rate.display.long	30	FREE	L	VAL=%PHA.RX.display.rate(urn,bottle.type)
rate.in.mls.per.hr	6	FREE	L	VAL=(@PHA.PARAM.volume.per.ml[@rate.volume.unit]*@ VAL=rate.volume:8D/(@PHA.PARAM.time.per.minute[@ra VAL=te.time.unit]:6D/60*@rate.time))
rate.time	6	PINT.C	R	\$ (T) TR[tr]I 7
rate.time.unit	10	FREE	L	\$ (T) TR[tr]I 8
rate.volume	6	PINT.C	R	\$ (T) TR[tr]I 5
rate.volume.unit	10	FREE	L	\$ (T) TR[tr]I 6
reactivate.date	8	DATE	L	\$ (T) TR[tr]2 15
reactivate.date.and.time	13	FREE	L	VAL=IF{@PHA.RX.reactivate.date %Z.date.out(@PHA.RX VAL=.reactivate.date)_"-"_@PHA.RX.reactivate.time} VAL=@PHA.RX.reactivate.date_._@PHA.RX.reactivate.t VAL=time
reactivate.date.time	13	FREE	L	
reactivate.seconds	10	PINT	R	VAL=%Z.date.clinical(@PHA.RX.reactivate.date)*8640 VAL=0+%Z.time.in(@PHA.RX.reactivate.time)
reactivate.time	4	HHMM	L	\$ (T) TR[tr]2 16
refill.frequency	4	PINT	R	\$ (T) TR[tr] 13
refill.rule.date.time	13	FREE	L	\$ (T) TR[tr]3 9
refill.thru.date.time	13	FREE	L	\$ (T) TR[tr]3 2
renew.before	2	DEC	R	\$ (T) TR[tr]RD 0
renew.dc.hours	2	DEC	R	\$ (T) TR[tr]RD 2
renew.last.date	8	DATE	L	\$ (T) TR[tr]RD 5
renew.last.time	4	HHMM	L	\$ (T) TR[tr]RD 6
renew.last.user	10	FREE	L	MIS.USER \$ (T) TR[tr]RD 7
renew.order.edit.prov	10	FREE	L	MIS.DOC \$ (T) TR[tr]RD 9
renew.order.source	10	FREE	L	MIS.SOURCE \$ (T) TR[tr]RD 8
renew.period	2	DEC	R	\$ (T) TR[tr]RD 1
renew.stop.date	8	DATE	L	\$ (T) TR[tr]RD 3
renew.stop.time	4	HHMM	L	\$ (T) TR[tr]RD 4
round.to	6	DEC4	R	\$ (T) TR[tr]CD 15
route	10	FREE	L	PHA.ROUTES \$ (T) TR[tr] 11
rx.id	90	FREE	L	\$ (T) TR[tr]ID 0
rx.id.chg	1	YN	L	\$ (T) TR[tr]ID 1
schedule	3	CHOICE	L	\$ (T) TR[tr] 10
scratch.order	10	FREE	L	\$ (T) TR[tr]PED 3
scratch.type	4	CHOICE	L	\$ (T) TR[tr]PED 11
set.rx	10	URN	L	PHA.RX \$ (T) TR[tr]PED 8
sig	20	FREE	L	MIS.DIR \$ (T) TR[tr] 9
sig.and.sch	24	FREE	L	VAL=@sig_" "/"_@schedule'="/SCH"'="/")
site	15	FREE	L	\$ (T) TR[tr]I 2
skipped.dose.date	8	DATE	L	\$ (T) TR[tr] 31
skipped.dose.time	4	HHMM	L	\$ (T) TR[tr] 32
so	10	FREE	L	PHA.SO \$ (T) TR[tr]3 3
soft.stop	1	INT	R	\$ (T) TR[tr] 19
special.price	9	MONEY	R	\$ (T) TR[tr]B 4
start.date	8	DATE	L	\$ (T) TR[tr] 14
start.date.and.time	13	FREE	L	VAL=%Z.date.out(@start.date)_"-"_@start.time
start.date.and.time.short	10	FREE	L	VAL=%Z.date.out(@start.date,"",5)_"-"_@start.time
start.date.so	4	FREE	L	\$ (T) TR[tr] 21
start.date.time	13	FREE	L	VAL=@start.date_._@start.time
start.time	4	HHMM	L	\$ (T) TR[tr] 15
start.time.so	4	HHMM	L	\$ (T) TR[tr] 26

status	4	CHOICE	L	\$ (T) TR[tr] 8
status.flag	6	FREE	L	VAL=%PHA.RX.status.flag (PHA.RX.urn)
status.text	13	FREE	L	VAL=%PHA.RX.status.text (PHA.RX.urn)
stock.location	1	FREE	L	VAL=""
stock.order	1	YN	L	\$ (T) TR[tr] 4 6
stop.date	8	DATE	L	\$ (T) TR[tr] 16
stop.date.and.time	13	FREE	L	VAL=%PHA.RX.stop.date.time (urn)
stop.date.and.time.short	10	FREE	L	VAL=%PHA.RX.stop.date.time (urn,1)
stop.date.orig	8	DATE	L	\$ (T) TR[tr] 23
stop.date.so	4	FREE	L	\$ (T) TR[tr] 22
stop.date.time	13	FREE	L	VAL=@stop.date_._@stop.time'=.
stop.seconds	10	PINT	R	VAL=%Z.date.clinical (@stop.date)*86400+%Z.time.in (
				VAL=@stop.time)>0
stop.time	4	HHMM	L	\$ (T) TR[tr] 17
stop.time.so	4	HHMM	L	\$ (T) TR[tr] 27
system.link.from.urn	10	URN	L	PHA.RX
system.link.to.urn	10	URN	L	PHA.RX
tape.date	8	DATE	L	VAL=%Z.date.in.magic (@PHA.RX.tape.entered)
tape.entered	10	PINT	R	\$ (T) TR[tr] 2 22
tape.time	4	HHMM	L	VAL=%Z.time.out (@PHA.RX.tape.entered)
tech.rx.number	10	FREE	L	\$ (T) TR[tr] 2 6
titrate	1	YN	L	\$ (T) TR[tr] 4 11
titration.dose.units	20	FREE	L	\$ (T) TR[tr] 4 10
total.amount	11	PDEC.C	R	\$ (T) TR[tr] C 3
total.charges	10	MONEY	R	\$ (T) TR[tr] T 2
total.costs	10	MONEY	R	\$ (T) TR[tr] T 3
total.dispensed	9	DEC	R	\$ (T) TR[tr] T 0
total.dose	11	PDEC.C	R	\$ (T) TR[tr] M 18
total.dose.prn.dc	1	YN	L	\$ (T) TR[tr] 4 24
total.doses	3	PINT	R	\$ (T) TR[tr] 20
total.doses.administered	3	PINT	R	\$ (T) TR[tr] ADT 0
total.doses.dispensed	9	DEC	R	\$ (T) TR[tr] T 1
total.ins.paid	10	MONEY	R	\$ (T) TR[tr] T 6
total.out.man.dispensed	9	DEC	R	\$ (T) TR[tr] T 5
total.payments	10	MONEY	R	\$ (T) TR[tr] T 4
total.volume	11	DEC.C	R	\$ (T) TR[tr] I 1
total.volume.ord	9	PDEC.C	R	\$ (T) TR[tr] PED 0
tpn	10	FREE	L	PHA.TPN
tpn.order	1	FREE	L	\$ (T) TR[tr] PED 4
tpn.rx	10	URN	L	PHA.RX
tpn.site	10	CHOICE	L	\$ (T) TR[tr] PED 9
tpn.type	4	CHOICE	L	\$ (T) TR[tr] PED 10
tr.out	1	FREE	L	\$ (T) TR[tr] TRO 0
tr.out.date	8	DATE	L	\$ (T) TR[tr] TRO 1
tr.out.entered.date	8	DATE	L	\$ (T) TR[tr] TRO 12
tr.out.entered.time	4	HHMM	L	\$ (T) TR[tr] TRO 13
tr.out.entered.user	10	FREE	L	MIS.USER
tr.out.pharmacist	30	FREE	L	\$ (T) TR[tr] TRO 3
tr.out.pharmacy.address1	30	FREE	L	\$ (T) TR[tr] TRO 6
tr.out.pharmacy.address2	30	FREE	L	\$ (T) TR[tr] TRO 7
tr.out.pharmacy.city	20	FREE	L	\$ (T) TR[tr] TRO 8
tr.out.pharmacy.dea	9	FREE	L	\$ (T) TR[tr] TRO 5
tr.out.pharmacy.name	30	FREE	L	\$ (T) TR[tr] TRO 4
tr.out.pharmacy.phone	20	PHONE	L	\$ (T) TR[tr] TRO 11
tr.out.pharmacy.province	2	FREE	L	\$ (T) TR[tr] TRO 9
tr.out.pharmacy.state	2	FREE	L	\$ (T) TR[tr] TRO 9
tr.out.pharmacy.zip.code	10	ZIP.POST	L	\$ (T) TR[tr] TRO 10
tr.out.user	10	FREE	L	MIS.USER
tracked	1	YN	L	\$ (T) TR[tr] M 25
unit.awp	9	DEC	R	\$ (T) TR[tr] B 8
unit.cost	9	DEC	R	\$ (T) TR[tr] B 6
unit.price	9	DEC	R	\$ (T) TR[tr] B 7
variance.limit	4	PINT	R	\$ (T) TR[tr] 3 5
volume	10	PDEC4.C	R	\$ (T) TR[tr] M 14
volume.to.infuse	14	PDEC.C	R	\$ (T) TR[tr] I 18
wbd.a.calc.dose	14	PDEC	R	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 6
wbd.a.calc.dose.u	10	FREE	L	VAL=@PHA.DRUG.order.unit[additive]
wbd.a.calc.weight	7	PDEC2	R	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 14
wbd.a.dosing.amount	11	PDEC4.C	R	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 4
wbd.a.dosing.fac.u	2	CHOICE	L	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 5
wbd.a.dosing.unit	10	FREE	L	VAL=@PHA.DRUG.order.unit[additive]
wbd.a.height	6	DEC2	R	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 16
wbd.a.order.by	10	CHOICE	L	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 0
wbd.a.percent	3	PINT	R	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 17
wbd.a.round.to	6	DEC4	R	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 15
wbd.a.weight	7	PDEC2	R	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 12
wbd.a.weight.desc	20	FREE	L	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 8
wbd.a.weight.type	20	CHOICE	L	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 11
wbd.a.weight.unit	2	CHOICE	L	\$ (T) TR[tr] WBD[trWBT, trWBDQ] CD 13
weight	7	PDEC2	R	\$ (T) TR[tr] CD 12
weight.type	20	CHOICE	L	\$ (T) TR[tr] CD 11

weight.unit	2	CHOICE	L	\$ (T) TR[tr]CD 13
wt.in.kg	7	DEC3	R	\$ (T) TR[tr]NUR 2
wt.in.lb	4	INT	R	\$ (T) TR[tr]NUR 0
wt.in.oz	5	DEC2	R	\$ (T) TR[tr]NUR 1



additives
[urn,additive.q]
\$(T)TR[tr]AD[trA]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
additive.q	2	PINT	R		trA
additive	10	FREE	L	PHA.DRUG	\$(T)TR[tr]AD[trA] 0
additive.charge	9	MONEY	R		\$(T)TR[tr]AD[trA] 5
additive.controlled	1	FREE	L		\$(T)TR[tr]AD[trA] 6
additive.cost	9	MONEY	R		\$(T)TR[tr]AD[trA] 4
additive.disp.forms	9	PDEC	R		\$(T)TR[tr]AD[trA] 3
additive.dose	11	DEC.C	R		\$(T)TR[tr]AD[trA] 1
additive.dose.ord	11	DEC.C	R		\$(T)TR[tr]AD[trA] 7
additive.factor	9	PDEC5	R		\$(T)TR[tr]AD[trA] 8
additive.handling.fee	9	MONEY	R		\$(T)TR[tr]AD[trA] 10
additive.nf	60	FREE	L		\$(T)TR[tr]AD[trA] 15
additive.nf.units	10	FREE	L	PHA.UNITS	\$(T)TR[tr]AD[trA] 16
additive.order.unit	25	FREE	L		\$(T)TR[tr]AD[trA] 9
additive.ordered.dose	24	FREE	L		\$(T)TR[tr]AD[trA] 11
additive.pom.bsa.method	1	CHOICE	L		\$(T)TR[tr]AD[trA] 17
additive.unit.awp	9	DEC	R		\$(T)TR[tr]AD[trA] 14
additive.unit.cost	9	DEC	R		\$(T)TR[tr]AD[trA] 12
additive.unit.price	9	DEC	R		\$(T)TR[tr]AD[trA] 13
additive.volume	11	PDEC.C	R		\$(T)TR[tr]AD[trA] 2
first.additive	10	FREE	L		VAL=@additive[1]



adjust.spec.times
[urn,adj.spec.date.time.old]
\$(T)TR[tr]AST[trAST]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
adj.spec.date.time.old	13	FREE	L		trAST
adj.spec.date.new	8	DATE	L		VAL=@adj.spec.date.time.new#0.
adj.spec.date.old	8	DATE	L		VAL=@adj.spec.date.time.old#0.
adj.spec.date.time.new	13	FREE	L		\$(T)TR[tr]AST[trAST] 0
adj.spec.enter.time	13	FREE	L		\$(T)TR[tr]AST[trAST] 2
adj.spec.from.first.dose	1	YN	L		\$(T)TR[tr]AST[trAST] 4
adj.spec.from.pcs	1	YN	L		\$(T)TR[tr]AST[trAST] 3
adj.spec.time.new	4	HHMM	L		VAL=@adj.spec.date.time.new#1.
adj.spec.time.old	4	HHMM	L		VAL=@adj.spec.date.time.old#1.
adj.spec.user	10	FREE	L		\$(T)TR[tr]AST[trAST] 1



adjust.times
[urn,adjust.times.q]
\$(T)TR[tr]ADJ[trADJ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
adjust.times.q	3	PINT	R		trADJ
adjust.times.adjust.q	3	PINT	R		\$(T)TR[tr]ADJ[trADJ] 5
adjust.times.enter.time	13	FREE	L		\$(T)TR[tr]ADJ[trADJ] 4
adjust.times.new.dt.tm	13	FREE	L		\$(T)TR[tr]ADJ[trADJ] 2
adjust.times.old.dt.tm	13	FREE	L		\$(T)TR[tr]ADJ[trADJ] 1
adjust.times.type	2	CHOICE	L		\$(T)TR[tr]ADJ[trADJ] 0
adjust.times.user	10	FREE	L		\$(T)TR[tr]ADJ[trADJ] 3



admin.times.blocked
[urn,admin.date.time.blocked]
\$(T)TR[tr]ATB[adtb]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
admin.date.time.blocked	13	FREE	L		adtb
admin.date.blocked	8	DATE	L		VAL=@admin.date.time.blocked#0.
admin.time.blocked	4	HHMM	L		VAL=@admin.date.time.blocked#1.



adrs
[urn,adr.q]

\$ (T) TR[tr]ADR[trADQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
adr.q	3	PINT	R		trADQ
adr	10	FREE	L		\$(T) TR[tr]ADR[trADQ] 1
adr.cross.sensitivity	1	YN	L		\$(T) TR[tr]ADR[trADQ] 4
adr.excipient	1	YN	L		\$(T) TR[tr]ADR[trADQ] 5
adr.fsv.code	15	FREE	L		\$(T) TR[tr]ADR[trADQ] 9
adr.fsv.icode	15	FREE	L		\$(T) TR[tr]ADR[trADQ] 10
adr.fsv.mono.code	10	FREE	L		\$(T) TR[tr]ADR[trADQ] 12
adr.fsv.warn.code	10	FREE	L		\$(T) TR[tr]ADR[trADQ] 11
adr.med	10	FREE	L	PHA.DRUG	\$(T) TR[tr]ADR[trADQ] 7
adr.mis	15	FREE	L	MIS.ALLERGY	\$(T) TR[tr]ADR[trADQ] 3
adr.name	45	FREE	L		VAL=IF{@adr^X,@adr.type^TYP="C" (X,"-",@PHA.CLASS. VAL=name[X]);TYP="G" @PHA.GENERIC.name[X];TYP="I" VAL=@PHA.ALLERGY.desc[X];TYP="DI" @MIS.ALL.DI.name VAL=[X];TYP="NM" @MIS.ALLERGY.name[X];@MIS.ALL.AG. VAL=name[X] } adr.name.mis35FREELVAL=@MIS.ALLERGY.name.display[@adr.mis] adr.ndc12FREEL\$(T) TR[tr]ADR[trADQ] 8 adr.ndc.unrev1YNL\$(T) TR[tr]ADR[trADQ] 6 adr.severity1CHOICEL\$(T) TR[tr]ADR[trADQ] 2 adr.severity.exp12FREELVAL=IF{@adr.severity^SV="M" "Mild";SV="I" "Interme VAL=diate";SV="S" "Severe"} adr.type2FREEL\$(T) TR[tr]ADR[trADQ] 0 num.adrs3FREELVAL=@Last (adr.q) ! 0 num.adrs.t3FREELVAL=-@t.adrs[urn,""] ! 0



adrs.subs

[urn,adr.q,adrs.sub.q]
\$(T) TR[tr]ADR[trADQ]SUB[trAsq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
adrs.sub.q	3	PINT	R		trAsq
adrs.sub.code	30	FREE	L		\$(T) TR[tr]ADR[trADQ]SUB[trAsq] 0
adrs.sub.text	50	FREE	L		\$(T) TR[tr]ADR[trADQ]SUB[trAsq] 1



allergies

[urn,allergy.q]
\$(T) TR[tr]AL[trAQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
allergy.q	3	PINT	R		trAQ
allergy	12	FREE	L		\$(T) TR[tr]AL[trAQ] 1
allergy.cross.sensitivity	1	YN	L		\$(T) TR[tr]AL[trAQ] 4
allergy.excipient	1	YN	L		\$(T) TR[tr]AL[trAQ] 5
allergy.fsv.code	15	FREE	L		\$(T) TR[tr]AL[trAQ] 9
allergy.fsv.icode	15	FREE	L		\$(T) TR[tr]AL[trAQ] 10
allergy.fsv.mono.code	10	FREE	L		\$(T) TR[tr]AL[trAQ] 12
allergy.fsv.warn.code	10	FREE	L		\$(T) TR[tr]AL[trAQ] 11
allergy.med	10	FREE	L	PHA.DRUG	\$(T) TR[tr]AL[trAQ] 7
allergy.mis	15	FREE	L	MIS.ALLERGY	\$(T) TR[tr]AL[trAQ] 3
allergy.mis.name	35	FREE	L		VAL=@MIS.ALLERGY.name.display[@allergy.mis] VAL=(%PHA.RX.allergy.name(urn,allergy.q))
allergy.name	45	FREE	L		
allergy.ndc	12	FREE	L		\$(T) TR[tr]AL[trAQ] 8
allergy.ndc.unrev	1	YN	L		\$(T) TR[tr]AL[trAQ] 6
allergy.severity	1	CHOICE	L		\$(T) TR[tr]AL[trAQ] 2
allergy.severity.exp	12	FREE	L		VAL=IF{@allergy.severity^SV="M" "Mild";SV="I" "Int VAL=ermediate";SV="S" "Severe"}
allergy.type	2	FREE	L		\$(T) TR[tr]AL[trAQ] 0
num.allergies	3	FREE	L		VAL=@Last (allergy.q) ! 0
num.allergies.t	3	FREE	L		VAL=-@t.allergies[urn,""] ! 0



allergies.subs

[urn,allergy.q,allergies.sub.q]
\$(T) TR[tr]AL[trAQ]SUB[trAsq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
allergies.sub.q	3	PINT	R		trAsq
allergies.sub.code	30	FREE	L		\$(T) TR[tr]AL[trAQ]SUB[trAsq] 0
allergies.sub.text	50	FREE	L		\$(T) TR[tr]AL[trAQ]SUB[trAsq] 1



alt.bottles

[urn,bottle.type]

\$ (T) TR[tr]BT[trBT]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
bottle.type	2	PINT	R		trBT
alt.adr.comment	10	FREE	L	PHA.OVER	\$ (T) TR[tr]BT[trBT]2 4
alt.allergy.comment	10	FREE	L	PHA.OVER	\$ (T) TR[tr]BT[trBT]2 1
alt.billing.code	10	FREE	L		\$ (T) TR[tr]BT[trBT]B 1
alt.bt.info	69	FREE	L		VAL=/BT.INFO[bottle.type]
alt.can.auto.credits	1	PINT	R		\$ (T) TR[tr]BT[trBT] 26
alt.charge	9	MONEY	R		\$ (T) TR[tr]BT[trBT]B 2
alt.charge.type	10	URN	L	PHA.CT	\$ (T) TR[tr]BT[trBT]B 0
alt.clinical.indication	10	URN	L	PHA.CLI	\$ (T) TR[tr]BT[trBT] 4
alt.controlled	1	FREE	L		\$ (T) TR[tr]BT[trBT] 7
alt.cost	9	MONEY	R		\$ (T) TR[tr]BT[trBT]B 3
alt.cvx.code	3	PINT	R	MIS.CVX	\$ (T) TR[tr]BT[trBT]2 8
alt.da.auto.credits	9	PINT	R		\$ (T) TR[tr]BT[trBT]2 9
alt.dc.auto.credits	9	PINT	R		\$ (T) TR[tr]BT[trBT] 19
alt.dis.cont.comment	10	FREE	L	PHA.OVER	\$ (T) TR[tr]BT[trBT]2 5
alt.duplicate.comment	10	FREE	L	PHA.OVER	\$ (T) TR[tr]BT[trBT]2 0
alt.duration	17	FREE	L		\$ (T) TR[tr]BT[trBT] 3
alt.duration.days	4	INT	R		\$ (T) TR[tr]BT[trBT] 22
alt.duration.hours	4	INT	R		\$ (T) TR[tr]BT[trBT] 23
alt.duration.hr	5	INT	R		\$ (T) TR[tr]BT[trBT] 12
alt.duration.hr.unit	10	FREE	L		\$ (T) TR[tr]BT[trBT] 13
alt.duration.min	5	INT	R		\$ (T) TR[tr]BT[trBT] 14
alt.duration.min.unit	10	FREE	L		\$ (T) TR[tr]BT[trBT] 15
alt.duration.sec	5	INT	R		\$ (T) TR[tr]BT[trBT] 16
alt.duration.sec.unit	10	FREE	L		\$ (T) TR[tr]BT[trBT] 17
alt.edit	1	YN	L		\$ (T) TR[tr]BT[trBT] 18
alt.expiration.date	8	DATE	L		\$ (T) TR[tr]BT[trBT] 21
alt.fixed.total.volume	11	PDEC.C	R		\$ (T) TR[tr]BT[trBT]2 7
alt.food.int.comment	10	FREE	L	PHA.OVER	\$ (T) TR[tr]BT[trBT]2 6
alt.handling.fee	9	MONEY	R		\$ (T) TR[tr]BT[trBT]B 5
alt.interaction.comment	10	FREE	L	PHA.OVER	\$ (T) TR[tr]BT[trBT] 6
alt.interactions.found	3	INT	R		\$ (T) TR[tr]BT[trBT] 5
alt.label.com.last.edited	10	PINT	R		\$ (T) TR[tr]BT[trBT]CM 0
alt.lot	20	FREE	L		\$ (T) TR[tr]BT[trBT] 20
alt.order.rate	27	FREE	L		\$ (T) TR[tr]BT[trBT] 24
alt.rate	27	FREE	L		\$ (T) TR[tr]BT[trBT] 2
alt.rate.time	5	PINT	R		\$ (T) TR[tr]BT[trBT] 10
alt.rate.time.unit	10	FREE	L		\$ (T) TR[tr]BT[trBT] 11
alt.rate.volume	6	PINT.C	R		\$ (T) TR[tr]BT[trBT] 8
alt.rate.volume.unit	10	FREE	L		\$ (T) TR[tr]BT[trBT] 9
alt.site	15	FREE	L		\$ (T) TR[tr]BT[trBT] 1
alt.special.price	9	MONEY	R		\$ (T) TR[tr]BT[trBT]B 4
alt.stats.compiled	1	FREE	L		\$ (T) TR[tr]BT[trBT]2 3
alt.total.charges	10	MONEY	R		\$ (T) TR[tr]BT[trBT]T 2
alt.total.costs	10	MONEY	R		\$ (T) TR[tr]BT[trBT]T 3
alt.total.dispensed	9	DEC	R		\$ (T) TR[tr]BT[trBT]T 0
alt.total.doses.dispensed	9	DEC	R		\$ (T) TR[tr]BT[trBT]T 1
alt.total.volume	11	DEC.C	R		\$ (T) TR[tr]BT[trBT] 0
alt.total.volume.ord	9	DEC.C	R		\$ (T) TR[tr]BT[trBT] 25
alt.variance.limit	4	PINT	R		\$ (T) TR[tr]BT[trBT]2 2



alt.additives

[urn,bottle.type,alt.additive.q]
\$ (T) TR[tr]BT[trBT]AD[trAA]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.additive.q	2	PINT	R		trAA
alt.additive	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]AD[trAA] 0
alt.additive.charge	9	MONEY	R		\$ (T) TR[tr]BT[trBT]AD[trAA] 5
alt.additive.controlled	1	FREE	L		\$ (T) TR[tr]BT[trBT]AD[trAA] 6
alt.additive.cost	9	MONEY	R		\$ (T) TR[tr]BT[trBT]AD[trAA] 4
alt.additive.disp.forms	9	PDEC	R		\$ (T) TR[tr]BT[trBT]AD[trAA] 3
alt.additive.dose	11	DEC.C	R		\$ (T) TR[tr]BT[trBT]AD[trAA] 1
alt.additive.handling.fee	9	MONEY	R		\$ (T) TR[tr]BT[trBT]AD[trAA] 7
alt.additive.ordered.dose	24	FREE	L		\$ (T) TR[tr]BT[trBT]AD[trAA] 8
alt.additive.pom.bsa.meth	1	CHOICE	L		\$ (T) TR[tr]BT[trBT]AD[trAA] 12
alt.additive.unit.awp	9	DEC	R		\$ (T) TR[tr]BT[trBT]AD[trAA] 11
alt.additive.unit.cost	9	DEC	R		\$ (T) TR[tr]BT[trBT]AD[trAA] 9
alt.additive.unit.price	9	DEC	R		\$ (T) TR[tr]BT[trBT]AD[trAA] 10
alt.additive.volume	11	PDEC.C	R		\$ (T) TR[tr]BT[trBT]AD[trAA] 2
alt.first.additive	10	FREE	L		VAL=@alt.additive[1]



alt.adrs

[urn,bottle.type,alt.adr.q]

\$ (T) TR[tr]BT[trBT]ADR[trADQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.adr.q	3	PINT	R		trADQ
alt.adr	10	FREE	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 1
alt.adr.cross.sensitivity	1	YN	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 4
alt.adr.excipient	1	YN	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 5
alt.adr.fsv.code	15	FREE	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 9
alt.adr.fsv.icode	15	FREE	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 10
alt.adr.fsv.mono.code	10	FREE	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 12
alt.adr.fsv.warn.code	10	FREE	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 11
alt.adr.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]ADR[trADQ] 7
alt.adr.mis	15	FREE	L	MIS.ALLERGY	\$ (T) TR[tr]BT[trBT]ADR[trADQ] 3
alt.adr.mis.name	35	FREE	L		VAL=@MIS.ALLERGY.name[@alt.adr.mis]
alt.adr.name	45	FREE	L		VAL=IF(@alt.adr^X,@alt.adr.type^TYP="C" (X,"-",@PH VAL=A.CLASS.name[X]);TYP="G" @PHA.GENERIC.name[X]; VAL=TYP="I" @PHA.ALLERGY.desc[X];TYP="DI" @MIS.ALL VAL=.DI.name[X];TYP="NM" @MIS.ALLERGY.name[X];@MIS VAL=.ALL.AG.name[X] }
alt.adr.ndc	12	FREE	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 8
alt.adr.ndc.unrev	1	YN	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 6
alt.adr.severity	1	CHOICE	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 2
alt.adr.severity.exp	12	FREE	L		VAL=IF(@alt.adr.severity^SV="M" "Mild";SV="I" "Int VAL=ermediate";SV="S" "Severe")
alt.adr.type	2	FREE	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ] 0
alt.num.adrs	3	FREE	L		VAL=@Last(alt.adr.q) ! 0
alt.num.adrs.t	3	FREE	L		VAL=-@alt.adrs[urn,bottle.type,""] ! 0



alt.adrs.subs
[urn,bottle.type,alt.adr.q,alt.adrs.sub.q]
\$ (T) TR[tr]BT[trBT]ADR[trADQ]SUB[trAsq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.adrs.sub.q	3	PINT	R		trAsq
alt.adrs.sub.code	30	FREE	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ]SUB[trAsq] 0
alt.adrs.sub.text	50	FREE	L		\$ (T) TR[tr]BT[trBT]ADR[trADQ]SUB[trAsq] 1



alt.allergies
[urn,bottle.type,alt.allergy.q]
\$ (T) TR[tr]BT[trBT]AL[trAQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.allergy.q	3	PINT	R		trAQ
alt.allergy	12	FREE	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 1
alt.allergy.cross.sen	1	YN	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 4
alt.allergy.excipient	1	YN	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 5
alt.allergy.fsv.code	15	FREE	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 9
alt.allergy.fsv.icode	15	FREE	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 10
alt.allergy.fsv.mono.code	10	FREE	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 12
alt.allergy.fsv.warn.code	10	FREE	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 11
alt.allergy.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]AL[trAQ] 7
alt.allergy.mis	15	FREE	L	MIS.ALLERGY	\$ (T) TR[tr]BT[trBT]AL[trAQ] 3
alt.allergy.mis.name	35	FREE	L		VAL=@MIS.ALLERGY.name[@alt.allergy.mis]
alt.allergy.name	45	FREE	L		VAL=(%PHA.RX.allergy.name(urn,allergy.q,bottle.typ VAL=e))
alt.allergy.ndc	12	FREE	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 8
alt.allergy.ndc.unrev	1	YN	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 6
alt.allergy.severity	1	CHOICE	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 2
alt.allergy.severity.exp	12	FREE	L		VAL=IF(@alt.allergy.severity^SV="M" "Mild";SV="I" VAL="Intermediate";SV="S" "Severe")
alt.allergy.type	2	FREE	L		\$ (T) TR[tr]BT[trBT]AL[trAQ] 0
alt.num.allergies	3	FREE	L		VAL=@Last(alt.allergy.q) ! 0
alt.num.allergies.t	3	FREE	L		VAL=-@alt.allergies[urn,bottle.type,""] ! 0



alt.allergies.subs
[urn,bottle.type,alt.allergy.q,alt.allergies.sub.q]
\$ (T) TR[tr]BT[trBT]AL[trAQ]SUB[trAsq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.allergies.sub.q	3	PINT	R		trAsq
alt.allergies.sub.code	30	FREE	L		\$ (T) TR[tr]BT[trBT]AL[trAQ]SUB[trAsq] 0
alt.allergies.sub.text	50	FREE	L		\$ (T) TR[tr]BT[trBT]AL[trAQ]SUB[trAsq] 1



alt.carriers

[urn,bottle.type,alt.carrier.q]
\$(T)TR[tr]BT[trBT]IC[trAC]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.carrier.q	2	PINT	R		trAC
alt.carrier	10	FREE	L	PHA.DRUG	\$(T)TR[tr]BT[trBT]IC[trAC] 0
alt.carrier.charge	9	MONEY	R		\$(T)TR[tr]BT[trBT]IC[trAC] 4
alt.carrier.cost	9	MONEY	R		\$(T)TR[tr]BT[trBT]IC[trAC] 3
alt.carrier.disp.forms	9	PDEC	R		\$(T)TR[tr]BT[trBT]IC[trAC] 2
alt.carrier.handling.fee	9	MONEY	R		\$(T)TR[tr]BT[trBT]IC[trAC] 5
alt.carrier.unit.awp	9	DEC	R		\$(T)TR[tr]BT[trBT]IC[trAC] 8
alt.carrier.unit.cost	9	DEC	R		\$(T)TR[tr]BT[trBT]IC[trAC] 6
alt.carrier.unit.price	9	DEC	R		\$(T)TR[tr]BT[trBT]IC[trAC] 7
alt.carrier.volume	11	DEC.C	R		\$(T)TR[tr]BT[trBT]IC[trAC] 1
alt.first.carrier	10	FREE	L		VAL=@alt.carrier[1]



alt.ddc.results
[urn,bottle.type,alt.ddc.conf.q]
\$(T)TR[tr]BT[trBT]DDC[gelrq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.ddc.conf.q	3	URN	L		gelrq
alt.ddc.conf.drug.sev	16	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq] 0
alt.ddc.conf.ingr.desc	100	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq] 1
alt.ddc.result.drug	10	FREE	L	PHA.DRUG	\$(T)TR[tr]BT[trBT]DDC[gelrq] 4
alt.ddc.result.hit.condid	10	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq] 6
alt.ddc.result.ingr.multi	1	YN	L		\$(T)TR[tr]BT[trBT]DDC[gelrq] 5
alt.ddc.result.trig.dr.id	10	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq] 2
alt.ddc.result.trig.dr.ty	10	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq] 3



alt.ddc.results.dis.desc
[urn,bottle.type,alt.ddc.conf.q,alt.ddc.result.dis.desc.q]
\$(T)TR[tr]BT[trBT]DDC[gelrq]DD[geldd]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.ddc.result.dis.desc.q	1	PINT	R		geldd
alt.ddc.result.dis.desc.l	90	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq]DD[geldd]VALUE



alt.ddc.results.problems
[urn,bottle.type,alt.ddc.conf.q,alt.ddc.result.prob.q]
\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.ddc.result.prob.q	3	PINT	R		pcdq
alt.ddc.result.hit.nav.cd	2	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq] 3
alt.ddc.result.prob.cd.ty	10	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq] 0
alt.ddc.result.prob.onset	11	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq] 1
alt.ddc.result.prob.statu	20	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq] 2
alt.ddc.result.prob.text	70	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq] 6
alt.ddc.result.trig.cndid	10	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq] 4
alt.ddc.result.trig.cndty	10	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq] 5



alt.ddc.results.cond.desc
[urn,bottle.type,alt.ddc.conf.q,alt.ddc.result.prob.q,alt.ddc.conf.cond.desc.q]
\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq]CD[geldq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.ddc.conf.cond.desc.q	1	PINT	R		geldq
alt.ddc.conf.cond.desc.ln	90	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq]CD[geldq]VALUE



alt.ddc.results.prob.desc
[urn,bottle.type,alt.ddc.conf.q,alt.ddc.result.prob.q,alt.ddc.conf.prob.desc.q]
\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq]PD[gelpq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.ddc.conf.prob.desc.q	1	PINT	R		gelpq
alt.ddc.conf.prob.desc.l	90	FREE	L		\$(T)TR[tr]BT[trBT]DDC[gelrq]PRO[pcdq]PD[gelpq]VALUE



alt.disease.cis
[urn,bottle.type,alt.disease.ci.q]

\$ (T) TR[tr]BT[trBT]DCI[trDCIq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.disease.ci.q	3	PINT	R		trDCIq
alt.disease.ci.dis.name	40	FREE	L		\$ (T) TR[tr]BT[trBT]DCI[trDCIq] 4
alt.disease.ci.disease	10	FREE	L	PHA.DIS	\$ (T) TR[tr]BT[trBT]DCI[trDCIq] 1
alt.disease.ci.drug.name	30	FREE	L		\$ (T) TR[tr]BT[trBT]DCI[trDCIq] 3
alt.disease.ci.int	10	FREE	L	PHA.INT	\$ (T) TR[tr]BT[trBT]DCI[trDCIq] 0
alt.disease.ci.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]DCI[trDCIq] 2



alt.disease.contra.ind
[urn,bottle.type,alt.disease.contra.ind]
\$ (T) TR[tr]BT[trBT]DIS[tda]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.disease.contra.ind	10	FREE	L	PHA.INT	tda
alt.disease.contraind.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]DIS[tda] 0



alt.dose.calculations
[urn,bottle.type,alt.dose.calculation.q]
\$ (T) TR[tr]BT[trBT]DCQ[trDCQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dose.calculation.q	3	PINT	R		trDCQ
alt.dose.calculation	30	FREE	L		\$ (T) TR[tr]BT[trBT]DCQ[trDCQ] 1
alt.dose.calculation.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]DCQ[trDCQ] 0



alt.dose.warnings
[urn,bottle.type,alt.dose.warn.q]
\$ (T) TR[tr]BT[trBT]DWQ[trDWQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dose.warn.q	3	PINT	R		trDWQ
alt.dose.warn.high.dose	80	FREE	L		\$ (T) TR[tr]BT[trBT]DWQ[trDWQ] 3
alt.dose.warn.high.dur	80	FREE	L		\$ (T) TR[tr]BT[trBT]DWQ[trDWQ] 4
alt.dose.warn.low.dose	80	FREE	L		\$ (T) TR[tr]BT[trBT]DWQ[trDWQ] 2
alt.dose.warn.low.dur	80	FREE	L		\$ (T) TR[tr]BT[trBT]DWQ[trDWQ] 5
alt.dose.warn.max.dose	80	FREE	L		\$ (T) TR[tr]BT[trBT]DWQ[trDWQ] 1
alt.dose.warn.max.dur	80	FREE	L		\$ (T) TR[tr]BT[trBT]DWQ[trDWQ] 6
alt.dose.warn.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]DWQ[trDWQ] 0
alt.dose.warn.qualifier	80	FREE	L		\$ (T) TR[tr]BT[trBT]DWQ[trDWQ] 7



alt.dose.warnings.typ
[urn,bottle.type,alt.dose.warning.type,alt.dose.warning.range,alt.dose.warning.range.q,alt.dose.warning.type.q]
\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dose.warning.type	15	FREE	L	PHA.DOSE.TYPE	tddt
alt.dose.warning.range	15	FREE	L	PHA.DR	tddc
alt.dose.warning.range.q	3	PINT	R		tddcR
alt.dose.warning.type.q	3	PINT	R		tddcQ
alt.dose.warning.comment	1	YN	L		\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ] 3
alt.dose.warning.disease	10	FREE	L	PHA.DIS	\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ] 0
alt.dose.warning.dose	10	DEC.C	R		\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ] 4
alt.dose.warning.dose.sig	20	FREE	L	MIS.DIR	\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ] 6
alt.dose.warning.doseunit	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ] 5
alt.dose.warning.drug	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ] 1
alt.dose.warning.error	1	YN	L		\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ] 2



alt.dose.warnings.comp
[urn,bottle.type,alt.dose.warning.type,alt.dose.warning.range,alt.dose.warning.range.q,alt.dose.warning.type.q,alt.dose.warning.comp]
\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dose.warning.comp	5	FREE	L		tddcC
alt.dose.warning.lo.hi	1	CHOICE	L		\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC] 1
alt.dose.warning.or.error	1	CHOICE	L		\$ (T) TR[tr]BT[trBT]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC] 0



alt.dose.warnings.text
[urn,bottle.type,alt.dose.warning.type,alt.dose.warning.range,alt.dose.warning.range.q,alt.dose.warning.type.q,alt.dose.warning.comp,alt.dose.warning.text]

\$ (T) TR[tr]BT[trBT]DWS[tddt, tddc, tddcR, tddcQ]C[tddcC]TXT[trDWTQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dose.warning.text.q	3	PINT	R		trDWTQ
alt.dose.warning.text	80	FREE	L		\$ (T) TR[tr]BT[trBT]DWS[tddt, tddc, tddcR, tddcQ]C[tddcC]TXT[trDWTQ]



alt.dup.therapy
[urn,bottle.type,alt.dup.therapy.q]
\$(T) TR[tr]BT[trBT]DUPTH[trDTQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dup.therapy.q	3	PINT	R		trDTQ
alt.dup.therapy.allow	2	PINT	R		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ] 1



alt.dup.therapy.classes
[urn,bottle.type,alt.dup.therapy.q,alt.dup.therapy.class]
\$(T) TR[tr]BT[trBT]DUPTH[trDTQ]C[trDTC]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dup.therapy.class	80	FREE	L		trDTC
alt.dup.therapy.classcd	20	FREE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]C[trDTC] 0



alt.dup.therapy.rxs
[urn,bottle.type,alt.dup.therapy.q,alt.dup.therapy.rx]
\$(T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dup.therapy.rx	10	URN	L	PHA.RX	trDTrx
alt.dup.th.hm.dc.date	8	DATE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 12
alt.dup.th.hm.dc.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 13
alt.dup.th.hm.enter.date	8	DATE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 6
alt.dup.th.hm.enter.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 7
alt.dup.th.hm.expires	8	DATE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 11
alt.dup.th.hm.issue.date	8	DATE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 4
alt.dup.th.hm.issue.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 5
alt.dup.th.hm.number	10	FREE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 14
alt.dup.th.hm.pha.nf.desc	60	FREE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 8
alt.dup.th.hm.pha.non.frm	1	YN	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 9
alt.dup.th.hm.route	10	FREE	L	PHA.ROUTES	\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 10
alt.dup.th.hm.sig	20	FREE	L	MIS.DIR	\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 2
alt.dup.th.hm.status	3	FREE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 3
alt.dup.th.hm.type	1	CHOICE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 15
alt.dup.th.hmed.db.source	12	FREE	L	MIS.APPL.DB	\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 1
alt.dup.th.hmed.urn	10	PINT	R	RXM.RX	\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM 0



alt.dup.therapy.rxs.meds
[urn,bottle.type,alt.dup.therapy.q,alt.dup.therapy.rx,alt.dup.therapy.med]
\$(T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]M[tf]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dup.therapy.med	10	FREE	L	PHA.DRUG	tf



alt.dup.therapy.rxs.cmp
[urn,bottle.type,alt.dup.therapy.q,alt.dup.therapy.rx,alt.dup.th.hm.comp.q]
\$(T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM["C", trHCq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dup.th.hm.comp.q	3	PINT	R		trHCq
alt.dup.th.hm.comp.desc	90	FREE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM["C", trHCq] 5
alt.dup.th.hm.comp.dose	23	FREE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM["C", trHCq] 2
alt.dup.th.hm.comp.fsv.id	20	FREE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM["C", trHCq] 7
alt.dup.th.hm.comp.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM["C", trHCq] 0
alt.dup.th.hm.comp.ndc	15	FREE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM["C", trHCq] 1
alt.dup.th.hm.comp.type	10	FREE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM["C", trHCq] 4
alt.dup.th.hm.comp.units	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM["C", trHCq] 3
alt.dup.th.hm.comp.volume	11	FREE	L		\$ (T) TR[tr]BT[trBT]DUPTH[trDTQ]RX[trDTrx]RXM["C", trHCq] 6



alt.duplicates
[urn,bottle.type,alt.duplicate.q]
\$(T) TR[tr]BT[trBT]DUP[trDQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.duplicate.q	3	PINT	R		trDQ
alt.dup.hmed.auto.dc.rsn	8	DATE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 8
alt.dup.hmed.call.in.stat	10	FREE	L	RXM.CALL.STATUS	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 19
alt.dup.hmed.cancel.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 16
alt.dup.hmed.cancel.date	8	DATE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 17
alt.dup.hmed.cancel.rsn	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 7
alt.dup.hmed.cancel.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 18
alt.dup.hmed.dc.comment	75	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 11
alt.dup.hmed.convert.from	10	PINT	R	RXM.RX	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] B 4
alt.dup.hmed.dc.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 12
alt.dup.hmed.dc.can.rnw.r	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 13
alt.dup.hmed.dc.date	8	DATE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 13
alt.dup.hmed.dc.reason	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 12
alt.dup.hmed.dc.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 14
alt.dup.hmed.dose.calc	30	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] B 0
alt.dup.hmed.dose1	10	PDEC.C	R		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 1
alt.dup.hmed.dose2	10	PDEC.C	R		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 2
alt.dup.hmed.entered.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 0
alt.dup.hmed.entered.date	8	DATE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 1
alt.dup.hmed.entered.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 2
alt.dup.hmed.esigned	1	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] D 5
alt.dup.hmed.free.text	1	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] B 1
alt.dup.hmed.freertext.frm	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 6
alt.dup.hmed.freertext.str	30	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 5
alt.dup.hmed.from.onc	1	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] D 10
alt.dup.hmed.ft.pha.num	18	PHONE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] D 9
alt.dup.hmed.issued.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 3
alt.dup.hmed.issued.date	8	DATE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 4
alt.dup.hmed.issued.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 5
alt.dup.hmed.med.equip	1	YN	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] D 6
alt.dup.hmed.med.src	1	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] D 8
alt.dup.hmed.merged.from	10	PINT	R	RXM.RX	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 0
alt.dup.hmed.ndc.din	12	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] B 8
alt.dup.hmed.ndc.form	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 4
alt.dup.hmed.ndc.gen.name	45	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] B 2
alt.dup.hmed.ndc.generic	12	FREE	L	PHA.GENERIC	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] B 9
alt.dup.hmed.ndc.name	45	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] B 3
alt.dup.hmed.ndc.str	30	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 3
alt.dup.hmed.no.sub	1	YN	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 10
alt.dup.hmed.office.inj	10	FREE	L	RXM.PROC	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] D 3
alt.dup.hmed.office.proc	10	URN	L	RXM.ORD	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 11
alt.dup.hmed.order.src	10	FREE	L	MIS.SOURCE	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] D 4
alt.dup.hmed.override.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 7
alt.dup.hmed.override.dt	8	DATE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 8
alt.dup.hmed.override.rsn	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 6
alt.dup.hmed.override.tm	4	HHMM	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 9
alt.dup.hmed.pha.gen.name	45	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] B 6
alt.dup.hmed.pha.generic	12	FREE	L	PHA.GENERIC	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] B 5
alt.dup.hmed.pha.name	45	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] B 7
alt.dup.hmed.pharmacy	15	FREE	L	MIS.OUT.LOCN	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 20
alt.dup.hmed.renew.from	10	PINT	R	RXM.RX	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] A 15
alt.dup.hmed.replace.rsn	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 10
alt.dup.hmed.sig.disp	20	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] D 2
alt.dup.hmed.sig.prn	1	YN	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] D 1
alt.dup.hmed.unsign.verb	1	YN	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 10
alt.dup.hmed.verbal.rx	1	YN	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] C 9
alt.duplicate	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] 2
alt.duplicate.dc	1	FREE	L		VAL=%PHA.RX.duplicate.M.alt.dc(urn,bottle.type,alt.duplicate.q)
alt.duplicate.hmed.urn	10	PINT	R	RXM.RX	\$ (T) TR[tr]BT[trBT] DUP[trDQ] 5
alt.duplicate.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT] DUP[trDQ] 3
alt.duplicate.name	45	FREE	L		VAL=IF{@alt.duplicate.type="C" @PHA.CLASS.name[@alt.duplicate];@alt.duplicate.type="I" @PHA INGR VAL=.name[@alt.duplicate];@PHA.GENERIC.name[@alt.duplicate]}
alt.duplicate.rx.number	11	FREE	L		VAL=%PHA.RX.duplicate.M.alt.rx.number(urn,bottle.type,alt.duplicate.q)
alt.duplicate.rx.type	10	FREE	L		VAL=%PHA.RX.duplicate.M.alt.rx.type(urn,bottle.type,alt.duplicate.q)
alt.duplicate.start	10	FREE	L		VAL=%PHA.RX.duplicate.M.alt.start(urn,bottle.type,alt.duplicate.q)
alt.duplicate.stop	10	FREE	L		VAL=%PHA.RX.duplicate.M.alt.stop(urn,bottle.type,alt.duplicate.q)
alt.duplicate.stop.dc	10	FREE	L		VAL=%PHA.RX.duplicate.M.alt.stop.dc(urn,bottle.type,alt.duplicate.q)
alt.duplicate.type	1	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] 0
alt.duplicate.type.exp	10	FREE	L		VAL=IF{@alt.duplicate.type="C" "Class";@alt.duplicate.type="I" "Ingredient";"Generic"}
alt.duplicate.urn	10	URN	L	PHA.RX	\$ (T) TR[tr]BT[trBT] DUP[trDQ] 1
alt.hmed.disp.unit	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 25
alt.hmed.dup.controlled	1	YN	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 18

alt.hmed.dup.days	3	INT	R		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 24
alt.hmed.dup.disp.form	0	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 10
alt.hmed.dup.dose	19	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 8
alt.hmed.dup.expires	8	DATE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 14
alt.hmed.dup.facility	10	FREE	L	MIS.FACILITY	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 2
alt.hmed.dup.location	10	FREE	L	MIS.LOCN	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 19
alt.hmed.dup.med	20	FREE	L	RXM.DRUG	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 6
alt.hmed.dup.mri.urn	25	URN	L	MRI.PAT	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 0
alt.hmed.dup.number	11	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 4
alt.hmed.dup.other.db	12	FREE	L	MIS.APPL.DB	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 17
alt.hmed.dup.patient	30	URN	L	ADM.PAT	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 1
alt.hmed.dup.pha.urn	10	URN	L	PHA.RX	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 22
alt.hmed.dup.print.mon.df	1	YN	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 21
alt.hmed.dup.print.rx.dft	1	YN	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 20
alt.hmed.dup.provider	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 15
alt.hmed.dup.prv.urn	10	URN	L	PRV.RX	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 23
alt.hmed.dup.qty	4	DEC	R		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 7
alt.hmed.dup.refills	2	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 13
alt.hmed.dup.route	10	FREE	L	PHA.ROUTES	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 11
alt.hmed.dup.samples.gvn	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 16
alt.hmed.dup.sig	20	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 12
alt.hmed.dup.status	3	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 5
alt.hmed.dup.type	1	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 3
alt.hmed.dup.units	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 9
alt.hmed.refill.period	10	FREE	L	RXM.REFILL	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] 26
alt.num.duplicates	3	FREE	L		VAL=@Last(alt.duplicate.q)!0
alt.num.duplicates.t	3	FREE	L		VAL=-@alt.duplicates[urn,bottle.type,""]!0

alt.duplicate.hmed.comps					
[urn,bottle.type,alt.duplicate.q,alt.dup.hmed.comp.q]					
\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["COMP",trHMq]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dup.hmed.comp.q	2	PINT	R		trHMq
alt.dup.hmed.comp.control	1	YN	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["COMP",trHMq] 5
alt.dup.hmed.comp.d.units	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["COMP",trHMq] 2
alt.dup.hmed.comp.dose	11	PDECZ.C	R		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["COMP",trHMq] 1
alt.dup.hmed.comp.name	30	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["COMP",trHMq] 8
alt.dup.hmed.comp.ndc.din	12	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["COMP",trHMq] 6
alt.dup.hmed.comp.str	27	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["COMP",trHMq] 7
alt.dup.hmed.comp.type	10	FREE	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["COMP",trHMq] 3
alt.dup.hmed.comp.volume	11	PDEC.C	R		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["COMP",trHMq] 4
alt.dup.hmed.component	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["COMP",trHMq] 0

alt.duplicate.hmed.instrs					
[urn,bottle.type,alt.duplicate.q,alt.dup.hmed.instr.q]					
\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] INST[trHIq]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.dup.hmed.instr.q	3	PINT	R		trHIq
alt.dup.hmed.instruction	79	TEXT	L		\$ (T) TR[tr]BT[trBT] DUP[trDQ] HM["RXM"] INST[trHIq] VALUE

alt.food.interactions					
[urn,bottle.type,alt.food.interaction]					
\$ (T) TR[tr]BT[trBT] FOOD[tda]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.food.interaction	10	FREE	L	PHA.INT	tda
alt.food.interaction.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT] FOOD[tda] 0

alt.interactions					
[urn,bottle.type,alt.interaction.q]					
\$ (T) TR[tr]BT[trBT] INT[trIQ]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.interaction.q	3	PINT	R		trIQ
alt.int.hmed.auto.dc.date	8	DATE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ] HM["RXM"] C 8
alt.int.hmed.call.in.stat	10	FREE	L	RXM.CALL.STATUS	\$ (T) TR[tr]BT[trBT] INT[trIQ] HM["RXM"] A 19
alt.int.hmed.cancel.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] INT[trIQ] HM["RXM"] A 16
alt.int.hmed.cancel.date	8	DATE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ] HM["RXM"] A 17
alt.int.hmed.cancel.rsn	10	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ] HM["RXM"] C 7
alt.int.hmed.cancel.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT] INT[trIQ] HM["RXM"] A 18
alt.int.hmed.comment	75	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ] HM["RXM"] A 11
alt.int.hmed.controlled	1	YN	L		\$ (T) TR[tr]BT[trBT] INT[trIQ] HM["RXM"] 18

alt.int.hmed.convert.from	10	PINT	R	RXM.RX	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]B 4
alt.int.hmed.days	3	INT	R		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 24
alt.int.hmed.db.source	12	FREE	L	MIS.APPL.DB	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM 0
alt.int.hmed.dc.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 12
alt.int.hmed.dc.cn.rnw.rs	10	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 13
alt.int.hmed.dc.date	8	DATE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 13
alt.int.hmed.dc.reason	10	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 12
alt.int.hmed.dc.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 14
alt.int.hmed.dc.form	0	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 10
alt.int.hmed.disp.unit	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 25
alt.int.hmed.dose	19	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 8
alt.int.hmed.dose.calc	30	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]B 0
alt.int.hmed.dose1	10	PDEC.C	R		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 1
alt.int.hmed.dose2	10	PDEC.C	R		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 2
alt.int.hmed.entered.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 0
alt.int.hmed.entered.date	8	DATE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 1
alt.int.hmed.entered.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 2
alt.int.hmed.esigned	1	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]D 5
alt.int.hmed.expires	8	DATE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 14
alt.int.hmed.facility	10	FREE	L	MIS.FACILITY	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 2
alt.int.hmed.free.text	1	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]B 1
alt.int.hmed.freetext.frm	10	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 6
alt.int.hmed.freetext.str	30	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 5
alt.int.hmed.from.onc	1	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]D 10
alt.int.hmed.ft.pha.num	18	PHONE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]D 9
alt.int.hmed.issued.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 3
alt.int.hmed.issued.date	8	DATE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 4
alt.int.hmed.issued.time	4	HHMM	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 5
alt.int.hmed.location	10	FREE	L	MIS.LOCN	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 19
alt.int.hmed.med	20	FREE	L	RXM.DRUG	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 6
alt.int.hmed.med.equip	1	YN	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]D 6
alt.int.hmed.med.source	1	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]D 8
alt.int.hmed.merged.from	25	URN	L	MRI.PAT	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 0
alt.int.hmed.mod.source	15	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM 1
alt.int.hmed.mri.urn	25	URN	L	MRI.PAT	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 0
alt.int.hmed.ndc.din	12	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]B 8
alt.int.hmed.ndc.form	10	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 4
alt.int.hmed.ndc.gen.name	45	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]B 2
alt.int.hmed.ndc.generic	12	FREE	L	PHA.GENERIC	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]B 9
alt.int.hmed.ndc.name	45	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]B 3
alt.int.hmed.ndc.str	30	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 3
alt.int.hmed.no.sub	1	YN	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 10
alt.int.hmed.number	11	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 4
alt.int.hmed.office.inj	10	FREE	L	RXM.PROC	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]D 3
alt.int.hmed.office.proc	10	URN	L	RXM.ORD	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 11
alt.int.hmed.order.source	10	FREE	L	MIS.SOURCE	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]D 4
alt.int.hmed.other.db	12	FREE	L	MIS.APPL.DB	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 17
alt.int.hmed.override.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 7
alt.int.hmed.override.dt	8	DATE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 8
alt.int.hmed.override.rsn	10	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 6
alt.int.hmed.override.tm	4	HHMM	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 9
alt.int.hmed.patient	30	URN	L	ADM.PAT	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 1
alt.int.hmed.pha.gen.name	45	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]B 6
alt.int.hmed.pha.generic	12	FREE	L	PHA.GENERIC	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]B 5
alt.int.hmed.pha.name	45	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]B 7
alt.int.hmed.pha.urn	10	URN	L	PHA.RX	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 22
alt.int.hmed.pharmacy	15	FREE	L	MIS.OUT.LOCN	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 20
alt.int.hmed.print.mon.df	1	YN	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 21
alt.int.hmed.print.rx.dft	1	YN	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 20
alt.int.hmed.providers	10	FREE	L	MIS.USER	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 15
alt.int.hmed.prv.urn	10	URN	L	PRV.RX	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 23
alt.int.hmed.qty	4	DEC	R		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 7
alt.int.hmed.refill.per	10	FREE	L	RXM.REFILL	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 26
alt.int.hmed.refills	2	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 13
alt.int.hmed.renew.from	10	PINT	R	RXM.RX	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]A 15
alt.int.hmed.replace.rsn	10	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]D 0
alt.int.hmed.route	10	FREE	L	PHA.ROUTES	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 11
alt.int.hmed.samples.gvn	10	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 16
alt.int.hmed.sig	20	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 12
alt.int.hmed.sig.disp	20	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]D 2
alt.int.hmed.sig.prn	1	YN	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]D 1
alt.int.hmed.status	3	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 5
alt.int.hmed.type	1	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 3
alt.int.hmed.units	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"] 9
alt.int.hmed.unknown.meds	1	YN	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM 2
alt.int.hmed.unsign.verb	1	YN	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 10
alt.int.hmed.verbal.rx	1	YN	L		\$ (T) TR[tr]BT[trBT] INT[trIQ]HM["RXM"]C 9
alt.interaction	10	FREE	L	PHA.INT	\$ (T) TR[tr]BT[trBT] INT[trIQ] 1
alt.interaction.dc	1	FREE	L		VAL=%PHA.RX.interaction.M.alt.dc(urn,bottle.type,a
					VAL=lt.interaction.q)
alt.interaction.desc	65	FREE	L		\$ (T) TR[tr]BT[trBT] INT[trIQ] 5

alt.interaction.hmed.urn	10	PINT	R	RXM.RX	\$ (T) TR[tr]BT[trBT]INT[trIQ] 12
alt.interaction.id	65	FREE	L		VAL=IF{@alt.interaction.desc;@alt.interaction^alt. VAL=interaction,@PHA.INT.interaction.id}
alt.interaction.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]INT[trIQ] 3
alt.interaction.med.2	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]INT[trIQ] 4
alt.interaction.rx.number	11	FREE	L		VAL=%PHA.RX.interaction.M.alt.rx.number(urn,bottle VAL=.type,alt.interaction.q)
alt.interaction.rx.type	10	FREE	L		VAL=%PHA.RX.interaction.M.alt.rx.type(urn,bottle.t VAL=type,alt.interaction.q)
alt.interaction.sever.exp	12	FREE	L		VAL=IF{@alt.interaction.severity^XX="M" "Mild";XX= VAL="I" "Intermediate";XX="S" "Severe"}
alt.interaction.sever.fil	1	FREE	L		VAL=@alt.interaction.severity'.
alt.interaction.severity	1	FREE	L		\$ (T) TR[tr]BT[trBT]INT[trIQ] 0
alt.interaction.start	10	FREE	L		VAL=%PHA.RX.interaction.M.alt.start(urn,bottle.typ VAL=e,alt.interaction.q)
alt.interaction.stop	10	FREE	L		VAL=%PHA.RX.interaction.M.alt.stop(urn,bottle.type VAL=,alt.interaction.q)
alt.interaction.stop.dc	10	FREE	L		VAL=%PHA.RX.interaction.M.alt.stop.dc(urn,bottle.t VAL=type,alt.interaction.q)
alt.interaction.type.exp	15	FREE	L		VAL=%PHA.INT.desc(@alt.interaction)
alt.interaction.urn	10	URN	L	PHA.RX	\$ (T) TR[tr]BT[trBT]INT[trIQ] 2
alt.num.interactions	3	FREE	L		VAL=@Last(alt.interaction.q)!0
alt.num.interactions.t	3	FREE	L		VAL=-@alt.interactions[urn,bottle.type,""]!0

alt.interaction.hmed.comp
[urn,bottle.type,alt.interaction.q,alt.int.hmed.comp.q]
\$(T)TR[tr]BT[trBT]INT[trIQ]HM["COMP",trHMq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.int.hmed.comp.q	2	PINT	R		trHMq
alt.int.hmed.comp.control	1	YN	L		\$ (T) TR[tr]BT[trBT]INT[trIQ]HM["COMP",trHMq] 5
alt.int.hmed.comp.d.units	10	FREE	L		\$ (T) TR[tr]BT[trBT]INT[trIQ]HM["COMP",trHMq] 2
alt.int.hmed.comp.dose	11	PDECZ.C	R		\$ (T) TR[tr]BT[trBT]INT[trIQ]HM["COMP",trHMq] 1
alt.int.hmed.comp.name	30	FREE	L		\$ (T) TR[tr]BT[trBT]INT[trIQ]HM["COMP",trHMq] 8
alt.int.hmed.comp.ndc.din	12	FREE	L		\$ (T) TR[tr]BT[trBT]INT[trIQ]HM["COMP",trHMq] 6
alt.int.hmed.comp.str	27	FREE	L		\$ (T) TR[tr]BT[trBT]INT[trIQ]HM["COMP",trHMq] 7
alt.int.hmed.comp.type	10	FREE	L		\$ (T) TR[tr]BT[trBT]INT[trIQ]HM["COMP",trHMq] 3
alt.int.hmed.comp.volume	11	PDEC.C	R		\$ (T) TR[tr]BT[trBT]INT[trIQ]HM["COMP",trHMq] 4
alt.int.hmed.component	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]BT[trBT]INT[trIQ]HM["COMP",trHMq] 0

alt.interaction.hmed.inst
[urn,bottle.type,alt.interaction.q,alt.int.hmed.instr.q]
\$(T)TR[tr]BT[trBT]INT[trIQ]HM["RXM"]INST[trHIq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.int.hmed.instr.q	3	PINT	R		trHIq
alt.int.hmed.instruction	79	TEXT	L		\$ (T) TR[tr]BT[trBT]INT[trIQ]HM["RXM"]INST[trHIq]VALUE

alt.interactions.subs
[urn,bottle.type,alt.interaction.q,alt.interaction.sub.q]
\$(T)TR[tr]BT[trBT]INT[trIQ]SUB[trIsq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.interaction.sub.q	3	PINT	R		trIsq
alt.interaction.sub.code	30	FREE	L		\$ (T) TR[tr]BT[trBT]INT[trIQ]SUB[trIsq] 0
alt.interaction.sub.text	50	FREE	L		\$ (T) TR[tr]BT[trBT]INT[trIQ]SUB[trIsq] 1

alt.interactions.text
[urn,bottle.type,alt.interaction.q,alt.interaction.text.q]
\$(T)TR[tr]BT[trBT]INT[trIQ]T[trAIq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.interaction.text.q	3	PINT	R		trAIq
alt.interaction.text	80	TEXT	L		\$ (T) TR[tr]BT[trBT]INT[trIQ]T[trAIq]VALUE

alt.label.comments
[urn,bottle.type,alt.label.comment.q]
\$(T)TR[tr]BT[trBT]CM[trACM]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.label.comment.q	1	PINT	R		trACM
alt.label.comment	60	TEXT	L		\$ (T) TR[tr]BT[trBT]CM[trACM]VALUE



alt.sequences

[urn,alt.sequence.q]
\$(T)TR[tr]SQ[trSQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
alt.sequence.q	2	PINT	R		trSQ
alt.sequence	2	PINT	R		\$(T)TR[tr]SQ[trSQ] 0
alt.sequence.delay	15	FREE	L		\$(T)TR[tr]SQ[trSQ] 1
alt.sequence.delay.hr	5	INT	R		\$(T)TR[tr]SQ[trSQ] 2
alt.sequence.delay.min	5	INT	R		\$(T)TR[tr]SQ[trSQ] 3
alt.sequence.delay.sec	5	INT	R		\$(T)TR[tr]SQ[trSQ] 4



api.errors

[urn,api.error.mnemonic]
\$(T)TR[tr]APIER[gelerr]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
api.error.mnemonic	15	FREE	L		gelerr
api.error.applies.ddc	1	YN	L		\$(T)TR[tr]APIER[gelerr] 0
api.error.applies.dpt	1	YN	L		\$(T)TR[tr]APIER[gelerr] 1
api.error.text	120	FREE	L		\$(T)TR[tr]APIER[gelerr] 2
api.patient.mri.urn	25	URN	L		\$(T)TR[tr]APIER[gelerr] 4
api.patient.urn	30	URN	L		\$(T)TR[tr]APIER[gelerr] 3



api.errors.problems

[urn,api.error.mnemonic,api.error.problem.q]
\$(T)TR[tr]APIER[gelerr]PROB[gelerp]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
api.error.problem.q	3	PINT	R		gelerp



api.errors.problems.text

[urn,api.error.mnemonic,api.error.problem.q,api.error.prob.text.q]
\$(T)TR[tr]APIER[gelerr]PROB[gelerp]T[gelptq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
api.error.prob.text.q	3	PINT	R		gelptq
api.error.prob.text.line	80	FREE	L		\$(T)TR[tr]APIER[gelerr]PROB[gelerp]T[gelptq]VALUE



audit.trail

[urn,audit.trail.seconds,audit.trail.type]
\$(T)TR[tr]AU[trAS,trAT]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
audit.trail.seconds	14	DEC	R		trAS
audit.trail.type	4	FREE	L		trAT
audit.trail.actual.date	8	DATE	L		\$(T)TR[tr]AU[trAS,trAT] 1
audit.trail.actual.time	4	HHMM	L		\$(T)TR[tr]AU[trAS,trAT] 2
audit.trail.date	8	DATE	L		VAL=%Z.date.in.magic(@audit.trail.seconds#.)
audit.trail.device	10	FREE	L		\$(T)TR[tr]AU[trAS,trAT] 3
audit.trail.time	4	HHMM	L		VAL=%Z.time.out(@audit.trail.seconds#.)
audit.trail.type.name	20	FREE	L		VAL=IF{@PHA.PARAM.audit.trail.type.name[PHA.RX.aud VAL=it.trail.type];PHA.RX.audit.trail.type}
audit.trail.user	10	FREE	L		\$(T)TR[tr]AU[trAS,trAT] 0



audit.trail.alt

[urn,audit.trail.seconds,audit.trail.type,audit.trail.bottle.type]
\$(T)TR[tr]AU[trAS,trAT]A[trBT]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
audit.trail.bottle.type	2	PINT	R		trBT



audit.trail.alt.detail

[urn,audit.trail.seconds,audit.trail.type,audit.trail.bottle.type,audit.trail.alt.q]
\$(T)TR[tr]AU[trAS,trAT]A[trBT]D[trAQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
audit.trail.alt.q	2	PINT	R		trAQ

audit.trail.alt.line70 FREEL\$(T)TR[tr]AU[trAS,trAT]A[trBT]D[trAQ]VALUE																																																																																									
 audit.trail.detail [urn,audit.trail.seconds,audit.trail.type,audit.trail.q] \$(T)TR[tr]AU[trAS,trAT]D[trAQ] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>audit.trail.q</td><td>2</td><td>PINT</td><td>R</td><td></td><td>trAQ</td></tr><tr><td>audit.trail.line</td><td>70</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]AU[trAS,trAT]D[trAQ]VALUE</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	audit.trail.q	2	PINT	R		trAQ	audit.trail.line	70	FREE	L		\$(T)TR[tr]AU[trAS,trAT]D[trAQ]VALUE																																																																		
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																																				
audit.trail.q	2	PINT	R		trAQ																																																																																				
audit.trail.line	70	FREE	L		\$(T)TR[tr]AU[trAS,trAT]D[trAQ]VALUE																																																																																				
 cancel.comments [urn,cancel.comment.q] \$(T)TR[tr]CC[trCC] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>cancel.comment.q</td><td>2</td><td>PINT</td><td>R</td><td></td><td>trCC</td></tr><tr><td>cancel.comment</td><td>60</td><td>TEXT</td><td>L</td><td></td><td>\$(T)TR[tr]CC[trCC]VALUE</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	cancel.comment.q	2	PINT	R		trCC	cancel.comment	60	TEXT	L		\$(T)TR[tr]CC[trCC]VALUE																																																																		
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																																				
cancel.comment.q	2	PINT	R		trCC																																																																																				
cancel.comment	60	TEXT	L		\$(T)TR[tr]CC[trCC]VALUE																																																																																				
 carriers [urn,carrier.q] \$(T)TR[tr]IC[trC] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>carrier.q</td><td>2</td><td>PINT</td><td>R</td><td></td><td>trC</td></tr><tr><td>carrier</td><td>10</td><td>FREE</td><td>L</td><td>PHA.DRUG</td><td>\$(T)TR[tr]IC[trC] 0</td></tr><tr><td>carrier.charge</td><td>9</td><td>MONEY</td><td>R</td><td></td><td>\$(T)TR[tr]IC[trC] 4</td></tr><tr><td>carrier.cost</td><td>9</td><td>MONEY</td><td>R</td><td></td><td>\$(T)TR[tr]IC[trC] 3</td></tr><tr><td>carrier.disp.forms</td><td>9</td><td>PDEC</td><td>R</td><td></td><td>\$(T)TR[tr]IC[trC] 2</td></tr><tr><td>carrier.handling.fee</td><td>9</td><td>MONEY</td><td>R</td><td></td><td>\$(T)TR[tr]IC[trC] 7</td></tr><tr><td>carrier.percent.conc</td><td>9</td><td>PDEC</td><td>R</td><td></td><td>\$(T)TR[tr]IC[trC] 6</td></tr><tr><td>carrier.percent.ord</td><td>9</td><td>PDEC</td><td>R</td><td></td><td>\$(T)TR[tr]IC[trC] 5</td></tr><tr><td>carrier.unit.awp</td><td>9</td><td>DEC</td><td>R</td><td></td><td>\$(T)TR[tr]IC[trC] 10</td></tr><tr><td>carrier.unit.cost</td><td>9</td><td>DEC</td><td>R</td><td></td><td>\$(T)TR[tr]IC[trC] 8</td></tr><tr><td>carrier.unit.price</td><td>9</td><td>DEC</td><td>R</td><td></td><td>\$(T)TR[tr]IC[trC] 9</td></tr><tr><td>carrier.volume</td><td>11</td><td>DEC.C</td><td>R</td><td></td><td>\$(T)TR[tr]IC[trC] 1</td></tr><tr><td>first.carrier</td><td>10</td><td>FREE</td><td>L</td><td></td><td>VAL=@carrier[1]</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	carrier.q	2	PINT	R		trC	carrier	10	FREE	L	PHA.DRUG	\$(T)TR[tr]IC[trC] 0	carrier.charge	9	MONEY	R		\$(T)TR[tr]IC[trC] 4	carrier.cost	9	MONEY	R		\$(T)TR[tr]IC[trC] 3	carrier.disp.forms	9	PDEC	R		\$(T)TR[tr]IC[trC] 2	carrier.handling.fee	9	MONEY	R		\$(T)TR[tr]IC[trC] 7	carrier.percent.conc	9	PDEC	R		\$(T)TR[tr]IC[trC] 6	carrier.percent.ord	9	PDEC	R		\$(T)TR[tr]IC[trC] 5	carrier.unit.awp	9	DEC	R		\$(T)TR[tr]IC[trC] 10	carrier.unit.cost	9	DEC	R		\$(T)TR[tr]IC[trC] 8	carrier.unit.price	9	DEC	R		\$(T)TR[tr]IC[trC] 9	carrier.volume	11	DEC.C	R		\$(T)TR[tr]IC[trC] 1	first.carrier	10	FREE	L		VAL=@carrier[1]
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																																				
carrier.q	2	PINT	R		trC																																																																																				
carrier	10	FREE	L	PHA.DRUG	\$(T)TR[tr]IC[trC] 0																																																																																				
carrier.charge	9	MONEY	R		\$(T)TR[tr]IC[trC] 4																																																																																				
carrier.cost	9	MONEY	R		\$(T)TR[tr]IC[trC] 3																																																																																				
carrier.disp.forms	9	PDEC	R		\$(T)TR[tr]IC[trC] 2																																																																																				
carrier.handling.fee	9	MONEY	R		\$(T)TR[tr]IC[trC] 7																																																																																				
carrier.percent.conc	9	PDEC	R		\$(T)TR[tr]IC[trC] 6																																																																																				
carrier.percent.ord	9	PDEC	R		\$(T)TR[tr]IC[trC] 5																																																																																				
carrier.unit.awp	9	DEC	R		\$(T)TR[tr]IC[trC] 10																																																																																				
carrier.unit.cost	9	DEC	R		\$(T)TR[tr]IC[trC] 8																																																																																				
carrier.unit.price	9	DEC	R		\$(T)TR[tr]IC[trC] 9																																																																																				
carrier.volume	11	DEC.C	R		\$(T)TR[tr]IC[trC] 1																																																																																				
first.carrier	10	FREE	L		VAL=@carrier[1]																																																																																				
 charge.table [urn,chg.tbl.charge,chg.tbl.med] \$(T)TR[tr]CHG[trch,tf] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>chg.tbl.charge</td><td>9</td><td>MONEY</td><td>R</td><td></td><td>trch</td></tr><tr><td>chg.tbl.med</td><td>10</td><td>FREE</td><td>L</td><td>PHA.DRUG</td><td>tf</td></tr><tr><td>chg.tbl.med.charge</td><td>9</td><td>MONEY</td><td>R</td><td></td><td>\$(T)TR[tr]CHG[trch,tf] 0</td></tr><tr><td>chg.tbl.med.cost</td><td>9</td><td>MONEY</td><td>R</td><td></td><td>\$(T)TR[tr]CHG[trch,tf] 1</td></tr><tr><td>chg.tbl.med.handling.fee</td><td>9</td><td>MONEY</td><td>R</td><td></td><td>\$(T)TR[tr]CHG[trch,tf] 2</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	chg.tbl.charge	9	MONEY	R		trch	chg.tbl.med	10	FREE	L	PHA.DRUG	tf	chg.tbl.med.charge	9	MONEY	R		\$(T)TR[tr]CHG[trch,tf] 0	chg.tbl.med.cost	9	MONEY	R		\$(T)TR[tr]CHG[trch,tf] 1	chg.tbl.med.handling.fee	9	MONEY	R		\$(T)TR[tr]CHG[trch,tf] 2																																																
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																																				
chg.tbl.charge	9	MONEY	R		trch																																																																																				
chg.tbl.med	10	FREE	L	PHA.DRUG	tf																																																																																				
chg.tbl.med.charge	9	MONEY	R		\$(T)TR[tr]CHG[trch,tf] 0																																																																																				
chg.tbl.med.cost	9	MONEY	R		\$(T)TR[tr]CHG[trch,tf] 1																																																																																				
chg.tbl.med.handling.fee	9	MONEY	R		\$(T)TR[tr]CHG[trch,tf] 2																																																																																				
 clinical.alerts [urn,clin.alert] \$(T)TR[tr]CLA[gqa] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>clin.alert</td><td>10</td><td>FREE</td><td>L</td><td>MIS.CLIN.ALERT</td><td>gqa</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	clin.alert	10	FREE	L	MIS.CLIN.ALERT	gqa																																																																								
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																																				
clin.alert	10	FREE	L	MIS.CLIN.ALERT	gqa																																																																																				
 clinical.alerts.details [urn,clin.alert,clin.alerts.details] \$(T)TR[tr]CLA[gqa]D[aqaDE] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>clin.alerts.details</td><td>72</td><td>FREE</td><td>L</td><td></td><td>aqaDE</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	clin.alerts.details	72	FREE	L		aqaDE																																																																								
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																																				
clin.alerts.details	72	FREE	L		aqaDE																																																																																				
 cumulative.dose.warn.dtlq [urn,cumulative.dose.warn.dtlq] \$(T)TR[tr]CUMDSW["D",cdWD] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>cumulative.dose.warn.dtlq</td><td>2</td><td>PINT</td><td>R</td><td></td><td>cdWD</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	cumulative.dose.warn.dtlq	2	PINT	R		cdWD																																																																								
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																																				
cumulative.dose.warn.dtlq	2	PINT	R		cdWD																																																																																				

cumulative.dose.warn.dtl92FREEL\$(T)TR[tr]CUMDSW["D",cdWD]VALUE																																																											
 da.comments [urn,da.comment.q] \$(T)TR[tr]DAC[trDACQ] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>da.comment.q</td><td>2</td><td>PINT</td><td>R</td><td></td><td>trDACQ</td></tr><tr><td>da.comment</td><td>60</td><td>TEXT</td><td>L</td><td></td><td>\$(T)TR[tr]DAC[trDACQ]VALUE</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	da.comment.q	2	PINT	R		trDACQ	da.comment	60	TEXT	L		\$(T)TR[tr]DAC[trDACQ]VALUE																																				
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																						
da.comment.q	2	PINT	R		trDACQ																																																						
da.comment	60	TEXT	L		\$(T)TR[tr]DAC[trDACQ]VALUE																																																						
 dc.comments [urn,dc.comment.q] \$(T)TR[tr]DC[trDCQ] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>dc.comment.q</td><td>2</td><td>PINT</td><td>R</td><td></td><td>trDCQ</td></tr><tr><td>dc.comment</td><td>60</td><td>TEXT</td><td>L</td><td></td><td>\$(T)TR[tr]DC[trDCQ]VALUE</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	dc.comment.q	2	PINT	R		trDCQ	dc.comment	60	TEXT	L		\$(T)TR[tr]DC[trDCQ]VALUE																																				
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																						
dc.comment.q	2	PINT	R		trDCQ																																																						
dc.comment	60	TEXT	L		\$(T)TR[tr]DC[trDCQ]VALUE																																																						
 dc.comments.undo [urn,dc.comment.undo.q] \$(T)TR[tr]DCU[trDCHQ] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>dc.comment.undo.q</td><td>2</td><td>PINT</td><td>R</td><td></td><td>trDCHQ</td></tr><tr><td>dc.comment.undo</td><td>60</td><td>TEXT</td><td>L</td><td></td><td>\$(T)TR[tr]DCU[trDCHQ]VALUE</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	dc.comment.undo.q	2	PINT	R		trDCHQ	dc.comment.undo	60	TEXT	L		\$(T)TR[tr]DCU[trDCHQ]VALUE																																				
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																						
dc.comment.undo.q	2	PINT	R		trDCHQ																																																						
dc.comment.undo	60	TEXT	L		\$(T)TR[tr]DCU[trDCHQ]VALUE																																																						
 ddc.results [urn,ddc.conf.q] \$(T)TR[tr]DDC[gelrq] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>ddc.conf.q</td><td>3</td><td>URN</td><td>L</td><td></td><td>gelrq</td></tr><tr><td>ddc.conf.drug.severity</td><td>16</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq] 0</td></tr><tr><td>ddc.conf.ingr.desc</td><td>100</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq] 1</td></tr><tr><td>ddc.result.drug</td><td>10</td><td>FREE</td><td>L</td><td>PHA.DRUG</td><td>\$(T)TR[tr]DDC[gelrq] 4</td></tr><tr><td>ddc.result.hit.cond.id</td><td>10</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq] 6</td></tr><tr><td>ddc.result.ingr.multi</td><td>1</td><td>YN</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq] 5</td></tr><tr><td>ddc.result.trig.drug.id</td><td>10</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq] 2</td></tr><tr><td>ddc.result.trig.drug.type</td><td>10</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq] 3</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	ddc.conf.q	3	URN	L		gelrq	ddc.conf.drug.severity	16	FREE	L		\$(T)TR[tr]DDC[gelrq] 0	ddc.conf.ingr.desc	100	FREE	L		\$(T)TR[tr]DDC[gelrq] 1	ddc.result.drug	10	FREE	L	PHA.DRUG	\$(T)TR[tr]DDC[gelrq] 4	ddc.result.hit.cond.id	10	FREE	L		\$(T)TR[tr]DDC[gelrq] 6	ddc.result.ingr.multi	1	YN	L		\$(T)TR[tr]DDC[gelrq] 5	ddc.result.trig.drug.id	10	FREE	L		\$(T)TR[tr]DDC[gelrq] 2	ddc.result.trig.drug.type	10	FREE	L		\$(T)TR[tr]DDC[gelrq] 3
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																						
ddc.conf.q	3	URN	L		gelrq																																																						
ddc.conf.drug.severity	16	FREE	L		\$(T)TR[tr]DDC[gelrq] 0																																																						
ddc.conf.ingr.desc	100	FREE	L		\$(T)TR[tr]DDC[gelrq] 1																																																						
ddc.result.drug	10	FREE	L	PHA.DRUG	\$(T)TR[tr]DDC[gelrq] 4																																																						
ddc.result.hit.cond.id	10	FREE	L		\$(T)TR[tr]DDC[gelrq] 6																																																						
ddc.result.ingr.multi	1	YN	L		\$(T)TR[tr]DDC[gelrq] 5																																																						
ddc.result.trig.drug.id	10	FREE	L		\$(T)TR[tr]DDC[gelrq] 2																																																						
ddc.result.trig.drug.type	10	FREE	L		\$(T)TR[tr]DDC[gelrq] 3																																																						
 ddc.results.dis.desc [urn,ddc.conf.q,ddc.result.dis.desc.q] \$(T)TR[tr]DDC[gelrq]DD[geldd] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>ddc.result.dis.desc.q</td><td>1</td><td>PINT</td><td>R</td><td></td><td>geldd</td></tr><tr><td>ddc.result.dis.desc.line</td><td>90</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq]DD[geldd]VALUE</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	ddc.result.dis.desc.q	1	PINT	R		geldd	ddc.result.dis.desc.line	90	FREE	L		\$(T)TR[tr]DDC[gelrq]DD[geldd]VALUE																																				
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																						
ddc.result.dis.desc.q	1	PINT	R		geldd																																																						
ddc.result.dis.desc.line	90	FREE	L		\$(T)TR[tr]DDC[gelrq]DD[geldd]VALUE																																																						
 ddc.results.problems [urn,ddc.conf.q,ddc.result.problem.q] \$(T)TR[tr]DDC[gelrq]PRO[pcdq] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>ddc.result.problem.q</td><td>3</td><td>PINT</td><td>R</td><td></td><td>pcdq</td></tr><tr><td>ddc.result.hit.nav.code</td><td>2</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 3</td></tr><tr><td>ddc.result.problem.text</td><td>70</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 6</td></tr><tr><td>ddc.result.problem.codety</td><td>10</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 0</td></tr><tr><td>ddc.result.problem.onset</td><td>11</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 1</td></tr><tr><td>ddc.result.problem.status</td><td>20</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 2</td></tr><tr><td>ddc.result.trig.cond.id</td><td>10</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 4</td></tr><tr><td>ddc.result.trig.cond.type</td><td>10</td><td>FREE</td><td>L</td><td></td><td>\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 5</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	ddc.result.problem.q	3	PINT	R		pcdq	ddc.result.hit.nav.code	2	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 3	ddc.result.problem.text	70	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 6	ddc.result.problem.codety	10	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 0	ddc.result.problem.onset	11	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 1	ddc.result.problem.status	20	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 2	ddc.result.trig.cond.id	10	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 4	ddc.result.trig.cond.type	10	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 5
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																						
ddc.result.problem.q	3	PINT	R		pcdq																																																						
ddc.result.hit.nav.code	2	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 3																																																						
ddc.result.problem.text	70	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 6																																																						
ddc.result.problem.codety	10	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 0																																																						
ddc.result.problem.onset	11	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 1																																																						
ddc.result.problem.status	20	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 2																																																						
ddc.result.trig.cond.id	10	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 4																																																						
ddc.result.trig.cond.type	10	FREE	L		\$(T)TR[tr]DDC[gelrq]PRO[pcdq] 5																																																						
 ddc.results.cond.desc [urn,ddc.conf.q,ddc.result.problem.q,ddc.conf.cond.desc.q] \$(T)TR[tr]DDC[gelrq]PRO[pcdq]CD[geldq] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>ddc.conf.cond.desc.q</td><td>1</td><td>PINT</td><td>R</td><td></td><td>geldq</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	ddc.conf.cond.desc.q	1	PINT	R		geldq																																										
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																						
ddc.conf.cond.desc.q	1	PINT	R		geldq																																																						

ddc.conf.cond.desc.line	90	FREE	L			\$ (T) TR[tr]DDC[gelrq]PRO[pcdq]CD[geldq]VALUE
-------------------------	----	------	---	--	--	--






ddc.results.prob.desc
[urn,ddc.conf.q,ddc.result.problem.q,ddc.conf.prob.desc.q]
\$(T)TR[tr]DDC[gelrq]PRO[pcdq]PD[gelpq]

Field Name	Len	Data Type	J	DPM	Pointer	Offset/Local/VAL
ddc.conf.prob.desc.q	1	PINT	R			gelpq
ddc.conf.prob.desc.line	90	FREE	L			\$(T)TR[tr]DDC[gelrq]PRO[pcdq]PD[gelpq]VALUE






deactivated.periods
[urn,deactivate.q]
\$(T)TR[tr]DP[trDPQ]

Field Name	Len	Data Type	J	DPM	Pointer	Offset/Local/VAL
deactivate.q	2	PINT	R			trDPQ
deactivate.q.date	8	DATE	L			\$(T)TR[tr]DP[trDPQ] 0
deactivate.q.date.time	13	FREE	L			VAL=@PHA.RX.deactivate.q.date._@PHA.RX.deactivate VAL=.q.time
deactivate.q.seconds	10	PINT	R			VAL=%Z.date.clinical(@PHA.RX.deactivate.q.date)*86 VAL=400+%Z.time.in(@PHA.RX.deactivate.q.time)
deactivate.q.time	4	HHMM	L			\$(T)TR[tr]DP[trDPQ] 1
deactivate.q.user	10	FREE	L		MIS.USER	\$(T)TR[tr]DP[trDPQ] 2
reactivate.q.date	8	DATE	L			\$(T)TR[tr]DP[trDPQ] 3
reactivate.q.date.time	13	FREE	L			VAL=@PHA.RX.reactivate.q.date._@PHA.RX.reactivate VAL=.q.time
reactivate.q.seconds	10	PINT	R			VAL=%Z.date.clinical(@PHA.RX.reactivate.q.date)*86 VAL=400+%Z.time.in(@PHA.RX.reactivate.q.time)
reactivate.q.time	4	HHMM	L			\$(T)TR[tr]DP[trDPQ] 4






disease.cis
[urn,disease.ci.q]
\$(T)TR[tr]DCI[trDCIq]

Field Name	Len	Data Type	J	DPM	Pointer	Offset/Local/VAL
disease.ci.q	3	PINT	R			trDCIq
disease.ci.disease	10	FREE	L		PHA.DIS	\$(T)TR[tr]DCI[trDCIq] 1
disease.ci.disease.name	40	FREE	L			\$(T)TR[tr]DCI[trDCIq] 4
disease.ci.drug.name	30	FREE	L			\$(T)TR[tr]DCI[trDCIq] 3
disease.ci.int	10	FREE	L		PHA.INT	\$(T)TR[tr]DCI[trDCIq] 0
disease.ci.med	10	FREE	L		PHA.DRUG	\$(T)TR[tr]DCI[trDCIq] 2






disease.contra.ind
[urn,disease.contra.ind]
\$(T)TR[tr]DIS[tda]

Field Name	Len	Data Type	J	DPM	Pointer	Offset/Local/VAL
disease.contra.ind	10	FREE	L		PHA.INT	tda
disease.contra.ind.med	10	FREE	L		PHA.DRUG	\$(T)TR[tr]DIS[tda] 0






dispense.adjustments
[urn,adjust.q]
\$(T)TR[tr]DA[trADQ]

Field Name	Len	Data Type	J	DPM	Pointer	Offset/Local/VAL
adjust.q	3	PINT	R			trADQ
adjust.bottle.type	2	PINT	R			\$(T)TR[tr]DA[trADQ] 6
adjust.date.new	8	DATE	L			\$(T)TR[tr]DA[trADQ] 2
adjust.date.old	8	DATE	L			\$(T)TR[tr]DA[trADQ] 0
adjust.duration.new	22	FREE	L			\$(T)TR[tr]DA[trADQ] 5
adjust.duration.old	22	FREE	L			\$(T)TR[tr]DA[trADQ] 4
adjust.first.dose.dt.old	8	DATE	L			\$(T)TR[tr]DA[trADQ] 15
adjust.first.dose.tm.old	4	TIME	L			\$(T)TR[tr]DA[trADQ] 16
adjust.from.transfer	1	YN	L			\$(T)TR[tr]DA[trADQ] 17
adjust.location.new	10	FREE	L		MIS.LOCN	\$(T)TR[tr]DA[trADQ] 10
adjust.location.old	10	FREE	L		MIS.LOCN	\$(T)TR[tr]DA[trADQ] 9
adjust.pcs.reviewed	1	YN	L			\$(T)TR[tr]DA[trADQ] 11
adjust.sig.new	20	FREE	L		MIS.DIR	\$(T)TR[tr]DA[trADQ] 8
adjust.sig.old	20	FREE	L		MIS.DIR	\$(T)TR[tr]DA[trADQ] 7
adjust.start.date.old	8	DATE	L			\$(T)TR[tr]DA[trADQ] 13
adjust.start.time.old	4	TIME	L			\$(T)TR[tr]DA[trADQ] 14
adjust.time.new	4	HHMM	L			\$(T)TR[tr]DA[trADQ] 3

adjust.time.old	4	HHMM	L		\$ (T) TR[tr]DA[trADQ] 1																																																																								
adjust.user	10	FREE	L	MIS.USER	\$ (T) TR[tr]DA[trADQ] 12																																																																								
dose.calculations [urn,dose.calculation.q] \$ (T) TR[tr]DCQ[trDCQ] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>dose.calculation.q</td><td>3</td><td>PINT</td><td>R</td><td></td><td>trDCQ</td></tr><tr><td>dose.calculation</td><td>70</td><td>FREE</td><td>L</td><td></td><td>\$ (T) TR[tr]DCQ[trDCQ] 1</td></tr><tr><td>dose.calculation.med</td><td>10</td><td>FREE</td><td>L</td><td>PHA.DRUG</td><td>\$ (T) TR[tr]DCQ[trDCQ] 0</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	dose.calculation.q	3	PINT	R		trDCQ	dose.calculation	70	FREE	L		\$ (T) TR[tr]DCQ[trDCQ] 1	dose.calculation.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]DCQ[trDCQ] 0																																																
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																								
dose.calculation.q	3	PINT	R		trDCQ																																																																								
dose.calculation	70	FREE	L		\$ (T) TR[tr]DCQ[trDCQ] 1																																																																								
dose.calculation.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]DCQ[trDCQ] 0																																																																								
dose.instructions [urn,dose.instruction.q] \$ (T) TR[tr]DI[trDD] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>dose.instruction.q</td><td>2</td><td>PINT</td><td>R</td><td></td><td>trDD</td></tr><tr><td>dose.instruction</td><td>60</td><td>TEXT</td><td>L</td><td></td><td>\$ (T) TR[tr]DI[trDD] VALUE</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	dose.instruction.q	2	PINT	R		trDD	dose.instruction	60	TEXT	L		\$ (T) TR[tr]DI[trDD] VALUE																																																						
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																								
dose.instruction.q	2	PINT	R		trDD																																																																								
dose.instruction	60	TEXT	L		\$ (T) TR[tr]DI[trDD] VALUE																																																																								
dose.warnings [urn,dose.warning.q] \$ (T) TR[tr]DWQ[trDWQ] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>dose.warning.q</td><td>3</td><td>PINT</td><td>R</td><td></td><td>trDWQ</td></tr><tr><td>dose.warning.high.dose</td><td>80</td><td>FREE</td><td>L</td><td></td><td>\$ (T) TR[tr]DWQ[trDWQ] 3</td></tr><tr><td>dose.warning.high.dur</td><td>80</td><td>FREE</td><td>L</td><td></td><td>\$ (T) TR[tr]DWQ[trDWQ] 5</td></tr><tr><td>dose.warning.low.dose</td><td>80</td><td>FREE</td><td>L</td><td></td><td>\$ (T) TR[tr]DWQ[trDWQ] 2</td></tr><tr><td>dose.warning.low.duration</td><td>80</td><td>FREE</td><td>L</td><td></td><td>\$ (T) TR[tr]DWQ[trDWQ] 4</td></tr><tr><td>dose.warning.max.dose</td><td>80</td><td>FREE</td><td>L</td><td></td><td>\$ (T) TR[tr]DWQ[trDWQ] 1</td></tr><tr><td>dose.warning.max.duration</td><td>80</td><td>FREE</td><td>L</td><td></td><td>\$ (T) TR[tr]DWQ[trDWQ] 6</td></tr><tr><td>dose.warning.med</td><td>10</td><td>FREE</td><td>L</td><td>PHA.DRUG</td><td>\$ (T) TR[tr]DWQ[trDWQ] 0</td></tr><tr><td>dose.warning.qualifier</td><td>80</td><td>FREE</td><td>L</td><td></td><td>\$ (T) TR[tr]DWQ[trDWQ] 7</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	dose.warning.q	3	PINT	R		trDWQ	dose.warning.high.dose	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 3	dose.warning.high.dur	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 5	dose.warning.low.dose	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 2	dose.warning.low.duration	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 4	dose.warning.max.dose	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 1	dose.warning.max.duration	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 6	dose.warning.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]DWQ[trDWQ] 0	dose.warning.qualifier	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 7												
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																								
dose.warning.q	3	PINT	R		trDWQ																																																																								
dose.warning.high.dose	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 3																																																																								
dose.warning.high.dur	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 5																																																																								
dose.warning.low.dose	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 2																																																																								
dose.warning.low.duration	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 4																																																																								
dose.warning.max.dose	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 1																																																																								
dose.warning.max.duration	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 6																																																																								
dose.warning.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]DWQ[trDWQ] 0																																																																								
dose.warning.qualifier	80	FREE	L		\$ (T) TR[tr]DWQ[trDWQ] 7																																																																								
dose.warnings.typ [urn,dose.warning.type,dose.warning.range,dose.warning.range.q,dose.warning.type.q] \$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>dose.warning.type</td><td>15</td><td>FREE</td><td>L</td><td>PHA.DOSE.TYPE</td><td>tddt</td></tr><tr><td>dose.warning.range</td><td>15</td><td>FREE</td><td>L</td><td>PHA.DR</td><td>tddc</td></tr><tr><td>dose.warning.range.q</td><td>3</td><td>PINT</td><td>R</td><td></td><td>tddcR</td></tr><tr><td>dose.warning.type.q</td><td>3</td><td>PINT</td><td>R</td><td></td><td>tddcQ</td></tr><tr><td>dose.warning.comment</td><td>1</td><td>YN</td><td>L</td><td></td><td>\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 3</td></tr><tr><td>dose.warning.disease</td><td>10</td><td>FREE</td><td>L</td><td>PHA.DIS</td><td>\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 0</td></tr><tr><td>dose.warning.dose</td><td>10</td><td>DEC.C</td><td>R</td><td></td><td>\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 4</td></tr><tr><td>dose.warning.dose.sig</td><td>20</td><td>FREE</td><td>L</td><td>MIS.DIR</td><td>\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 6</td></tr><tr><td>dose.warning.doseunit</td><td>10</td><td>FREE</td><td>L</td><td>PHA.UNITS</td><td>\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 5</td></tr><tr><td>dose.warning.drug</td><td>10</td><td>FREE</td><td>L</td><td>PHA.DRUG</td><td>\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 1</td></tr><tr><td>dose.warning.error</td><td>1</td><td>YN</td><td>L</td><td></td><td>\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 2</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	dose.warning.type	15	FREE	L	PHA.DOSE.TYPE	tddt	dose.warning.range	15	FREE	L	PHA.DR	tddc	dose.warning.range.q	3	PINT	R		tddcR	dose.warning.type.q	3	PINT	R		tddcQ	dose.warning.comment	1	YN	L		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 3	dose.warning.disease	10	FREE	L	PHA.DIS	\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 0	dose.warning.dose	10	DEC.C	R		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 4	dose.warning.dose.sig	20	FREE	L	MIS.DIR	\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 6	dose.warning.doseunit	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 5	dose.warning.drug	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 1	dose.warning.error	1	YN	L		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 2
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																								
dose.warning.type	15	FREE	L	PHA.DOSE.TYPE	tddt																																																																								
dose.warning.range	15	FREE	L	PHA.DR	tddc																																																																								
dose.warning.range.q	3	PINT	R		tddcR																																																																								
dose.warning.type.q	3	PINT	R		tddcQ																																																																								
dose.warning.comment	1	YN	L		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 3																																																																								
dose.warning.disease	10	FREE	L	PHA.DIS	\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 0																																																																								
dose.warning.dose	10	DEC.C	R		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 4																																																																								
dose.warning.dose.sig	20	FREE	L	MIS.DIR	\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 6																																																																								
dose.warning.doseunit	10	FREE	L	PHA.UNITS	\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 5																																																																								
dose.warning.drug	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 1																																																																								
dose.warning.error	1	YN	L		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ] 2																																																																								
dose.warnings.comp [urn,dose.warning.type,dose.warning.range,dose.warning.range.q,dose.warning.type.q,dose.warning.component] \$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>dose.warning.component</td><td>5</td><td>FREE</td><td>L</td><td></td><td>tddcC</td></tr><tr><td>dose.warning.lo.hi</td><td>1</td><td>CHOICE</td><td>L</td><td></td><td>\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC] 1</td></tr><tr><td>dose.warning.or.error</td><td>1</td><td>CHOICE</td><td>L</td><td></td><td>\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC] 0</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	dose.warning.component	5	FREE	L		tddcC	dose.warning.lo.hi	1	CHOICE	L		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC] 1	dose.warning.or.error	1	CHOICE	L		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC] 0																																																
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																								
dose.warning.component	5	FREE	L		tddcC																																																																								
dose.warning.lo.hi	1	CHOICE	L		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC] 1																																																																								
dose.warning.or.error	1	CHOICE	L		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC] 0																																																																								
dose.warnings.text [urn,dose.warning.type,dose.warning.range,dose.warning.range.q,dose.warning.type.q,dose.warning.component,dose.warning.text.q] \$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC]TXT[trDWTQ] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>dose.warning.text.q</td><td>3</td><td>PINT</td><td>R</td><td></td><td>trDWTQ</td></tr><tr><td>dose.warning.text</td><td>80</td><td>FREE</td><td>L</td><td></td><td>\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC]TXT[trDWTQ] VALUE</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	dose.warning.text.q	3	PINT	R		trDWTQ	dose.warning.text	80	FREE	L		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC]TXT[trDWTQ] VALUE																																																						
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																								
dose.warning.text.q	3	PINT	R		trDWTQ																																																																								
dose.warning.text	80	FREE	L		\$ (T) TR[tr]DWS[tddt,tddc,tddcR,tddcQ]C[tddcC]TXT[trDWTQ] VALUE																																																																								



duplicate.therapy

```
[urn,duplicate.therapy.q]
$(T)TR[tr]DUPTH[trDTQ]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
duplicate.therapy.q	3	PINT	R		trDTQ
duplicate.therapy.allow	2	PINT	R		\$(T)TR[tr]DUPTH[trDTQ] 1



duplicate.therapy.classes

```
[urn,duplicate.therapy.q,duplicate.therapy.class]
$(T)TR[tr]DUPTH[trDTQ]C[trDTC]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
duplicate.therapy.class	80	FREE	L		trDTC
duplicate.therapy.classcd	20	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]C[trDTC] 0



duplicate.therapy.rxs

```
[urn,duplicate.therapy.q,duplicate.therapy.rx]
$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
duplicate.therapy.rx	10	URN	L	PHA.RX	trDTrx
dup.th.hm.dc.date	8	DATE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 12
dup.th.hm.dc.time	4	HHMM	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 13
dup.th.hm.enter.date	8	DATE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 6
dup.th.hm.enter.time	4	HHMM	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 7
dup.th.hm.expires	8	DATE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 11
dup.th.hm.issue.date	8	DATE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 4
dup.th.hm.issue.time	4	HHMM	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 5
dup.th.hm.number	10	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 14
dup.th.hm.pha.nf.desc	60	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 8
dup.th.hm.pha.non.form	1	YN	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 9
dup.th.hm.route	10	FREE	L	PHA.ROUTES	\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 10
dup.th.hm.sig	20	FREE	L	MIS.DIR	\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 2
dup.th.hm.status	3	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 3
dup.th.hm.type	1	CHOICE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 15
dup.th.hmed.db.source	12	FREE	L	MIS.APPL.DB	\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 1
dup.th.hmed.urn	10	PINT	R	RXM.RX	\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM 0



duplicate.therapy.rxs.med

```
[urn,duplicate.therapy.q,duplicate.therapy.rx,duplicate.therapy.med]
$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]M[tf]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
duplicate.therapy.med	10	FREE	L	PHA.DRUG	tf



duplicate.therapy.rxs.cmp

```
[urn,duplicate.therapy.q,duplicate.therapy.rx,dup.th.hm.comp.q]
$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
dup.th.hm.comp.q	3	PINT	R		trHCq
dup.th.hm.comp.controlled	1	YN	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq] 5
dup.th.hm.comp.dose	11	PDECZ.C	R		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq] 1
dup.th.hm.comp.dose.units	10	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq] 2
dup.th.hm.comp.fsv.id	20	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq] 9
dup.th.hm.comp.med	10	FREE	L	PHA.DRUG	\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq] 0
dup.th.hm.comp.name	90	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq] 8
dup.th.hm.comp.ndc.din	12	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq] 6
dup.th.hm.comp.strength	27	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq] 7
dup.th.hm.comp.type	10	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq] 3
dup.th.hm.comp.volume	11	FREE	L		\$(T)TR[tr]DUPTH[trDTQ]RX[trDTrx]RXM["C",trHCq] 4



duplicates

```
[urn,duplicate.q]
$(T)TR[tr]DUP[trDQ]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
duplicate.q	3	PINT	R		trDQ
dup.hmed.auto.dc.date	8	DATE	L		\$(T)TR[tr]DUP[trDQ]HM["RXM"]C 8
dup.hmed.call.in.status	10	FREE	L	RXM.CALL.STATUS	\$(T)TR[tr]DUP[trDQ]HM["RXM"]A 19

dup.hmed.cancel.reason	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 7
dup.hmed.cancelled.by	10	FREE	L	MIS.USER	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 16
dup.hmed.cancelled.date	8	DATE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 17
dup.hmed.cancelled.time	4	HHMM	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 18
dup.hmed.comment	75	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 11
dup.hmed.controlled	1	YN	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 18
dup.hmed.converted.from	10	PINT	R	RXM.RX	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 4
dup.hmed.days	3	INT	R		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 24
dup.hmed.db.source	12	FREE	L	MIS.APPL.DB	\$ (T) TR[tr] DUP[trDQ] HM 0
dup.hmed.dc.can.rnw.rsn	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 13
dup.hmed.dc.reason	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 12
dup.hmed.discontinued.by	10	FREE	L	MIS.USER	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 12
dup.hmed.discontinued.dt	8	DATE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 13
dup.hmed.discontinued.tm	4	HHMM	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 14
dup.hmed.disp.form	0	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 10
dup.hmed.disp.unit	10	FREE	L	PHA.UNITS	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 25
dup.hmed.dose	19	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 8
dup.hmed.dose.calc	30	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 0
dup.hmed.dose1	10	PDEC.C	R		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 1
dup.hmed.dose2	10	PDEC.C	R		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 2
dup.hmed.entered.by	10	FREE	L	MIS.USER	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 0
dup.hmed.entered.date	8	DATE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 1
dup.hmed.entered.time	4	HHMM	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 2
dup.hmed.esigned	1	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] D 5
dup.hmed.expires	8	DATE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 14
dup.hmed.facility	10	FREE	L	MIS.FACILITY	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 2
dup.hmed.free.text	1	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 1
dup.hmed.free.text.form	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 6
dup.hmed.free.text.str	30	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 5
dup.hmed.from.oncology	1	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] D 10
dup.hmed.ft.pha.num	18	PHONE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] D 9
dup.hmed.issued.by	10	FREE	L	MIS.USER	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 3
dup.hmed.issued.date	8	DATE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 4
dup.hmed.issued.time	4	HHMM	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 5
dup.hmed.location	10	FREE	L	MIS.LOCN	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 19
dup.hmed.med	20	FREE	L	RXM.DRUG	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 6
dup.hmed.med.source	1	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 8
dup.hmed.medical.equip	1	YN	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] D 6
dup.hmed.merged.from	25	URN	L	MRI.PAT	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 0
dup.hmed.mod.source	15	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM 1
dup.hmed.mri.urn	25	URN	L	MRI.PAT	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 0
dup.hmed.ndc.din.number	12	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 8
dup.hmed.ndc.form	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 4
dup.hmed.ndc.gen.name	45	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 2
dup.hmed.ndc.generic	12	FREE	L	PHA.GENERIC	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 9
dup.hmed.ndc.name	45	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 3
dup.hmed.ndc.strength	30	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 3
dup.hmed.no.sub	1	YN	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 10
dup.hmed.number	11	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 4
dup.hmed.office.inj	10	FREE	L	RXM.PROC	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] D 3
dup.hmed.office.proc	10	URN	L	RXM.ORD	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 11
dup.hmed.order.source	10	FREE	L	MIS.SOURCE	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] D 4
dup.hmed.other.db	12	FREE	L	MIS.APPL.DB	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 17
dup.hmed.override.by	10	FREE	L	MIS.USER	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 7
dup.hmed.override.date	8	DATE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 8
dup.hmed.override.reason	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 6
dup.hmed.override.time	4	HHMM	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] D 9
dup.hmed.patient	30	URN	L	ADM.PAT	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 1
dup.hmed.pha.gen.name	45	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 6
dup.hmed.pha.generic	12	FREE	L	PHA.GENERIC	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 5
dup.hmed.pha.name	45	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] B 7
dup.hmed.pha.urn	10	URN	L	PHA.RX	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 22
dup.hmed.pharmacy	15	FREE	L	MIS.OUT.LOCN	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 20
dup.hmed.print.mono.dft	1	YN	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 21
dup.hmed.print.script.dft	1	YN	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 20
dup.hmed.provider	10	FREE	L	MIS.USER	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 15
dup.hmed.prv.urn	10	URN	L	PRV.RX	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 23
dup.hmed.qty	4	DEC	R		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 7
dup.hmed.refill.period	10	FREE	L	RXM.REFILL	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 26
dup.hmed.refills	2	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 13
dup.hmed.renewed.from	10	PINT	R	RXM.RX	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] A 15
dup.hmed.replace.reason	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] D 0
dup.hmed.route	10	FREE	L	PHA.ROUTES	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 11
dup.hmed.samples.given	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 16
dup.hmed.sig	20	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 12
dup.hmed.sig.disp	20	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] D 2
dup.hmed.sig.prn	1	YN	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] D 1
dup.hmed.status	3	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 5
dup.hmed.type	1	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 3
dup.hmed.units	10	FREE	L	PHA.UNITS	\$ (T) TR[tr] DUP[trDQ] HM["RXM"] 9
dup.hmed.unsigned.verbal	1	YN	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 10

dup.hmed.verbal.rx	1	YN	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] C 9
duplicate	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] 2
duplicate.dc	1	FREE	L		VAL=%PHA.RX.duplicate.M.dc(urn,duplicate.q)
duplicate.hmed.urn	10	PINT	R	RXM.RX	\$ (T) TR[tr] DUP[trDQ] 5
duplicate.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr] DUP[trDQ] 3
duplicate.name	45	FREE	L		VAL=IF{@duplicate.type="C" @PHA.CLASS.name[@duplic VAL=ate];@duplicate.type="I" @PHA.INGR.name[@dupli VAL=cate];@PHA.GENERIC.name[@duplicate]}
duplicate.rx.number	11	FREE	L		VAL=%PHA.RX.duplicate.M.rx.number(urn,duplicate.q)
duplicate.rx.type	10	FREE	L		VAL=%PHA.RX.duplicate.M.rx.type(urn,duplicate.q)
duplicate.start	10	FREE	L		VAL=%PHA.RX.duplicate.M.start(urn,duplicate.q)
duplicate.stop	10	FREE	L		VAL=%PHA.RX.duplicate.M.stop(urn,duplicate.q)
duplicate.stop.dc	10	FREE	L		VAL=%PHA.RX.duplicate.M.stop.dc(urn,duplicate.q)
duplicate.type	1	FREE	L		\$ (T) TR[tr] DUP[trDQ] 0
duplicate.type.exp	10	FREE	L		VAL=IF{@duplicate.type="C" "Class";@duplicate.type VAL=="I" "Ingredient";"Generic"}
duplicate.urn	10	URN	L	PHA.RX	\$ (T) TR[tr] DUP[trDQ] 1
num.duplicates	3	FREE	L		VAL=@Last(duplicate.q)!0
num.duplicates.t	3	FREE	L		VAL=-@t.duplicates[urn,""]!0

duplicate.hmed.instrs [urn,duplicate.q,dup.hmed.instr.q] \$(T)TR[tr]DUP[trDQ]HM["RXM"]INST[trHIq]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
dup.hmed.instr.q	3	PINT	R		trHIq
dup.hmed.instruction	79	TEXT	L		\$ (T) TR[tr] DUP[trDQ] HM["RXM"] INST[trHIq] VALUE

duplicates.hmed.comps [urn,duplicate.q,dup.hmed.comp.q] \$(T)TR[tr]DUP[trDQ]HM["COMP",trHMq]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
dup.hmed.comp.q	2	PINT	R		trHMq
dup.hmed.comp.controlled	1	YN	L		\$ (T) TR[tr] DUP[trDQ] HM["COMP",trHMq] 5
dup.hmed.comp.dose	11	PDECZ.C	R		\$ (T) TR[tr] DUP[trDQ] HM["COMP",trHMq] 1
dup.hmed.comp.dose.units	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["COMP",trHMq] 2
dup.hmed.comp.name	30	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["COMP",trHMq] 8
dup.hmed.comp.ndc.din	12	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["COMP",trHMq] 6
dup.hmed.comp.strength	27	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["COMP",trHMq] 7
dup.hmed.comp.type	10	FREE	L		\$ (T) TR[tr] DUP[trDQ] HM["COMP",trHMq] 3
dup.hmed.comp.volume	11	PDEC.C	R		\$ (T) TR[tr] DUP[trDQ] HM["COMP",trHMq] 4
dup.hmed.component	10	FREE	L	PHA.DRUG	\$ (T) TR[tr] DUP[trDQ] HM["COMP",trHMq] 0

food.interactions [urn,food.interaction] \$(T)TR[tr]FOOD[tda]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
food.interaction	10	FREE	L	PHA.INT	tda
food.interaction.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr] FOOD[tda] 0

imm.conflicts [urn,imm.conflict.q] \$(T)TR[tr]IMC[trIQ]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
imm.conflict.q	3	PINT	R		trIQ
imm.conflict	15	FREE	L		\$ (T) TR[tr] IMC[trIQ] 1
imm.conflict.date	10	DATE	L		\$ (T) TR[tr] IMC[trIQ] 2
imm.conflict.days	6	FREE	L		\$ (T) TR[tr] IMC[trIQ] 3
imm.conflict.hierarchy	75	FREE	L	MIS.PD.PROB	\$ (T) TR[tr] IMC[trIQ] 6
imm.conflict.rev.vac.conf	1	YN	L		\$ (T) TR[tr] IMC[trIQ] 5
imm.conflict.type	3	CHOICE	L		\$ (T) TR[tr] IMC[trIQ] 0
imm.conflict.urn	10	URN	L	PHA.RX	\$ (T) TR[tr] IMC[trIQ] 4

imm.schedule.conflicts [urn,imm.sch.conflict.q] \$(T)TR[tr]IMSC[trISQ]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
imm.sch.conflict.q	3	PINT	R		trISQ

imm.sch.conf.actual.age	10	AGE	R		\$ (T) TR[tr] IMSC[trISQ] 6
imm.sch.conf.actual.days	6	FREE	L		\$ (T) TR[tr] IMSC[trISQ] 3
imm.sch.conf.min.age	10	AGE	R		\$ (T) TR[tr] IMSC[trISQ] 7
imm.sch.conf.min.days	6	FREE	L		\$ (T) TR[tr] IMSC[trISQ] 5
imm.sch.conf.rec.age	10	AGE	R		\$ (T) TR[tr] IMSC[trISQ] 8
imm.sch.conf.rec.days	6	FREE	L		\$ (T) TR[tr] IMSC[trISQ] 4
imm.sch.conf.stop.age	11	AGE	R		\$ (T) TR[tr] IMSC[trISQ] 9
imm.sch.conflict	15	FREE	L		\$ (T) TR[tr] IMSC[trISQ] 1
imm.sch.conflict.date	10	DATE	L		\$ (T) TR[tr] IMSC[trISQ] 2
imm.sch.conflict.type	3	CHOICE	L		\$ (T) TR[tr] IMSC[trISQ] 0



ingr.dose.warnings

[urn,ingr.dose.warn.q]
\$(T)TR[tr]IDWQ[trIDQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
ingr.dose.warn.q	3	PINT	R		trIDQ
ingr.dose.warn.high.dose	80	FREE	L		\$ (T) TR[tr] IDWQ[trIDQ] 1
ingr.dose.warn.high.rev	1	YN	L		\$ (T) TR[tr] IDWQ[trIDQ] 2
ingr.dose.warn.ingr	10	FREE	L	PHA.INGR.DOSE	\$ (T) TR[tr] IDWQ[trIDQ] 0



ingredients

[urn,ingredient.q]
\$(T)TR[tr]IN[trIN]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
ingredient.q	2	PINT	R		trIN
...use.me.5	1	FREE	L		\$ (T) TR[tr] IN[trIN] 7
first.ingredient	10	FREE	L		VAL=@ingredient[1]
ingredient	10	FREE	L	PHA.DRUG	\$ (T) TR[tr] IN[trIN] 0
ingredient.charge	9	MONEY	R		\$ (T) TR[tr] IN[trIN] 4
ingredient.controlled	1	FREE	L		\$ (T) TR[tr] IN[trIN] 5
ingredient.cost	9	MONEY	R		\$ (T) TR[tr] IN[trIN] 3
ingredient.disp.forms	9	PDEC	R		\$ (T) TR[tr] IN[trIN] 2
ingredient.dose	11	PDEC.C	R		\$ (T) TR[tr] IN[trIN] 1
ingredient.handling.fee	9	MONEY	R		\$ (T) TR[tr] IN[trIN] 6
ingredient.nf	60	FREE	L		\$ (T) TR[tr] IN[trIN] 11
ingredient.nf.units	10	FREE	L	PHA.UNITS	\$ (T) TR[tr] IN[trIN] 12
ingredient.unit.awp	9	DEC	R		\$ (T) TR[tr] IN[trIN] 10
ingredient.unit.cost	9	DEC	R		\$ (T) TR[tr] IN[trIN] 8
ingredient.unit.price	9	DEC	R		\$ (T) TR[tr] IN[trIN] 9



inp.refills

[urn,inp.refill.date,inp.refill.time,inp.refill.cart,inp.refill.batch]
\$(T)TR[tr]IR[t1D,t1T,tdd,t1B]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
inp.refill.date	8	DATE	L		t1D
inp.refill.time	4	HHMM	L		t1T
inp.refill.cart	10	FREE	L	PHA.CART	tdd
inp.refill.batch	3	PINT	R		t1B
inp.refill.dispense	9	PDEC5	R		\$ (T) TR[tr] IR[t1D,t1T,tdd,t1B] 2
inp.refill.doses	4	INT	R		\$ (T) TR[tr] IR[t1D,t1T,tdd,t1B] 3
inp.refill.end.date.time	13	FREE	L		\$ (T) TR[tr] IR[t1D,t1T,tdd,t1B] 0
inp.refill.late	9	PDEC5	R		\$ (T) TR[tr] IR[t1D,t1T,tdd,t1B] 1
inp.refill.number	8	INT	R		\$ (T) TR[tr] IR[t1D,t1T,tdd,t1B] 4
inp.refill.rule.error	1	YN	L		\$ (T) TR[tr] IR[t1D,t1T,tdd,t1B] 6
inp.refill.urn	10	URN	L	PHA.REF	\$ (T) TR[tr] IR[t1D,t1T,tdd,t1B] 5



interactions

[urn,interaction.q]
\$(T)TR[tr]INT[trIQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
interaction.q	3	PINT	R		trIQ
int.hmed.auto.dc.date	8	DATE	L		\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 8
int.hmed.call.in.status	10	FREE	L	RXM.CALL.STATUS	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 9
int.hmed.cancel.by	10	FREE	L	MIS.USER	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 16
int.hmed.cancel.date	8	DATE	L		\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 17
int.hmed.cancel.reason	10	FREE	L		\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 7
int.hmed.cancel.time	4	HHMM	L		\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 18
int.hmed.comment	75	FREE	L		\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 11
int.hmed.controlled	1	YN	L		\$ (T) TR[tr] INT[trIQ] HM["RXM"] 18
int.hmed.converted.from	10	PINT	R	RXM.RX	\$ (T) TR[tr] INT[trIQ] HM["RXM"] B 4

int.hmed.days	3	INT	R	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 24
int.hmed.db.source	12	FREE	L	MIS.APPL.DB \$ (T) TR[tr] INT[trIQ] HM 0
int.hmed.dc.by	10	FREE	L	MIS.USER \$ (T) TR[tr] INT[trIQ] HM["RXM"] A 12
int.hmed.dc.can.rnw.rsn	10	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 13
int.hmed.dc.date	8	DATE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 13
int.hmed.dc.reason	10	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 12
int.hmed.dc.time	4	HHMM	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 14
int.hmed.disp.form	0	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 10
int.hmed.disp.unit	10	FREE	L	PHA.UNITS \$ (T) TR[tr] INT[trIQ] HM["RXM"] 25
int.hmed.dose	19	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 8
int.hmed.dose.calc	30	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] B 0
int.hmed.dose1	10	PDEC.C	R	\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 1
int.hmed.dose2	10	PDEC.C	R	\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 2
int.hmed.entered.by	10	FREE	L	MIS.USER \$ (T) TR[tr] INT[trIQ] HM["RXM"] A 0
int.hmed.entered.date	8	DATE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 1
int.hmed.entered.time	4	HHMM	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 2
int.hmed.esigned	1	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] D 5
int.hmed.expires	8	DATE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 14
int.hmed.facility	10	FREE	L	MIS.FACILITY \$ (T) TR[tr] INT[trIQ] HM["RXM"] 2
int.hmed.free.text	1	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] B 1
int.hmed.freetext.form	10	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 6
int.hmed.freetext.str	30	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 5
int.hmed.from.onc	1	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] D 10
int.hmed.ft.pha.num	18	PHONE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] D 9
int.hmed.issued.by	10	FREE	L	MIS.USER \$ (T) TR[tr] INT[trIQ] HM["RXM"] A 3
int.hmed.issued.date	8	DATE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 4
int.hmed.issued.time	4	HHMM	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 5
int.hmed.location	10	FREE	L	MIS.LOCN \$ (T) TR[tr] INT[trIQ] HM["RXM"] 19
int.hmed.med	20	FREE	L	RXM.DRUG \$ (T) TR[tr] INT[trIQ] HM["RXM"] 6
int.hmed.med.equip	1	YN	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] D 6
int.hmed.med.source	1	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] D 8
int.hmed.merged.from	25	URN	L	MRI.PAT \$ (T) TR[tr] INT[trIQ] HM["RXM"] C 0
int.hmed.mod.source	15	FREE	L	\$ (T) TR[tr] INT[trIQ] HM 1
int.hmed.mri.urn	25	URN	L	MRI.PAT \$ (T) TR[tr] INT[trIQ] HM["RXM"] 0
int.hmed.ndc.din	12	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] B 8
int.hmed.ndc.form	10	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 4
int.hmed.ndc.gen.name	45	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] B 2
int.hmed.ndc.generic	12	FREE	L	PHA.GENERIC \$ (T) TR[tr] INT[trIQ] HM["RXM"] B 9
int.hmed.ndc.name	45	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] B 3
int.hmed.ndc.str	30	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 3
int.hmed.no.sub	1	YN	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 10
int.hmed.number	11	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 4
int.hmed.office.inj	10	FREE	L	RXM.PROC \$ (T) TR[tr] INT[trIQ] HM["RXM"] D 3
int.hmed.office.proc	10	URN	L	RXM.ORD \$ (T) TR[tr] INT[trIQ] HM["RXM"] C 11
int.hmed.order.source	10	FREE	L	MIS.SOURCE \$ (T) TR[tr] INT[trIQ] HM["RXM"] D 4
int.hmed.other.db	12	FREE	L	MIS.APPL.DB \$ (T) TR[tr] INT[trIQ] HM["RXM"] 17
int.hmed.override.by	10	FREE	L	MIS.USER \$ (T) TR[tr] INT[trIQ] HM["RXM"] A 7
int.hmed.override.date	8	DATE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 8
int.hmed.override.reason	10	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 6
int.hmed.override.time	4	HHMM	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] A 9
int.hmed.patient	30	URN	L	ADM.PAT \$ (T) TR[tr] INT[trIQ] HM["RXM"] 1
int.hmed.pha.gen.name	45	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] B 6
int.hmed.pha.generic	12	FREE	L	PHA.GENERIC \$ (T) TR[tr] INT[trIQ] HM["RXM"] B 5
int.hmed.pha.name	45	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] B 7
int.hmed.pha.urn	10	URN	L	PHA.RX \$ (T) TR[tr] INT[trIQ] HM["RXM"] 22
int.hmed.pharmacy	15	FREE	L	MIS.OUT.LOCN \$ (T) TR[tr] INT[trIQ] HM["RXM"] A 20
int.hmed.print.mono.dft	1	YN	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 21
int.hmed.print.script.dft	1	YN	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 20
int.hmed.provider	10	FREE	L	MIS.USER \$ (T) TR[tr] INT[trIQ] HM["RXM"] 15
int.hmed.prv.urn	10	URN	L	PRV.RX \$ (T) TR[tr] INT[trIQ] HM["RXM"] 23
int.hmed.qty	4	DEC	R	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 7
int.hmed.refill.period	10	FREE	L	RXM.REFILL \$ (T) TR[tr] INT[trIQ] HM["RXM"] 26
int.hmed.refills	2	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 13
int.hmed.renew.from	10	PINT	R	RXM.RX \$ (T) TR[tr] INT[trIQ] HM["RXM"] A 15
int.hmed.replace.reason	10	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] D 0
int.hmed.route	10	FREE	L	PHA.ROUTES \$ (T) TR[tr] INT[trIQ] HM["RXM"] 11
int.hmed.samples.given	10	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 16
int.hmed.sig	20	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 12
int.hmed.sig.disp	20	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] D 2
int.hmed.sig.prn	1	YN	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] D 1
int.hmed.status	3	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 5
int.hmed.type	1	FREE	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] 3
int.hmed.units	10	FREE	L	PHA.UNITS \$ (T) TR[tr] INT[trIQ] HM["RXM"] 9
int.hmed.unknown.meds	1	YN	L	\$ (T) TR[tr] INT[trIQ] HM 2
int.hmed.unsigned.verbal	1	YN	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 10
int.hmed.verbal.rx	1	YN	L	\$ (T) TR[tr] INT[trIQ] HM["RXM"] C 9
interaction	10	FREE	L	PHA.INT \$ (T) TR[tr] INT[trIQ] 1
interaction.desc	65	FREE	L	\$ (T) TR[tr] INT[trIQ] 5
interaction.fsv.generic	10	FREE	L	\$ (T) TR[tr] INT[trIQ] 8
interaction.fsv.id	65	FREE	L	\$ (T) TR[tr] INT[trIQ] 7
interaction.fsv.type	4	FREE	L	\$ (T) TR[tr] INT[trIQ] 6

interaction.hmed.urn	10	PINT	R	RXM.RX	\$ (T) TR[tr] INT[trIQ] 12
interaction.id	65	FREE	L		VAL=IF{@interaction.desc;@interaction^interaction, VAL=@PHA.INT.interaction.id}
interaction.mdx.iv.inc.ty	2	FREE	L		\$ (T) TR[tr] INT[trIQ] 11
interaction.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr] INT[trIQ] 3
interaction.med.2	10	FREE	L	PHA.DRUG	\$ (T) TR[tr] INT[trIQ] 4
interaction.rx.dc	1	FREE	L		VAL=%PHA.RX.interaction.M.dc(urn,interaction.q)
interaction.rx.number	11	FREE	L		VAL=%PHA.RX.interaction.M.rx.number(urn,interaction.q)
interaction.rx.type	10	FREE	L		VAL=%PHA.RX.interaction.M.rx.type(urn,interaction.q)
interaction.rxm.order.seq	3	PINT	R		\$ (T) TR[tr] INT[trIQ] 10
interaction.rxm.urn	10	PINT	R		\$ (T) TR[tr] INT[trIQ] 9
interaction.severity	1	FREE	L		\$ (T) TR[tr] INT[trIQ] 0
interaction.severity.exp	12	FREE	L		VAL=IF{@interaction.severity^XX="M" "Mild";XX="I" "Intermediate";XX="S" "Severe"}
interaction.severity.fil	1	FREE	L		VAL=@interaction.severity'.
interaction.start	10	FREE	L		VAL=%PHA.RX.interaction.M.start(urn,interaction.q)
interaction.stop	10	FREE	L		VAL=%PHA.RX.interaction.M.stop(urn,interaction.q)
interaction.stop.dc	10	FREE	L		VAL=%PHA.RX.interaction.M.stop.dc(urn,interaction.q)
interaction.type.exp	15	FREE	L		VAL=%PHA.INT.desc(@interaction)
interaction.urn	10	URN	L	PHA.RX	\$ (T) TR[tr] INT[trIQ] 2
num.interactions	3	FREE	L		VAL=@Last(interaction.q)!0
num.interactions.t	3	FREE	L		VAL=-@t.interactions[urn,""]!0



interaction.hmed.instrs

```
[urn,interaction.q,int.hmed.instr.q]
$(T)TR[tr]INT[trIQ]HM["RXM"]INST[trHIq]
```

Field Name	Len	Data Type	J	DPM	Pointer	Offset/Local/VAL
int.hmed.instr.q	3	PINT	R			trHIq
int.hmed.instruction	79	TEXT	L			\$ (T) TR[tr] INT[trIQ] HM["RXM"] INST[trHIq] VALUE



interactions.hmed.comps

```
[urn,interaction.q,int.hmed.comp.q]
$(T)TR[tr]INT[trIQ]HM["COMP",trHMq]
```

Field Name	Len	Data Type	J	DPM	Pointer	Offset/Local/VAL
int.hmed.comp.q	2	PINT	R			trHMq
int.hmed.comp.controlled	1	YN	L			\$ (T) TR[tr] INT[trIQ] HM["COMP",trHMq] 5
int.hmed.comp.dose	11	PDECZ.C	R			\$ (T) TR[tr] INT[trIQ] HM["COMP",trHMq] 1
int.hmed.comp.dose.units	10	FREE	L			\$ (T) TR[tr] INT[trIQ] HM["COMP",trHMq] 2
int.hmed.comp.name	30	FREE	L			\$ (T) TR[tr] INT[trIQ] HM["COMP",trHMq] 8
int.hmed.comp.ndc.din	12	FREE	L			\$ (T) TR[tr] INT[trIQ] HM["COMP",trHMq] 6
int.hmed.comp.strength	25	FREE	L			\$ (T) TR[tr] INT[trIQ] HM["COMP",trHMq] 7
int.hmed.comp.type	10	FREE	L			\$ (T) TR[tr] INT[trIQ] HM["COMP",trHMq] 3
int.hmed.comp.volume	11	PDEC.C	R			\$ (T) TR[tr] INT[trIQ] HM["COMP",trHMq] 4
int.hmed.component	10	FREE	L		PHA.DRUG	\$ (T) TR[tr] INT[trIQ] HM["COMP",trHMq] 0



interactions.subs

```
[urn,interaction.q,interaction.sub.q]
$(T)TR[tr]INT[trIQ]SUB[trIsq]
```

Field Name	Len	Data Type	J	DPM	Pointer	Offset/Local/VAL
interaction.sub.q	3	PINT	R			trIsq
interaction.sub.code	30	FREE	L			\$ (T) TR[tr] INT[trIQ] SUB[trIsq] 0
interaction.sub.text	50	FREE	L			\$ (T) TR[tr] INT[trIQ] SUB[trIsq] 1



interactions.text

```
[urn,interaction.q,interaction.text.q]
$(T)TR[tr]INT[trIQ]T[trITq]
```

Field Name	Len	Data Type	J	DPM	Pointer	Offset/Local/VAL
interaction.text.q	3	PINT	R			trITq
interaction.text	80	TEXT	L			\$ (T) TR[tr] INT[trIQ] T[trITq] VALUE



ivs.infuse.adjustments

```
[urn,iv.infuse.adj.time]
$(T)TR[tr]IA[iIAt]
```

Field Name	Len	Data Type	J	DPM	Pointer	Offset/Local/VAL
------------	-----	-----------	---	-----	---------	------------------

iv.infuse.adj.time	8	PINT	R	iIAt
iv.infuse.adj.actual	8	PDEC4	R	\$(T)TR[tr]IA[iIAt] 0
iv.infuse.adj.new.rate	27	FREE	L	\$(T)TR[tr]IA[iIAt] 1









lab.group.result.history

[urn,lab.grp.res.hist.type,lab.grp.res.hist.view.grp]

\$(T)TR[tr]LGRH[tLGRHt,ssv]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
lab.grp.res.hist.type	15	FREE	L		tLGRHt
lab.grp.res.hist.view.grp	10	FREE	L	LAB.C.TEST.VIEW	ssv
lab.grp.res.hist.abnormal	1	YN	L		\$(T)TR[tr]LGRH[tLGRHt,ssv] 1
lab.grp.res.hist.seconds	10	PINT	R		\$(T)TR[tr]LGRH[tLGRHt,ssv] 0
lab.grp.res.hist.upd.date	10	DATE	L		VAL=(%PHA.U.seconds.to.date.time(@lab.grp.res.hist VAL=.seconds)#0.)
lab.grp.res.hist.upd.time	4	HHMM	L		VAL=(%PHA.U.seconds.to.date.time(@lab.grp.res.hist VAL=.seconds)#1.)









lab.group.result.his.text
[urn,lab.grp.res.hist.type,lab.grp.res.hist.view.grp,lab.grp.res.hist.text.q]
\$(T)TR[tr]LGRH[tLGRHt,ssv]T[tLGRTq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
lab.grp.res.hist.text.q	3	PINT	R		tLGRTq
lab.grp.res.hist.text.ln	80	FREE	L		\$(T)TR[tr]LGRH[tLGRHt,ssv]T[tLGRTq]VALUE









label.comments
[urn,label.comment.q]
\$(T)TR[tr]CM[trCM]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
label.comment.q	1	PINT	R		trCM
label.comment	60	TEXT	L		\$(T)TR[tr]CM[trCM]VALUE

€

i

linked.dm.orders

[urn,linked.dm.order]

\$(T)TR[tr]LDO[tr2]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
linked.dm.order	10	URN	L	PHA.RX	tr2
linked.dm.order.perm	1	CHOICE	L		\$(T)TR[tr]LDO[tr2] 0
linked.dm.order.user	10	FREE	L	MIS.USER	\$(T)TR[tr]LDO[tr2] 1









links
[urn,link.q]
\$(T)TR[tr]LI[trRL]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
link.q	2	PINT	R		trRL
link.rx	10	URN	L	PHA.RX	\$(T)TR[tr]LI[trRL] 0
link.type	12	CHOICE	L		\$(T)TR[tr]LI[trRL] 1









manually.credited.doses

[urn,man.credited.date.time]

\$(T)TR[tr]MCDT[trmcd]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
man.credited.date.time	13	FREE	L		trmcd
man.credited.type	1	CHOICE	L		\$(T)TR[tr]MCDT[trmcd] 0






medications

[urn,med.q]

\$(T)TR[tr]MD[trMQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
med.q	2	PINT	R		trMQ
...use.me.7	1	FREE	L		\$(T)TR[tr]MD[trMQ] 8
first.med	10	FREE	L		VAL=@medication[1]

med.charge	9	MONEY	R		\$ (T) TR[tr]MD[trMQ] 5
med.controlled	1	FREE	L		\$ (T) TR[tr]MD[trMQ] 6
med.cost	9	MONEY	R		\$ (T) TR[tr]MD[trMQ] 4
med.disp.forms	9	PDEC	R		\$ (T) TR[tr]MD[trMQ] 2
med.disp.forms.per.dose	9	PDEC	R		\$ (T) TR[tr]MD[trMQ] 3
med.dose	11	PDEC.C	R		\$ (T) TR[tr]MD[trMQ] 1
med.handling.fee	9	MONEY	R		\$ (T) TR[tr]MD[trMQ] 7
med.unit.awp	9	DEC	R		\$ (T) TR[tr]MD[trMQ] 11
med.unit.cost	9	DEC	R		\$ (T) TR[tr]MD[trMQ] 9
med.unit.price	9	DEC	R		\$ (T) TR[tr]MD[trMQ] 10
medication	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]MD[trMQ] 0



rule.comments

```
[urn,med.q,med.rule]
$(T)TR[tr]MD[trMQ]RC[t dru]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
med.rule	10	FREE	L	PHA.RULE	t dru
med.rule.comment	60	FREE	L		\$ (T) TR[tr]MD[trMQ] RC[t dru] 0



merged.dm.orders

```
[urn,merged.dm.q]
$(T)TR[tr]MDO[mdq]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
merged.dm.q	2	PINT	R		mdq
merge.dm.acct.number	12	FREE	L		\$ (T) TR[tr]MDO[mdq] 10
merge.dm.actual	5	INTZ	R		\$ (T) TR[tr]MDO[mdq] 17
merge.dm.drawer	2	INT	R		\$ (T) TR[tr]MDO[mdq] 14
merge.dm.entered	10	PINT	R		\$ (T) TR[tr]MDO[mdq] 2
merge.dm.entered.date	8	DATE	L		VAL=%Z.date.in.magic (@merge.dm.entered)
merge.dm.entered.time	4	HHMM	L		VAL=%Z.time.out (@merge.dm.entered)
merge.dm.expected	5	INTZ	R		\$ (T) TR[tr]MDO[mdq] 16
merge.dm.facility	10	FREE	L	MIS.FACILITY	\$ (T) TR[tr]MDO[mdq] 3
merge.dm.full	5	INT	R		\$ (T) TR[tr]MDO[mdq] 18
merge.dm.infce	5	CHOICE	L		\$ (T) TR[tr]MDO[mdq] 1
merge.dm.machine	10	FREE	L	PHA.DM	\$ (T) TR[tr]MDO[mdq] 4
merge.dm.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]MDO[mdq] 5
merge.dm.par	5	INT	R		\$ (T) TR[tr]MDO[mdq] 19
merge.dm.patient.name	30	FREE	L		\$ (T) TR[tr]MDO[mdq] 20
merge.dm.perm	1	YN	L		\$ (T) TR[tr]MDO[mdq] PERM
merge.dm.physician	10	FREE	L	MIS.DOC	\$ (T) TR[tr]MDO[mdq] 13
merge.dm.pocket	5	FREE	L		\$ (T) TR[tr]MDO[mdq] 15
merge.dm.qty	5	INTZ	R		\$ (T) TR[tr]MDO[mdq] 8
merge.dm.rx.number	11	FREE	L		\$ (T) TR[tr]MDO[mdq] 12
merge.dm.total	8	INTZ	R		\$ (T) TR[tr]MDO[mdq] 9
merge.dm.type	2	CHOICE	L		\$ (T) TR[tr]MDO[mdq] 0
merge.dm.unit.number	10	FREE	L		\$ (T) TR[tr]MDO[mdq] 11
merge.dm.user	10	FREE	L	MIS.USER	\$ (T) TR[tr]MDO[mdq] 6
merge.dm.witness	10	FREE	L	MIS.USER	\$ (T) TR[tr]MDO[mdq] 7



merged.dm.orders.meds

```
[urn,merged.dm.q,merge.dm.med.q]
$(T)TR[tr]MDO[mdq]MEDQ[t ifMQ]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
merge.dm.med.q	3	PINT	R		t ifMQ
merge.dm.med.actual	5	INTZ	R		\$ (T) TR[tr]MDO[mdq]MEDQ[t ifMQ] 6
merge.dm.med.admin.dose	60	FREE	L		\$ (T) TR[tr]MDO[mdq]MEDQ[t ifMQ] 9
merge.dm.med.drawer	2	INT	R		\$ (T) TR[tr]MDO[mdq]MEDQ[t ifMQ] 3
merge.dm.med.expected	5	INTZ	R		\$ (T) TR[tr]MDO[mdq]MEDQ[t ifMQ] 5
merge.dm.med.full	5	INT	R		\$ (T) TR[tr]MDO[mdq]MEDQ[t ifMQ] 7
merge.dm.med.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]MDO[mdq]MEDQ[t ifMQ] 0
merge.dm.med.par	5	INT	R		\$ (T) TR[tr]MDO[mdq]MEDQ[t ifMQ] 8
merge.dm.med.pocket	5	FREE	L		\$ (T) TR[tr]MDO[mdq]MEDQ[t ifMQ] 4
merge.dm.med.qty	5	INTZ	R		\$ (T) TR[tr]MDO[mdq]MEDQ[t ifMQ] 1
merge.dm.med.total	8	INTZ	R		\$ (T) TR[tr]MDO[mdq]MEDQ[t ifMQ] 2



nur.ack.rej.rev.cmts

```
[urn,nur.ack.rej.rev.cmt.q]
$(T)TR[tr]NARRC[narrcQ]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
nur.ack.rej.rev.cmt.q	3	PINT	R		narrcQ



nur.acknowledgments
[urn,nur.ack.q]
\$(T)TR[tr]NA[trNAQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
nur.ack.q	3	PINT	R		trNAQ
nur.ack.actual.time.save	14	DEC	R		\$(T)TR[tr]NA[trNAQ] 14
nur.ack.alt.bottle.type	2	PINT	R		\$(T)TR[tr]NA[trNAQ] 5
nur.ack.device	10	FREE	L		\$(T)TR[tr]NA[trNAQ] 7
nur.ack.final	1	FREE	L		\$(T)TR[tr]NA[trNAQ] 8
nur.ack.flag	1	CHOICE	L		\$(T)TR[tr]NA[trNAQ] 0
nur.ack.rec.date	8	DATE	L		\$(T)TR[tr]NA[trNAQ] 3
nur.ack.rec.int.date.time	10	PINT	R		\$(T)TR[tr]NA[trNAQ] 16
nur.ack.rec.time	4	HHMM	L		\$(T)TR[tr]NA[trNAQ] 4
nur.ack.rej.reviewed	1	YN	L		\$(T)TR[tr]NA[trNAQ] 15
nur.ack.sched.date	8	DATE	L		\$(T)TR[tr]NA[trNAQ] 1
nur.ack.sched.time	4	HHMM	L		\$(T)TR[tr]NA[trNAQ] 2
nur.ack.source	10	FREE	L		\$(T)TR[tr]NA[trNAQ] 13
nur.ack.undo	1	FREE	L		\$(T)TR[tr]NA[trNAQ] 9
nur.ack.undo.cosign	10	FREE	L	MIS.USER	\$(T)TR[tr]NA[trNAQ] 17
nur.ack.undo.date	8	DATE	L		\$(T)TR[tr]NA[trNAQ] 11
nur.ack.undo.device	10	FREE	L		\$(T)TR[tr]NA[trNAQ] 18
nur.ack.undo.time	4	HHMM	L		\$(T)TR[tr]NA[trNAQ] 12
nur.ack.undo.user	10	FREE	L	MIS.USER	\$(T)TR[tr]NA[trNAQ] 10
nur.ack.user	10	FREE	L	MIS.USER	\$(T)TR[tr]NA[trNAQ] 6



nur.acknowledgment.reject
[urn,nur.ack.q,nur.ack.rej.reason.q]
\$(T)TR[tr]NA[trNAQ]RR[trNAR]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
nur.ack.rej.reason.q	3	PINT	R		trNAR
nur.ack.rej.reason	60	TEXT	L		\$(T)TR[tr]NA[trNAQ]RR[trNAR]VALUE



nur.acknowledgment.signs
[urn,nur.ack.q,nur.ack.sign.q]
\$(T)TR[tr]NA[trNAQ]S[trNAS]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
nur.ack.sign.q	3	PINT	R		trNAS
nur.ack.sign.user	10	FREE	L	MIS.USER	\$(T)TR[tr]NA[trNAQ]S[trNAS] 0



nur.reviews
[urn,nur.rev.q]
\$(T)TR[tr]NR[trNRQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
nur.rev.q	3	PINT	R		trNRQ
nur.rev.alt.bottle.type	2	PINT	R		\$(T)TR[tr]NR[trNRQ] 4
nur.rev.device	10	FREE	L		\$(T)TR[tr]NR[trNRQ] 6
nur.rev.final	1	FREE	L		\$(T)TR[tr]NR[trNRQ] 7
nur.rev.rec.date	8	DATE	L		\$(T)TR[tr]NR[trNRQ] 2
nur.rev.rec.time	4	HHMM	L		\$(T)TR[tr]NR[trNRQ] 3
nur.rev.sched.date	8	DATE	L		\$(T)TR[tr]NR[trNRQ] 0
nur.rev.sched.time	4	HHMM	L		\$(T)TR[tr]NR[trNRQ] 1
nur.rev.source	10	FREE	L		\$(T)TR[tr]NR[trNRQ] 8
nur.rev.user	10	FREE	L	MIS.USER	\$(T)TR[tr]NR[trNRQ] 5



onc.data.carriers
[urn,onc.rx.carrier]
\$(T)TR[tr]ONC["C",tf]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
onc.rx.carrier	10	FREE	L	PHA.DRUG	tf



onc.data.components
[urn,onc.rx.comp.q]

\$(T)TR[tr]ONC["CMP",trOCq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
onc.rx.comp.q	2	PINT	R		trOCq
onc.rx.comp.auc	30	FREE	L		\$(T)TR[tr]ONC["CMP",trOCq]2 4
onc.rx.comp.bsa	30	FREE	L		\$(T)TR[tr]ONC["CMP",trOCq]2 3
onc.rx.comp.bsa.auc	38	FREE	L		\$(T)TR[tr]ONC["CMP",trOCq] 4
onc.rx.comp.calc.dose	41	FREE	L		\$(T)TR[tr]ONC["CMP",trOCq] 2
onc.rx.comp.dosing.weight	32	FREE	L		\$(T)TR[tr]ONC["CMP",trOCq] 3
onc.rx.comp.final.dose	47	FREE	L		\$(T)TR[tr]ONC["CMP",trOCq]2 1
onc.rx.comp.max.dose	1	YN	L		\$(T)TR[tr]ONC["CMP",trOCq]2 2
onc.rx.comp.regimen.dose	47	FREE	L		\$(T)TR[tr]ONC["CMP",trOCq] 1
onc.rx.comp.rounded.dose	47	FREE	L		\$(T)TR[tr]ONC["CMP",trOCq]2 0
onc.rx.component.desc	79	FREE	L		\$(T)TR[tr]ONC["CMP",trOCq] 0



onc.data.lab.results
[urn,onc.data.lab.res.q]
\$(T)TR[tr]ONC["LAB",oDLrQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
onc.data.lab.res.q	2	PINT	R		oDLrQ
onc.data.lab.result.line	89	FREE	L		\$(T)TR[tr]ONC["LAB",oDLrQ]VALUE



order.edit.types
[urn,order.edit.urn,order.edit.edit.type]
\$(T)TR[tr]OED[troue]T[troueT]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
order.edit.edit.type	30	CHOICE	L		troueT



out.label.directions
[urn,out.label.q]
\$(T)TR[tr]OL[trOL]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
out.label.q	1	PINT	R		trOL
out.label	60	TEXT	L		\$(T)TR[tr]OL[trOL]VALUE



out.refill.multiples
[urn,out.multiple.q]
\$(T)TR[tr]ORM[trORM]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
out.multiple.q	3	PINT	R		trORM
out.multiple.charge	9	MONEY	R		\$(T)TR[tr]ORM[trORM] 3
out.multiple.charged	1	FREE	L		\$(T)TR[tr]ORM[trORM] 6
out.multiple.cost	9	MONEY	R		\$(T)TR[tr]ORM[trORM] 4
out.multiple.days.supply	4	INT	R		\$(T)TR[tr]ORM[trORM] 8
out.multiple.from	7	DEC	R		\$(T)TR[tr]ORM[trORM] 0
out.multiple.ins.paid	9	MONEY	R		\$(T)TR[tr]ORM[trORM] 7
out.multiple.oth.ins.paid	9	MONEY	R		\$(T)TR[tr]ORM[trORM] 9
out.multiple.payment	9	MONEY	R		\$(T)TR[tr]ORM[trORM] 5
out.multiple.qty	8	DEC	R		\$(T)TR[tr]ORM[trORM] 2
out.multiple.thru	7	DEC	R		\$(T)TR[tr]ORM[trORM] 1



out.refill.reversals
[urn,out.rev.q]
\$(T)TR[tr]ORR[trORR]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
out.rev.q	3	PINT	R		trORR
out.rev.date	8	DATE	L		\$(T)TR[tr]ORR[trORR] 0
out.rev.from	7	DEC	R		\$(T)TR[tr]ORR[trORR] 3
out.rev.ref.charge	9	MONEY	R		\$(T)TR[tr]ORR[trORR] 12
out.rev.ref.charge.type	10	URN	L	PHA.CT	\$(T)TR[tr]ORR[trORR] 11
out.rev.ref.charged	1	FREE	L		\$(T)TR[tr]ORR[trORR]2 4
out.rev.ref.cost	9	MONEY	R		\$(T)TR[tr]ORR[trORR] 13
out.rev.ref.counsel	10	FREE	L	PHA.CC	\$(T)TR[tr]ORR[trORR] 19
out.rev.ref.date	8	DATE	L		\$(T)TR[tr]ORR[trORR] 5
out.rev.ref.days.supply	4	INT	R		\$(T)TR[tr]ORR[trORR]2 6
out.rev.ref.dur.days	4	INT	R		\$(T)TR[tr]ORR[trORR]2 2
out.rev.ref.dur.hours	4	INT	R		\$(T)TR[tr]ORR[trORR]2 3

out.rev.ref.exp.date	8	DATE	L		\$ (T) TR[tr]ORR[trORR]2 1
out.rev.ref.filled.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]ORR[trORR] 7
out.rev.ref.handling.fee	9	MONEY	R		\$ (T) TR[tr]ORR[trORR] 16
out.rev.ref.ins.paid	9	MONEY	R		\$ (T) TR[tr]ORR[trORR]2 5
out.rev.ref.insurance	10	FREE	L	MIS.INS	\$ (T) TR[tr]ORR[trORR] 21
out.rev.ref.last.bottle	3	PINT	R		\$ (T) TR[tr]ORR[trORR] 10
out.rev.ref.lot	20	FREE	L		\$ (T) TR[tr]ORR[trORR]2 0
out.rev.ref.lot.exp	30	FREE	L		\$ (T) TR[tr]ORR[trORR] 8
out.rev.ref.next.fill	8	DATE	L		\$ (T) TR[tr]ORR[trORR] 14
out.rev.ref.num.dispense	8	DEC	R		\$ (T) TR[tr]ORR[trORR] 9
out.rev.ref.oth.ins.paid	9	MONEY	R		\$ (T) TR[tr]ORR[trORR]2 7
out.rev.ref.oth.insurance	10	FREE	L	MIS.INS	\$ (T) TR[tr]ORR[trORR] 22
out.rev.ref.patient	30	FREE	L	PHA.PAT	\$ (T) TR[tr]ORR[trORR] 18
out.rev.ref.payment	9	MONEY	R		\$ (T) TR[tr]ORR[trORR] 20
out.rev.ref.time	4	HHMM	L		\$ (T) TR[tr]ORR[trORR] 6
out.rev.ref.user	10	FREE	L	MIS.USER	\$ (T) TR[tr]ORR[trORR] 15
out.rev.ref.verified.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]ORR[trORR] 17
out.rev.thru	7	DEC	R		\$ (T) TR[tr]ORR[trORR] 4
out.rev.time	4	HHMM	L		\$ (T) TR[tr]ORR[trORR] 1
out.rev.user	10	FREE	L	MIS.USER	\$ (T) TR[tr]ORR[trORR] 2



out.refill.reversal.com
[urn,out.rev.q,out.rev.com.q]
\$(T)TR[tr]ORR[trORR]C[trRRC]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
out.rev.com.q	2	PINT	R		trRRC
out.rev.comment	60	FREE	L		\$ (T) TR[tr]ORR[trORR]C[trRRC]VALUE



out.refills
[urn,out.refill]
\$(T)TR[tr]OR[trOR]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
out.refill	3	INT	R		trOR
out.last.refill	3	INT	R		VAL=-@out.refills[urn,""]
out.last.refill.text	7	FREE	L		VAL=IF{~@out.refills[urn,""]>0;"INITIAL"}
out.refill.btl.date.time	13	FREE	L		\$ (T) TR[tr]OR[trOR]2 0
out.refill.charge	9	MONEY	R		\$ (T) TR[tr]OR[trOR] 8
out.refill.charge.type	10	URN	L	PHA.CT	\$ (T) TR[tr]OR[trOR] 7
out.refill.charged	1	FREE	L		\$ (T) TR[tr]OR[trOR]2 7
out.refill.copied	1	FREE	L		\$ (T) TR[tr]OR[trOR]2 9
out.refill.cost	9	MONEY	R		\$ (T) TR[tr]OR[trOR] 9
out.refill.counsel	10	FREE	L	PHA.CC	\$ (T) TR[tr]OR[trOR] 19
out.refill.date	8	DATE	L		\$ (T) TR[tr]OR[trOR] 0
out.refill.date.and.time	13	FREE	L		VAL=%Z.date.out (@out.refill.date)_"-"_@out.refill. VAL=time'"-"
out.refill.date.unv	8	DATE	L		VAL=IF{@out.refill.date @out.refill.unv.date}
out.refill.date.ver	8	DATE	L		VAL=IF{@out.refill.date;@out.refill.unv.date}
out.refill.days.supply	4	INT	R		\$ (T) TR[tr]OR[trOR]2 10
out.refill.dur.days	4	INT	R		\$ (T) TR[tr]OR[trOR]2 5
out.refill.dur.hours	4	INT	R		\$ (T) TR[tr]OR[trOR]2 6
out.refill.exp.date	8	DATE	L		\$ (T) TR[tr]OR[trOR]2 4
out.refill.filled	10	FREE	L	MIS.USER	VAL=IF{"Y"=@out.refill.picked.up @out.refill.fille VAL=d.by;@out.refill.unv.filled.by}
out.refill.filled.by	10	FREE	L	MIS.USER	\$ (T) TR[tr]OR[trOR] 2
out.refill.filled.unv	10	FREE	L	MIS.USER	VAL=IF{IF{@out.refill.date @out.refill.unv.date) @ VAL=out.refill.unv.filled.by}
out.refill.filled.ver	10	FREE	L	MIS.USER	VAL=IF{@out.refill.filled.by;@out.refill.unv.fille VAL=d.by}
out.refill.handling.fee	9	MONEY	R		\$ (T) TR[tr]OR[trOR] 16
out.refill.ins.paid	9	MONEY	R		\$ (T) TR[tr]OR[trOR]2 8
out.refill.insurance	10	FREE	L	MIS.INS	\$ (T) TR[tr]OR[trOR]2 2
out.refill.last.bottle	3	PINT	R		\$ (T) TR[tr]OR[trOR] 6
out.refill.lot	20	FREE	L		\$ (T) TR[tr]OR[trOR]2 3
out.refill.lot.exp	30	FREE	L		\$ (T) TR[tr]OR[trOR] 4
out.refill.multiple	3	PINT	R		\$ (T) TR[tr]OR[trOR] 21
out.refill.nbtl.date.time	13	FREE	L		\$ (T) TR[tr]OR[trOR]2 1
out.refill.next.fill	8	DATE	L		\$ (T) TR[tr]OR[trOR] 13
out.refill.num.dispense	8	DEC	R		\$ (T) TR[tr]OR[trOR] 5
out.refill.oth.ins.paid	9	MONEY	R		\$ (T) TR[tr]OR[trOR]2 12
out.refill.oth.insurance	10	FREE	L	MIS.INS	\$ (T) TR[tr]OR[trOR]2 11
out.refill.patient	30	FREE	L	PHA.PAT	\$ (T) TR[tr]OR[trOR] 18
out.refill.payment	9	MONEY	R		\$ (T) TR[tr]OR[trOR] 20
out.refill.picked.up	1	YN	L		\$ (T) TR[tr]OR[trOR] 3
out.refill.status	10	FREE	L		VAL=IF{@out.refill.copied "COPIED";IF{"Y"=@out.re VAL=fill.picked.up "UN"}_"RECEIVED"}
out.refill.status.unv	10	FREE	L		VAL=IF{IF{@out.refill.date @out.refill.unv.date) "

out.refill.status.ver	10	FREE	L		VAL=UNRECEIVED"} VAL=IF{@out.refill.copied "COPIED";IF{"Y"=@out.re VAL=fill.picked.up "UN"}_ "RECEIVED"}
out.refill.text	7	FREE	L		VAL=IF{@out.refill>0;"INITIAL"}
out.refill.time	4	HHMM	L		\$(T)TR[tr]OR[trOR] 1
out.refill.unv.date	8	DATE	L		\$(T)TR[tr]OR[trOR] 10
out.refill.unv.filled.by	10	FREE	L	MIS.USER	\$(T)TR[tr]OR[trOR] 12
out.refill.unv.time	4	HHMM	L		\$(T)TR[tr]OR[trOR] 11
out.refill.unv.user	10	FREE	L	MIS.USER	\$(T)TR[tr]OR[trOR] 15
out.refill.user	10	FREE	L	MIS.USER	\$(T)TR[tr]OR[trOR] 14
out.refill.verified.by	10	FREE	L	MIS.USER	\$(T)TR[tr]OR[trOR] 17



out.refill.comments
[urn,out.refill,out.refill.com.q]
\$(T)TR[tr]OR[trOR]C[trORC]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
out.refill.com.q	2	PINT	R		trORC
out.refill.comment	60	TEXT	L		\$(T)TR[tr]OR[trOR]C[trORC]VALUE



out.refill.partial
[urn,out.refill,out.partial.q]
\$(T)TR[tr]OR[trOR]P[trORP]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
out.partial.q	3	PINT	R		trORP
out.partial.charge	9	MONEY	R		\$(T)TR[tr]OR[trOR]P[trORP] 6
out.partial.charged	1	FREE	L		\$(T)TR[tr]OR[trOR]P[trORP] 11
out.partial.copied	1	FREE	L		\$(T)TR[tr]OR[trOR]P[trORP] 13
out.partial.cost	9	MONEY	R		\$(T)TR[tr]OR[trOR]P[trORP] 7
out.partial.counsel	10	FREE	L	PHA.CC	\$(T)TR[tr]OR[trOR]P[trORP] 8
out.partial.date	8	DATE	L		\$(T)TR[tr]OR[trOR]P[trORP] 0
out.partial.days.supply	4	INT	R		\$(T)TR[tr]OR[trOR]P[trORP] 14
out.partial.filled.by	10	FREE	L	MIS.USER	\$(T)TR[tr]OR[trOR]P[trORP] 3
out.partial.ins.paid	9	MONEY	R		\$(T)TR[tr]OR[trOR]P[trORP] 12
out.partial.multiple	3	PINT	R		\$(T)TR[tr]OR[trOR]P[trORP] 10
out.partial.oth.ins.paid	9	MONEY	R		\$(T)TR[tr]OR[trOR]P[trORP] 15
out.partial.payment	9	MONEY	R		\$(T)TR[tr]OR[trOR]P[trORP] 9
out.partial.picked.up	1	YN	L		\$(T)TR[tr]OR[trOR]P[trORP] 4
out.partial.qty	8	DEC	R		\$(T)TR[tr]OR[trOR]P[trORP] 5
out.partial.time	4	HHMM	L		\$(T)TR[tr]OR[trOR]P[trORP] 1
out.partial.user	10	FREE	L	MIS.USER	\$(T)TR[tr]OR[trOR]P[trORP] 2



out.refill.partial.com
[urn,out.refill,out.partial.q,out.partial.com.q]
\$(T)TR[tr]OR[trOR]P[trORP]C[trORC]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
out.partial.com.q	2	PINT	R		trORC
out.partial.comment	60	TEXT	L		\$(T)TR[tr]OR[trOR]P[trORP]C[trORC]VALUE



pending.comments
[urn,pending.comment.q]
\$(T)TR[tr]PC[trPCQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
pending.comment.q	2	PINT	R		trPCQ
pending.comment	35	TEXT	L		\$(T)TR[tr]PC[trPCQ]VALUE



pending.comments.undo
[urn,pending.comment.undo.q]
\$(T)TR[tr]PCU[trPCU]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
pending.comment.undo.q	2	PINT	R		trPCU
pending.comment.undo	35	FREE	L		\$(T)TR[tr]PCU[trPCU]VALUE



pha.rules
[urn,prule.urn,prule.urn.q]

\$ (T) TR[tr] PRUL[tdru,ptdruQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
prule.urn	10	FREE	L	PHA.RULE	tdru
prule.urn.q	3	PINT	R		ptdruQ
prule.bottle.type	2	PINT	R		\$ (T) TR[tr] PRUL[tdru,ptdruQ] 4
prule.date	8	DATE	L		\$ (T) TR[tr] PRUL[tdru,ptdruQ] 0
prule.dt.tm.for.display	13	FREE	L		VAL=(%Z.date.out (@prule.date) "-"_"_"@prule.time)
prule.evaluated		CHOICE	L		\$ (T) TR[tr] PRUL[tdru,ptdruQ] 3
prule.time	4	TIME	L		\$ (T) TR[tr] PRUL[tdru,ptdruQ] 1
prule.user	10	FREE	L	MIS.USER	\$ (T) TR[tr] PRUL[tdru,ptdruQ] 2



pha.rules.description

[urn,prule.urn,prule.urn.q,prule.desc.q]
\$ (T) TR[tr] PRUL[tdru,ptdruQ] D[prulDQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
prule.desc.q	3	PINT	R		prulDQ
prule.desc.text	60	FREE	L		\$ (T) TR[tr] PRUL[tdru,ptdruQ] D[prulDQ] VALUE
prule.get.disp.desc.text					VAL=@Kill (/T.PHA.RULE.DESC),@pha.rules.description VAL=^/T.PHA.RULE.DESC[1],%Z.text.format (^/T.PHA.RU VAL=LE.DESC,60)



pom.changes.edits

[urn,pom.chg.edit.q]
\$ (T) TR[tr] PCHG["ED",trPCEq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
pom.chg.edit.q	2	PINT	R		trPCEq
pom.chg.edit.adj.from	13	FREE	L		\$ (T) TR[tr] PCHG["ED",trPCEq] 4
pom.chg.edit.adj.to	13	FREE	L		\$ (T) TR[tr] PCHG["ED",trPCEq] 5
pom.chg.edit.date.time	13	FREE	L		\$ (T) TR[tr] PCHG["ED",trPCEq] 7
pom.chg.edit.new.sch	3	FREE	L		\$ (T) TR[tr] PCHG["ED",trPCEq] 1
pom.chg.edit.new.sig	20	FREE	L		\$ (T) TR[tr] PCHG["ED",trPCEq] 0
pom.chg.edit.new.start.dt	8	DATE	L		\$ (T) TR[tr] PCHG["ED",trPCEq] 2
pom.chg.edit.new.start.tm	4	HHMM	L		\$ (T) TR[tr] PCHG["ED",trPCEq] 3
pom.chg.edit.new.tot.dos	3	PINT	R		\$ (T) TR[tr] PCHG["ED",trPCEq] 8
pom.chg.edit.user	10	FREE	L	MIS.USER	\$ (T) TR[tr] PCHG["ED",trPCEq] 6



pom.changes.text

[urn,pom.chg.text.q]
\$ (T) TR[tr] PCHG["T",trPCTq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
pom.chg.text.q	2	PINT	R		trPCTq
pom.chg.text.line	60	FREE	L		\$ (T) TR[tr] PCHG["T",trPCTq] VALUE



prep.instructions

[urn,prep.instruction.q]
\$ (T) TR[tr] PI[trPI]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
prep.instruction.q	3	PINT	R		trPI
prep.instruction	80	TEXT	L		\$ (T) TR[tr] PI[trPI] VALUE



protocols

[urn,protocol.q]
\$ (T) TR[tr] PRO[trPRQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
protocol.q	3	PINT	R		trPRQ
protocol.condition	30	FREE	L		\$ (T) TR[tr] PRO[trPRQ] 0
protocol.dose	25	FREE	L		\$ (T) TR[tr] PRO[trPRQ] 1
protocol.instruction	30	FREE	L		\$ (T) TR[tr] PRO[trPRQ] 2



protocols.text

[urn,protocol.text.q]
\$ (T) TR[tr] PROT[trPTQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
protocol.text.q	3	PINT	R		trPTQ

protocol.text	60	TEXT	L		\$ (T) TR[tr] PROT[trPTQ] VALUE																																																																														
 queries [urn,query] \$(T) TR[tr] Q[ggv] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>query</td><td>10</td><td>FREE</td><td>L</td><td>MIS.QUERY</td><td>ggv</td></tr><tr><td>query.response</td><td>70</td><td>FREE</td><td>L</td><td></td><td>\$(T) TR[tr] Q[ggv] 0</td></tr><tr><td>query.text</td><td>60</td><td>FREE</td><td>L</td><td></td><td>VAL=@MIS.QUERY.text[PHA.RX.query]</td></tr><tr><td>query.text.and.response</td><td>131</td><td>FREE</td><td>L</td><td></td><td>VAL=@PHA.RX.query.text _": " _IF{@MIS.QUERY.date.typ VAL=e.x %Z.date.query.out (@PHA.RX.query.response); VAL=@PHA.RX.query.response}</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	query	10	FREE	L	MIS.QUERY	ggv	query.response	70	FREE	L		\$(T) TR[tr] Q[ggv] 0	query.text	60	FREE	L		VAL=@MIS.QUERY.text[PHA.RX.query]	query.text.and.response	131	FREE	L		VAL=@PHA.RX.query.text _": " _IF{@MIS.QUERY.date.typ VAL=e.x %Z.date.query.out (@PHA.RX.query.response); VAL=@PHA.RX.query.response}																																																
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																														
query	10	FREE	L	MIS.QUERY	ggv																																																																														
query.response	70	FREE	L		\$(T) TR[tr] Q[ggv] 0																																																																														
query.text	60	FREE	L		VAL=@MIS.QUERY.text[PHA.RX.query]																																																																														
query.text.and.response	131	FREE	L		VAL=@PHA.RX.query.text _": " _IF{@MIS.QUERY.date.typ VAL=e.x %Z.date.query.out (@PHA.RX.query.response); VAL=@PHA.RX.query.response}																																																																														
 queries.mult [urn,query,query.mult.q] \$(T) TR[tr] Q[ggv] M[ggvQ] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>query.mult.q</td><td>3</td><td>PINT</td><td>R</td><td></td><td>ggvQ</td></tr><tr><td>query.mult.resp</td><td>70</td><td>FREE</td><td>L</td><td></td><td>\$(T) TR[tr] Q[ggv] M[ggvQ] 0</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	query.mult.q	3	PINT	R		ggvQ	query.mult.resp	70	FREE	L		\$(T) TR[tr] Q[ggv] M[ggvQ] 0																																																												
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																														
query.mult.q	3	PINT	R		ggvQ																																																																														
query.mult.resp	70	FREE	L		\$(T) TR[tr] Q[ggv] M[ggvQ] 0																																																																														
 renew.history [urn,renew.aud.time] \$(T) TR[tr] RH[trRAT] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>renew.aud.time</td><td>10</td><td>PINT</td><td>R</td><td></td><td>trRAT</td></tr><tr><td>renew.aud.before</td><td>2</td><td>PINT</td><td>R</td><td></td><td>\$(T) TR[tr] RH[trRAT] 0</td></tr><tr><td>renew.aud.dc</td><td>1</td><td>YN</td><td>L</td><td></td><td>\$(T) TR[tr] RH[trRAT] 10</td></tr><tr><td>renew.aud.dc.hours</td><td>2</td><td>INT</td><td>R</td><td></td><td>\$(T) TR[tr] RH[trRAT] 2</td></tr><tr><td>renew.aud.last.date</td><td>8</td><td>DATE</td><td>L</td><td></td><td>\$(T) TR[tr] RH[trRAT] 5</td></tr><tr><td>renew.aud.last.time</td><td>4</td><td>HHMM</td><td>L</td><td></td><td>\$(T) TR[tr] RH[trRAT] 6</td></tr><tr><td>renew.aud.last.user</td><td>10</td><td>FREE</td><td>L</td><td>MIS.USER</td><td>\$(T) TR[tr] RH[trRAT] 7</td></tr><tr><td>renew.aud.order.edit.prov</td><td>10</td><td>FREE</td><td>L</td><td>MIS.DOC</td><td>\$(T) TR[tr] RH[trRAT] 9</td></tr><tr><td>renew.aud.order.source</td><td>10</td><td>FREE</td><td>L</td><td>MIS.SOURCE</td><td>\$(T) TR[tr] RH[trRAT] 8</td></tr><tr><td>renew.aud.period</td><td>2</td><td>PINT</td><td>R</td><td></td><td>\$(T) TR[tr] RH[trRAT] 1</td></tr><tr><td>renew.aud.stop.date</td><td>8</td><td>DATE</td><td>L</td><td></td><td>\$(T) TR[tr] RH[trRAT] 3</td></tr><tr><td>renew.aud.stop.time</td><td>4</td><td>HHMM</td><td>L</td><td></td><td>\$(T) TR[tr] RH[trRAT] 4</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	renew.aud.time	10	PINT	R		trRAT	renew.aud.before	2	PINT	R		\$(T) TR[tr] RH[trRAT] 0	renew.aud.dc	1	YN	L		\$(T) TR[tr] RH[trRAT] 10	renew.aud.dc.hours	2	INT	R		\$(T) TR[tr] RH[trRAT] 2	renew.aud.last.date	8	DATE	L		\$(T) TR[tr] RH[trRAT] 5	renew.aud.last.time	4	HHMM	L		\$(T) TR[tr] RH[trRAT] 6	renew.aud.last.user	10	FREE	L	MIS.USER	\$(T) TR[tr] RH[trRAT] 7	renew.aud.order.edit.prov	10	FREE	L	MIS.DOC	\$(T) TR[tr] RH[trRAT] 9	renew.aud.order.source	10	FREE	L	MIS.SOURCE	\$(T) TR[tr] RH[trRAT] 8	renew.aud.period	2	PINT	R		\$(T) TR[tr] RH[trRAT] 1	renew.aud.stop.date	8	DATE	L		\$(T) TR[tr] RH[trRAT] 3	renew.aud.stop.time	4	HHMM	L		\$(T) TR[tr] RH[trRAT] 4
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																														
renew.aud.time	10	PINT	R		trRAT																																																																														
renew.aud.before	2	PINT	R		\$(T) TR[tr] RH[trRAT] 0																																																																														
renew.aud.dc	1	YN	L		\$(T) TR[tr] RH[trRAT] 10																																																																														
renew.aud.dc.hours	2	INT	R		\$(T) TR[tr] RH[trRAT] 2																																																																														
renew.aud.last.date	8	DATE	L		\$(T) TR[tr] RH[trRAT] 5																																																																														
renew.aud.last.time	4	HHMM	L		\$(T) TR[tr] RH[trRAT] 6																																																																														
renew.aud.last.user	10	FREE	L	MIS.USER	\$(T) TR[tr] RH[trRAT] 7																																																																														
renew.aud.order.edit.prov	10	FREE	L	MIS.DOC	\$(T) TR[tr] RH[trRAT] 9																																																																														
renew.aud.order.source	10	FREE	L	MIS.SOURCE	\$(T) TR[tr] RH[trRAT] 8																																																																														
renew.aud.period	2	PINT	R		\$(T) TR[tr] RH[trRAT] 1																																																																														
renew.aud.stop.date	8	DATE	L		\$(T) TR[tr] RH[trRAT] 3																																																																														
renew.aud.stop.time	4	HHMM	L		\$(T) TR[tr] RH[trRAT] 4																																																																														
 renewal.notices.printed [urn,renewal.notice.date] \$(T) TR[tr] RN[trRND] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>renewal.notice.date</td><td>8</td><td>DATE</td><td>L</td><td></td><td>trRND</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	renewal.notice.date	8	DATE	L		trRND																																																																		
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																														
renewal.notice.date	8	DATE	L		trRND																																																																														
 review [urn,review.date.time] \$(T) TR[tr] RV[trRV] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>review.date.time</td><td>10</td><td>PINT</td><td>R</td><td></td><td>trRV</td></tr><tr><td>review.act</td><td>60</td><td>FREE</td><td>L</td><td></td><td>VAL=@First (@review.date.time,@p.review)</td></tr><tr><td>review.date</td><td>8</td><td>DATE</td><td>L</td><td></td><td>VAL=%Z.date.in.magic (@review.date.time#.)</td></tr><tr><td>review.source</td><td>10</td><td>FREE</td><td>L</td><td>MIS.SOURCE</td><td>\$(T) TR[tr] RV[trRV] 1</td></tr><tr><td>review.time</td><td>4</td><td>HHMM</td><td>L</td><td></td><td>VAL=%Z.time.out (@review.date.time#.)</td></tr><tr><td>review.type</td><td>2</td><td>FREE</td><td>L</td><td></td><td>\$(T) TR[tr] RV[trRV] 0</td></tr><tr><td>review.user</td><td>10</td><td>FREE</td><td>L</td><td>MIS.USER</td><td>\$(T) TR[tr] RV[trRV] 2</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	review.date.time	10	PINT	R		trRV	review.act	60	FREE	L		VAL=@First (@review.date.time,@p.review)	review.date	8	DATE	L		VAL=%Z.date.in.magic (@review.date.time#.)	review.source	10	FREE	L	MIS.SOURCE	\$(T) TR[tr] RV[trRV] 1	review.time	4	HHMM	L		VAL=%Z.time.out (@review.date.time#.)	review.type	2	FREE	L		\$(T) TR[tr] RV[trRV] 0	review.user	10	FREE	L	MIS.USER	\$(T) TR[tr] RV[trRV] 2																														
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																														
review.date.time	10	PINT	R		trRV																																																																														
review.act	60	FREE	L		VAL=@First (@review.date.time,@p.review)																																																																														
review.date	8	DATE	L		VAL=%Z.date.in.magic (@review.date.time#.)																																																																														
review.source	10	FREE	L	MIS.SOURCE	\$(T) TR[tr] RV[trRV] 1																																																																														
review.time	4	HHMM	L		VAL=%Z.time.out (@review.date.time#.)																																																																														
review.type	2	FREE	L		\$(T) TR[tr] RV[trRV] 0																																																																														
review.user	10	FREE	L	MIS.USER	\$(T) TR[tr] RV[trRV] 2																																																																														
 review.text [urn,review.date.time,review.text.q] \$(T) TR[tr] RV[trRV] T[trRTq] <table><tr><th>Field Name</th><th>Len</th><th>Data Type</th><th>J</th><th>DPM Pointer</th><th>Offset/Local/VAL</th></tr><tr><td>review.text.q</td><td>3</td><td>PINT</td><td>R</td><td></td><td>trRTq</td></tr><tr><td>review.text.line</td><td>60</td><td>FREE</td><td>L</td><td></td><td>\$(T) TR[tr] RV[trRV] T[trRTq] VALUE</td></tr></table>						Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL	review.text.q	3	PINT	R		trRTq	review.text.line	60	FREE	L		\$(T) TR[tr] RV[trRV] T[trRTq] VALUE																																																												
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL																																																																														
review.text.q	3	PINT	R		trRTq																																																																														
review.text.line	60	FREE	L		\$(T) TR[tr] RV[trRV] T[trRTq] VALUE																																																																														
																																																																																			

```
rules
[urn,rule.urn,rule.urn.q]
$(T)TR[tr]RUL[tdru,tdrug]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
rule.urn	10	FREE	L	PHA.RULE	tdru
rule.urn.q	3	PINT	R		tdrug
rule.can.override	1	YN	L		\$(T)TR[tr]RUL[tdru,tdrug] 2
rule.description	60	FREE	L		\$(T)TR[tr]RUL[tdru,tdrug] 0
rule.override.comment	10	FREE	L	MIS.OVER.CMT	\$(T)TR[tr]RUL[tdru,tdrug] 3
rule.pass	1	YN	L		\$(T)TR[tr]RUL[tdru,tdrug] 1
rule.source	4	FREE	L		\$(T)TR[tr]RUL[tdru,tdrug] 4



```
rules.text
[urn,rule.urn,rule.urn.q,rule.text.q]
$(T)TR[tr]RUL[tdru,tdrug]TXT[trduT]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
rule.text.q	3	FREE	L		trduT
rule.text	60	FREE	L		\$(T)TR[tr]RUL[tdru,tdrug]TXT[trduT]VALUE



```
rx.comments
[urn,rx.comment.q]
$(T)TR[tr]RC[trRC]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
rx.comment.q	3	PINT	R		trRC
rx.comment	60	TEXT	L		\$(T)TR[tr]RC[trRC]VALUE



```
session.orders
[urn,session.q]
$(T)TR[tr]SO[trsoQ]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
session.q	2	PINT	R		trsoQ
session.category	10	FREE	L	OE.CAT	\$(T)TR[tr]SO[trsoQ] 1
session.doctor	10	FREE	L	MIS.DOC	\$(T)TR[tr]SO[trsoQ] 5
session.order.date	8	DATE	L		\$(T)TR[tr]SO[trsoQ] 7
session.order.time	4	TIME	L		\$(T)TR[tr]SO[trsoQ] 8
session.priority	1	FREE	L		\$(T)TR[tr]SO[trsoQ] 6
session.procedure	10	DEC	R	OE.PROC	\$(T)TR[tr]SO[trsoQ] 2
session.service.date	8	DATE	L		\$(T)TR[tr]SO[trsoQ] 3
session.service.time	4	TIME	L		\$(T)TR[tr]SO[trsoQ] 4
session.status	1	CHOICE	L		\$(T)TR[tr]SO[trsoQ] 9
session.urn	11	URN	L	OE.ORD	\$(T)TR[tr]SO[trsoQ] 0
session.user	10	FREE	L	MIS.USER	\$(T)TR[tr]SO[trsoQ] 10



```
tapers
[urn,taper.q]
$(T)TR[tr]TS[trTP]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
taper.q	2	PINT	R		trTP
taper.charge	9	MONEY	R		\$(T)TR[tr]TS[trTP] 10
taper.cost	9	MONEY	R		\$(T)TR[tr]TS[trTP] 11
taper.days	3	INT	R		\$(T)TR[tr]TS[trTP] 2
taper.disp.forms	9	PDEC5	R		\$(T)TR[tr]TS[trTP] 8
taper.disp.forms.per.dose	9	PDEC5	R		\$(T)TR[tr]TS[trTP] 9
taper.dose	10	DEC.C	R		\$(T)TR[tr]TS[trTP] 1
taper.end.date	8	DATE	L		\$(T)TR[tr]TS[trTP] 6
taper.end.date.time	13	FREE	L		VAL=@taper.end.date_._@taper.end.time
taper.end.time	4	HHMM	L		\$(T)TR[tr]TS[trTP] 7
taper.handling.fee	9	MONEY	R		\$(T)TR[tr]TS[trTP] 13
taper.hours	2	INT	R		\$(T)TR[tr]TS[trTP] 3
taper.seconds	10	PINT	R		VAL=%Z.date.clinical(@taper.start.date)*86400+%Z.t VAL=ime.in(@taper.start.time)
taper.sig	20	FREE	L	MIS.DIR	\$(T)TR[tr]TS[trTP] 0
taper.special.price	9	MONEY	R		\$(T)TR[tr]TS[trTP] 12
taper.start.date	8	DATE	L		\$(T)TR[tr]TS[trTP] 4
taper.start.date.time	13	FREE	L		VAL=@taper.start.date_._@taper.start.time
taper.start.time	4	HHMM	L		\$(T)TR[tr]TS[trTP] 5



taper.dose.instructions

[urn,taper.q,taper.dose.instr.q]
\$(T)TR[tr]TS[trTP]D[trTPD]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
taper.dose.instr.q	2	PINT	R		trTPD
taper.dose.instr	60	TEXT	L		\$(T)TR[tr]TS[trTP]D[trTPD]VALUE



tpn.components

[urn,tpn.comp.q]
\$(T)TR[tr]TPN[trTPq]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
tpn.comp.q	3	PINT	R		trTPq
tpn.comp.amount	12	PDEC.C	R		\$(T)TR[tr]TPN[trTPq] 1
tpn.comp.kcals	12	PDEC.C	R		\$(T)TR[tr]TPN[trTPq] 2
tpn.comp.name	30	FREE	L		VAL=@component's.name
tpn.comp.units	10	FREE	L	PHA.UNITS	VAL=@tpn.component's.unit
tpn.component	10	FREE	L	PHA.INGR	\$(T)TR[tr]TPN[trTPq] 0



transfer.out.comments

[urn,tr.out.comment.q]
\$(T)TR[tr]TRO["C",trTRQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
tr.out.comment.q	2	PINT	R		trTRQ
tr.out.comment	60	TEXT	L		\$(T)TR[tr]TRO["C",trTRQ]VALUE



txns

[urn,txn.date,txn.q]
\$(T)TR[tr]X[trXD,tuzt]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
txn.date	8	DATE	L		trXD
txn.q	10	PINT	R		tuzt
txn.account	1	FREE	L		\$(T)TR[tr]X[trXD,tuzt] 16
txn.adj.amt.paid	9	MONEY	R		\$(T)TR[tr]X[trXD,tuzt] 24
txn.adj.insurance	10	FREE	L		\$(T)TR[tr]X[trXD,tuzt] 23
txn.adj.oth.amt.paid	9	MONEY	R		\$(T)TR[tr]X[trXD,tuzt] 26
txn.adj.oth.insurance	10	FREE	L		\$(T)TR[tr]X[trXD,tuzt] 25
txn.batch.time	4	HHMM	L		\$(T)TR[tr]X[trXD,tuzt] 22
txn.billing.code	10	FREE	L		\$(T)TR[tr]X[trXD,tuzt] 8
txn.billing.code.flag	1	FREE	L		\$(T)TR[tr]X[trXD,tuzt] 27
txn.bottle.type	2	PINT	R		\$(T)TR[tr]X[trXD,tuzt] 19
txn.charge	9	MONEY	R		\$(T)TR[tr]X[trXD,tuzt] 7
txn.charge.type	10	URN	L	PHA.CT	\$(T)TR[tr]X[trXD,tuzt] 17
txn.complete	10	PINT	R		\$(T)TR[tr]X[trXD,tuzt] 4
txn.complete.date	8	DATE	L		VAL=%Z.date.in.magic(@txn.complete)
txn.complete.time	4	HHMM	L		VAL=%Z.time.out(@txn.complete)
txn.cost	9	PDEC	R		\$(T)TR[tr]X[trXD,tuzt] 15
txn.ctrl	1	FREE	L		\$(T)TR[tr]X[trXD,tuzt] 12
txn.disp.forms	9	PDEC	R		\$(T)TR[tr]X[trXD,tuzt] 18
txn.doses	9	PDEC	R		\$(T)TR[tr]X[trXD,tuzt] 6
txn.enter.date	8	DATE	L		VAL=%Z.date.in.magic(@txn.entered)
txn.enter.time	4	HHMM	L		VAL=%Z.time.out(@txn.entered)
txn.entered	10	PINT	R		\$(T)TR[tr]X[trXD,tuzt] 3
txn.expiration.date	8	DATE	L		\$(T)TR[tr]X[trXD,tuzt] 30
txn.inventory	10	FREE	L	MM.INVENT	\$(T)TR[tr]X[trXD,tuzt] 14
txn.items	9	PDEC	R		\$(T)TR[tr]X[trXD,tuzt] 11
txn.location	10	FREE	L	MIS.LOCN	\$(T)TR[tr]X[trXD,tuzt] 28
txn.lot.number	20	FREE	L		\$(T)TR[tr]X[trXD,tuzt] 29
txn.med	10	FREE	L	PHA.DRUG	\$(T)TR[tr]X[trXD,tuzt] 10
txn.order.type	5	CHOICE	L		\$(T)TR[tr]X[trXD,tuzt] 5
txn.patient	30	FREE	L	PHA.PAT	\$(T)TR[tr]X[trXD,tuzt] 1
txn.rtn.flag	5	FREE	L		\$(T)TR[tr]X[trXD,tuzt] 20
txn.rx	10	URN	L	PHA.RX	\$(T)TR[tr]X[trXD,tuzt] 2
txn.service	10	FREE	L	MIS.SVC	\$(T)TR[tr]X[trXD,tuzt] 13
txn.service.date	8	DATE	L		VAL=%Z.date.in.magic(@txn.service.seconds)
txn.service.date.and.time	13	FREE	L		VAL=IF(@txn.service.seconds^TSS %Z.date.out(%Z.dat VAL=e.in.magic(TSS)) _ "-" %Z.time.out(TSS) }
txn.service.seconds	10	PINT	R		\$(T)TR[tr]X[trXD,tuzt] 21
txn.service.time	4	HHMM	L		VAL=%Z.time.out(@txn.service.seconds)
txn.signed.charge	10	MONEY	R		VAL=IF(@txn.type.type='C'='P' @txn.charge;0-@txn VAL=.charge)

txn.signed.cost	10	DEC2	R	VAL=IF{@txn.type.type="C" @txn.cost;0-@txn.cost}
txn.signed.doses	10	DEC2	R	VAL=IF{@txn.type.type="C" @txn.doses;0-@txn.doses VAL=}
txn.signed.items	10	DEC2	R	VAL=IF{@txn.type.type="C" @txn.items;0-@txn.items VAL=}
txn.type	1	CHOICE	L	\$(T)TR[tr]X[trXD,tuzt] 0
txn.type.out	17	FREE	L	VAL=@PHA.PARAM.txn.table.name[@txn.type]
txn.type.type	1	FREE	L	VAL=@PHA.PARAM.txn.table.type[@txn.type]
txn.user	10	FREE	L	\$(T)TR[tr]X[trXD,tuzt] 9



txn.comments [urn,txn.date,txn.q,txn.comment.q] \$(T)TR[tr]X[trXD,tuzt]CMT[tuztX]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
txn.comment.q	2	PINT	R		tuztX
txn.comment	92	TEXT	L		\$(T)TR[tr]X[trXD,tuzt]CMT[tuztX]VALUE



txn.components					
[urn,txn.date,txn.q,txn.comp.med]					
\$ (T) TR[tr]X[trXD,tuzt]C[tf]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
txn.comp.med	10	FREE	L	PHA.DRUG	tf
txn.comp.bc.flag	1	FREE	L		\$(T) TR[tr]X[trXD,tuzt]C[tf] 5
txn.comp.billing.code	10	FREE	L		\$(T) TR[tr]X[trXD,tuzt]C[tf] 4
txn.comp.charge	9	MONEY	R		\$(T) TR[tr]X[trXD,tuzt]C[tf] 0
txn.comp.cost	9	PDEC5	R		\$(T) TR[tr]X[trXD,tuzt]C[tf] 1
txn.comp.ctrl.sch	10	FREE	L	PHA.CS	\$(T) TR[tr]X[trXD,tuzt]C[tf] 3
txn.comp.items	9	PDEC5	R		\$(T) TR[tr]X[trXD,tuzt]C[tf] 2
txn.comp.waste.amount	10	DEC.D	R		\$(T) TR[tr]X[trXD,tuzt]C[tf] 9
txn.comp.waste.percent	5	DEC2	R		\$(T) TR[tr]X[trXD,tuzt]C[tf] 10



txn.components.day					
[urn,txn.date,txn.q,txn.comp.med,txn.comp.day.date]					
\$ (T) TR[tr]X[trXD,tuzt]C[tf]D[trCDD]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
txn.comp.day.date	8	DATE	L		trCDD
txn.comp.day.bc.flag	1	FREE	L		\$ (T) TR[tr]X[trXD,tuzt]C[tf]D[trCDD] 5
txn.comp.day.bill.code	10	FREE	L		\$ (T) TR[tr]X[trXD,tuzt]C[tf]D[trCDD] 4
txn.comp.day.charge	9	MONEY	R		\$ (T) TR[tr]X[trXD,tuzt]C[tf]D[trCDD] 0
txn.comp.day.cost	9	PDEC5	R		\$ (T) TR[tr]X[trXD,tuzt]C[tf]D[trCDD] 1
txn.comp.day.ctrl.sch	10	FREE	L	PHA.CS	\$ (T) TR[tr]X[trXD,tuzt]C[tf]D[trCDD] 3
txn.comp.day.items	9	PDEC5	R		\$ (T) TR[tr]X[trXD,tuzt]C[tf]D[trCDD] 2



txns.day					
[urn,txn.date,txn.q,txn.day.date]					
\$(T)TR[tr]X[trXD,tuzt]D[trXDD]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
txn.day.date	8	DATE	L		trXDD
txn.day.account	1	FREE	L		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 16
txn.day.adj.amt.paid	9	MONEY	R		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 24
txn.day.adj.insurance	10	FREE	L		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 23
txn.day.adj.oth.amt.paid	9	MONEY	R		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 26
txn.day.adj.oth.ins	10	FREE	L		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 25
txn.day.batch.time	4	HHMM	L		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 22
txn.day.billing.code	10	FREE	L		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 8
txn.day.billing.code.flag	1	FREE	L		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 27
txn.day.bottle.type	2	PINT	R		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 19
txn.day.charge	9	MONEY	R		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 7
txn.day.charge.type	10	URN	L	PHA.CT	\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 17
txn.day.complete	10	PINT	R		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 4
txn.day.cost	9	PDEC	R		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 15
txn.day.ctrl	1	FREE	L		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 12
txn.day.disp.forms	9	PDEC	R		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 18
txn.day.doses	9	PDEC	R		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 6
txn.day.entered	10	PINT	R		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 3
txn.day.expiration.date	8	DATE	L		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 30
txn.day.inventory	10	FREE	L	MM.INVENT	\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 14
txn.day.items	9	PDEC	R		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 11
txn.day.location	10	FREE	L	MIS.LOCN	\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 28
txn.day.lot.number	20	FREE	L		\$(T)TR[tr]X[trXD,tuzt]D[trXDD] 29

txn.day.med	10	FREE	L	PHA.DRUG	\$ (T) TR[tr]X[trXD,tuzt]D[trXDD] 10
txn.day.order.type	5	CHOICE	L		\$ (T) TR[tr]X[trXD,tuzt]D[trXDD] 5
txn.day.patient	30	FREE	L	PHA.PAT	\$ (T) TR[tr]X[trXD,tuzt]D[trXDD] 1
txn.day.rtn.flag	5	FREE	L		\$ (T) TR[tr]X[trXD,tuzt]D[trXDD] 20
txn.day.rx	10	URN	L	PHA.RX	\$ (T) TR[tr]X[trXD,tuzt]D[trXDD] 2
txn.day.service	10	FREE	L	MIS.SVC	\$ (T) TR[tr]X[trXD,tuzt]D[trXDD] 13
txn.day.service.seconds	10	PINT	R		\$ (T) TR[tr]X[trXD,tuzt]D[trXDD] 21
txn.day.tot.hand.fee	9	MONEY	R		\$ (T) TR[tr]X[trXD,tuzt]D[trXDD] 31
txn.day.type	1	CHOICE	L		\$ (T) TR[tr]X[trXD,tuzt]D[trXDD] 0
txn.day.user	10	FREE	L	MIS.USER	\$ (T) TR[tr]X[trXD,tuzt]D[trXDD] 9



warnings

[urn,warning.q]
\$(T)TR[tr]W[trW]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
warning.q	2	PINT	R		trW
warning	80	TEXT	L		\$(T)TR[tr]W[trW]VALUE



mar.bill.rpt.x

[mbr.room,mbr.bed,mbr.patient,mbr.sort.key,mbr.rx]
/TRMAR[ggr,ggrB,aa,trMBK,tr]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
mbr.room	10	FREE	L	MIS.ROOM	ggr
mbr.bed	3	FREE	L		ggrB
mbr.patient	30	FREE	L	PHA.PAT	aa
mbr.sort.key	56	FREE	L		trMBK
mbr.rx	10	URN	L	PHA.RX	tr
mbr.adm.units	3	PINT	R		/TRMAR[ggr,ggrB,aa,trMBK,tr] 1
mbr.bottle.type	3	FREE	L		
mbr.date	8	DATE	L		/TRMAR[ggr,ggrB,aa,trMBK,tr] 4
mbr.diff.units	3	PINT	R		/TRMAR[ggr,ggrB,aa,trMBK,tr] 2
mbr.mar.units	3	PINT	R		/TRMAR[ggr,ggrB,aa,trMBK,tr] 0
mbr.time	4	HHMM	L		/TRMAR[ggr,ggrB,aa,trMBK,tr] 5
mbr.user	10	FREE	L	MIS.USER	/TRMAR[ggr,ggrB,aa,trMBK,tr] 3



med.temp

[med.temp.rx,med.temp.q]
/TRMT[tr,trMTQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
med.temp.rx	10	URN	L	PHA.RX	tr
med.temp.q	2	PINT	R		trMTQ
med.temp.line	30	FREE	L		/TRMT[tr,trMTQ]VALUE



nur.hh.x

[nur.hh.urn,nur.hh.date.time]
?(T)TRHH[tr,trHH]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
nur.hh.urn	10	URN	L	PHA.RX	tr
nur.hh.date.time	13	FREE	L		trHH
nur.hh.administered	1	YN	L		?(T)TRHH[tr,trHH] 0
nur.hh.comment	45	FREE	L		?(T)TRHH[tr,trHH] 2
nur.hh.date	8	DATE	L		VAL=@nur.hh.date.time#0.
nur.hh.time	4	HHMM	L		VAL=@nur.hh.date.time#1.
nur.hh.user	10	FREE	L	MIS.USER	?(T)TRHH[tr,trHH] 1



oe.activity

[oe.act.facility,oe.act.seconds,oe.act.urn,oe.act.rx]
?(T)TROEX[gqb,troeX,po,tr]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
oe.act.facility	10	FREE	L	MIS.FACILITY	gqb
oe.act.seconds	5	PINT	R		troeX
oe.act.urn	11	URN	L	OE.ORD	po
oe.act.rx	10	URN	L	PHA.RX	tr
oe.act.ack.reason	50	FREE	L		?(T)TROEX[gqb,troeX,po,tr] 6
oe.act.dont.allow.ack	1	YN	L		?(T)TROEX[gqb,troeX,po,tr] 7
oe.act.edit.device	10	FREE	L		?(T)TROEX[gqb,troeX,po,tr]ED 6
oe.act.edit.edit.doctor	10	FREE	L	MIS.DOC	?(T)TROEX[gqb,troeX,po,tr]ED 2
oe.act.edit.old.source	10	FREE	L	MIS.SOURCE	?(T)TROEX[gqb,troeX,po,tr]ED 5

oe.act.edit.order.doctor	10	FREE	L	MIS.DOC	? (T) TROEX[gqb, troeX, po, tr]ED 4
oe.act.edit.source	10	FREE	L	MIS.SOURCE	? (T) TROEX[gqb, troeX, po, tr]ED 3
oe.act.edit.time	10	PINT	R		? (T) TROEX[gqb, troeX, po, tr]ED 0
oe.act.edit.types	100	FREE	L		? (T) TROEX[gqb, troeX, po, tr]ED 1
oe.act.error	50	FREE	L		? (T) TROEX[gqb, troeX, po, tr] 1
oe.act.module	10	FREE	L		? (T) TROEX[gqb, troeX, po, tr] 5
oe.act.order.edit.sec	10	PINT	R		? (T) TROEX[gqb, troeX, po, tr] 4
oe.act.order.edit.urn	3	PINT	R		? (T) TROEX[gqb, troeX, po, tr] 3
oe.act.status	6	CHOICE	L		? (T) TROEX[gqb, troeX, po, tr] 0
oe.act.user	10	FREE	L	MIS.USER	? (T) TROEX[gqb, troeX, po, tr] 2



oe.activity.edit.types

[oe.act.facility,oe.act.seconds,oe.act.urn,oe.act.rx,oe.act.edit.type]
? (T) TROEX[gqb, troeX, po, tr]EDT[tr]oeT

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
oe.act.edit.type	30	CHOICE	L		tr]oeT



oe.activity.links

[oe.act.facility,oe.act.seconds,oe.act.urn,oe.act.rx,oe.act.link.r]
? (T) TROEX[gqb, troeX, po, tr]LI[tr]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
oe.act.link.r	10	URN	L	PHA.RX	tr
oe.act.link.type		FREE	L		? (T) TROEX[gqb, troeX, po, tr]LI[tr] 0



oe.activity.nur.ack.rej

[oe.act.facility,oe.act.seconds,oe.act.urn,oe.act.rx,oe.act.nur.ack.rej.resn.q]
? (T) TROEX[gqb, troeX, po, tr]RR[trNAR]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
oe.act.nur.ack.rej.resn.q	3	PINT	R		trNAR
oe.act.nur.ack.rej.reason	60	TEXT	L		? (T) TROEX[gqb, troeX, po, tr]RR[trNAR]VALUE



oe.log

[oe.date.time,oe.log.q]
? (T) TROE[trODT, trOLQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
oe.date.time	10	PINT	R		trODT
oe.log.q	3	PINT	R		trOLQ
oe.log.date	8	DATE	L		VAL=%Z.date.in.magic(@oe.date.time)
oe.log.db	12	FREE	L	MIS.APPL.DB	? (T) TROE[trODT, trOLQ] 4
oe.log.message	65	FREE	L		? (T) TROE[trODT, trOLQ] 5
oe.log.order	11	URN	L	OE.ORD	? (T) TROE[trODT, trOLQ] 3
oe.log.patient	30	FREE	L	PHA.PAT	? (T) TROE[trODT, trOLQ] 2
oe.log.time	4	HHMM	L		VAL=%Z.time.out(@oe.date.time)
oe.log.type	1	CHOICE	L		? (T) TROE[trODT, trOLQ] 0
oe.log.type.ok	1	YN	L		VAL=IF{L(c.oe.log.types,@oe.log.type)<L(c.oe.log.t VAL=ypes) "Y";"N"}
oe.log.types	5	FREE	L		
oe.log.user	10	FREE	L	MIS.USER	? (T) TROE[trODT, trOLQ] 1



out.activity

[out.act.date,out.act.patient,out.act.rx,out.act.seconds]
? (T) TROA[tr]oaD,aa,tr,toaS]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
out.act.date	8	DATE	L		tr]oaD
out.act.patient	30	FREE	L	PHA.PAT	aa
out.act.rx	10	URN	L	PHA.RX	tr
out.act.seconds	10	PINT	R		tr]oaS
out.act.dispense	8	DEC	R		? (T) TROA[tr]oaD,aa,tr,toaS] 3
out.act.refill	3	PINT	R		? (T) TROA[tr]oaD,aa,tr,toaS] 2
out.act.type	4	CHOICE	L		? (T) TROA[tr]oaD,aa,tr,toaS] 0
out.act.type.text	12	FREE	L		VAL=%PHA.RX.out.act.type.text(@PHA.RX.out.act.type VAL=)
out.act.user	10	FREE	L	MIS.USER	? (T) TROA[tr]oaD,aa,tr,toaS] 1



pcs.xfer.queue


```
[pcs.xfer.q]
*(T6)TRPCSQ[tpcsQ]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
pcs.xfer.q	14	FREE	L		tpcsQ
pcs.xfer.admin.q	6	PINT	R		*(T6)TRPCSQ[tpcsQ] 4
pcs.xfer.fac	10	FREE	L	MIS.FACILITY	*(T6)TRPCSQ[tpcsQ] 1
pcs.xfer.nur.ack.q	3	PINT	R		*(T6)TRPCSQ[tpcsQ] 3
pcs.xfer.pt	30	URN	L	ADM.PAT	*(T6)TRPCSQ[tpcsQ] 0
pcs.xfer.rx	10	URN	L	PHA.RX	*(T6)TRPCSQ[tpcsQ] 2



```
refill.x
[refill.urn,refill.date.time]
?(T)TRR[tr,rrrD]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
refill.urn	10	URN	L	PHA.RX	tr
refill.date.time	13	FREE	L		trrrD
refill.admin.q	3	FREE	L		?(T)TRR[tr,rrrD] 12
refill.alt.iv.seq	2	PINT	R		?(T)TRR[tr,rrrD] 8
refill.billing.code	10	FREE	L		?(T)TRR[tr,rrrD] 11
refill.bottle.number	3	PINT	R		?(T)TRR[tr,rrrD] 10
refill.bottle.type	2	PINT	R		?(T)TRR[tr,rrrD] 9
refill.charge	9	MONEY	R		?(T)TRR[tr,rrrD] 2
refill.charge.type	10	URN	L	PHA.CT	?(T)TRR[tr,rrrD] 1
refill.cost	9	MONEY	R		?(T)TRR[tr,rrrD] 3
refill.date	8	DATE	L		VAL=@refill.date.time#.
refill.dosage	20	FREE	L		?(T)TRR[tr,rrrD] 5
refill.dose	8	DEC	R		?(T)TRR[tr,rrrD] 4
refill.handling.fee	9	MONEY	R		?(T)TRR[tr,rrrD] 7
refill.seconds	10	PINT	R		VAL=%Z.date.clinical(@refill.date)*86400+%Z.time.i
					VAL=n(@refill.time)
refill.sig	20	FREE	L	MIS.DIR	?(T)TRR[tr,rrrD] 6
refill.time	4	HHMM	L		VAL=@refill.date.time#1.
refill.type	1	CHOICE	L		?(T)TRR[tr,rrrD] 0



```
rpt.vals
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
expire.from.lbl.btl.due	15	FREE	L		VAL=%PHA.RX.calc.expiration(urn,2,'/RULE.RX.PERM)
expire.from.now	15	FREE	L		VAL=%PHA.RX.calc.expiration(urn,1,'/RULE.RX.PERM)
hospital.name	61	FREE	L		VAL=@Z.rpt.hosp
pad.with.blank.lines	0	FREE	L		VAL=DO{@.lines.left'<2 I("")N^!,@.lines.left-1^@.1
					VAL=ines.left}
page.number	4	PINT	R		VAL=@Z.rpt.page.num.print
rpt.title	55	FREE	L		VAL=@Z.rpt.title
rpt.title.2	80	FREE	L		VAL=/R.TITLE.2
run.date	8	FREE	L		VAL=@Z.rpt.date
run.time	4	FREE	L		VAL=@Z.rpt.time



```
scanned.med.pt.x
```

```
[scan.med.pt.ord.type,scan.med.pt.facility,scan.med.pt.location,scan.med.pt.date,scan.med.pt.user,scan.med.pt.acct,scan.med.pt.medication]
?(T)TRSMPX[tdo,gqb,ggn,smpd,gu,aa,tf,smps,smpms,tr,spq]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
scan.med.pt.ord.type	10	FREE	L	PHA.OT	tdo
scan.med.pt.facility	10	FREE	L	MIS.FACILITY	gqb
scan.med.pt.location	10	FREE	L	MIS.LOCN	ggn
scan.med.pt.date	8	DATE	L		smpd
scan.med.pt.user	10	FREE	L	MIS.USER	gu
scan.med.pt.acct	30	FREE	L	PHA.PAT	aa
scan.med.pt.medication	10	FREE	L	PHA.DRUG	tf
scan.med.pt.scanned	4	FREE	L		smps
scan.med.pt.med.scanned	4	FREE	L		smpms
scan.med.pt.rx	10	URN	L	PHA.RX	tr
scan.med.pt.q	2	PINT	R		spq



```
scanned.med.x
```

```
[scanned.med.location,scanned.med.date,scanned.med.user,scanned.med.acct,scanned.med.medication,scanned.med.scanned,scanned.med.q]
?(T)TRSMX[ggn,smd,gu,aa,tf,sms,smq]
```

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
scanned.med.location	10	FREE	L	MIS.LOCN	ggn

scanned.med.date	8	DATE	L		smd
scanned.med.user	10	FREE	L	MIS.USER	gu
scanned.med.acct	30	FREE	L	PHA.PAT	aa
scanned.med.medication	10	FREE	L	PHA.DRUG	tf
scanned.med.scanned	4	FREE	L		sms
scanned.med.q	2	PINT	R		smq



temp.vac.conflict.in
[temp.in.patient]
/(T)VAC.CONFLCT.IN[aa]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.in.patient	30	URN	L	ADM.PAT	aa
temp.in.dont.ck.emr.mri	1	YN	L		/ (T) VAC.CONFLCT.IN[aa] 0



temp.vac.conflict.in.drg
[temp.in.patient,temp.in.drug]
/(T)VAC.CONFLCT.IN[aa]VACDRUG[tf]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.in.drug	10	FREE	L	PHA.DRUG	tf
temp.in.date	10	DATE	L		/ (T) VAC.CONFLCT.IN[aa]VACDRUG[tf] 1
temp.in.vaccine	15	FREE	L	MIS.VACCINE	/ (T) VAC.CONFLCT.IN[aa]VACDRUG[tf] 0
temp.vac.conf.in.begin.dt	8	DATE	L		/ (T) VAC.CONFLCT.IN[aa]VACDRUG[tf] 2
temp.vac.conf.in.end.dt	8	DATE	L		/ (T) VAC.CONFLCT.IN[aa]VACDRUG[tf] 3



temp.vac.conflict.out
[temp.out.patient]
/(T)VAC.CONFLCT.OUT[aa]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.out.patient	30	URN	L	ADM.PAT	aa
temp.conflict.out.p.ov.nm	30	FREE	L		VAL=@PHA.RX.temp.conflict.out.pt.over's.name
temp.conflict.out.pt.over	10	FREE	L	PHA.OVER	/ (T) VAC.CONFLCT.OUT[aa]PATCON["OVER"] 0
temp.conflict.out.pt.xmpt	10	DATE	L		/ (T) VAC.CONFLCT.OUT[aa]PATCON 0
temp.out.any.vac.conflict	1	YN	L		/ (T) VAC.CONFLCT.OUT[aa] 0
temp.out.emr.mri.conflict	1	YN	L		/ (T) VAC.CONFLCT.OUT[aa] 1



temp.vac.conflict.out.drg
[temp.out.patient,temp.out.drug]
/(T)VAC.CONFLCT.OUT[aa]VACDRUG[tf]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.out.drug	10	FREE	L	PHA.DRUG	tf
temp.out.date	10	DATE	L		/ (T) VAC.CONFLCT.OUT[aa]VACDRUG[tf] 1
temp.out.vaccine	15	FREE	L	MIS.VACCINE	/ (T) VAC.CONFLCT.OUT[aa]VACDRUG[tf] 0



temp.vac.conflict.out.nm
[temp.out.patient,temp.out.drug,temp.conflict.out.name]
/(T)VAC.CONFLCT.OUT[aa]VACDRUG[tf]CONFLCT[tvacCN]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.conflict.out.name	3	CHOICE	L		tvacCN
temp.conflict.out.ov.nm	30	FREE	L		VAL=@PHA.RX.temp.conflict.out.over's.name
temp.conflict.out.over	10	FREE	L	PHA.OVER	/ (T) VAC.CONFLCT.OUT[aa]VACDRUG[tf]CONFLCT[tvacCN]OVER 0



temp.vac.conflict.out.con
[temp.out.patient,temp.out.drug,temp.conflict.out.name,temp.conflict.out.q]
/(T)VAC.CONFLCT.OUT[aa]VACDRUG[tf]CONFLCT[tvacCN]DATA[tvacQN]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.conflict.out.q	3	PINT	R		tvacQN
temp.conflict.out.c.date	10	DATE	L		/ (T) VAC.CONFLCT.OUT[aa]VACDRUG[tf]CONFLCT[tvacCN]DATA[tvacQN]
temp.conflict.out.conflict	60	FREE	L		/ (T) VAC.CONFLCT.OUT[aa]VACDRUG[tf]CONFLCT[tvacCN]DATA[tvacQN]
temp.conflict.out.sev	1	CHOICE	L		/ (T) VAC.CONFLCT.OUT[aa]VACDRUG[tf]CONFLCT[tvacCN]DATA[tvacQN]
temp.conflict.out.type	10	FREE	L		/ (T) VAC.CONFLCT.OUT[aa]VACDRUG[tf]CONFLCT[tvacCN]DATA[tvacQN]



temp.vac.conflict.out.msg

[temp.out.patient,temp.out.drug,temp.conflict.out.name,temp.conflict.out.q,temp.conflict.out.msg.q] /(T)VAC.CONFLCT.OUT[aa]VACDRUG[tf]CONFLCT[tvacCN]DATA[tvacQN]MSG[tvcoQ]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.conflict.out.msg.q	3	PINT	R		tvcoQ
temp.conflict.out.message	87	TEXT	L		/(T)VAC.CONFLCT.OUT[aa]VACDRUG[tf]CONFLCT[tvacCN]DATA[tvacQN]MSG[tvcoQ]

€ i temp.vac.conflict.out.pmg [temp.out.patient,temp.conflict.out.pt.q] /(T)VAC.CONFLCT.OUT[aa]PATCON["MSG",tvcopQ]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.conflict.out.pt.q	3	PINT	R		tvcopQ
temp.conflict.out.pt.msg	87	TEXT	L		/(T)VAC.CONFLCT.OUT[aa]PATCON["MSG",tvcopQ]VALUE

i temp.vac.file.in [temp.vac.file.patient] /(T)VAC.IN[aa]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.vac.file.patient	30	URN	L	ADM.PAT	aa
temp.vac.file.admin.by	10	FREE	L	MIS.USER	/(T)VAC.IN[aa]A 1
temp.vac.file.date.given	8	DATE	L		/(T)VAC.IN[aa] 6
temp.vac.file.dms	10	FREE	L	MIS.SITE	/(T)VAC.IN[aa]A 2
temp.vac.file.dose	10	DEC.C	R		/(T)VAC.IN[aa] 10
temp.vac.file.drug	10	FREE	L	PHA.DRUG	/(T)VAC.IN[aa] 1
temp.vac.file.exp.date	8	DATE	L		/(T)VAC.IN[aa]I 2
temp.vac.file.given	1	YN	L		/(T)VAC.IN[aa] 5
temp.vac.file.in.p.ov.nm	30	FREE	L		VAL=temp.vac.file.in.xmpt.ov's.name
temp.vac.file.in.pt.xmpt	10	DATE	L		/(T)VAC.IN[aa]PATCON 0
temp.vac.file.in.xmpt.ov	10	FREE	L	PHA.OVER	/(T)VAC.IN[aa]PATCON["OVER"] 0
temp.vac.file.incl.in.his	1	YN	L		/(T)VAC.IN[aa] 9
temp.vac.file.inf.cnsnt	1	YN	L		/(T)VAC.IN[aa] 4
temp.vac.file.file.inv	10	FREE	L	MM.INVENT	/(T)VAC.IN[aa]I 0
temp.vac.file.lot.number	20	FREE	L		/(T)VAC.IN[aa]I 1
temp.vac.file.order.by	10	FREE	L	MIS.DOC	/(T)VAC.IN[aa]A 0
temp.vac.file.order.unit	10	FREE	L	PHA.UNITS	/(T)VAC.IN[aa] 11
temp.vac.file.reason	10	FREE	L		/(T)VAC.IN[aa] 2
temp.vac.file.reg.reason	10	FREE	L	MIS.IMM.REASON	/(T)VAC.IN[aa] 3
temp.vac.file.route	10	FREE	L	PHA.ROUTES	/(T)VAC.IN[aa]RS 0
temp.vac.file.rsn.not.giv	10	FREE	L	MIS.IMM.REASON	/(T)VAC.IN[aa] 8
temp.vac.file.ser.loc	30	FREE	L		/(T)VAC.IN[aa]A 3
temp.vac.file.site	10	FREE	L	MIS.ADMIN.SITE	/(T)VAC.IN[aa]RS 1
temp.vac.file.time.given	4	HHMM	L		/(T)VAC.IN[aa] 7
temp.vac.file.vaccine	15	FREE	L	MIS.VACCINE	/(T)VAC.IN[aa] 0

€ i temp.vac.file.components [temp.vac.file.patient,temp.vac.file.component] /(T)VAC.IN[aa]C[gvac]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.vac.file.component	15	FREE	L	MIS.VAC.CMP	gvac
temp.vac.file.eff.dose	1	YN	L		/(T)VAC.IN[aa]C[gvac] 0

€ i temp.vac.file.conflict.nm [temp.vac.file.patient,temp.vac.file.con.name] /(T)VAC.IN[aa]DATA[tvcoCN]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.vac.file.con.name	3	CHOICE	L		tvcoCN
temp.vac.file.con.ov.name	30	FREE	L		VAL=@PHA.RX.temp.conflict.over's.name
temp.vac.file.con.over	10	FREE	L	PHA.OVER	/(T)VAC.IN[aa]DATA[tvcoCN]OVER 0

€ i temp.vac.file.conflicts [temp.vac.file.patient,temp.vac.file.con.name,temp.vac.file.con.q] /(T)VAC.IN[aa]DATA[tvcoCN]CON[tvcoQN]					
Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.vac.file.con.q	3	PINT	R		tvcoQN
temp.vac.file.con.c.date	10	DATE	L		/(T)VAC.IN[aa]DATA[tvcoCN]CON[tvcoQN] 2
temp.vac.file.con.conflict	60	FREE	L		/(T)VAC.IN[aa]DATA[tvcoCN]CON[tvcoQN] 1
temp.vac.file.con.sev	1	CHOICE	L		/(T)VAC.IN[aa]DATA[tvcoCN]CON[tvcoQN] 3
temp.vac.file.con.type	10	FREE	L		/(T)VAC.IN[aa]DATA[tvcoCN]CON[tvcoQN] 0



temp.vac.file.out
[temp.vac.file.out.pat]
/(T)VAC.OUT[aa]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.vac.file.out.pat	30	URN	L	ADM.PAT	aa
temp.vac.file.out.filed	10	CHOICE	L		/(T)VAC.OUT[aa] 0
temp.vac.file.out.locked	1	YN	L		/(T)VAC.OUT[aa] 1
temp.vac.file.out.p.ov.nm	30	FREE	L		VAL=temp.vac.file.out.xmpt.ov's.name
temp.vac.file.out.pt.xmpt	10	DATE	L		/(T)VAC.OUT[aa]PATCON 0
temp.vac.file.out.xmpt.ov	10	FREE	L	PHA.OVER	/(T)VAC.OUT[aa]PATCON["OVER"] 0



temp.vac.file.out.conf.nm
[temp.vac.file.out.pat,temp.vac.file.out.name]
/(T)VAC.OUT[aa]DATA[trtnCN]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.vac.file.out.name	3	CHOICE	L		trtnCN



temp.vac.file.out.conf.s
[temp.vac.file.out.pat,temp.vac.file.out.name,temp.vac.file.out.q]
/(T)VAC.OUT[aa]DATA[trtnCN]CONFLCT[trtnQN]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.vac.file.out.q	3	PINT	R		trtnQN
temp.vac.file.out.c.date	10	DATE	L		/(T)VAC.OUT[aa]DATA[trtnCN]CONFLCT[trtnQN] 2
temp.vac.file.out.conflct	60	FREE	L		/(T)VAC.OUT[aa]DATA[trtnCN]CONFLCT[trtnQN] 1
temp.vac.file.out.sev	1	CHOICE	L		/(T)VAC.OUT[aa]DATA[trtnCN]CONFLCT[trtnQN] 3
temp.vac.file.out.type	10	FREE	L		/(T)VAC.OUT[aa]DATA[trtnCN]CONFLCT[trtnQN] 0



temp.vac.file.out.conf.ms
[temp.vac.file.out.pat,temp.vac.file.out.name,temp.vac.file.out.q,temp.vac.file.out.msg.q]
/(T)VAC.OUT[aa]DATA[trtnCN]CONFLCT[trtnQN]MSG[trtnQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.vac.file.out.msg.q	3	PINT	R		trtnQ
temp.vac.file.out.message	87	TEXT	L		/(T)VAC.OUT[aa]DATA[trtnCN]CONFLCT[trtnQN]MSG[trtnQ]VALUE



temp.vac.file.out.pmg
[temp.vac.file.out.pat,temp.vac.file.out.pt.q]
/(T)VAC.OUT[aa]PATCON["MSG",trtnpQ]

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
temp.vac.file.out.pt.q	3	PINT	R		trtnpQ
temp.vac.file.out.pt.msg	87	TEXT	L		/(T)VAC.OUT[aa]PATCON["MSG",trtnpQ]VALUE



tr.label.data
[]
/TRTRL

Field Name	Len	Data Type	J	DPM Pointer	Offset/Local/VAL
tr.lbl.comment	60	FREE	L		/TRTRL 9
tr.lbl.credit	8	FREE	L		/TRTRL 11
tr.lbl.dispense	8	FREE	L		/TRTRL 10
tr.lbl.new.bed	10	FREE	L		/TRTRL 8
tr.lbl.new.loc	10	FREE	L	MIS.LOCN	/TRTRL 6
tr.lbl.new.room	10	FREE	L	MIS.ROOM	/TRTRL 7
tr.lbl.num.doses	6	INT	R		/TRTRL 0
tr.lbl.old.bed	10	FREE	L		/TRTRL 5
tr.lbl.old.loc	10	FREE	L	MIS.LOCN	/TRTRL 3
tr.lbl.old.room	10	FREE	L	MIS.ROOM	/TRTRL 4
tr.lbl.xfer.date	8	DATE	L		/TRTRL 1
tr.lbl.xfer.time	4	HHMM	L		/TRTRL 2



Index Files	Subscripts/Physical Base
active.x	[dc.date.or.active,patient,urn] ?(T)TRK[trdA,aa,tr]

adjust.spec.times.x	[urn,adj.spec.date.time.new] = adj.spec.date.time.old ? (T) TRASTX[tr,trASTN]
admin.audit.trail.x	[admin.urn,admin.q,al.date,al.time,al.user,al.q] ? (T) TRAAT[tr,traQ,trALD,trALT,gu,trALQ]
admin.code.x	[admin.reason.code,admin.urn,admin.q] ? (T) TRARC[tdrc,tr,traQ]
admin.dt.tm.x	[admin.date,admin.time,admin.urn,admin.q] ? (T) TRADT[traDT,traTM,tr,traQ]
admin.increment.x	[admin.urn,admin.q,admin.inc.pcs.guid] = admin.inc.q ? (T) TRAIX[tr,traQ,traGU]
admin.next.reassess.x	[patient,urn,admin.q,admin.next.reassess.time] ? (T) TRAREX[aa,tr,traQ,traRT]
admin.rx.dt.tm.x	[admin.urn,dispensed.date.time,admin.q] ? (T) TRARDTX[tr,trdA,traQ]
admin.user.x	[admin.user,admin.urn,admin.q] ? (T) TRAU[gu,tr,traQ]
bill.x	[txn.date,txn.batch.time,urn,txn.q] ? (T) TRBL[trXD,txbtm,tr,tuzt]
class.interaction.x	[patient,class,urn] = med ? (T) TRC[aa,tdc,tr]
clin.ind.x	[enter.date,clinical.indication,urn] ? (T) TRU[trED,tdi,tr]
compound.ver.rpt.date.x	[compound.ver.rpt.date,compound.ver.rpt.user,compound.ver.rpt.loc,compound.ver.rpt.rx,compound.ver.rpt.q] = compound.ver.rpt.type ? (T) TRCVRDX[tcvrd,gu,ggn,tr,tcvrq]
compound.ver.rpt.loc.x	[compound.ver.rpt.loc,compound.ver.rpt.user,compound.ver.rpt.date,compound.ver.rpt.rx,compound.ver.rpt.q] = compound.ver.rpt.type ? (T) TRCVR LX[ggn,gu,tcvrd,tr,tcvrq]
compound.ver.rpt.user.x	[compound.ver.rpt.user,compound.ver.rpt.date,compound.ver.rpt.loc,compound.ver.rpt.rx,compound.ver.rpt.q] = compound.ver.rpt.type ? (T) TRCVRUX[gu,tcvrd,ggn,tr,tcvrq]
control.meds.disp.x	[date,inventory,med] = count ? (T) TRCD[trdt,mi,tf]
control.meds.ordered.x	[date,ctrl.sched.num,med,urn] = dose ? (T) TRCO[trdt,tdcrN,tf,tr]
control.meds.trans.x	[txn.date,ctrl.sched.num,med,txn.q,urn] = count ? (T) TRCT[trXD,tdcrN,tf,tuzt,tr]
dc.order.x	[order.type,dc.date.time,number,patient] = urn ? (T) TRO[tdo,trDC,trN,aa]
debit.credit.x	[date,urn,txn.q] ? (T) TRDC[trdt,tr,tuzt]
dose.range.override.x	[enter.date,urn] ? (T) TRDRO[trED,tr]
drug.interaction.x	[patient,med,urn] ? (T) TRB[aa,tf,tr]
focus.urn.x	[focus.urn] = urn ? (T) FOCURN[phaFoc]
generic.interaction.x	[patient,generic,urn] = med ? (T) TRG[aa,tdg,tr]
home.med.copied.to.rx.x	[home.meds.urn,urn] ? (T) TRHM.C2RX[hxx,tr]
imm.associated.event.x	[ee.imm.given.date,urn] ? (T) TRIAEV[gvaGD,tr]
infce.x	[act.date,infce,patient,urn] ? (T) TRIF[x,trIF,aa,tr]
ingred.interaction.x	[patient,drug.ingredient,urn] = med ? (T) TRE[aa,tdm,tr]
interactions.override.x	[enter.date,urn]

	? (T) TRI [trED, tr]
inventory.x	[inventory, txn.date, urn, txn.q] ? (T) TRIX [mi, trXD, tr, tuzt]
mri.date.x	[mri.urn, dc.cancel.date.or.active, urn] ? (T) TRMDX [ea, trDCA, tr]
mri.x	[mri.urn, number] = urn ? (T) TRM [ea, trN]
new.orders.x	[patient.type, order.type, enter.seconds, urn] ? (T) TRJ [trP, tdo, trES, tr]
number.x	[number] = urn ? (T) TRN [trN]
out.pending.x	[act.date, patient, urn] ? (T) TRF [x, aa, tr]
patient.date.x	[patient, dc.cancel.date.or.active, urn] ? (T) TRPD [aa, trDCA, tr]
patient.immunization.x	[patient, urn] = immunization.type ? (T) PIX [aa, tr]
patient.rx.x	[patient, status, order.type, number] = urn ? (T) TRT [aa, trS, tdo, trN]
patient.type.x	[patient, patient.type, urn] ? (T) TRV [aa, trP, tr]
patient.x	[patient, number] = urn ? (T) TRP [aa, trN]
reassess.dt.tm.x	[admin.reassess.dt, admin.reassess.tm, admin.urn, admin.q, admin.reassess.q] ? (T) TRARDT [trarDT, trarTM, tr, traQ, trarQ]
reassess.sch.dt.tm.x	[admin.reassess.sch.dt, admin.reassess.sch.tm, admin.urn, admin.q] ? (T) TRASDT [trasDT, trasTM, tr, traQ]
site.number.x	[pha.site, number] = urn ? (T) TRSN [tdsi, trN]
start.date.x	[start.date, urn] ? (T) TRH [trSD, tr]
status.x	[status, number] = urn ? (T) TRS [trS, trN]
temp.drug.mnemonic	[] = PHA.DRUG.mnemonic / (.D) DRUG.MNEMONIC
transfer.out.x	[tr.out.date, number] = urn ? (T) TRTRO [trTOD, trN]