Sorites Experiment 9

Contents

Experiment Design	1
Empirical Priors and Posteriors	1
Fit to Log-normal curve	2

Experiment Design

There were 3 domains (height, price, and age) corresponding to 3 adjectives (tall, expensive, old). For each domain, there were 3 items (height: building, tree, mountain; price: watch, laptop, coffee maker; age: New Yorker, college student, new parent).

For height items, there were 20 bins per item. For age items, there were 18 bins per item. For prices, the number of bins varied (we were attempting to accommodate the tails of the distributions, based on pilot prior elicition).

The width of the bins (e.g. 1000 for "A mountain with a height between 1000 and 2000 ft") varied according to the type of item. Ages were always in bins of width 5.


```
##
                 item domain bin.width nbins
## 1 college student
                                      5
                                            18
                         age
## 2
                                      5
          new parent
                         age
                                            18
## 3
          New Yorker
                                      5
                                            18
                         age
## 4
                 tree height
                                      5
                                            20
## 5
                                     10
            building height
                                            20
## 6
            mountain height
                                   1000
                                            20
## 7
        coffee maker price
                                      4
                                            68
## 8
                watch price
                                     50
                                            60
## 9
                                     50
                                            50
              laptop price
```

We had prior (no utterance) and posterior (someone says, "that [[item]] is [[adjective]]"") conditions. Prior/posterior and domain were varied between Ss. There were 320 participants in this experiment, at least 36 participants in each condition.

```
## domain condition N
## 1 age posterior 58
## 2 age prior 78
## 3 height posterior 49
## 4 height prior 59
## 5 price posterior 40
## 6 price prior 36
```


Empirical Priors and Posteriors

We normalize each participants response to each item to get an estimate of their discrete probability distribution for that item.



Fit to Log-normal curve

For each prior distribution, we fit a log-normal curve. The fit is very good, except for watches, which are too left-skewed (because of the bins we asked about in an attempt to get more of the tail).



We plug the best-fit log-normal parameters into the adjectives model as the priors for the items.

##		item	meanlog	sdlog	max	step
##	1	college student	3.08	0.351	85	5
##	2	new parent	3.31	0.351	85	5
##	3	New Yorker	3.39	0.752	85	5
##	4	tree	2.48	1.208	95	5
##	5	building	3.64	1.482	190	10
##	6	mountain	7.92	1.583	19000	1000
##	7	coffee maker	3.60	0.829	268	4
##	8	watch	3.31	1.838	2950	50
##	9	laptop	6.31	0.720	2450	50