

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : Brite-Guard DC-70

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Liquid Chromate

#### 1.4. Supplier's details

A Brite Company  
3217 Wood Dr  
Garland, TX 75041  
USA  
T 1-888-8ABRITE  
[www.abrite.com](http://www.abrite.com)

#### 1.5. Emergency phone number

Emergency number : 1-800-424-9300  
CHEMTREC

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

|                                                                 |      |                                                                            |
|-----------------------------------------------------------------|------|----------------------------------------------------------------------------|
| Oxidising liquids, Category 3                                   | H272 | May intensify fire; oxidizer.                                              |
| Acute toxicity (oral), Category 3                               | H301 | Toxic if swallowed.                                                        |
| Acute toxicity (dermal), Category 2                             | H310 | Fatal in contact with skin.                                                |
| Acute toxicity (inhalation:dust,mist), Category 1               | H330 | Fatal if inhaled.                                                          |
| Skin corrosion/irritation, Category 1A                          | H314 | Causes severe skin burns and eye damage.                                   |
| Serious eye damage/eye irritation, Category 1                   | H318 | Causes serious eye damage.                                                 |
| Respiratory sensitization, Category 1                           | H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Skin sensitization, Category 1                                  | H317 | May cause an allergic skin reaction.                                       |
| Germ cell mutagenicity, Category 1B                             | H340 | May cause genetic defects (if swallowed).                                  |
| Carcinogenicity, Category 1A                                    | H350 | May cause cancer (Inhalation).                                             |
| Specific target organ toxicity — Repeated exposure, Category 1  | H372 | Causes damage to organs through prolonged or repeated exposure.            |
| Hazardous to the aquatic environment — Acute Hazard, Category 1 | H400 | Very toxic to aquatic life.                                                |

Full text of H-statements: see section 16

#### 2.2. Label elements

##### GHS US labelling

Hazard pictograms (GHS US) :



# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Signal word (GHS US)              | : Danger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Hazard statements (GHS US)        | : H272 - May intensify fire; oxidizer<br>H301 - Toxic if swallowed<br>H310+H330 - Fatal in contact with skin or if inhaled<br>H314 - Causes severe skin burns and eye damage<br>H317 - May cause an allergic skin reaction<br>H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled<br>H340 - May cause genetic defects (if swallowed).<br>H350 - May cause cancer (Inhalation).<br>H372 - Causes damage to organs through prolonged or repeated exposure<br>H400 - Very toxic to aquatic life                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Precautionary statements (GHS US) | : P201 - Obtain special instructions before use.<br>P202 - Do not handle until all safety precautions have been read and understood.<br>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P220 - Keep/Store away from combustible materials.<br>P260 - Do not breathe dusts or mists.<br>P262 - Do not get in eyes, on skin, or on clothing.<br>P264 - Wash hands, forearms and face thoroughly after handling.<br>P270 - Do not eat, drink or smoke when using this product.<br>P271 - Use only outdoors or in a well-ventilated area.<br>P272 - Contaminated work clothing must not be allowed out of the workplace.<br>P273 - Avoid release to the environment.<br>P280 - Wear protective clothing, eye and face protection.<br>P284 - Wear respiratory protection.<br>P301+P310 - If swallowed: Immediately call a POISON CENTER.<br>P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.<br>P302+P352 - If on skin: Wash with plenty of water.<br>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.<br>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.<br>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P308+P313 - If exposed or concerned: Get medical advice/attention.<br>P310 - Immediately call a POISON CENTER.<br>P314 - Get medical attention.<br>P320 - Specific treatment is urgent (see supplemental first aid instruction on this label).<br>P321 - Specific treatment (see supplemental first aid instruction on this label).<br>P330 - Rinse mouth.<br>P333+P313 - If skin irritation or rash occurs: Get medical attention.<br>P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER.<br>P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.<br>P362+P364 - Take off contaminated clothing and wash it before reuse.<br>P363 - Take off immediately all contaminated clothing and wash it before reuse.<br>P370+P378 - In case of fire: Use ABC-powder to extinguish.<br>P391 - Collect spillage.<br>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.<br>P405 - Store locked up.<br>P501 - Dispose of contents and container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. |

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.5. Unknown acute toxicity

12% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
77% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
67% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name              | Product identifier | %  | GHS US classification                                                                                                                                                                                                                                               |
|-------------------|--------------------|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chromium trioxide | CAS-No.: 1333-82-0 | 23 | Ox. Sol. 1, H271<br>Acute Tox. 3 (Oral), H301<br>Acute Tox. 2 (Dermal), H310<br>Acute Tox. 2 (Inhalation), H330<br>Skin Corr. 1A, H314<br>Resp. Sens. 1, H334<br>Skin Sens. 1, H317<br>Muta. 1B, H340<br>Carc. 1A, H350<br>STOT RE 1, H372<br>Aquatic Acute 1, H400 |
| Nitric acid       | CAS-No.: 7697-37-2 | 10 | Ox. Liq. 3, H272<br>Acute Tox. 3 (Inhalation), H331<br>Skin Corr. 1A, H314<br>Aquatic Acute 3, H402                                                                                                                                                                 |

Full text of hazard classes and H-statements : see section 16

## SECTION 4 First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general : Call a physician immediately.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.  
Call a doctor.  
First-aid measures after skin contact : Take off immediately all contaminated clothing. Call a physician immediately. Rinse skin with water/shower.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.  
First-aid measures after ingestion : Rinse mouth. Call a physician immediately. Do not induce vomiting.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
Symptoms/effects after skin contact : Fatal in contact with skin. Burns. May cause an allergic skin reaction.  
Symptoms/effects after eye contact : Serious damage to eyes.  
Symptoms/effects after ingestion : Toxic if swallowed. Burns.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : May intensify fire; oxidiser.  
Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

##### For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.  
Environmental precautions : Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.2. Methods and materials for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.  
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 7.2. Conditions for safe storage, including incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed.
- Incompatible materials : combustible materials.
- Packaging materials : Store always product in container of same material as original container.

### SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

| Nitric acid (7697-37-2)                    |                                           |
|--------------------------------------------|-------------------------------------------|
| USA - ACGIH - Occupational Exposure Limits |                                           |
| Local name                                 | Nitric acid                               |
| ACGIH OEL TWA                              | 2 ppm                                     |
| ACGIH OEL STEL                             | 4 ppm                                     |
| Remark (ACGIH)                             | TLV® Basis: URT & eye irr; dental erosion |
| Regulatory reference                       | ACGIH 2023                                |
| USA - OSHA - Occupational Exposure Limits  |                                           |
| Local name                                 | Nitric acid                               |
| OSHA PEL TWA                               | 5 mg/m <sup>3</sup>                       |
|                                            | 2 ppm                                     |
| Regulatory reference (US-OSHA)             | OSHA Annotated Table Z-1                  |

#### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment

##### Personal protective equipment:

Wear recommended personal protective equipment.

# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                                                  |
|------------------------------------------------------------------|
| <b>Hand protection:</b>                                          |
| Protective gloves                                                |
| <b>Eye protection:</b>                                           |
| Safety glasses                                                   |
| <b>Skin and body protection:</b>                                 |
| Wear suitable protective clothing                                |
| <b>Respiratory protection:</b>                                   |
| [In case of inadequate ventilation] wear respiratory protection. |

### Personal protective equipment symbol(s):



## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

|                                                 |                     |
|-------------------------------------------------|---------------------|
| Physical state                                  | : Liquid            |
| Colour                                          | : No data available |
| Odour                                           | : No data available |
| Odour threshold                                 | : No data available |
| pH                                              | : No data available |
| Melting point                                   | : Not applicable    |
| Freezing point                                  | : No data available |
| Boiling point                                   | : No data available |
| Flash point                                     | : No data available |
| Flammability (solid, gas)                       | : Not applicable.   |
| Vapour pressure                                 | : No data available |
| Relative vapour density at 20°C                 | : No data available |
| Relative density                                | : No data available |
| Solubility                                      | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature                       | : No data available |
| Decomposition temperature                       | : No data available |
| Viscosity, kinematic                            | : No data available |
| Explosive limits                                | : No data available |
| Particle characteristics                        | : No data available |

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

May intensify fire; oxidiser.

### 10.2. Chemical stability

Stable under normal conditions.

# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Combustible materials.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Likely routes of exposure

Acute toxicity (oral) : Toxic if swallowed.  
Acute toxicity (dermal) : Fatal in contact with skin.  
Acute toxicity (inhalation) : Inhalation:dust,mist: Fatal if inhaled.

| Brite-Guard DC-70               |                                                                                                                                                                                                                                                                     |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ATE US (oral)                   | 198.957 mg/kg bodyweight                                                                                                                                                                                                                                            |
| ATE US (dermal)                 | 57 mg/kg bodyweight                                                                                                                                                                                                                                                 |
| ATE US (dust,mist)              | 0.131 mg/l/4h                                                                                                                                                                                                                                                       |
| Unknown acute toxicity (GHS US) | 12% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)<br>77% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)<br>67% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist)) |

| Chromium trioxide (1333-82-0) |                                                                                                            |
|-------------------------------|------------------------------------------------------------------------------------------------------------|
| LD50 oral rat                 | 52 mg/kg Source: ECHA                                                                                      |
| LD50 dermal rabbit            | 57 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 47 - 66 |
| LC50 Inhalation - Rat         | 99 mg/m³ Source: ECHA                                                                                      |
| ATE US (oral)                 | 52 mg/kg bodyweight                                                                                        |
| ATE US (dermal)               | 57 mg/kg bodyweight                                                                                        |
| ATE US (gases)                | 100 ppmv/4h                                                                                                |
| ATE US (vapours)              | 0.099 mg/l/4h                                                                                              |
| ATE US (dust,mist)            | 0.099 mg/l/4h                                                                                              |

| Nitric acid (7697-37-2)         |                                                                                        |
|---------------------------------|----------------------------------------------------------------------------------------|
| LC50 Inhalation - Rat           | > 2.65 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |
| LC50 Inhalation - Rat (Vapours) | 1.7 mg/l Source: ECHA                                                                  |
| ATE US (gases)                  | 700 ppmv/4h                                                                            |
| ATE US (vapours)                | 1.7 mg/l/4h                                                                            |
| ATE US (dust,mist)              | 0.5 mg/l/4h                                                                            |

Skin corrosion/irritation : Causes severe skin burns.

# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                   |                                                                                                                   |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Serious eye damage/irritation     | : Causes serious eye damage.                                                                                      |
| Respiratory or skin sensitisation | : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. |
| Germ cell mutagenicity            | : May cause genetic defects (if swallowed).                                                                       |
| Carcinogenicity                   | : May cause cancer (Inhalation).                                                                                  |

| Chromium trioxide (1333-82-0)          |                            |
|----------------------------------------|----------------------------|
| IARC group                             | 1 - Carcinogenic to humans |
| National Toxicity Program (NTP) Status | Known Human Carcinogens    |

|                        |                                                                   |
|------------------------|-------------------------------------------------------------------|
| Reproductive toxicity  | : Not classified                                                  |
| STOT-single exposure   | : Not classified                                                  |
| STOT-repeated exposure | : Causes damage to organs through prolonged or repeated exposure. |

| Chromium trioxide (1333-82-0) |                                                                 |
|-------------------------------|-----------------------------------------------------------------|
| STOT-repeated exposure        | Causes damage to organs through prolonged or repeated exposure. |

| Nitric acid (7697-37-2)               |                                                                                                                                                                                |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NOAEL (oral, rat, 90 days)            | 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)         |
| NOAEC (inhalation, rat, gas, 90 days) | 2.15 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study) |

|                                     |                                                                                                |
|-------------------------------------|------------------------------------------------------------------------------------------------|
| Aspiration hazard                   | : Not classified                                                                               |
| Symptoms/effects after inhalation   | : Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Symptoms/effects after skin contact | : Fatal in contact with skin. Burns. May cause an allergic skin reaction.                      |
| Symptoms/effects after eye contact  | : Serious damage to eyes.                                                                      |
| Symptoms/effects after ingestion    | : Toxic if swallowed. Burns.                                                                   |

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

|                                                           |                               |
|-----------------------------------------------------------|-------------------------------|
| Ecology - general                                         | : Very toxic to aquatic life. |
| Hazardous to the aquatic environment, short-term (acute)  | : Very toxic to aquatic life. |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified              |

| Chromium trioxide (1333-82-0) |                                                                                                      |
|-------------------------------|------------------------------------------------------------------------------------------------------|
| LC50 - Fish [1]               | 58.5 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)                   |
| EC50 72h - Algae [1]          | 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)   |
| EC50 72h - Algae [2]          | 0.38 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

| Nitric acid (7697-37-2)            |                                            |
|------------------------------------|--------------------------------------------|
| LC50 - Fish [1]                    | 1559 mg/l Test organisms (species): other: |
| LC50 - Other aquatic organisms [1] | 39 mg/l Source: ECHA                       |
| LC50 - Fish [2]                    | 1354 mg/l Test organisms (species): other: |

# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.2. Persistence and degradability

| Brite-Guard DC-70             |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |
| Chromium trioxide (1333-82-0) |                        |
| Persistence and degradability | Rapidly degradable     |
| Nitric acid (7697-37-2)       |                        |
| Persistence and degradability | Rapidly degradable     |

### 12.3. Bioaccumulative potential

| Nitric acid (7697-37-2)                         |                    |
|-------------------------------------------------|--------------------|
| Partition coefficient n-octanol/water (Log Pow) | -0.21 Source: ICSC |

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

|                              |                  |
|------------------------------|------------------|
| Ozone                        | : Not classified |
| Fluorinated greenhouse gases | : No             |

## SECTION 13 Disposal considerations

|                                            |                                                                                               |
|--------------------------------------------|-----------------------------------------------------------------------------------------------|
| Regional legislation (waste)               | : Disposal must be done according to official regulations.                                    |
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations            | : Disposal must be done according to official regulations.                                    |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations.                                    |
| Additional information                     | : Do not re-use empty containers.                                                             |

## SECTION 14 Transport information

| DOT                                                                                 | IMDG                                                                                | IATA                                                                                  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 14.1. UN number                                                                     |                                                                                     |                                                                                       |
| UN1760                                                                              | 1760                                                                                | 1760                                                                                  |
| 14.2. Proper Shipping Name                                                          |                                                                                     |                                                                                       |
| Corrosive liquids, n.o.s. (Chromic acid, Nitric acid)                               | CORROSIVE LIQUID, N.O.S.                                                            | Corrosive liquid, n.o.s.                                                              |
| 14.3. Transport hazard class(es)                                                    |                                                                                     |                                                                                       |
| 8                                                                                   | 8                                                                                   | 8                                                                                     |
|  |  |  |
| 14.4. Packing group                                                                 |                                                                                     |                                                                                       |
| II                                                                                  | II                                                                                  | II                                                                                    |

# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT                                    | IMDG                                                        | IATA                               |
|----------------------------------------|-------------------------------------------------------------|------------------------------------|
| <b>14.5. Environmental hazards</b>     |                                                             |                                    |
| Dangerous for the environment: Yes     | Dangerous for the environment: Yes<br>Marine pollutant: Yes | Dangerous for the environment: Yes |
| No supplementary information available |                                                             |                                    |

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

#### DOT

|                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UN-No.(DOT)                                                      | : UN1760                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| DOT Special Provisions (49 CFR 172.102)                          | : B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.<br>IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.<br>T11 - 6 178.274(d)(2) Normal..... 178.275(d)(3)<br>TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.<br>TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP. |
| DOT Packaging Exceptions (49 CFR 173.xxx)                        | : 154                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| DOT Packaging Non Bulk (49 CFR 173.xxx)                          | : 202                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| DOT Packaging Bulk (49 CFR 173.xxx)                              | : 242                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 1 L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)     | : 30 L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| DOT Vessel Stowage Location                                      | : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| DOT Vessel Stowage Other                                         | : 40 - Stow "clear of living quarters"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

#### IMDG

|                                 |                                                        |
|---------------------------------|--------------------------------------------------------|
| Special provisions (IMDG)       | : 274                                                  |
| Limited quantities (IMDG)       | : 1 L                                                  |
| Excepted quantities (IMDG)      | : E2                                                   |
| Packing instructions (IMDG)     | : P001                                                 |
| IBC packing instructions (IMDG) | : IBC02                                                |
| Tank instructions (IMDG)        | : T11                                                  |
| Tank special provisions (IMDG)  | : TP2, TP27                                            |
| EmS-No. (Fire)                  | : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE     |
| EmS-No. (Spillage)              | : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES |
| Stowage category (IMDG)         | : B                                                    |
| Stowage and handling (IMDG)     | : SW2                                                  |

# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

### IATA

Special provisions (IATA) : A3, A803  
PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y840  
PCA limited quantity max net quantity (IATA) : 0.5L  
PCA packing instructions (IATA) : 851  
PCA max net quantity (IATA) : 1L  
CAO packing instructions (IATA) : 855  
CAO max net quantity (IATA) : 30L  
ERG code (IATA) : 8L

## SECTION 15 Regulatory information

### 15.1. Federal regulations

|                                                                                                                                                                    |                   |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----|
| All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory |                   |     |
| Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S                                                                 |                   |     |
| Chromium trioxide                                                                                                                                                  | CAS-No. 1333-82-0 | 23% |

|                                                                                                                                                                       |                   |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----|
| Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372. |                   |     |
| Nitric acid                                                                                                                                                           | CAS-No. 7697-37-2 | 10% |

|                                                              |         |
|--------------------------------------------------------------|---------|
| <b>Nitric acid (7697-37-2)</b>                               |         |
| CERCLA RQ                                                    | 1000 lb |
| RQ (Reportable quantity, section 304 of EPA's List of Lists) | 1000 lb |
| SARA Section 302 Threshold Planning Quantity (TPQ)           | 1000 lb |

### 15.2. International regulations

#### CANADA

|                                                       |
|-------------------------------------------------------|
| <b>Chromium trioxide (1333-82-0)</b>                  |
| Listed on the Canadian DSL (Domestic Substances List) |

|                                                       |
|-------------------------------------------------------|
| <b>Nitric acid (7697-37-2)</b>                        |
| Listed on the Canadian DSL (Domestic Substances List) |

#### EU-Regulations

No additional information available

#### National regulations

|                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------|
| <b>Chromium trioxide (1333-82-0)</b>                                                                                            |
| Listed as carcinogen on NTP (National Toxicology Program)<br>Listed on INSQ (Mexican National Inventory of Chemical Substances) |

# Brite-Guard DC-70

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Nitric acid (7697-37-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date : 4/8/2025

### Full text of hazard classes and H-statements

|      |                                                                           |
|------|---------------------------------------------------------------------------|
| H271 | May cause fire or explosion; strong oxidizer                              |
| H272 | May intensify fire; oxidizer                                              |
| H301 | Toxic if swallowed                                                        |
| H310 | Fatal in contact with skin                                                |
| H314 | Causes severe skin burns and eye damage                                   |
| H317 | May cause an allergic skin reaction                                       |
| H318 | Causes serious eye damage                                                 |
| H330 | Fatal if inhaled                                                          |
| H331 | Toxic if inhaled                                                          |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled |
| H340 | May cause genetic defects.                                                |
| H350 | May cause cancer.                                                         |
| H372 | Causes damage to organs through prolonged or repeated exposure            |
| H400 | Very toxic to aquatic life                                                |
| H402 | Harmful to aquatic life                                                   |

Safety Data Sheet (SDS), USA

To the best of our knowledge, the information contained herein is accurate. However, neither A Brite Company nor any of its employees or subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.