SAFETY DATA SHEET

Section 1: PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

Product name Potassium Zincate Concentrate 460

1.2. Other means of identification

None

1.3. Recommended use of the chemical and restrictions on use:

Recommended Use Potassium Zincate Concentrate 460

1.4. Details of the supplier of the safety data sheet

Address A Brite Company
3217 Wood Drive
Garland, TX 75041

Phone number 1-888-8ABRITE

Website www.abrite.com

1.5. Emergency phone number

Emergency telephone 1-800-424-9300 (CHEMTREC)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the chemical in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals	Category 1
Acute toxicity, oral	Category 4
Skin corrosive	Category 1
Serious eye damage	Category 1
Acute Aquatic Toxicity	Category 2
Chronic Aquatic Toxicity	Category 2

2.2. Label Elements

Pictogram



Signal Word Danger

Hazard Statements

H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Prevention

P234	Keep only in original container.
P260	Do not breathe mist, vapors, or spray.

P264	Wash skin/hands thoroughly after handling
P270	Do not eat, drink, or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
Response	
P301+P330+P331+P310	If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor.
P301+P312+P330	If swallowed: Call a poison center or doctor if you feel unwell. Rinse mouth.
P303+P361+P353+P310	If on skin or hair: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor.
P363	Wash contaminated clothing before reuse.
P304+P340+P310	If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor.
P305+P351+P338+P310	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage. Hazardous to the aquatic environment.
Storage	
P405	Store locked up
P406	Store in corrosive resistant container with a resistant inner liner.
Disposal	
P501	Dispose of contents & container in accordance with all local, regional, national, and international regulations.

2.3. Hazards not otherwise classified

None

2.4. Ingredient(s) with unknown acute toxicity

None

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Chemical name and concentration/concentration ranges

The specific chemical identity of this product is being withheld as a trade secret in accordance with OSHA 29 CFR 1910.1200(i).

3.2. Common name and synonyms

See 3.1

3.3. CAS number and other unique identifiers

See 3.1

3.4. Impurities/stabilizing additives

See 3.1

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation — If breathed in, move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

Skin contact — Immediately flush skin with water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Thoroughly wash (or discard) clothing and shoes before reuse.

Eye contact — Immediately rinse with water. Remove contact lenses, if present and easy to do so, and continue rinsing eyes for 15 minutes. Consult a physician.

Ingestion — Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician immediately.

4.2. Most important symptoms/effects, acute and delayed

See symptoms and effects in sections 2.1, 2.2, and 4.1. Corrosive to skin and eyes. Corrosive and may cause severe damage to mouth, throat, and stomach. Breathing mist/spray may irritate mucous membranes and respiratory tract. Fumes, dust from dried-down product, or mist may cause injury to the respiratory tract. Severe exposure may cause lung damage.

4.3. Indication of immediate medical attention and special treatment, if necessary

Treat symptoms.

Section 5: FIRE FIGHTING MEASURES

5.1. Suitable/ unsuitable extinguishing media

Suitable media include water spray, carbon dioxide, alcohol-resistant foam, and dry chemical.

5.2. Specific hazards arising from chemical

This material is not combustible; however, gaseous zinc oxides or potassium oxides may evolve if heated to decomposition. Water used for fire suppression and cooling may become contaminated. Discharge to sewer system(s) or the environment may be restricted, requiring containment and proper disposal of water.

5.3. Special protective equipment and precautions for fire-fighters

Fire fighters should wear self-contained breathing apparatus and protective clothing.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment (gloves, eye/face protection) to prevent eye and skin contact. Use NIOSH approved respiratory equipment for vapors/mists. Ensure adequate ventilation. Wash contaminated clothing before reuse. Follow response protocols in section 2.2 and first aid protocols in section 4.

6.2. Methods and materials for containment and cleaning up

For small spills, flush to treatment system with large amounts of water. For large spills, dike to contain, pump into suitable containers, and keep out of fish bearing waters. To dispose of waste, dump to wastewater treatment system. Observe local, state, and federal regulations.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes, and clothing. Avoid breathing vapor, mist, spray, or dust from dried-down product. Use NIOSH approved respiratory equipment for vapor/mist/spray. Use local exhaust to maintain low air contamination. Use gloves to protect hands and eye glasses/goggles/face shield. See section 2 and section 8.

7.2. Conditions for safe storage, including any incompatibilities

Keep container closed when not in use. Store in proper chemical storage area. Avoid strong oxidizing agents, strong acids, and organic materials. May be corrosive to metals.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Contains the following substances with occupational exposure limits:
Zinc oxide (1314-13-2): ACGIH TLV TWA= 2 mg/m^3, ACGIH TLV STEL= 10 mg/m^3, NIOSH REL TWA = 5 mg/m^3
Potassium hydroxide (1310-58-3): ACGIH TLV C = 2 mg/m^3; Upper respiratory tract irritation, eye irritation, skin irritation

8.2. Appropriate engineering controls.

Ensure ventilation is adequate to maintain worker exposure below exposure limits. Keep containers closed when not in use. Store in proper chemical storage area. Local exhaust ventilation may be necessary to control any air contaminants.

8.3. Individual protection measures

Eye/face protection	Wear chemical splash goggles. A full-length face shield is recommended in large volume environments where splashing is likely to occur.
Skin/body protection	Handle with gloves. Use appropriate glove removal technique, and wash and dry hands after use.
Respiratory protection	Under most conditions, use adequate ventilation and protective equipment since volatility and toxicity are low. If airborne concentrations are above the applicable exposure limits or misting occurs, use NIOSH approved respiratory protection.
General considerations	Always wash hands before smoking/eating/drinking or using the toilet. Wash contaminated clothing and other PPE before storage or reuse. Eyewash fountains and safety showers must be easily accessible.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear, colorless to amber liquid
Odor	No applicable information is available
Odor threshold	No applicable information is available

pH	>12
Melting/freezing point	No applicable information is available
Boiling point/boiling range	No applicable information is available
Flash point	No applicable information is available
Evaporation rate	No applicable information is available
Flammability (solid/gas)	No applicable information is available
Flammability limits	No applicable information is available
Vapor pressure	No applicable information is available
Vapor density	No applicable information is available
Relative density	1.3 – 1.4
Solubility(ies)	Completely soluble in water (100%)
Partition coefficient (n-octanol/water)	No applicable information is available
Auto-ignition temperature	No applicable information is available
Decomposition temp	No applicable information is available
Viscosity	No applicable information is available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No applicable information is available

10.2. Chemical stability

Stable with normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur. Possible reactions with incompatible materials.

10.4. Conditions to avoid

Avoid storage with incompatible materials.

10.5. Incompatible materials

Incompatible with strong oxidizing agents, strong acids, and organic materials.

10.6. Hazardous decomposition products

Harmful gases including zinc oxides or potassium oxides may evolve if heated to decomposition.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on the likely routes of exposure and symptoms

No adverse health effects are expected if the product is handled in accordance with the SDS and the product label. Symptoms may occur if the product is mishandled and overexposure occurs

Inhalation	Breathing in mists or aerosols may produce respiratory irritation or burns
Ingestion	If ingested, may cause burns to gastrointestinal tract. Ingesting large amounts can result in nausea, vomiting, diarrhea, and gastrointestinal irritation.
Skin	Causes severe skin burns.

Eye contact	Causes severe eye damage.

11.2. Numerical measures of toxicity

No applicable information is available

11.3. Carcinogenicity

This product does not contain any components that are listed as known or suspected carcinogens by NTP, IARC, or OSHA.

Section 12: ECOLOGICAL INFORMATION

12.1.	**Ecotoxicity**	Avoid contaminating waterways. Contains <3 % of materials with Acute/Chronic Aquatic Toxicity Category 1, generating a classification of Acute/Chronic Aquatic Toxicity Category 2. No data has been acquired for this mixture, but the estimated LC50 using the additive method yields LC 50 ~ 3.5 mg/L.
12.2.	**Persistence/degradability**	No applicable information is available
12.3.	**Bioaccumulative potential**	No applicable information is available
12.4.	**Mobility in soil**	No applicable information is available
12.5.	**Other adverse effects**	No applicable information is available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

For small spills, flush to treatment system with large amounts of water. For large spills, dike to contain and pump into suitable containers. Keep out of fish bearing waters. To dispose of waste, dump to wastewater treatment system. Dispose of contaminated packaging and material wastes in accordance with all applicable federal, state, and local laws and regulations regarding health and pollution.

Section 14: TRANSPORT INFORMATION

UN number	UN 3266
UN proper shipping name	Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide, zinc oxide)
Transport hazard class(es)	8
Packing group, if applicable	II
Environmental hazards	No applicable information is available
Transport in bulk	No applicable information is available
Special precautions	No applicable information is available

Section 15: REGULATORY INFORMATION

15.1. Regulatory information

Product classified according to OSHA CFR 29 1910.1200. See section 2.

Toxic Substances Control Act (TSCA)

Chemical ingredients are on the TSCA inventory.

SARA Title III (Section 302)

This product does not contain any components subject to reporting.

SARA Title III (Section 313)

This product does not contain any components subject to reporting.

SARA Title III Section 311/312

Acute Health Hazard

Massachusetts/Pennsylvania/New Jersey Right to Know Components
Zinc oxide, potassium hydroxide

California Prop. 65 Components
This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

RQ
Potassium hydroxide = 1000 lb (454 kg)

Section 16: OTHER INFORMATION

NFPA/HMIS Hazard Codes (minimal = 0, slight = 1, moderate = 2, serious = 3, severe = 4)
Health: 3/3
Fire: 0/0
Reactivity: 0/0
Special: NA

Date Prepared 08/14/2017

Date Revised 08/14/2017

Disclaimer
To the best of our knowledge, the information contained herein is accurate. However, neither A Brite Company nor any of its employees or subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet