

Measurement Chart - Regular; SET IN HOODIE **Old Navy**

Master Style: 499668; Hoodie Jacket LS No ear Line Plan: ON Newborn Boy Knits FA21 Flow: AUG Area:

Product LOGO LS Hoodie - Fleece - No ear -Copy1 Product Team: ON Newborn Boy Knit Tops

Description: **Product Status: Product Type:** Hoodie Adopted

BOM #: 000490902 Tech Designer: Snowden, Becky Designer: Gregg, Olivia

451976 (Global, Regular); 553086 (Global, Vendor Collaboration: Sourcing Office: Hong Kong Merch Number(s): Yes

Regular); 411336 (Global, Regular);

614403 (Global, Regular)

Vendor: SAE-A TRADING CO., LTD (1002249)

Factory:

Grade Rule: Old Navy Newborn Sweater/Knit Numeric - Block: MC Last Mod: Apr 1, 2021 3:18 PM FALL 21 Forward PDT


All Fabrications; Up to 7lbs - 2T (No 6-9); Base (3-6 months) MC Status: Final

Comments: UOM: Inches

РОМ	Description	Add'l Comments	Variation	QC	Tol(-)	Tol(+)	0-3 months	3-6 months	6-12 months	12-18 months	18-24 months	
1047	Hood Width Down from Top	4"			1/4	1/4	7 1/2	7 3/4	8	8 1/4	8 1/2	
1049	Hood Opening-2 Point				1/4	1/4	8 7/8	9 1/4	9 5/8	10	10 3/8	
1051	Hood Height at Side				1/4	1/4	8 5/8	9	9 3/8	9 3/4	10 1/8	
1081	Neck Width Seam to Seam			Yes	1/4	1/4	4 5/8	4 3/4	4 7/8	5	5 1/8	
1083	Front Neck Drop: Imaginary Line to Seam			Yes	1/8	1/8	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	
1087	Back Neck Drop: Imaginary Line to Seam				1/8	1/8	3/4	3/4	3/4	3/4	3/4	
1094	Minimum Neck Stretch			Yes	0	1/2	18	19	20	21	21	
1095	Shoulder Width Seam to Seam at Front			Yes	1/4	1/4	8 1/8	8 1/2	8 7/8	9 1/4	9 5/8	
1100	Shoulder Slope		Graded		1/8	1/8	3/4	3/4	3/4	1	1	
1103	Shoulder Seam Forward		even at Neck and Armhole		999	999	7/8	7/8	7/8	7/8	7/8	
1112	High Chest Position from High Point Shoulder				999	999	3 1/8	3 1/4	3 3/8	3 1/2	3 5/8	
1114	High Chest				1/4	1/4	7 3/8	7 3/4	8 1/8	8 1/2	8 7/8	
1116	High Back Position from High Point Shoulder				999	999	2 7/8	3	3 1/8	3 1/4	3 3/8	
1117	High Back				1/4	1/4	7 7/8	8 1/4	8 5/8	9	9 3/8	
1120	Chest 1" Below Armhole			Yes	3/8	3/8	10 3/8	10 3/4	11 1/8	11 1/2	11 7/8	
1258	Bottom Opening Straight	AT SEAM		Yes	3/8	3/8	10 5/8	11	11 3/8	11 3/4	12 1/8	
1258	Bottom Opening Straight	AT EDGE		Yes	3/8	3/8	10 1/8	10 1/2	10 7/8	11 1/4	11 5/8	
1505	Rib/Cuff/Welt Height	BTM CUFF			999	999	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	
1276	Armhole Straight - 2 Point Measurement			Yes	1/4	1/4	4 1/4	4 1/2	4 3/4	5	5 1/4	
1290	Sleeve Length from Center Back		Long	Yes	3/8	3/8	12 1/8	13 1/4	14 3/8	15 1/2	16 5/8	
1298	Bicep 1" below Armhole				1/4	1/4	3 1/2	3 3/4	4	4 1/8	4 1/4	
1301	Sleeve Opening	AT SEAM	Long	Yes	1/8	1/8	3	3 1/8	3 1/4	3 3/8	3 1/2	
1301	Sleeve Opening	AT EDGE	Long	Yes	1/8	1/8	2 3/4	2 7/8	3	3 1/8	3 1/4	
1505	Rib/Cuff/Welt Height	SLV CUFF			999	999	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	
1294325	CF Body Length from the Imaginary Line at the HPS to the Bottom Edge			Yes	3/8	3/8	11 1/8	12	12 7/8	13 3/4	14 5/8	
1454	Facing Width	at hem			999	999	1	1	1	1	1	
1454	Facing Width	at neck seam			999	999	1	1	1	1	1	
1556	Actual Zipper Length				1/4	1/4	9 1/2	10 1/4	11	11 3/4	12 1/2	
1558	Zipper Guard Width				999	999	1	1	1	1	1	

ONO FAMILY LOGO

Theme:



Old Navy QA All Sizes - Regular; SET IN HOODIE

Master Style: 499668; Hoodie Jacket LS No ear Line Plan: ON Newborn Boy Knits FA21 Flow: AUG

Product LOGO LS Hoodie - Fleece - No ear -Copy1 Product Team: ON Newborn Boy Knit Tops

Description:

Product Status:AdoptedProduct Type:HoodieTheme:ONO FAMILY LOGO

BOM #: 000490902 Tech Designer: Snowden, Becky Designer: Gregg, Olivia

Sourcing Office: Hong Kong Merch Number(s): 451976 (Global, Regular); 553086 (Global, Vendor Collaboration: Yes

Regular); 411336 (Global, Regular);

Area:

MC Last Mod:

Apr 1, 2021 3:18 PM

614403 (Global, Regular)

Vendor: SAE-A TRADING CO., LTD (1002249)

Factory:

Grade Rule: Old Navy Newborn Sweater/Knit Numeric - Block:

FALL 21 Forward PDT

All Fabrications; Up to 7lbs - 2T (No 6-9); Base (3-6 months)


Comments:

MC Status: Final

UoM: Inches

POM Add'l Variation QC Tol(+) 0-3 3-6 6-12 12-18 18-24 Description Tol(-) Comments months months months months months 1047 Hood Width _ Down from Top 1/4 1/4 7 1/2 7 3/4 8 1/4 8 1/2 1049 Hood Opening-2 Point 1/4 1/4 8 7/8 9 1/4 9 5/8 10 10 3/8 1051 Hood Height at Side 1/4 1/4 8 5/8 9 9 3/8 9 3/4 10 1/8 1/4 1/4 4 3/4 1081 Neck Width Seam to Seam Yes 4 5/8 4 7/8 5 5 1/8 1/8 1/8 1 3/8 1 1/2 1 5/8 1 3/4 1083 Front Neck Drop: Imaginary Line to Seam Yes 1 7/8 1087 Back Neck Drop: Imaginary Line to Seam 1/8 1/8 3/4 3/4 3/4 3/4 3/4 0 1/2 19 20 21 21 1094 Minimum Neck Stretch Yes 18 1095 Shoulder Width Seam to Seam at Front Yes 1/4 1/4 8 1/8 8 1/2 8 7/8 9 1/4 9 5/8 1100 Shoulder Slope Graded 1/8 1/8 3/4 3/4 3/4 even at Neck and 999 999 7/8 7/8 7/8 1103 Shoulder Seam Forward 7/8 7/8 Armhole High Chest Position from High Point 1112 999 999 3 1/8 3 1/4 3 3/8 3 1/2 3 5/8 Shoulder 1114 High Chest 1/4 1/4 7 3/8 7 3/4 8 1/8 8 1/2 8 7/8 High Back Position from High Point Shoulder 999 999 2 7/8 3 3 1/4 1116 3 1/8 3 3/8 High Back 1117 1/4 1/4 7 7/8 8 1/4 8 5/8 9 9 3/8 1120 Chest 1" Below Armhole 3/8 3/8 10 3/8 10 3/4 11 1/2 11 1/8 11 7/8 Yes 1258 Bottom Opening Straight AT SEAM Yes 3/8 3/8 10 5/8 11 11 3/8 11 3/4 12 1/8 AT EDGE 3/8 3/8 10 1/8 10 1/2 11 1/4 1258 **Bottom Opening Straight** Yes 10 7/8 11 5/8 1505 Rib/Cuff/Welt Height BTM CUFF 999 999 1 1/4 1 1/4 1 1/4 1 1/4 1 1/4 4 1/2 1276 Armhole Straight - 2 Point Measurement 1/4 1/4 4 1/4 4 3/4 5 5 1/4 Yes 1290 Sleeve Length from Center Back Long Yes 3/8 3/8 12 1/8 13 1/4 14 3/8 15 1/2 16 5/8 Bicep 1" below Armhole 1/4 1/4 3 3/4 1298 3 1/2 4 4 1/8 4 1/4 1301 Sleeve Opening AT SEAM Long Yes 1/8 1/8 3 3 1/8 3 1/4 3 3/8 3 1/2 2 3/4 1301 Sleeve Opening AT EDGE Yes 1/8 1/8 2 7/8 3 1/8 3 1/4 Long 1505 Rib/Cuff/Welt Height SLV CUFF 999 999 1 1/4 1 1/4 1 1/4 1 1/4 1 1/4 CF Body Length from the Imaginary Line at 1294325 Yes 3/8 3/8 11 1/8 12 12 7/8 13 3/4 14 5/8 the HPS to the Bottom Edge 1454 Facing Width 999 999 at hem 1 1454 Facing Width at neck seam 999 999 1 9 1/2 1556 Actual Zipper Length 1/4 1/4 10 1/4 11 11 3/4 12 1/2 1558 Zipper Guard Width 999 999 1

Old Navy Sketches - generic Master Style: 499668; Hoodie Jacket LS No ear Line Plan: Flow: AUG ON Newborn Boy Knits FA21 **Product** LOGO LS Hoodie - Fleece - No ear -**Product Team:** ON Newborn Boy Knit Tops Area: Description: Copy1 Adopted ONO FAMILY LOGO **Product Status: Product Type:** Hoodie Theme: **451976** (Global, Regular); **553086** (Global, Regular); **411336** (Global, Sourcing Office: Hong Kong Merch **Vendor Collaboration:** Yes Number(s): Regular); 614403 (Global, Regular) SAE-A TRADING CO., LTD (1002249) Vendor: Factory: Comments: Sketch View Last Mod: Mar 25, 2021 2:06 PM PDT



Old Navy Sketches - generic Master Style: 499668; Hoodie Jacket LS No ear AUG Line Plan: ON Newborn Boy Knits FA21 Flow: Product LOGO LS Hoodie - Fleece - No ear -**Product Team:** ON Newborn Boy Knit Tops Area: Description: Copy1 Product Status: Adopted ONO FAMILY LOGO **Product Type:** Hoodie Theme: 451976 (Global, Regular); 553086 Vendor Collaboration: Sourcing Office: Hong Kong Merch Yes (Global, Regular); 411336 (Global, Number(s): Regular); 614403 (Global, Regular) Vendor: SAE-A TRADING CO., LTD (1002249)

Sketch View Last Mod: Mar 25, 2021 2:06 PM PDT

Follow Gap Inc. construction standards for Knit Tops.

Details noted on the sketch are variations from the standard for this style only.

Vendors must review the fit of samples on the Old Navy Fit Forms before submission.

Please Note:

Factory:
Comments:

• This Gap Inc. baby / kids style must be produced and tested in compliance with all Product Safety Standards and Procedures as outlined in the Gap Inc. Softlines Manual. Each vendor is responsible for ensuring that all products made for Gap Inc. are in compliance with all applicable laws, rules, guidelines and regulations as well as Gap Inc.'s quality and corporate standards. For further information please consult the Gap Inc. Softlines Manual (available online via Gap Source Library) or contact SF / S&VD Product Assessement.


(CPSC Cotton Snug Fitting Sleepwear ONLY)

Point of Measure, designated on the Measurement Page in UPPER CASE comply with the Consumer Product Safety Commission Regulations for snug fitting cotton sleepwear. These measurements will be strictly enforced during inline and shipment audits. Tolerance for these measurements must not exceed those listed on the measurement page.
 (*PLEASE REFER TO HOW TO MEASURE MANUAL / SNUG FITTING SLEEPWEAR GUIDELINES (FOUND IN GAP SOURCE LIBRARY) FOR EXPLANATION OF MEASUREMENT POINTS*)

(Flame Resistant Sleepwear ONLY)

 Garment seams, fabric and decorative trims must meet or exceed the Gap, Inc. SOP #C001 for children's flame resistant (FR) sleepwear. Flame resistant sleepwear must be sourced with approved U.S. vendors, S&VD HK, S&VD Americas and S&VD Korea.

Old Navy				Sketches - generic			
Master Style: Product	499668; Hoodie Jacket LS No ear LOGO LS Hoodie - Fleece - No ear -	Line Plan: Product Team:	ON Newborn Boy Knits FA21 ON Newborn Boy Knit Tops	Flow: Area:	AUG		
Description:	Copy1		, ,				
Product Status:	Adopted	Product Type:	Hoodie	Theme:	ONO FAMILY LOGO		
Sourcing Office: Hong Kong		Merch Number(s):	451976 (Global, Regular); 553086 (Global, Regular); 411336 (Global, Regular); 614403 (Global, Regular)	Vendor Collaboration: Yes			
Vendor:	SAE-A TRADING CO., LTD (1002249)						
Factory:							
Comments: Sketch View Last Mod: Mar 25, 2021 2:06 PM P							



Old Navy Sketches - generic 499668; Hoodie Jacket LS No ear Master Style: Line Plan: Flow: AUG ON Newborn Boy Knits FA21 Product LOGO LS Hoodie - Fleece - No ear -**Product Team:** ON Newborn Boy Knit Tops Area: Description: Copy1 **Product Status:** Adopted **Product Type:** Theme: ONO FAMILY LOGO Hoodie 451976 (Global, Regular); 553086 **Vendor Collaboration:** Sourcing Office: Hong Kong Merch Yes (Global, Regular); 411336 (Global, Number(s): Regular); 614403 (Global, Regular) SAE-A TRADING CO., LTD (1002249) Vendor: Factory:

Sketch View Last Mod: Mar 25, 2021 2:06 PM PDT



Zipper Guard has exposed teeth and is not acceptable. Zipper guard must be kissing so that it completely covers zipper teeth. Please correct for bulk.

Comments:



Product Safety Callout Old Navy

Master Style: 499668; Hoodie Jacket LS No ear Line Plan: ON Newborn Boy Knits FA21 Flow: AUG Area:

Product LOGO LS Hoodie - Fleece - No ear -Copy1 Product Team: ON Newborn Boy Knit Tops

Description:

Product Status: Adopted **Product Type:** Hoodie Theme: ONO FAMILY LOGO Designer: Gregg, Olivia BOM #: 000490902 Tech Designer: Snowden, Becky

451976 (Global, Regular); 553086 (Global, Vendor Collaboration: Sourcing Office: Hong Kong Merch Number(s): Yes


Regular); 411336 (Global, Regular);

614403 (Global, Regular)

Vendor: SAE-A TRADING CO., LTD (1002249)

Factory:

Market	Safety Callout	Safety Comments	Add'I PSR Safety Comments	Add'I GIS Safety Comments	PSR Line Review Date
USA/CA	Flammability: Raised Surface Fabrics	Raised surface textiles (Fleece, Sherpa, Terry cloth, Swiss dot, Corduroy, etc.) must be tested in accordance with the tightened sampling plan as outlined in the Flammability Chapter of the Softlines Manual.			Jan 28, 2021
USA/CA	Metal Zippers: Laceration Hazard	Metal zippers are sharp, should not have sharp points or edges. Must have zipper guard attached to the garment behind the zipper. The top of the zipper guard should extend 1/4 inches beyond the top edge of the zipper head and set flush with the bottom of the zipper. Strongly recommend changing metal zippers to coil or vision zippers.			Jan 28, 2021
USA/CA	Zipper Guards: Laceration Hazard	All garments with zippers must be constructed with a zipper guard. Please see Safety Requirements Apparel-Apparel Type Accessories (SRAATA) on GSL for additional information.			Jan 28, 2021
USA/CA	Zipper on Mock Neck: Laceration Hazard	Recommend to incorporate a triangle fold-over zipper guard at the top to prevent potential face and chin skin laceration hazard.			Jan 28, 2021



Fit

Pre-Fit Comments

Fit Comments

JSS CMNTS 3/25/21 - Style is approved to final. Please submit final updated pattern before proceeding with bulk. After pattern is approved please also submit final ref JSS with all updates for our records only (bulk does not have to hold for the ref sample).