WEB SERVICE


CMD

```
C:\desarrollo\workspace-eclipse-jee\Servicios\src>"c:\Program Files\Java\jdk1.8.0_191\bin\wsimport.exe" -s . http://localhost:2020/WS/FuncionesServicios?wsdl analizando WSDL...

Generando código...

C:\desarrollo\workspace-eclipse-jee\Servicios\src>
```

Eclipse IDE



REACT API REST CAPA DE SERVICIOS Y DATOS

Estructura del proyecto y ejecución en consola

```
File Edit Selection View Go Run Terminal Help
                                                                                                                                          server.js - LHIO_ERP - Visual Studio Code
Ф
              EXPLORER
                                                                                           JS server.js X
                                                       JS server.is > 🕥 then() callback

✓ OPEN EDITORS

                  JS lhioerp.routes.js r...
              X JS server.js
                                                                   app.use(bodyParser.json());
 ڡڕ
                                                                   app.use(bodyParser.urlencoded({ extended: true }));
                   ■ PUT_IHIOERP.rest...

✓ LHIO ERP

                                                                   app.get("/", (req, res) => {
                                                                          res.json({ message: "Bienvenidos, aplicación iniciada" });
               JS db.config.js
                                                                  require("./routes/lhioerp.routes")(app);

✓ controllers

              JS Ihio.controller.is
                                                                  const PORT = process.env.PORT || 8080;

✓ models

                                                                   app.listen(PORT, () => {
  <u>-</u>0
              JS index.js
                                                                          console.log(`El servidor esta ejecutandose en el puerto ${PORT}`);
               JS Ihioerp.model.js
             > node modules
                                                                  const db = require("./models");
db.sequelize.sync({ force: true }).then(() => [

✓ REST

■ GET_IHIOERP_ID.rest

                                                                   console.log("Eliminar y sincronizar db");
               ■ POST IHIOERP.rest
               ■ PUT IHIOFRP.rest

∨ routes

                                                       TERMINAL PROBLEMS OUTPUT DEBUG CONSOLE
                                                                                                                                                                                                                                                        1: node
                                                                                                                                                                                                                                                                                            十 III 前 へ ×
              JS Ihioerp.routes.js
                                                       $ node server.js
             {} package-lock.json
                                                       (node:9660) [SEQUELIZE0004] DeprecationWarning: A boolean value was passed to options.operatorsAliases. This is a no-op with v5 and should be removed.
                                                      (node:9660) [SEQUELIZE0004] DeprecationNamning: A boolean value was passed to options.operatorsAliases. This is a no-op with v5 and should be removed. El servidor esta ejecutandose en el puento 8080

Executing (default): DROP TABLE IF EXISTS "lhioerps" CASCADE;

Executing (default): DROP TABLE IF EXISTS "lhioerps" CASCADE;

Executing (default): DROP TABLE IF NOT EXISTS "lhioerps" ("id" SERIAL , "title" VARCHAR(255), "description" VARCHAR(255), "published" BOOLEAN, "createdAt"

TIMESTAMP WITH TIME ZONE NOT NULL, "updatedAt" TIMESTAMP WITH TIME ZONE NOT NULL, PRIMARY KEY ("id"));

Executing (default): SELECT i.relname AS name, ix.indisprimary AS primary, ix.indisunique AS unique, ix.indkey AS indkey, array_agg(a.attnum) as column_indexe
s, array_agg(a.attname) AS column_names, pg_get_indexdef(ix.indexrelid) AS definition FROM pg_class t, pg_class i, pg_index ix, pg_attribute a WHERE t.oid = i

x.indrelid AND i.oid = ix.indexrelid AND a.attrelid = t.oid AND t.relkind = 'r' and t.relname = 'lhioerps' GROUP BY i.relname, ix.indexrelid, ix.indisprimary,
ix.indisunique, ix.indkey ORDER BY i.relname;
            {} package.json
           JS server.js
          > OUTLINE
                                                       Eliminar y sincronizar db
           > NPM SCRIPTS
```

INSERTAR DATOS

```
■ POST IHIOERP.rest ×
                                                                                                                                            т ф ш ...
                                                                                  Response(395ms) X
REST > 

■ POST IHIOERP.rest > ...
                                                                                         HTTP/1.1 200 OK
       POST http://localhost:8080/api/lhioerp HTTP/1.1
                                                                                          X-Powered-By: Express
          ntent-type: application/json
                                                                                         Content-Type: application/json; charset=utf-8
           "title": "uno",
                                                                                      6 ETag: W/"96-U7V0EJMCvGLnQqYJILt7AqUeLLY"
            "description": "descripcion uno"
                                                                                         Date: Sat, 20 Mar 2021 06:13:55 GMT
       }
                                                                                         Connection: close
  8
                                                                                            "id": 1,
                                                                                            "description": "descripcion uno",
                                                                                            "published": false,
                                                                                            "updatedAt": "2021-03-20T06:13:55.791Z",
                                                                                            "createdAt": "2021-03-20T06:13:55.791Z"
TERMINAL PROBLEMS OUTPUT DEBUG CONSOLE
                                                                                                                                           + 🛮 🛍
                                                                                                                  1: node
s, array_agg(a.attname) AS column_names, pg_get_indexdef(ix.indexrelid) AS definition FROM pg_class t, pg_class i, pg_index ix, pg_attribute a WHERE t.oid = i
x.indrelid AND i.oid = ix.indexrelid AND a.attrelid = t.oid AND t.relkind = 'r' and t.relname = 'lhioerps' GROUP BY i.relname, ix.indexrelid, ix.indisprimary,
 ix.indisunique, ix.indkey ORDER BY i.relname;
Eliminar y sincronizar db
Executing (default): INSERT INTO "lhioerps" ("id", "title", "description", "published", "createdAt", "updatedAt") VALUES (DEFAULT, $1, $2, $3, $4, $5) RETURNING "id", "title", "description", "published", "createdAt", "updatedAt";
```

```
■ POST_IHIOERP.rest ×
                                                                                                 🤛 Response(106ms) 🗙
                                                                                                                                                                    REST > 

■ POST_IHIOERP.rest > 

→ POST /api/lhioerp
                                                                                                         HTTP/1.1 200 OK
         POST http://localhost:8080/api/lhioerp HTTP/1.1
                                                                                                         X-Powered-By: Express
        content-type: application/json
                                                                                                        Content-Type: application/json; charset=utf-8
                                                                                                        Content-Length: 150
              "title":"DOS",
                                                                                                    6 ETag: W/"96-roofX7UZBi9ZN7fjfrWknefyJ4Q"
              "description": "descripcion DOS"
                                                                                                        Date: Sat, 20 Mar 2021 06:14:23 GMT
                                                                                                         Connection: close
                                                                                                            "description": "descripcion DOS",
                                                                                                            "published": false,
                                                                                                            "updatedAt": "2021-03-20T06:14:23.844Z",
                                                                                                            "createdAt": "2021-03-20T06:14:23.844Z"
TERMINAL PROBLEMS OUTPUT DEBUG CONSOLE
                                                                                                                                                                         1: node
s, array_agg(a.attname) AS column_names, pg_get_indexdef(ix.indexrelid) AS definition FROM pg_class t, pg_class i, pg_index ix, pg_attribute a WHERE t.oid = i
x.indrelid AND i.oid = ix.indexrelid AND a.attrelid = t.oid AND t.relkind = 'r' and t.relname = 'lhioerps' GROUP BY i.relname, ix.indexrelid, ix.indisprimary,
 ix.indisunique, ix.indkey ORDER BY i.relname;
Eliminar y sincronizar db
Executing (default): INSERT INTO "lhioerps" ("id", "title", "description", "published", "createdAt", "updatedAt") VALUES (DEFAULT, $1,$2,$3,$4,$5) RETURNING "id", "title", "description", "published", "createdAt", "updatedAt";

Executing (default): INSERT INTO "lhioerps" ("id", "title", "description", "published", "createdAt", "updatedAt") VALUES (DEFAULT, $1,$2,$3,$4,$5) RETURNING "id", "title", "description", "published", "createdAt", "updatedAt";
```

OBTENER TODOS LOS REGISTROS

```
content-Type: application/json; cnarset=ut+-8
REST > 

■ GET_IHIOERP.rest > 

→ GET /api/lhioerp
                                                                                                                                            Content-Length: 303
                                                                                                                                            ETag: W/"12f-KrYWHlCwxT+GOpWMR+YS8ya4iAI"
           GET http://localhost:8080/api/lhioerp HTTP/1.1
                                                                                                                                            Date: Sat, 20 Mar 2021 06:14:57 GMT
                                                                                                                                           Connection: close
                                                                                                                                                    "description": "descripcion uno",
                                                                                                                                                    "published": false,
                                                                                                                                                    "createdAt": "2021-03-20T06:13:55.791Z",
                                                                                                                                                    "updatedAt": "2021-03-20T06:13:55.791Z"
                                                                                                                                                    "description": "descripcion DOS",
                                                                                                                                                    "published": false,
                                                                                                                                                    "createdAt": "2021-03-20T06:14:23.844Z",
                                                                                                                                                    "updatedAt": "2021-03-20T06:14:23.844Z"
                                                                                                                                                                                                                   TERMINAL PROBLEMS OUTPUT DEBUG CONSOLE
                                                                                                                                                                                 1: node
Executing (default): INSERT INTO "lhioerps" ("id", "title", "description", "published", "createdAt", "updatedAt") VALUES (DEFAULT, $1,$2,$3,$4,$5) RETURNING "id", "title", "description", "published", "createdAt", "updatedAt";

Executing (default): INSERT INTO "lhioerps" ("id", "title", "description", "published", "createdAt", "updatedAt") VALUES (DEFAULT, $1,$2,$3,$4,$5) RETURNING "id", "title", "description", "published", "createdAt", "updatedAt") VALUES (DEFAULT, $1,$2,$3,$4,$5) RETURNING "id", "title", "description", "published", "createdAt", "updatedAt" FROM "lhioerps" AS "lhioerp";

Executing (default): SELECT "id", "title", "description", "published", "createdAt", "updatedAt" FROM "lhioerps" AS "lhioerp";
```

OBTENER POR ID

EDITAR REGISTRO

ELIMINAR REGISTRO

```
HTTP/1.1 200 OK
 DELETE http://localhost:8080/api/lhioerp/1 HTTP/1.1
                                                                          X-Powered-By: Express
                                                                          Content-Type: application/json; charset=utf-8
                                                                      6 ETag: W/"32-ATDX0B0QsGQBfSFFNbhgwN9tz0g"
                                                                      7 Date: Sat, 20 Mar 2021 06:25:07 GMT
                                                                      8 Connection: close
                                                                            "message": "Lhioerp fue eliminado correctamente!"
REST > 

■ GET_IHIOERP.rest > 

GET /api/lhioerp
                                                                            1 HTTP/1.1 200 OK
     GET http://localhost:8080/api/lhioerp HTTP/1.1
                                                                            2 X-Powered-By: Express
                                                                            4 Content-Type: application/json; charset=utf-8
                                                                            6 ETag: W/"98-v50NOrI8LRLY5Rwc599CqmHr388"
                                                                            7 Date: Sat, 20 Mar 2021 06:25:31 GMT
                                                                            8 Connection: close
```

REACT API REST CLIENTE

"id": 2,
"title": "DOS",

"description": "descripcion DOS",

"createdAt": "2021-03-20T06:14:23.844Z", "updatedAt": "2021-03-20T06:14:23.844Z"

"published": false,

ESTRUCTURA Y EJECUCIÓN DEL PROYECTO

```
OPEN EDITORS
                         src > JS App.js > 😭 App > 🖯 render
                                 import React, { Component } from "react";
import { Link, Switch, Route } from "react-router-dom";
X JS App.js src
                                 import { LINK, Switch, Route } from "react-rout
import "bootstrap/dist/css/bootstrap.min.css";
import logo from ' /logo me'
LHIO-ERP-CLIENT
{} manifest.json
                                         logo from './logo.svg';

    robots.txt

                                 import './App.css';

✓ src

                                import AddLhio from "./components/add-lhio.component";

✓ components

                                 import Lhio from "./components/lhio.component";
  JS add-lhio.com... U
                                 import LhioList from "./components/lhio-list.component";
  JS Ihio-list.comp... U
                                class App extends Component {
                                   render() {
  JS lhio.compone... U
 services
  JS lhio-client.ser... U
                                           <nav className="navbar navbar-expand navbar-dark bg-dark">
 # App.css M
                                             <a href="/lhio" className="navbar-brand">
 JS App.js
                                               bezKoder
 JS App.test.js
                                             </a>
                                             <div className="navbar-nav mr-auto">
 JS http-common.js U
                                               className="nav-item">
 # index.css
                                                 <Link to={"/lhio"} className="nav-link">
 JS index.js
                  М
                                                    Lhio
 🖆 logo.svg
                                                  </Link>
 JS reportWebVitals.js
                                               JS setupTests.js
                          TERMINAL
.env
gitignore
{} package-lock.json U
                         Victor@VICTOR-POBLETE MINGW64 ~/Documents/8V0_SEMESTRE/SISTEMAS DISTRIBUIDOS/Projects/lhio-erp-client (mast
                          $ npm start
{} package.json
(i) README.md
                          > lhio-erp-client@0.1.0 start C:\Users\victo\Documents\8VO_SEMESTRE\SISTEMAS DISTRIBUIDOS\Projects\lhio-erp
yarn.lock
                          Compiled with warnings.
                          src\App.js
OUTLINE
                            Line 4:8: 'logo' is defined but never used no-unused-vars
TIMELINE
NPM SCRIPTS
                          Search for the keywords to learn more about each warning.
```


AGREGAR



Envio satisfactorio!

Agregar

LISTAR REGISTROS



VER DETALLES



EDITAR






Eliminar todo

PUBLICAR

bezKoder Lhio Add



ELIMINAR

Lhio Titulo FORMATO DE TRABAJO Description Nuevo formato de entrega Status:Published Despublicar Eliminar Actualizar

