

Living Systems® Process Suite

Installation

Living Systems Process Suite Documentation

3.2
Tue Jan 12 2021

Whitestein Technologies AG | Hinterbergstrasse 20 | CH-6330 Cham
Tel +41 44-256-5000 | Fax +41 44-256-5001 | <http://www.whitestein.com>

Copyright © 2007-2021 Whitestein Technologies AG
All rights reserved.

Copyright © 2007-2021 Whitestein Technologies AG.

This document is part of the Living Systems® Process Suite product, and its use is governed by the corresponding license agreement. All rights reserved.

Whitestein Technologies, Living Systems, and the corresponding logos are registered trademarks of Whitestein Technologies AG. Java and all Java-based trademarks are trademarks of Oracle and/or its affiliates. Other company, product, or service names may be trademarks or service marks of their respective holders.

Contents

1	Installation	1
2	Setup	3
2.1	Requirements	3
2.2	Installing Process Design Suite	4
2.2.1	Changing JVM and Maven Properties	4
2.3	Launching	4
2.4	What to Do Next	6
2.5	Renewing License	6
2.6	Uninstalling	7

Chapter 1

Installation

LSPS Process Design Suite® is the environment for designing your models, customizing and deploying your application to an LSPS Server. It provides tools for designing, management, and development of business processes, an embedded WildFly server with the LSPS Server, and the SDK.

If you are upgrading your LSPS, make sure to migrate your and system data if applicable: refer to the [Server Deployment Guide](#).

Chapter 2

Setup

Only single-user installation is supported. The single-user installation is what you use to set up PDS on one computer for one user.

Before installing PDS, make sure you have JDK installed. Optionally set the JAVA_HOME environment variable (If not set, you will need to enter the path to your JDK in PDS manually).

2.1 Requirements

PDS requires the following:

- operating systems:
 - Microsoft Windows 7, 8, 8.1 (32-bit or 64-bit), Windows 10
 - Mac OS 10.10+
 - Linux: Debian, Ubuntu
- Java:
 - Oracle JDK 1.8.x
 - Oracle JDK 1.7.x

Important: We recommend to run JVM with at least `-Xms1024m`. However, the requirements of your environment might vary. Test your set up thoroughly.
- Web browsers (for Application User Interface and Management Console):
 - Google Chrome 23
 - Mozilla Firefox 17
 - Internet Explorer 9, 10, 11
 - Safari 10

Important: If you plan on developing your custom Application User Interface, make sure to meet the [requirements of LSPS SDK](#). Also when deploying LSPS to your own server, make sure to use [a supported environment](#).

2.2 Installing Process Design Suite

To install Living Systems® Process Design Suite, do the following:

1. Run the `Setup-LSPS-Enterprise-$VERSION` file.
2. Follow the installation steps.
3. Make sure to set as the target install location **an empty folder**.

The installation wizards installs Living Systems® Process Design Suite on your computer with the Embedded server and optionally the LSPS Software Development Kit (SDK).

If you install the SDK, the system installs LSPS artifacts and Embedded Application Server dependency to your Maven repository, and connects PDS with Maven: you need SDK if you plan to develop a custom Application User Interface (for details, refer to the [Customizing Application User Interface](#)).

The settings provided during the installation are stored in the `lsp-design-$VERSION.ini` file in the LSPS folder.

2.2.1 Changing JVM and Maven Properties

To change JVM and Maven properties after you have already installed LSPS, edit the `$LSPS_HOME/lsp-design.ini` file (on 64-bit architectures `$LSPS_HOME/lsp-design_64.ini`).

Note: To use your system Java as defined by `JAVA_HOME`, you can delete the `-vm` property, since the system Java is used by default.

2.3 Launching

To launch the Process Design Suite, do the following:

1. Go to `$LSPS_HOME`.
2. Run the `lsp-design` binary for your platform:
 - `lsp-design.exe` and on Windows with 32-bit architectures
 - `lsp-design_64.exe` on Windows with 64-bit architectures
 - Process Design Suite on Mac
 - `lsp-design` on Linux
3. In the Workspace Launcher dialog box, choose a workspace folder and click OK.

If the chosen workspace folder does not exist, it will be created. A workspace is a folder, where the resources stored during the session are located. Its content is reflected in the workbench.




Figure 2.1 Workspace Launcher dialog

4. If you are launching PDS in a new workspace, PDS displays the Welcome page with links to perspectives, documents, and other PDS resources.




Figure 2.2 Welcome page

Note: The Welcome command is not available, if all perspectives are closed. To activate the Welcome command, open a Process Design Suite perspective: go to Window -> Open Perspective -> Other and in the Open Perspective dialog box, click a Process Design Suite perspective (You can display it at any point from the main menu Help -> Welcome item).

2.4 What to Do Next

Refer to one of the following:

- [Quickstart](#) to get a brief introduction to PDS and BPMN
- [Academy](#) to learn how to use PDS and create BPMN processes
- [Creating Custom Application](#) to learn how to generate and modify the Application User Interface: This guide is intended for developers of custom solutions.

2.5 Renewing License

To renew an expired license, copy the new license file into \$LSPS_HOME. On Mac, place the license in \$LSPS_HOME/Process Design Suite/Contents/Eclipse/ directory.

2.6 Uninstalling

To uninstall Process Design Suite, run the uninstall file:

- Windows: `$LSPS_HOME\uninstall.bat`
- Linux/MacOS: `$LSPS_HOME/uninstall` or delete the `$LSPS_HOME` directory

