

Create a Patient Services Agent

EVENT CODE:

Login Link = <https://orgfarm.salesforce.com/signup>

From OrgFarm Team: **S72SBMY2**

Note: Post-Spin Up steps can be found in the Appendix if needed

The Business Use Case: Makana Patient Support

A patient visits the Makana Patient Support site with questions about Immunexis. The current agent can answer approved FAQs and appropriately avoids personalized medical advice. However, when the patient asks for additional help, the agent cannot yet take the next operational step: scheduling a nurse visit.

In this workshop, you will follow one patient journey through the Agent Development Lifecycle:

- Experience the current patient interaction on the Experience Cloud site.
- Use Traceability to verify what worked and identify the missing capability.
- Use Builder to add Nurse Visit Scheduling.
- Retest the same journey to prove the improvement.
- Discuss how Grid could extend the workflow across many patient-service Cases in the future.

Workshop Story at a Glance

The agent answers safely, but it cannot yet act. Traceability reveals the gap, Builder closes it, and Grid offers a future path to apply similar decision-making across records at scale.

Unit 1: Baseline Agent

Begin as the HCP on the Makana Patient Support Experience Cloud site. The baseline version should contain the FAQ capability but not Nurse Visit Scheduling.

First:

1. Login Link = <https://orgfarm.salesforce.com/signup>
2. Follow Code: **S72SBMY2**
3. Do not register Phone “I don’t want to register my phone”



Register Your Mobile Phone

Make it easy to verify your identity when you log in to Salesforce. Any time we have to verify it's you, we can text a code to your registered phone.

Country/Territory

Mobile Phone Number

[Remind Me Later](#)
[I Don't Want to Register My Phone](#)
Message and Data Rates May Apply

4. Confirm you are brought to Agentforce Studio Application.



- a. If not > In the top left, click the waffle 3x3 and search for “Agentforce Studio”
5. Also check you have access to Agents like “Emmelar Reference”
 - a. If not, please complete the Post Spin Setup items

Highlighting indicates the user (That's you!) will take an action

Step 1: Ask a General FAQ

Open the patient-support site: Copy and Paste below into a new Browser Window


HTML

<https://sfdc.co/df26testsite>

In this demo, our healthcare site will represent a Makana-branded patient experience. Using Salesforce tools such as Experience Cloud, Life Sciences companies can build compliant branded sites that surface information directly from Salesforce. As we walk through the experience, consider how this model can scale to serve different audiences - from physicians and HCP office staff to patients who prefer to self-serve.

This is our Branded site for Immunexis (a fictional therapy)

In the bottom right, Instructor will Ask Me Anything



Enter the following prompt:

How is Immunexis administered?


(Optional Prompts)

What does Immunexis treat?

How do I enroll in the Makana program?

Is financial or copay assistance available?

What are the side effects of Immunexis?




Expected result: The agent answers using approved Makana knowledge and provides general, patient-friendly information.

Step 2: Ask a Personal Medical Question

Continue the same conversation with:

I've been feeling dizzy since starting Immunexis. Is that normal for me?



Expected result: The agent does not provide personalized medical advice. It redirects the patient to a healthcare provider or patient-support specialist.

Step 3: Ask the Agent to Take Action

Now ask:

Can I schedule a nurse visit?

Emmelar WORKSHOP BUILD · 9:07 AM

Can I schedule a nurse visit?

Sent · 9:10 AM



I'd love to help you schedule a nurse appointment! However, that feature is being built during this workshop. For now, I can answer questions about Immunexis and the Makana support program. Is there anything else you'd like to know or need help with?

Emmelar WORKSHOP BUILD · 9:10 AM

Expected baseline result: The agent can recommend human support, but it cannot complete nurse scheduling because that capability has not yet been added.

Aha! The agent is behaving safely, but the patient journey ends at a handoff. The opportunity is not to change the compliant FAQ response - it is to give the agent a safe, useful next action.

“The patient received a safe answer, but the experience stopped short of resolution. Let's move behind the scenes and use Traceability to understand exactly what happened.”

Unit 2: Diagnose the Gap with Traceability

Traceability connects the visible patient response to the routing, reasoning, actions, grounding, and timing that produced it.

Step 1: Reproduce the Interaction in Builder


Open the baseline agent in Agentforce Builder.

Navigate to Agentforce Studio

The screenshot shows the Agentforce Studio interface. On the left is a sidebar with a 'Build' section containing 'Agents', 'Tests', 'Grids', 'Prompt Templates', 'Data', and 'AI Models'. The 'Agents' tab is selected. The main area displays a table of agents. The table has columns for Agent Name, Created By, Created Date, Last Modified By, and Last Modified Date. Two agents are listed: 'Emmelar Reference' and 'Emmelar WORKSHOP BUILD', both created by 'OrgFarm EPIC' on 9/09/2026 at 10:11 PM, with the last modified date being 9/10/2026 at 11:54 AM.


Agent Name	Created By	Created Date	Last Modified By	Last Modified Date
Emmelar Reference	OrgFarm EPIC	9/09/2026, 10:11 PM	OrgFarm EPIC	9/09/2026, 10:11 PM
Emmelar WORKSHOP BUILD	OrgFarm EPIC	9/09/2026, 10:11 PM	OrgFarm EPIC	9/10/2026, 11:54 AM

Click Emmelar WORKSHOP BUILD



Now Let's recreate the steps to see how Agentforce works behind the scenes

Click Preview on the top panel, enter
How is Immunexis administered?



Click the Arrow afterwards

The screenshot shows the Agentforce interface during a live test. On the left, a chat window shows the user asking, "How is Immunexis administered?". The right pane, titled "Agent Preview Details", provides a transparent summary of the agent's internal process: it received the input, routed it to the "FAQs" subagent, invoked the "DF26 Makana Knowledge" action, and returned a grounded response. The response text in the chat explains that Immunexis is administered via injection and lists steps like preparing the site and disposing of the needle safely. At the bottom of the chat is a text input field labeled "Describe your task or ask a question...".

Expected baseline result: The agent provides a MLR approved response similar to before. The summary provides transparency into how Agentforce interpreted the request, routed it to the appropriate subagent, retrieved trusted knowledge, and delivered a grounded response.

Summary confirms that the question routed to the FAQ subagent, used approved Makana knowledge, and produced a grounded response.

Subagents like FAQs, power the Actions taken by the Agent

Step 2: Read the Trace as Evidence


Use the trace to answer three questions:

- Where did the request route?
- Which subagent and actions were available?
- What capability or transition was missing?

Now enter the Medical question

I've been feeling dizzy since starting Immunexis. Is that normal for me?

As your response loads, click the Trace section at the bottom




Expected baseline result: Agent says they cannot provide medical advice.

Looking at Trace, Agentforce provides end-to-end visibility into the agent's reasoning, actions, and performance, making it easier to troubleshoot responses and verify that the agent behaves as intended.

On the right, you can toggle from Text to Code. While Text offers a readable summary, Code exposes the exact inputs, outputs, intent, and session data needed for deeper debugging and validation.

Enter

Can I schedule a nurse visit?



Expected baseline result: In the Trace, we see Available Actions: 2 Actions. Neither Action works for actually scheduling a Nursing Visit. Let's change this!

Gap identified: The safety behavior worked, but the baseline agent did not have an available nurse-scheduling capability to continue the patient journey.


Facilitator talk track: "Traceability separates a bad answer from a missing capability. We do not need to rewrite the compliant FAQ behavior; we need to add the right action and route."

Unit 3: Close the Gap in Builder

Now use Builder to extend what the agent can do while preserving the existing FAQ guardrails.


Step 1: Create an Editable Version

Create a new agent version so the active baseline remains unchanged during the workshop.
In the top right, click New Version



You'll be taken to the Agent Summary page

If you see a notice about User Access - On the left hand side of the builder Page Page in Explorer > Agent Access > For Agent's User Record, assign **EinsteinServiceAgent User**




Step 2: Confirm existing Subagents

On the left hand side of the Builder Page in the Explorer > Confirm that the FAQ subagent and its approved Makana Knowledge action are still present.

The Agent Explorer provides a single view of the agent's complete architecture, including its settings, subagents, actions, variables, and channel connections.

This makes it easier to understand how each component works together and quickly identify where to configure, extend, or troubleshoot the agent.



Click on FAQ and view the Canvas

FAQs

Answers informational questions from patients and caregivers about the Immunexis medication and the Makana patient support program, grounded in the approved Knowledge FAQ articles. Covers enrollment, copay and financial assistance, administration, and high-level prescribing and safety information. Hands off to a human when the answer isn't in the FAQs, and never gives personalized medical advice.

Reasoning Instructions ⓘ

When the patient or caregiver asks an informational question about Immunexis or the Makana patient support program, call the *

🔗 *DF26 Makana Knowledge ▾ action and pass their question exactly as they typed it.*

Present the answer the action returns, word for word — do not add, remove, or invent any facts of your own. If the action indicates the answer isn't available, share its hand-off message rather than trying to answer yourself.

Actions Available For Reasoning ⓘ

▶ 🔗 *DF26 Makana Knowledge ▾

+ Add action

Canvas View: Provides an intuitive visual workspace for understanding how subagents, instructions, actions, and routes connect. This makes it easier to build, inspect, and troubleshoot agent behavior.

Click on Enhanced Chat v2 > Settings

Enhanced Chat Connection: Makes the agent available through the existing patient website and messaging experience.

This can be placed on Branded Sites (Experience Cloud), website and in-app chat, WhatsApp, SMS, Facebook Messenger, email, voice, Salesforce Lightning/mobile, and Slack

Agentforce Builder Emmelar WORKSHOP BUILD Version 4 (Draft) Last saved on 9/9/2026, 11:57 AM Save Commit

Explorer

Search...

- Agent Definition
 - Settings
 - Agent Settings
 - System Messages
 - Agent-Level Instructions
 - Agent Access
 - Language Settings
 - Voice Settings
 - Subagents
 - Agent Router
 - Nurse Visit Scheduling
 - FAQs
 - Variables
 - Connections
 - Enhanced Chat v2
 - Settings
 - Data

Preview

Customer ... X Nurse Visi... X Get Availa... X Settings X

Use adaptive response formats with this connection. When off, your response formats stay saved in Builder but won't be shown at runtime. [Learn More](#)

Escalation

Set up how your agent escalates or transfers the conversation to a rep or another agent. You can test escalation in a sandbox environment or test channel. **Note:** You can't test escalation in Agentforce Builder.

* Escalation Flow

SDO Service - MIAW Omni-Flow

* Escalation Message

Let me get you in touch with a human

36/255

Enhanced Chat Channels

The way your agent interacts with customers is via channels. Create channels here, or in [Messaging Settings](#). When you're ready, preview your Enhanced Chat v2 deployments. [Learn More in Help](#)

New Channel

Name	Routing	Status
DF26 Help Agent	Direct-Route to Agent	Active
DF26 Help Agent		Active

Step 3: Add Nurse Scheduling Action

Click Agent Route on left side

In the top right under Commit Version, switch from Canvas to Agent Script

Agent Acc...

Script | Toggle Mode

```

actions: "You are Emmelar, a helpful healthcare assistant. You help patients schedule nurse visits. Be warm, professional, and focused."

messages:
  welcome: "Hello! I'm Emmelar, your Agentforce Life Sciences assistant. How can I help you today?"
  error: "I apologize, but I'm experiencing a technical issue. Let me try to help you in a different way."
  
```

Script (Code) View: Provides a precise, scalable way to configure the agent's complete logic, allowing builders to quickly copy, reuse, and update complex configurations with fewer manual steps.

1. Find `start_agent_agent_router::`.
2. Delete that line and everything below it.
3. In the interest of time, we'll paste this entire block in its place.

Java

```
start_agent agent_router:
  label: "Agent Router"
  description: "Route patients and caregivers to FAQs or nurse visit
scheduling."

  before_reasoning:
    if @variables.scheduling_active == True or @variables.reason_for_visit !=
"" or @variables.start_date != "":
      transition to @subagent.Nurse_Visit_Scheduling

  reasoning:
    instructions: ->
      |If a caregiver, patient, or HCP wants to schedule or speak with a
nurse, route them using {@actions.go_to_scheduling}.
      When they ask an informational question about Immunexis or the Makana
support program, route them using {@actions.go_to_FAQs}.

    actions:
      go_to_scheduling: @utils.transition to
@subagent.Nurse_Visit_Scheduling
      go_to_FAQs: @utils.transition to @subagent.FAQs

subagent Nurse_Visit_Scheduling:
  label: "Nurse Visit Scheduling"
  description: "Schedule nurse visits for patients. Use when a caregiver,
patient, or HCP wants to schedule or speak with a nurse."

  before_reasoning:
    if @variables.scheduling_active == False:
      set @variables.scheduling_active = True

    if @variables.start_date != "" and @variables.end_date == "":
      set @variables.end_date = @variables.start_date

  reasoning:
    instructions: ->
      if @variables.reason_for_visit == "":
        |Present these visit types as a numbered list:
        1. Wound Care
        2. Post-Surgical Care
        3. Medication Management
        4. Chronic Disease Management
        5. Home Health Care
```

When the user selects a visit type, immediately call `set_visit_type` and store the matching value exactly as written above. Accept the number, name, common abbreviation, or close variation. If the selection is unclear, ask the user to choose 1-5.

```
if @variables.reason_for_visit != "" and @variables.start_date == "":
    |Ask for the user's preferred date or date range. When they
provide a date or relative expression, such as "next week," immediately call
set_dates. Convert all dates to YYYY-MM-DD. If only one date is provided, use it
for both start_date and end_date. If the date cannot be reasonably determined, ask
the user to clarify.
```

```
if @variables.reason_for_visit != "" and @variables.start_date != ""
and @variables.end_date != "" and @variables.appointments_prompt == "":
    |Immediately call Get_Available_Appointments.
```

```
if @variables.appointments_prompt != "":
    |Present the available appointments as a numbered list showing the
date, time, and nurse. When the user selects an appointment, repeat back only the
selected date, time, specialty, and nurse. End with exactly: "Sounds good! I have
all the details needed to book your appointment." Do not ask another question or
invent appointment details.
```

```
actions:
  set_visit_type: @utils.setVariables
    description: "Normalize the user's selection and store exactly one
of these values: Wound Care, Post-Surgical Care, Medication Management, Chronic
Disease Management, Home Health Care."
    available when @variables.reason_for_visit == ""
    with reason_for_visit = ...

  set_dates: @utils.setVariables
    description: "Call immediately after the user gives a date.
Convert the date or date range to YYYY-MM-DD and store it."
    available when @variables.start_date == ""
    with start_date = ...
    with end_date = ...
    if @variables.end_date == "":
        set @variables.end_date = @variables.start_date

  Get_Available_Appointments: @actions.Get_Available_Appointments_Flow
    available when @variables.reason_for_visit != "" and
@variables.start_date != "" and @variables.end_date != ""
    with var_Specialty = @variables.reason_for_visit
    with var_StartDate = @variables.start_date
```

```

        with var_EndDate = @variables.end_date
        set @variables.appointments_prompt = @outputs.Prompt

actions:
  Get_Available_Appointments_Flow:
    label: "Get Available Appointments"
    description: "Search for available nurse appointments."
    target: "flow://AFLS_DF26_Get_Nurse_Appointments"

  inputs:
    var_Specialty: string
      label: "var_Specialty"
      description: "Type of nurse visit"
      is_required: True

    var_StartDate: object
      label: "var_StartDate"
      description: "Start date for appointment search"
      is_required: True
      complex_data_type_name: "lightning__dateType"

    var_EndDate: object
      label: "var_EndDate"
      description: "End date for appointment search"
      is_required: True
      complex_data_type_name: "lightning__dateType"

  outputs:
    Prompt: string
      label: "Prompt"
      description: "Formatted list of available appointments"
      is_displayable: False
      filter_from_agent: False

    include_in_progress_indicator: True
    progress_indicator_message: "Searching for appointments..."

```

subagent FAQs:

```

  label: "FAQs"
  description: |

```

Answers informational questions from patients and caregivers about the Immunexis medication and the Makana patient support program, grounded in approved Knowledge FAQ articles. Covers enrollment, copay and financial assistance,

administration, and high-level prescribing and safety information. Hands off to a human when the answer is unavailable and never gives personalized medical advice.

reasoning:

instructions: ->

|When the patient or caregiver asks an informational question about Immunexis or the Makana patient support program, call the {@actions.DF26_Makana_Knowledge} action and pass their question exactly as they typed it.

Present the answer the action returns, word for word. Do not add, remove, or invent facts. If the action indicates that the answer is unavailable, share its handoff message rather than trying to answer the question yourself.

actions:

DF26_Makana_Knowledge: @actions.DF26_Makana_Knowledge
with "Input:Question" = ...

actions:

DF26_Makana_Knowledge:
label: "*DF26 Makana Knowledge"
description: |

Virtual Makana patient assistant. Answers visitor questions using only the Makana FAQ articles from the DF26_KnowledgeSearchAction Apex provider. Warm, short, and action-oriented; hands off to a human for anything outside the FAQs.

require_user_confirmation: False
include_in_progress_indicator: True
progress_indicator_message: "Finding the requested information"
source: "DF26_Makana_Knowledge"
target: "generatePromptResponse://DF26_Makana_Patient_Assistant"

inputs:

"Input:Question": string
description: "The visitor's question."
label: "Visitor Question"
is_required: True
is_user_input: True

"outputLanguage": string
description: "Optional response language or locale code."
label: "Output Language"
is_required: False
is_user_input: False

"isPreviewOnly": boolean

```

        description: "Resolve the prompt template without generating
an LLM response."
        label: "Preview Only"
        is_required: False
        is_user_input: False

    outputs:
        "promptResponse": string
        description: "The response generated from the prompt
template."
        label: "Prompt Response"
        is_displayable: True
        filter_from_agent: False

        "generationId": string
        description: "The unique identifier for the prompt
generation."
        label: "Prompt Generation ID"
        is_displayable: False
        filter_from_agent: False


connection customer_web_client:
    adaptive_response_allowed: True
    outbound_route_name: "flow://SDO_Service_MIAW_Omni_Flow"
    outbound_route_type: "OmniChannelFlow"
    escalation_message: "Let me get you in touch with a human"

modality voice:
    voice_id: "UgBBYS2s0qTuMpoF3BR0"
    outbound_speed: 1.0
    outbound_stability: 0.65
    outbound_similarity: 0.75

```

4. Afterwards, Click Save to compile

Step 4: Review Build



So what did we add?

- **Subagent = Nurse Visit Scheduling:** Adds a dedicated capability that guides patients through finding a nurse appointment without changing the existing FAQ experience.
 - Before Reasoning: Remembers where the patient is in the scheduling process so the conversation can continue without repeating questions.
 - Reasoning Instructions: Show the agent what to do at each step - ask for a visit type, collect a date, search for appointments, and confirm the patient's selection.
 - Set Variable Actions: Save the patient's responses so they can be used during the rest of the conversation.
- **Connect our Subagent to an existing flow** - Connects the agent to an existing Salesforce Flow, allowing us to reuse automation that has already been built instead of starting over.

Agentforce can add a complete, guided scheduling experience to an existing FAQ agent while reusing the variables and Flow already built in Salesforce - **expanding what the agent can do without rebuilding or disrupting what already works.**

Step 5: Test Completed Patient Journey

Open the testing panel In Preview and walk through below

Use the following conversation:

You say	Expected behavior
"I'd like to speak with someone about this. Can I schedule a nurse visit?"	Routes to Nurse Visit Scheduling and displays five visit types
"Wound Care"	Calls Set Visit Type and asks for a date
"September 25"	Calls Set Dates and then Get Available Appointments
Agent displays appointments	Shows real availability returned by the Flow
"The first one"	Repeats the selected appointment details and confirms it has the information needed to book

The screenshot displays the Agentforce testing interface. On the left, the 'Live Test' panel shows the agent's conversation with the user. The user's input is 'I'd like to speak with someone about this. Can I schedule a nurse visit?'. The agent's response is 'Please select the reason for your nurse visit from the options below by entering the number or name: 1. Wound Care, 2. Post-Surgical Care, 3. Medication Management, 4. Chronic Disease Management, 5. Home Health Care. Which type of visit would you like to schedule?'. The user's next input is 'Wound Care'. The agent's response is 'Thank you. What date or date range would you prefer for your wound care nurse visit? You can provide a specific date (for example, "September 12, 2026") or a range (such as "next week").'. Below the chat is a text input field with the placeholder 'Describe your task or ask a question...'. On the right, the 'Agent Preview Details' panel shows the agent's internal state. The 'Summary' tab is selected, showing the following steps: 'Input: Input', 'Transition to Subagent: Nurse Visit Scheduling', 'Reasoning: Nurse Visit Scheduling', 'Reasoning: Nurse Visit Scheduling', and 'Output Evaluation: GROUNDED'. A detailed log entry states: 'The user said "Wound Care." The agent recognized this as the visit type, invoked the set_visit_type action with reason_for_visit set to "Wound Care," updated state, then prompted the user to provide a specific date or date range for scheduling, per its instructions.' At the bottom of the interface, there is a 'Trace' button, a 'Variables' tab, and a session ID 'Session: #5fb96...'.

Confirm the original guardrails still work

Start a new test session for each question:

- General question: “How do I enroll in Makana?”
Expected: The agent answers using approved FAQ knowledge.
- Personal medical question: “Is my dizziness normal?”
Expected: The agent does not provide medical advice and redirects the patient appropriately.

✓ Final checkpoint: The agent can now answer approved questions and help the patient move forward by finding a nurse appointment.

Expected result: The agent routes to Nurse Visit Scheduling, retains the details supplied across turns, retrieves available appointments, and confirms the patient’s selection.

Optional proof point: Reopen the successful trace and compare it with the baseline. Participants should now see the scheduling route and actions available in the execution path.

We didn’t rewrite the agent’s safety behavior. We added the right action and the right route - and Trace shows us that the gap is now closed.

Unit 4: (Optional) Future-State - Agentforce Grid

This section is discussion-only for the current workshop. Use it if time permits or as a closing preview of how the lifecycle can expand beyond a single live conversation.

The Transition

We improved one patient interaction. Patient-services teams may also have hundreds of existing Cases containing unstructured notes. Grid provides a visual workspace for applying AI and actions across those records in a controlled, reviewable workflow.

Illustrative Future Use Case

A patient-services team starts with existing Case records. Each Case contains a subject and description summarizing the patient’s question or support need.

A future Grid workflow could add the following columns:

- Case record: the original Salesforce Case and its relevant fields.
- Patient need: classify the request as General FAQ, Personal Health Question, Nurse Education, Enrollment, or Other Support.
- Needs nurse follow-up: propose Yes or No based on approved business rules.

- Rationale: explain which information in the Case led to the recommendation.
- Recommended next step: FAQ response, patient-support follow-up, nurse-support routing, or another approved disposition.
- Human review: allow a coordinator to inspect recommendations before any record is changed.
- Operational action: optionally update an approved Case field, route the Case, or invoke a flow after review.

Example Outcomes

- Case: “What are the common side effects of Immunexis?” → General FAQ → Needs Nurse: No → Approved knowledge response.
- Case: “I’ve been dizzy since starting treatment. Is this normal for me?” → Personal Health Question → Human Follow-Up: Yes → Patient-support escalation; no medical advice generated.
- Case: “Can someone teach me how to use the injection?” → Nurse Education → Needs Nurse: Yes → Recommended nurse-support workflow.

What Grid Adds

A data load only writes values that have already been determined. Grid can first interpret unstructured Case descriptions, generate proposed classifications and next steps, make intermediate reasoning visible for review, and then update approved records or invoke actions.

Future-state outcome: Analyze first, review at scale, then act consistently.

Workshop Close


You began with an agent that could answer approved FAQs safely. Traceability showed both the compliant behavior and the missing operational capability. Builder added Nurse Visit Scheduling, and the retest demonstrated a more complete patient journey. Grid remains an optional future extension for applying AI-assisted decisions and actions across many patient-service records.

Experience the gap → Trace the evidence → Build the capability → Prove the improvement → Scale the workflow when ready.


Appendix

Post Spin Steps (if applicable)


1. Einstein Setup = On
 - a. Setup




- b. Search Einstein Setup




- c. Toggle On



2. Agentforce Agents = On
 - a. Refresh your browser
 - b. Agentforce Agents




c. Toggle Agentforce On




3. Messaging Enable

- a. Setup > Messaging Settings
- b. Ensure DF26 Help Agent is Active




4. Embedded Services Deployment


- a. Setup > Embedded Service Deployment > DF26 Help Agent
- b. DF26 Help Agent v2 Active



c. On the same page, Scroll down to Test Enhanced Web Chat to double check



d. Test



5. For Experience Cloud = DF26 Makana Patient Services > Need to Publish in All Sites

Unit 3

Step 2: Add Nurse Visit Scheduling

In the first part of the workshop, the agent could answer approved FAQs, but it could not help the patient take the next step.

Now, we'll close that gap by adding a **Nurse Visit Scheduling** subagent.

We'll use two ways of building:

- **Agent Script** to quickly create the conversation logic and memory actions.
- **Canvas** to connect the scheduling logic to an existing Salesforce Flow.

Why use both?

Code is faster for creating structured, repeatable behavior. Canvas makes it easier to connect and inspect business actions such as Flows.

Step 2a: Add Nurse Visit Scheduling subagent

In Agentforce Builder:

1. Switch from Canvas to Code.
2. Locate the end of the existing **FAQs** subagent by clicking on FAQ on the left hand side
3. Paste the following block after the FAQs subagent and before the top-level actions or connections section.

Copy and Paste this Agent Script

Java

```
subagent Nurse_Visit_Scheduling:
  label: "Nurse Visit Scheduling"
  description: "Schedule nurse visits for patients. Use when a caregiver,
patient, or HCP wants to schedule or speak with a nurse."

  before_reasoning:
    if @variables.start_date != "" and @variables.end_date == "":
      set @variables.end_date = @variables.start_date

  reasoning:
    instructions: ->
      if @variables.reason_for_visit == "":
        |Present these visit types as a numbered list:
          1. Wound Care
          2. Post-Surgical Care
          3. Medication Management
          4. Chronic Disease Management
          5. Home Health Care
        When the user selects a visit type, immediately call
set_visit_type and store the matching value exactly as written above. Accept the
number, name, common abbreviation, or close variation. If the selection is
unclear, ask the user to choose 1-5.

        if @variables.reason_for_visit != "" and @variables.start_date == "":
          |Ask for the user's preferred date or date range. When they
provide a date or relative expression, such as "next week," immediately call
set_dates. Convert dates to YYYY-MM-DD. If only one date is provided, use it for
both start_date and end_date. If the date cannot be reasonably determined, ask the
user to clarify.

        if @variables.reason_for_visit != "" and @variables.start_date != ""
and @variables.end_date != "" and @variables.appointments_prompt == "":
```

```

|Immediately call Get Available Appointments.

if @variables.appointments_prompt != "":
    |Present the available appointments as a numbered list showing the
    date, time, and nurse. When the user selects an appointment, repeat back only the
    selected date, time, specialty, and nurse. End with exactly: "Sounds good! I have
    all the details needed to book your appointment." Do not ask another question or
    invent appointment details.

    actions:
        set_visit_type: @utils.setVariables
            description: "Normalize the user's selection and store exactly one
            of these values: Wound Care, Post-Surgical Care, Medication Management, Chronic
            Disease Management, Home Health Care."
            available when @variables.reason_for_visit == ""
            with reason_for_visit = ...

        set_dates: @utils.setVariables
            description: "Call immediately after the user gives a date.
            Convert the date or date range to YYYY-MM-DD and store it."
            available when @variables.start_date == ""
            with start_date = ...
            with end_date = ...
            if @variables.end_date == "":
                set @variables.end_date = @variables.start_date

```

4. Click Validate or Save.

5. Switch back to Canvas.

If the system asks to Assign a User record, find EinsteinServiceAgent User > Save

✓ **Checkpoint:** Nurse Visit Scheduling appears on the canvas with two Set Variables actions.

Step 2a: Add Nurse Visit Scheduling subagent

Now connect the conversation to an existing Salesforce business process.

1. Open the Nurse Visit Scheduling subagent.
2. Click Add Action
3. Action Name = Get Available Appointments
4. Description = Search for available nurse appointments
5. Reference Action Type = Flow
6. Reference Action = AFLS DF26 Get Nurse Appointments
7. Create and Open

Do not create a new Flow. You are adding the existing Flow as an action available to this subagent.

Step 2c: Configure Flow Inputs

1. Ensure you are in Canvas view, with Get Available Appointments Selected
2. var_EndDate
 - a. Description = End date for search
 - b. Require Input to execute action
3. var_Specialty
 - a. Description = Type of nurse visit
 - b. Require Input to execute action
4. var_StartDate
 - a. Description = Start date for search
 - b. Require Input to execute action
5. Outputs
 - a. Description = Formatted list of appointments
6. Additional Settings
 - a. Show loading text for this action = TRUE
 - b. Loading Text = Searching for appointments...

Outputs

Outputs are the results the agent provides after completing an action

 Prompt
 String

*Description ⓘ

Formatted list of appointments

Advanced Settings

☐ Filter from agent context ⓘ

☐ Show in conversation ⓘ

Additional Settings

Configure advanced functionality for this action

☐ Require user confirmation ⓘ

☒ Show loading text for this action ⓘ

*Loading Text ⓘ

Searching for appointments...

 **Checkpoint:** Nurse Visit Scheduling now contains three actions:

1. Set Visit Type

2. Set Dates
3. Get Available Appointments

Step 3: Update the Agent Router

The scheduling capability now exists, but the router must know when to use it.

Return to **Code** view and locate the existing block beginning with:

```
start_agent agent_router:
```

Replace the entire existing router block with the following:

```
Java
start_agent agent_router:
  label: "Agent Router"
  description: "Route patients and caregivers to FAQs or nurse visit
scheduling."

  before_reasoning:
    if @variables.reason_for_visit != "" or @variables.start_date != "":
      transition to @subagent.Nurse_Visit_Scheduling

  reasoning:
    instructions: ->
      |If a caregiver, patient, or HCP wants to schedule or speak with a
nurse, route them using {@actions.go_to_scheduling}.
      When they ask an informational question about Immunexis or the Makana
support program, route them using {@actions.go_to_FAQs}.

  actions:
    go_to_scheduling: @utils.transition to
@subagent.Nurse_Visit_Scheduling
    go_to_FAQs: @utils.transition to @subagent.FAQs
```

Click **Validate**, then return to Canvas.

What changed?

The router now has two destinations. Informational questions still go to FAQs, while requests to schedule or speak with a nurse go to Nurse Visit Scheduling.

The `before_reasoning` rule also makes the scheduling journey “sticky.” Once the agent captures a visit type or date, the conversation returns to scheduling instead of restarting in the router.

✓ **Checkpoint:** The Agent Router connects to both **FAQs** and **Nurse Visit Scheduling**.

Step 4: Test Completed Patient Journey

Open the testing panel and begin a new session.

Use the following conversation:

You say	Expected behavior
“I’d like to speak with someone about this. Can I schedule a nurse visit?”	Routes to Nurse Visit Scheduling and displays five visit types
“Wound Care”	Calls Set Visit Type and asks for a date
“September 25”	Calls Set Dates and then Get Available Appointments
Agent displays appointments	Shows real availability returned by the Flow
“The first one”	Repeats the selected appointment details and confirms it has the information needed to book

Confirm the original guardrails still work

Start a new test session for each question:

- General question: “How do I enroll in Makana?”
Expected: The agent answers using approved FAQ knowledge.
- Personal medical question: “Is my dizziness normal?”
Expected: The agent does not provide medical advice and redirects the patient appropriately.

✓ **Final checkpoint:** The agent can now answer approved questions and help the patient move forward by finding a nurse appointment.

Talk track:

“We didn’t rewrite the agent’s safety behavior. We added the right action and the right route—and Trace shows us that the gap is now closed.”