
Get Git.

An introduction to Git.



Firstly.

Thank you for coming.

Secondly.

The plan.

- 1. This preamble.
- 2. On with some learning by doing.

Thirdly.

Some quick rules.

- 1. This is about learning.
- 2. This is a safe space: It's OK to say you do not understand.
- 3. We will learn in this session by doing.
- 4. We will learn for future sessions from your feedback.
- 5. If at any point you feel you know this, you do not have to stay.


Fourthly.

An admission.

I am nervous about doing this.

Sometimes I feel I do not get Git.

THE GIT CIRCLE OF SAFETY!



1. What is Git?

Git is a source control system.

It allows to store versions of our work, safely, securely.

It allows to save work locally - and remotely.

2. What is source control?

Also can be known as **version control**.

The management of changes to documents, computer programs, large website, and other collections of information.

Changes are usually identified by a number of letter code (the revision number).

Wikipedia

3. What are versions?



4. What are 'local' and 'remote'?

Local

The machine you work on. Usually your laptop.

Remote

Another computer. A server. On another network. In the cloud. Somewhere else.

5. How does Git work?

- Majority of work is done locally.
- When you feel the need you push to the server.
- Git creates "versions" of your stuff.
- Git keeps a history of changes which you can comment on.
- Git allows you to go back to a previous version.
- Git allows you to branch work yours', others'.
- Git allows you to merge work together.

6. Why use Git?

Why not?

It provides us with *security* across many, if not all definitions of the word.

Git lets us return code to previous state: Git allows you to *roll back* – revert to a previous commit.

Git allows us to save work in more than one place.



Get busy!



Form pairs.



One. Create a folder.

To start with we need a folder.

This is where we store files, just like another day.

So, create a folder. (And create the folder somewhere you know where it is.)

Two. Create a file.

In the folder, let's create a file.

Files can be anything that is digital information.

Let's keep it simple and create a basic HTML file.

And call it **your_name**.html

```
<html>
<body>
This is a test file.
</body>
</html>
```

Three. Let's get ready to Git!

Open a shell window.

Navigate to the directory we created earlier.

Four. Set up Git.

So it knows who you are.

Type:

Five. Create a repository.

A repository is a directory Git uses to version control your files. This isn't for us. It is for Git.

We are in our work folder so type:

> git init

This creates a folder called .git

Six. Check where Git is at.

At any point we can get Git to tell us how it's doing.

Type:

> git status

Seven. Add file to Git.

We need to tell Git we need it to track a file.

Type:

> git add your_name.html

Eight. Check where Git is at.

Let's check where Git is at.

Type:

> git status

Nine. Create another file.

In the folder, let's create another HTML file.

Get the other person in the pair to do this.

Call the file *something-else*.html

Maybe call it the other_person's_name.html

And make the content different to the previous file.

Ten. Add the second file to Git.

Do you remember how to do that?

Ten. Add the second file to Git.

Do you remember how to do that?

Type:

> git add *something-else*.html

Eleven. Check where Git is at.

Let's check where Git is at.

Eleven. Check where Git is at.

Let's check where Git is at.

Type:

> git status

Twelve. Committing to Git.

Let's commit our files to Git.

This is like taking a snapshot of where the files are.

Type:

> git commit -m "Your commit message"

Pro tip: Make your commit message useful!

Thirteen. Ch-ch-changes.

Make some changes to your two files.

Check Git's status.

Commit the files.

Check Git's status.

Did you remember to add the files again?

> git add *something*.html

> git status

> git commit -m "Your commit message"

Fourteen. C'est la difference.

Git can tell us what the differences are.

To get Git to tell us all the differences type:

> git diff

Fifteen. MORE files.

Create another HTML file.

Add it to Git.

Commit it to Git.

And then let the other person do it.

We should have four files by the end of this.

> git add *something*.html

> git status

> git commit -m "Your commit message"

> git status

Sixteen. Adding in more files.

If you want to add lots of files there is a shortcut.

Type:

> git add .

Seventeen. Viewing the log.

Everything you commit into Git is logged. (Remember: The your *useful messages*.)

Type:

> git log

Eighteen. ... to remote.

The remote place we push to is called the origin.

Usually the origin is in the cloud.

To define where this is type:

```
> git remote add origin https://github.com/
ermlikeyeah/IHT-Get-Git.git
```

Eighteen. ...to remote.

The remote place we push to is called the origin.

Usually the origin is in the cloud.

To define where this is type:

> git remote add origin https://github.com/ ermlikeyeah/IHT-Get-Git.git

If you get an error change origin to to myorigin

Nineteen. Pushing to remote.

We've told Git where we are going to push to. (We push to remote.) So let's do that.

Type:

> git push —u origin master

Twenty. Looking at remote.

Because we've pushed the files to Github we can view them online.

Go to:

https://github.com/ermlikeyeah/IHT-Get-Git

Twenty-one. Everyone's work.

Now everyone's files have been push/uploaded to the cloud. Let's see what differences there are.

Type:

> git fetch

Twenty-two. Get that work.

We know there are differences so let's grab all that stuff.

Type:

> git pull

Next time.

We will look branches and merges.



Any questions, feedback, cake?

Simon Wilson simon.wilson@digital.hmrc.gov.uk

Reference and sources.

- 1. Yusuf's original inter-HMRC Digital Git presentation.
- 2. That picture is from Mat Johnson, elsewhere in government.
- 3. A really good step-by-step demo
- 4. Another really good step-by-step demo