


This page is intentionally left blank.

256-byte demoscene: extremly strong competition




256-byte demoscene: extremly strong competition




Řrřola: Puls

256-byte demoscene: extremly strong competition




Řrřola: Pyrit

256-byte demoscene: extremly strong competition




Digimind: Pool Patrol

256-byte demoscene: extremly strong competition



Digimind: Immediate Railways

256-byte demoscene: extremly strong competition




How to shine out of crowd?

256-byte demoscene: how to beat competition?

Fun


(if you are not a hardcore sizecoder)



ern0: Maze Solver

256-byte demoscene: how to beat competition?

Image processing



TomCat: She – Weak Signal

256-byte demoscene: how to beat competition?


Image processing + fun



TomCat: Be Happy!

256-byte demoscene: how to beat competition?

Raytracing



TomCat: Colorful


256-byte demoscene: how to beat competition?

Raytracing + fun




TomCat: Pokeball

256-byte demoscene: how to beat competition?




Music! Add music in 256-byte intros!

256 byte intro with music



*TomCat: 2(56)unlimited
(bytebeat music by ern0)*

256 byte intro with music




TomCat: No Sleep!
(buzzer music by ern0)

256 byte intro with music

Everyone loves it!



Create universal bytebeat tool



Create universal bytebeat tool

- Bytebeat player & editor

TomCat



Create universal bytebeat tool


- Bytebeat player & editor

TomCat



- Formula compiler for assembly

ern0



Create universal bytebeat tool

- Bytebeat player & editor
TomCat
- Formula compiler for assembly
ern0



Create universal bytebeat tool

- Bytebeat player & editor

TomCat




- Formula compiler for assembly

ern0



Bytebeat Editor (TomCat)

```
BYTEBEAT by TomCat/Abaddon 7 24632
freq:18939 zoom:1 out:7 vol:11173
Kick drum no:CMP1Z skip:TSTONZ
rate:16383 len:24576 vol:64
Hihat no:CMP3B skip:TST96NZ
rate:63 ien:22 rnd:99 vol:64 fade:1
Instrument1 no:CMP1B wave:sawtooth
idx:0 mask:15 len:8 tune:4 fade:1
Instrument2 no:CMP5B wave:triangle
idx:16 mask:31 len:4 tune:16 fade:1
Arpeggio no:CMP4B
idx:48 mask:7 rate:4 len:4 vol:31
```




```
9405450574B445B425B4744525059474
4 405A405743474 4 405A405743474
0525352535052505 4 405A405743474
042474 4043474 4 3 3 3 3 3 3 3 3 3
```

Bytebeat Editor (TomCat)

Features:

- realtime feedback


BYTEBEAT by TomCat/Abaddon 2 12981
freq: 18939 zoom: 1 out: 7 vol: 35000
Kick drum no: CMP1Z skip: TSTONZ
rate: 16383 len: 24576 vol: 64
Hihat no: CMP3B skip: TST96NZ
rate: 63 len: 22 rnd: 99 vol: 64 fade: 1
Instrument1 no: CMP1B wave: sawtooth
idx: 0 mask: 15 len: 8 tune: 4 fade: 1
Instrument2 no: CMP5B wave: triangle
idx: 16 mask: 31 len: 4 tune: 16 fade: 1
Arpeggio no: CMP4B
idx: 48 mask: 7 rate: 4 len: 4 vol: 31



Bytebeat Editor (TomCat)

Features:

- realtime feedback
- graphical sound wave



Bytebeat Editor (TomCat)

Features:

- realtime feedback
- graphical sound wave
- save/restore modified code

BYTEBEAT by TomCat/Abaddon 2 12981
freq:18939 zoom:1 out:7 vol:35000
Kick drum no:CMP1Z skip:TSTONZ
rate:16383 len:24576 vol:64
Hihat no:CMP3B skip:TST96NZ
rate:63 len:22 rnd:99 vol:64 fade:1
Instrument1 no:CMP1B wave:sawtooth
idx:0 mask:15 len:8 tune:4 fade:1
Instrument2 no:CMP5B wave:triangle
idx:16 mask:31 len:4 tune:16 fade:1
Arpeggio no:CMP4B
idx:48 mask:7 rate:4 len:4 vol:31

9405450574B445B425B4744525059474
4 405A405743474 4 405A405743474
0525352535052505 4 405A405743474
042474 4043474 4 3 3 3 3 3 3 3 3

Bytebeat Editor (TomCat)

Features:

- realtime feedback
- graphical sound wave
- save/restore modified code

Issues:

- more than 70 hotkeys

The screenshot shows the Bytebeat Editor interface. At the top, there is a text area containing assembly-like code for a 'BYTEBEAT' track. Below the code is a waveform visualization showing blue peaks on a black background. At the bottom, there is a hex dump of the raw byte data.

```
BYTEBEAT by TomCat/Abaddon 5 44539
freq:18939 zoom:1 out:7 vol:35000
Kick drum no:CMP1Z skip:TSTONZ
rate:16383 len:24576 vol:64
Hihat no:CMP3B skip:TST96NZ
rate:63 len:22 rnd:99 vol:64 fade:1
Instrument1 no:CMP1B wave:sawtooth
idx:0 mask:15 len:8 tune:4 fade:1
Instrument2 no:CMP5B wave:triangle
idx:16 mask:31 len:4 tune:16 fade:1
Arpeggio no:CMP4B
idx:48 mask:7 rate:4 len:4 vol:31
```

```
9405450574B445B425B4744525059474
4 405A405743474 4 405A405743474
0525352535052505 4 405A405743474
042474 4043474 4 3 3 3 3 3 3 3 3
```

Bytebeat Editor (TomCat)


Features:

- realtime feedback
- graphical sound wave
- save/restore modified code



Issues:

- more than 70 hotkeys



Bytebeat Editor (TomCat)

Features:

- realtime feedback
- graphical sound wave
- save/restore modified code

Issues:


- more than 70 hotkeys
- needs some x86 coder knowledge
e.g. you can set any flag for a conditional jump

The screenshot shows the Bytebeat Editor interface. At the top, there is assembly-like code for a song titled 'BYTEBEAT by TomCat/Abaddon 2 12981'. The code includes parameters for various instruments like Kick, Drum, Hihat, and Arpeggio. Below the code is a waveform visualization consisting of several blue triangles on a grey background. At the bottom, there is a memory dump showing hex values: 9405450574B445B425B4744525059474, 4405A405743474, 0525352535052505, and 042474 4043474.

```
BYTEBEAT by TomCat/Abaddon 2 12981
freq:18939 zoom:1 out:7 vol:35000
Kick drum no:CMP1Z skip:TSTONZ
rate:16383 len:24576 vol:64
Hihat no:CMP3B skip:TST96NZ
rate:63 len:22 rnd:99 vol:64 fade:1
Instrument1 no:CMP1B wave:sawtooth
idx:0 mask:15 len:8 tune:4 fade:1
Instrument2 no:CMP5B wave:triangle
idx:16 mask:31 len:4 tune:16 fade:1
Arpeggio no:CMP4B
idx:48 mask:7 rate:4 len:4 vol:31
```

```
9405450574B445B425B4744525059474
4405A405743474
0525352535052505
042474 4043474
```


Bytebeat Editor (TomCat)



Verdict:

- too complex, especially for musicians #UX

Bytebeat Editor (TomCat)



Verdict:

- too complex, especially for musicians #UX
- does not provide enough freedom

Bytebeat Editor (TomCat)



A screenshot of the Bytebeat Editor interface. On the left, there is a text-based configuration file with various parameters like freq, zoom, and volume. Below the text is a waveform visualization. At the bottom, there is a hex dump of some data.

```
BYTEBEAT by TomCat/Abaddon 7 24632
freq:18939 zoom:1 out:7 vol:11173
Kick drum no:CMP1Z skip:TST0NZ
rate:16383 len:24576 vol:64
Hihat no:CMP3B skip:TST96NZ
rate:63 len:22 rnd:99 vol:64 fade:1
Instrument1 no:CMP1B wave:sawtooth
idx:0 mask:15 len:8 tune:4 fade:1
Instrument2 no:CMP5B wave:triangle
idx:16 mask:31 len:4 tune:16 fade:1
Arpeggio no:CMP4B
idx:48 mask:7 rate:4 len:4 vol:31

9405450574B445B425B474452:0
4405A4057434744405A40574405A40574
062935293506350540405A40574405A40574
04217440134744340405A40574405A40574
```

Verdict:

- Too Complex, especially for music fans
- UX does not provide enough freedom



Assemblyzator (ern0)

Assemblyzator (ern0)

Transform bytebeat formula to assembly code...

Assemblyzator (ern0)

Transform bytebeat formula to assembly code
using a modern C compiler!

Assemblyzator (ern0)

Transform bytebeat formula to assembly code using a modern C compiler!

```
int main() {
    int result = 0;

    for (int i = 0; i < 100; i++) {
        for (int j = 0; j < 100; j++) {
            result += i * j;
        }
    }

    return result;
}
```

```
b8 e4 e0 75 01
5c3
```

```
main:
    mov     eax,0x175e0e4
    ret
```

Assemblyzator (ern0)

Transform bytebeat formula to assembly code using a modern C compiler!

```
int main() {  
    int result = 0;  
  
    for (int i = 0; i < 100; i++) {  
        for (int j = 0; j < 100; j++) {  
            result += i * j;  
        }  
    }  
  
    return result;  
}
```

```
b8 e4 e0 75 01  
5c3
```

```
main:  
    mov     eax, 0x175e0e4  
    ret
```

Very optimized!
Such compiler!



Assemblyzator (ern0)

Transform bytebeat formula to assembly code using a modern C compiler!

int main() {
 int result = 0;

 for (int i = 0; i < 100; i++) {
 for (int j = 0; j < 100; j++) {
 result += i * j;
 }
 }

 return result;
}

b8 5c3 501 5c3 501
 mov eax, 0x175e0e4
 ret

~~VS, optimized!
such compiler!~~



No modern compiler exists for **16-bit** target.

Assemblyzator (ern0)

Let's write a compiler thing!

Assemblylyzator (ern0)


Let's write a compiler thing!



Split complex bytebeat formula
to series of simple formulas,
which is close to assembly

Assemblyzator (ern0)

```
((t<<1) ^ ((t<<1) +  
(t>>7) &t>>12)) |  
t>>(4 - (1^7&(t>>19)))  
| t>>7
```



```
var3 = t << 1  
var7 = t >> 7  
var5 = var3 + var7  
var6 = t >> 12  
var4 = var5 & var6  
var1 = var3 ^ var4  
var12 = t >> 19  
var11 = 7 & var12  
var10 = 1 ^ var11  
var9 = -var10  
var9 = var9 + 4  
var8 = t >> var9  
var2 = var8 | var7  
result = var1 | var2
```

Assemblyzator (ern0)

Features:

- split formula

Assemblyzator (ern0)

Features:

- split formula
- handle num arrays

Assemblyzator (ern0)

Features:

- split formula
- handle num arrays
- handle string arrays

Assemblyzator (ern0)

Features:

- split formula
- handle num arrays
- handle string arrays
- remove duplications

Assemblyzator (ern0)

Features:

- split formula
- handle num arrays
- handle string arrays
- remove duplications

Design Flaws:

- **3-op ($A = B \text{ op } C$)**
8086 assembly instructions are 2-operand

Assemblyzator (ern0)

Features:

- split formula
- handle num arrays
- handle string arrays
- remove duplications

Design Flaws:

- 3-op ($A = B \text{ op } C$)
8086 assembly instructions are 2-operand
- can't handle cond. op.
 $A = (B \text{ op } C ? D : E)$
improperly designed Abstract Syntax Tree

Assemblyzator (ern0)

Features:

- split formula
- handle num arrays
- handle string arrays
- remove duplications

Design Flaws:

- 3-op ($A = B \text{ op } C$)
8086 assembly instructions are 2-operand
- can't handle cond. op.
 $A = (B \text{ op } C ? D : E)$
improperly designed Abstract Syntax Tree

Verdict:

- nice try, but does not help much

Assemblyzator (ern0)

Features:

- split formula
- handle num arrays
- handle string arrays
- remove duplications

Design Flaws:

- 3-op ($A = B \text{ op } C$)
8086 assembly instructions are 2-operand
- can't handle cond. op.
 $A = (B \text{ op } C ? D : E)$
improperly designed Abstract Syntax Tree

Verdict:

- nice try, but does not help much
- writing a compiler is not as easy as it looks first

Assemblyzator (ern0)

Features:

- split formula
- handle num arrays
- handle string arrays
- remove duplications

Verdict:

- nice try, but it does not help much
- writing a compiler is not as easy as it looks first

Design Flaws:

- 3-op ($A = B \text{ op } C$)
8086 assembly instructions are 2-operand
can't handle cond. op.
(A op, B ? C : D)
improperly designed Abstract Syntax Tree



[TomCat] *Instead of creating universal tools,
we should choose one song and
optimize for it*

[TomCat] *Instead of creating universal tools,
we should choose one song and
optimize for it*

[ern0] *Right, I'll pick a song*



Some hours later...

[ern0] *I got the perfect one.*

Making of **549NOTES.COM**

the 256-byte intro for PC-DOS which plays 549 notes




Table Of Contents

I. Song ★★★★☆

II. Data ★★★★★☆

III. Code ★★★★★★

I. Song

Prelude I

In C major

BWV 846

Johann Sebastian Bach (1685 - 1750)

Piano

This system shows the beginning of the prelude. The treble staff consists of eighth-note pairs followed by a rest. The bass staff consists of quarter notes with fermatas. The key signature is C major.

This system continues the pattern established in the first system. The treble staff has eighth-note pairs followed by rests. The bass staff has quarter notes with fermatas. A sharp sign appears in the key signature, indicating a temporary change to G major.

J. S. Bach: Prelude I. in C Major (BWV 846)

1. Popular, well-known piece

J. S. Bach: Prelude I. in C Major (BWV 846)

1. Popular, well-known piece
2. Written for piano: optimal for MIDI...

J. S. Bach: Prelude I. in C Major (BWV 846)

- Piano (patch 1) is the default instrument on all channels for all General MIDI instruments

J. S. Bach: Prelude I. in C Major (BWV 846)

- Piano (patch 1) is the default instrument on all channels for all General MIDI instruments

*Switch sound card
to MIDI mode:*

```
mov    al,3fH
mov    dx,331H
out    dx,al
```

J. S. Bach: Prelude I. in C Major (BWV 846)

- Piano (patch 1) is the default instrument on all channels for all General MIDI instruments
- Chord breaks: no „key up” message needed

*Switch sound card
to MIDI mode:*

```
mov    al,3fH
mov    dx,331H
out    dx,al
```

J. S. Bach: Prelude I. in C Major (BWV 846)

- Piano (patch 1) is the default instrument on all channels for all General MIDI instruments
- Chord breaks: no „key up” message needed

Switch sound card to MIDI mode:

```
mov al,3fH  
mov dx,331H  
out dx,al
```

Play a note:

```
dec dx  
mov al,90H ; key down, ch=1  
out dx,al  
lodsb ; pitch  
out dx,al  
mov al,7fH ; velocity=127  
out dx,al
```

J. S. Bach: Prelude I. in C Major (BWV 846)

- Piano (patch 1) is the default instrument on all channels for all General MIDI instruments
- Chord breaks: “key up” message needed

Switch sound card to MIDI mode:

```
mov al,3fH  
mov dx,331H  
out dx,al
```



```
90H ; key down, ch=1  
al  
; pitch  
al  
al  
al  
mov al,7fH ; velocity=127  
out dx,al
```

J. S. Bach: Prelude I. in C Major (BWV 846)

1. Popular, well-known piece
2. Written for piano: optimal for MIDI
3. Simple rhythm, only a few tempo changes...

J. S. Bach: Prelude I. in C Major (BWV 846)

Tempo changes:

- slow down around the end

J. S. Bach: Prelude I. in C Major (BWV 846)

Tempo changes:

- slow down around the end
- set minimal pause for the last 5-note chord

J. S. Bach: Prelude I. in C Major (BWV 846)

1. Popular, well-known piece
2. Written for piano: optimal for MIDI
3. Simple rhythm, only a few tempo changes
4. Contains repeating patterns...

J. S. Bach: *Prelude I. in C Major (BWV 846)*

Repeating patterns 1/2:

Piano

The musical score displays two staves for a piano. The top staff uses a treble clef and a common time signature (indicated by a '4'). The bottom staff uses a bass clef and a common time signature. Both staves feature a key signature of one sharp (F#). The music consists of repeating eighth-note patterns. In the treble clef staff, the pattern is a rest followed by a sixteenth note, then a sixteenth note followed by a sixteenth note. In the bass clef staff, the pattern is a sixteenth note followed by a sixteenth note, then a sixteenth note followed by a sixteenth note. The patterns are identical in both staves.

J. S. Bach: Prelude I. in C Major (BWV 846)

Repeating patterns 1/2:

Piano

The image shows two staves of a piano musical score. The top staff is in common time (indicated by '4') and the bottom staff is in common time (indicated by '4'). The key signature is C major. The music consists of eighth-note patterns. The first staff has four measures highlighted with green circles, followed by four measures highlighted with blue circles, and then four measures highlighted with pink circles. The second staff continues with four measures highlighted with green circles, followed by four measures highlighted with red circles, and then four measures highlighted with purple circles. The piano dynamic 'pp' (pianissimo) is indicated at the beginning of each measure.

J. S. Bach: Prelude I. in C Major (BWV 846)

Repeating patterns 1/2:

Piano

16 → 8 notes

16 → 8 notes

J. S. Bach: *Prelude I. in C Major (BWV 846)*

Repeating patterns 2/2:

Piano

The musical score consists of two staves for piano. The top staff is in common time (4/4) and the bottom staff is also in common time (4/4). Both staves feature a repeating pattern of eighth-note pairs followed by a sixteenth-note pair, with a bass note on the first beat of each measure. The pattern repeats four times in the top staff and three times in the bottom staff.

J. S. Bach: Prelude I. in C Major (BWV 846)

Repeating patterns 2/2:

Piano

The image shows two staves of musical notation for a piano. The top staff is in common time (indicated by '4') and the bottom staff is in common time (indicated by '4'). The notation consists of eighth and sixteenth notes. In the first measure, the pattern is a eighth note followed by a sixteenth note. This pattern repeats three more times. In the second measure, the pattern changes to a sixteenth note followed by an eighth note, which then repeats three more times. The third measure begins with a sixteenth note followed by an eighth note. The notes are highlighted with color: purple, green, blue, and red, suggesting different repeating patterns or groups within the measure. The bass clef is on the bottom staff and the treble clef is on the top staff.

J. S. Bach: Prelude I. in C Major (BWV 846)

Repeating patterns 2/2:

Piano

The image shows a musical score for the first piano part of J.S. Bach's Prelude I. in C Major (BWV 846). The score is in common time (4/4). The top staff is in treble clef, and the bottom staff is in bass clef. The piano pedal is indicated by a vertical line with a triangle symbol below it. The music consists of eighth-note patterns. The first four measures are highlighted with purple shading, and the next four measures are highlighted with green shading, illustrating repeating patterns.

8 → 5 notes

The image shows a musical score for the second piano part of J.S. Bach's Prelude I. in C Major (BWV 846). The score is in common time (4/4). The top staff is in treble clef, and the bottom staff is in bass clef. The piano pedal is indicated by a vertical line with a triangle symbol below it. The music consists of eighth-note patterns. The first four measures are highlighted with blue shading, and the next four measures are highlighted with red shading, illustrating repeating patterns.

Raw Data

<i>part</i>	<i>effective notes</i>	<i>raw data</i>
<i>repeating</i>	512	160
<i>non-repeating</i>	32	32
<i>final chord</i>	5	5
<i>total</i>	549	197

II. Data

Data overview

Data overview

```
"c-3","e-3","g-3","c-4","e-4",
"c-3","d-3","a-3","d-4","f-4",
"h-2","d-3","g-3","d-4","f-4",
"c-3","e-3","g-3","c-4","e-4",
"c-3","e-3","a-3","e-4","a-4",
"c-3","d-3","f#3","a-3","d-4",
"h-2","d-3","g-3","d-4","g-4",
"h-2","c-3","e-3","g-3","c-4",
"a-2","c-3","e-3","g-3","c-4",
"d-2","a-2","d-3","f#3","c-4",
"g-2","h-2","d-3","g-3","h-3",
"g-2","a#2","e-3","g-3","c#4",
"f-2","a-2","d-3","a-3","d-4",
"f-2","g#2","d-3","f-3","h-3",
"e-2","g-2","c-3","g-3","c-4",
"e-2","f-2","a-2","c-3","f-3",
"d-2","f-2","a-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"c-2","e-2","g-2","c-3","e-3",
"c-2","g-2","a#2","c-3","e-3",
"f-1","f-2","a-2","c-3","e-3",
"f#1","c-2","a-2","c-3","e-3",
"g#1","f-2","h-2","c-3","d-3",
"g-1","f-2","g-2","h-2","d-3",
"g-1","e-2","g-2","c-3","e-3",
"g-1","d-2","g-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"g-1","d#2","a-2","c-3","f#3",
"g-1","e-2","g-2","c-3","g-3",
"g-1","d-2","g-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"c-1","c-2","g-2","a#2","e-3"
```

Part 1:

Data overview

```
"c-3","e-3","g-3","c-4","e-4",
"c-3","d-3","a-3","d-4","f-4",
"h-2","d-3","g-3","d-4","f-4",
"c-3","e-3","g-3","c-4","e-4",
"c-3","e-3","a-3","e-4","a-4",
"c-3","d-3","f#3","a-3","d-4",
"h-2","d-3","g-3","d-4","g-4",
"h-2","c-3","e-3","g-3","c-4",
"a-2","c-3","e-3","g-3","c-4",
"d-2","a-2","d-3","f#3","c-4",
"g-2","h-2","d-3","g-3","h-3",
"g-2","a#2","e-3","g-3","c#4",
"f-2","a-2","d-3","a-3","d-4",
"f-2","g#2","d-3","f-3","h-3",
"e-2","g-2","c-3","g-3","c-4",
"e-2","f-2","a-2","c-3","f-3",
"d-2","f-2","a-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"c-2","e-2","g-2","c-3","e-3",
"c-2","g-2","a#2","c-3","e-3",
"f-1","f-2","a-2","c-3","e-3",
"f#1","c-2","a-2","c-3","e-3",
"g#1","f-2","h-2","c-3","d-3",
"g-1","f-2","g-2","h-2","d-3",
"g-1","e-2","g-2","c-3","e-3",
"g-1","d-2","g-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"g-1","d#2","a-2","c-3","f#3",
"g-1","e-2","g-2","c-3","g-3",
"g-1","d-2","g-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"c-1","c-2","g-2","a#2","e-3"
```

Part 1:

- 32 lines x 5 notes

Data overview

"c-3", "e-3", "g-3", "c-4", "e-4",
"c-3", "d-3", "a-3", "d-4", "f-4",
"h-2", "d-3", "g-3", "d-4", "f-4",
"c-3", "e-3", "g-3", "c-4", "e-4",

"c-3", "e-3", "a-3", "e-4", "a-4",
"c-3", "d-3", "f#3", "a-3", "d-4",
"h-2", "d-3", "g-3", "d-4", "g-4",
"h-2", "c-3", "e-3", "g-3", "c-4",

"a-2", "c-3", "e-3", "g-3", "c-4",
"d-2", "a-2", "d-3", "f#3", "c-4",
"g-2", "h-2", "d-3", "g-3", "h-3",
"g-2", "a#2", "e-3", "g-3", "c#4",

"f-2", "a-2", "d-3", "a-3", "d-4",
"f-2", "g#2", "d-3", "f-3", "h-3",
"e-2", "g-2", "c-3", "g-3", "c-4",
"e-2", "f-2", "a-2", "c-3", "f-3",

"d-2", "f-2", "a-2", "c-3", "f-3",
"g-1", "d-2", "g-2", "h-2", "f-3",
"c-2", "e-2", "g-2", "c-3", "e-3",
"c-2", "g-2", "a#2", "c-3", "e-3",

"f-1", "f-2", "a-2", "c-3", "e-3",
"f#1", "c-2", "a-2", "c-3", "e-3",
"g#1", "f-2", "h-2", "c-3", "d-3",
"g-1", "f-2", "g-2", "h-2", "d-3",

"g-1", "e-2", "g-2", "c-3", "e-3",
"g-1", "d-2", "g-2", "c-3", "f-3",
"g-1", "d-2", "g-2", "h-2", "f-3",
"g-1", "d#2", "a-2", "c-3", "f#3",

"g-1", "e-2", "g-2", "c-3", "g-3",
"g-1", "d-2", "g-2", "c-3", "f-3",
"g-1", "d-2", "g-2", "h-2", "f-3",
"c-1", "c-2", "g-2", "a#2", "e-3",

Part 1:

- 32 lines x 5 notes
 - last 3 notes are repeated

Data overview

```
"c-3","e-3","g-3","c-4","e-4",
"c-3","d-3","a-3","d-4","f-4",
"h-2","d-3","g-3","d-4","f-4",
"c-3","e-3","g-3","c-4","e-4",
"c-3","e-3","a-3","e-4","a-4",
"c-3","d-3","f#3","a-3","d-4",
"h-2","d-3","g-3","d-4","g-4",
"h-2","c-3","e-3","g-3","c-4",
"a-2","c-3","e-3","g-3","c-4",
"d-2","a-2","d-3","f#3","c-4",
"g-2","h-2","d-3","g-3","h-3",
"g-2","a#2","e-3","g-3","c#4",
"f-2","a-2","d-3","a-3","d-4",
"f-2","g#2","d-3","f-3","h-3",
"e-2","g-2","c-3","g-3","c-4",
"e-2","f-2","a-2","c-3","f-3",
"d-2","f-2","a-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"c-2","e-2","g-2","c-3","e-3",
"c-2","g-2","a#2","c-3","e-3",
"f-1","f-2","a-2","c-3","e-3",
"f#1","c-2","a-2","c-3","e-3",
"g#1","f-2","h-2","c-3","d-3",
"g-1","f-2","g-2","h-2","d-3",
"g-1","e-2","g-2","c-3","e-3",
"g-1","d-2","g-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"g-1","d#2","a-2","c-3","f#3",
"g-1","e-2","g-2","c-3","g-3",
"g-1","d-2","g-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"c-1","c-2","g-2","a#2","e-3"
```

Part 1:


- 32 lines x 5 notes
- last 3 notes are repeated
- (8-note) lines are repeated

Data overview

```
"c-3","e-3","g-3","c-4","e-4",
"c-3","d-3","a-3","d-4","f-4",
"b-2","d-3","g-3","d-4","f-4",
"c-3","e-3","g-3","c-4","e-4",
"c-3","e-3","a-3","e-4","a-4",
"c-3","d-3","f#3","a-3","d-4",
"b-2","d-3","g-3","d-4","g-4",
"b-2","c-3","e-3","g-3","c-4",
"b-2","c-3","e-3","g-3","c-4",
"b-2","d-3","f#3","c-4",
"b-2","d-3","g-3","h-3",
"b-2","a#2","e-3","g-3","c#4",
"b-2","a-2","d-3","a-3","d-4",
"b-2","g#2","d-3","f-3","h-3",
"e-2","g-2","c-3","g-3","c-4",
"e-2","f-2","a-2","c-3","f-3",
"b-2","f-2","a-2","c-3","f-3",
"b-1","d-2","g-2","h-2","f-3",
"c-2","e-2","g-2","c-3","e-3",
"c-2","g-2","a#2","c-3","e-3",
"b-1","f-2","a-2","c-3","e-3",
"b#1","c-2","a-2","c-3","e-3",
"b#1","f-2","h-2","c-3","d-3",
"b-1","f-2","g-2","h-2","d-3",
"b-1","e-2","g-2","c-3","e-3",
"b-1","d-2","g-2","c-3","f-3",
"b-1","d-2","g-2","h-2","f-3",
"b-1","d#2","a-2","c-3","f#3",
"b-1","e-2","g-2","c-3","g-3",
"b-1","d-2","g-2","c-3","f-3",
"b-1","d-2","g-2","h-2","f-3",
"b-1","c-2","g-2","a#2","e-3"
```

Part 1:

- 32 lines x 5 notes
- last 3 notes are repeated
- (8-note) lines are repeated



Data overview

```
"c-3","e-3","g-3","c-4","e-4",
"c-3","d-3","a-3","d-4","f-4",
"h-2","d-3","g-3","d-4","f-4",
"c-3","e-3","g-3","c-4","e-4",
"c-3","e-3","a-3","e-4","a-4",
"c-3","d-3","f#3","a-3","d-4",
"h-2","d-3","g-3","d-4","g-4",
"h-2","c-3","e-3","g-3","c-4",
"a-2","c-3","e-3","g-3","c-4",
"d-2","a-2","d-3","f#3","c-4",
"g-2","h-2","d-3","g-3","h-3",
"g-2","a#2","e-3","g-3","c#4",
"f-2","a-2","d-3","a-3","d-4",
"f-2","g#2","d-3","f-3","h-3",
"e-2","g-2","c-3","g-3","c-4",
"e-2","f-2","a-2","c-3","f-3",
"d-2","f-2","a-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"c-2","e-2","g-2","c-3","e-3",
"c-2","g-2","a#2","c-3","e-3",
"f-1","f-2","a-2","c-3","e-3",
"f#1","c-2","a-2","c-3","e-3",
"g#1","f-2","h-2","c-3","d-3",
"g-1","f-2","g-2","h-2","d-3",
"g-1","e-2","g-2","c-3","e-3",
"g-1","d-2","g-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"g-1","d#2","a-2","c-3","f#3",
"g-1","e-2","g-2","c-3","g-3",
"g-1","d-2","g-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"c-1","c-2","g-2","a#2","e-3"
```

Part 1:

- 32 lines x 5 notes
- last 3 notes are repeated
- (8-note) lines are repeated

```
"c-1","c-2","f-2","a-2","c-3","f-3","c-3","a-2",
"c-3","a-2","f-2","a-2","f-2","d-2","f-2","d-2",
"c-1","h-1","g-3","h-3","d-4","f-4","d-4","h-3",
"d-4","h-3","g-3","h-3","d-3","f-3","e-3","d-3"
```

Part 2:

- 32 notes
- no tricks

Data overview

```
"c-3","e-3","g-3","c-4","e-4",
"c-3","d-3","a-3","d-4","f-4",
"h-2","d-3","g-3","d-4","f-4",
"c-3","e-3","g-3","c-4","e-4",
"c-3","e-3","a-3","e-4","a-4",
"c-3","d-3","f#3","a-3","d-4",
"h-2","d-3","g-3","d-4","g-4",
"h-2","c-3","e-3","g-3","c-4",
"a-2","c-3","e-3","g-3","c-4",
"d-2","a-2","d-3","f#3","c-4",
"g-2","h-2","d-3","g-3","h-3",
"g-2","a#2","e-3","g-3","c#4",
"f-2","a-2","d-3","a-3","d-4",
"f-2","g#2","d-3","f-3","h-3",
"e-2","g-2","c-3","g-3","c-4",
"e-2","f-2","a-2","c-3","f-3",
"d-2","f-2","a-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"c-2","e-2","g-2","c-3","e-3",
"c-2","g-2","a#2","c-3","e-3",
"f-1","f-2","a-2","c-3","e-3",
"f#1","c-2","a-2","c-3","e-3",
"g#1","f-2","h-2","c-3","d-3",
"g-1","f-2","g-2","h-2","d-3",
"g-1","e-2","g-2","c-3","e-3",
"g-1","d-2","g-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"g-1","d#2","a-2","c-3","f#3",
"g-1","e-2","g-2","c-3","g-3",
"g-1","d-2","g-2","c-3","f-3",
"g-1","d-2","g-2","h-2","f-3",
"c-1","c-2","g-2","a#2","e-3"
```

Part 1:

- 32 lines x 5 notes
- last 3 notes are repeated
- (8-note) lines are repeated

```
"c-1","c-2","f-2","a-2","c-3","f-3","c-3","a-2",
"c-3","a-2","f-2","a-2","f-2","d-2","f-2","d-2",
"c-1","h-1","g-3","h-3","d-4","f-4","d-4","h-3",
"d-4","h-3","g-3","h-3","d-3","f-3","e-3","d-3"
```

Part 2:

- 32 notes
- no tricks

```
"c-1","c-2","e-3","g-3","c-4"
```

Part3:

- 5 notes
- no tricks

Histogram of raw (31 values, 197 notes)

; c-1:36	4	####		;	1.	c-3:60	23	#####
; f-1:41	1	#		;	2.	g-2:55	14	#####
; f#1:42	1	#		;	3.	e-3:64	14	#####
; g-1:43	9	#####		;	4.	g-3:67	13	#####
; g#1:44	1	#		;	5.	d-3:62	12	#####
; h-1:47	1	#		;	6.	a-2:57	12	#####
; c-2:48	6	#####		;	7.	f-2:53	11	#####
; d-2:50	9	#####		;	8.	f-3:65	10	#####
; d#2:51	1	#		;	9.	h-2:59	9	#####
; e-2:52	5	####		;	10.	g-1:43	9	#####
; f-2:53	11	#####		;	11.	d-2:50	9	#####
; g-2:55	14	#####		;	12.	d-4:74	8	#####
; g#2:56	1	#		;	13.	c-4:72	7	#####
; a-2:57	12	#####		;	14.	h-3:71	6	#####
; a#2:58	3	##		;	15.	c-2:48	6	#####
; h-2:59	9	#####		;	16.	e-2:52	5	#####
; c-3:60	23	#####		;	17.	c-1:36	4	#####
; d-3:62	12	#####		;	18.	a-3:69	4	#####
; e-3:64	14	#####		;	19.	f-4:77	3	###
; f-3:65	10	#####		;	20.	f#3:66	3	###
; f#3:66	3	##		;	21.	e-4:76	3	###
; g-3:67	13	#####		;	22.	a#2:58	3	###
; a-3:69	4	##		;	23.	h-1:47	1	#
; h-3:71	6	##		;	24.	g-4:79	1	#
; c-4:72	7	##		;	25.	g#2:56	1	#
; c#4:73	1	#		;	26.	g#1:44	1	#
; d-4:74	8	##		;	27.	f-1:41	1	#
; e-4:76	3	##		;	28.	f#1:42	1	#
; f-4:77	3	##		;	29.	d#2:51	1	#
; g-4:79	1	#		;	30.	c#4:73	1	#
; a-4:81	1	#		;	31.	a-4:81	1	#

Histogram of raw (31 values, 197 notes)

```

; c-1:36    4 #####
; f-1:41    1 #
; f#1:42   1 #
; g-1:43   1 #####
; g#1:44   1 #####
; h-1:47   1 #####
; c-2:48   1 #####
; d-2:50   1 #####
; d#2:51   1 #####
; e-2:52   1 #####
; f-2:53   1 #####
; g-2:55   1 #####
; g#2:56   1 #
; a-2:57  12 #####
; a#2:58   3 #####
; h-2:59   9 #####
; c-3:60  23 #####
; d-3:62  12 #####
; e-3:64  14 #####
; f-3:65  10 #####
; f#3:66   3 #####
; g-3:67  13 #####
; a-3:69   4 #####
; h-3:71   6 #####
; c-4:72   7 #####
; c#4:73   1 #
; d-4:74   8 #####
; e-4:76   3 #####
; f-4:77   3 #####
; g-4:79   1 #
; a-4:81   1 #

; 1. c-3:60  23 #####
; 2. g-2:55  14 #####
; 3. e-3:64  14 #####
; 4. g-3:67  13 #####
; 5. d-3:62  12 #####
; 6. f-2:53  11 #####
; 7. f-3:65  10 #####
; 9. h-2:59  9 #####
; 10. g-1:43 8 #####
; 11. d-2:51 7 #####
; 12. d-4:74 8 #####
; 13. c-4:72 7 #####
; 14. h-3:71 6 #####
; 15. c-2:48 6 #####
; 16. e-2:52 5 #####
; 17. c-1:36 4 #####
; 18. a-3:69 4 #####
; 19. f-4:77 3 #####
; 20. f#3:66 3 #####
; 21. e-4:76 3 #####
; 22. a#2:58 3 #####
; 23. h-1:47 1 #
; 24. g-4:79 1 #
; 25. g#2:56 1 #
; 26. g#1:44 1 #
; 27. f-1:41 1 #
; 28. f#1:42 1 #
; 29. d#2:51 1 #
; 30. c#4:73 1 #
; 31. a-4:81 1 #

```

notes: 5 bit x 197 = 124 byte

table: 31 byte

total: 155 byte

Histogram of raw (31 values, 197 notes)

```

; c-1:36    4 #####
; f-1:41    1 #
; f#1:42   1 #
; g-1:43   1 #####
; g#1:44   1 #####
; h-1:47   1 #####
; c-2:48   6 #####
; d-2:50   9 #####
; d#2:51   1 #
; e-2:52   5 #####
; f-2:53   11 #####
; g-2:55   14 #####
; g#2:56   1 #
; a-2:57  12 #####
; a#2:58   3 #####
; h-2:59   9 #####
; c-3:60  23 #####
; d-3:62  12 #####
; e-3:64  14 #####
; f-3:65  10 #####
; f#3:66   3 #####
; g-3:67  13 #####
; a-3:69   4 #####
; h-3:71   6 #####
; c-4:72   7 #####
; c#4:73   1 #
; d-4:74   8 #####
; e-4:76   3 #####
; f-4:77   3 #####
; g-4:79   1 #
; a-4:81   1 #

; 1. c-3:60  23 #####
; 2. g-2:55  14 #####
; 3. e-3:64  14 #####
; 4. g-3:67  13 #####
; 5. d-3:62  12 #####
; 6. a-2:58  11 #####
; 7. f-2:53  10 #####
; 8. f-3:65  9 #####
; 9. h-2:59  8 #####
; 10. g-1:43 7 #####
; 11. d-2:50 6 #####
; 12. d#2:51 5 #####
; 13. c-4:72  7 #####
; 14. h-3:71  6 #####
; 15. c-2:48  6 #####
; 16. e-2:52  5 #####
; 17. c-1:36  4 #####
; 18. a-3:69  4 #####
; 19. f-4:77  3 #####
; 20. f#3:66  3 #####
; 21. e-4:76  3 #####
; 22. a#2:58  3 #####
; 23. h-1:47  1 #
; 24. g-4:79  1 #
; 25. g#2:56  1 #
; 26. g#1:44  1 #
; 27. f-1:41  1 #
; 28. f#1:42  1 #
; 29. d#2:51  1 #
; 30. c#4:73  1 #
; 31. a-4:81  1 #

```

note range: 36..81: 45 values


values: 6 bit x 197 = 148 byte

Think Diff

Think Diff

```
; c-3:60  e-3:64  g-3:67  c-4:72  e-4:76  (...)  
; c-3:60  d-3:62  a-3:69  d-4:74  f-4:77  (...)  
; h-2:59  d-3:62  g-3:67  d-4:74  f-4:77  (...)  
; c-3:60  e-3:64  g-3:67  c-4:72  e-4:76  (...)  
; c-3:60  e-3:64  a-3:69  e-4:76  a-4:81  (...)  
; c-3:60  d-3:62  f#3:66  a-3:69  d-4:74  (...)  
; h-2:59  d-3:62  g-3:67  d-4:74  g-4:79  (...)  
; h-2:59  c-3:60  e-3:64  g-3:67  c-4:72  (...)  
; a-2:57  c-3:60  e-3:64  g-3:67  c-4:72  (...)  
; d-2:50  a-2:57  d-3:62  f#3:66  c-4:72  (...)  
; g-2:55  h-2:59  d-3:62  g-3:67  h-3:71  (...)  
; g-2:55  a#2:58  e-3:64  g-3:67  c#4:73  (...)  
; f-2:53  a-2:57  d-3:62  a-3:69  d-4:74  (...)  
; f-2:53  g#2:56  d-3:62  f-3:65  h-3:71  (...)  
; e-2:52  g-2:55  c-3:60  g-3:67  c-4:72  (...)  
; e-2:52  f-2:53  a-2:57  c-3:60  f-3:65  (...)  
; d-2:50  f-2:53  a-2:57  c-3:60  f-3:65  (...)  
; g-1:43  d-2:50  g-2:55  h-2:59  f-3:65  (...)  
; c-2:48  e-2:52  g-2:55  c-3:60  e-3:64  (...)  
; c-2:48  g-2:55  a#2:58  c-3:60  e-3:64  (...)  
; f-1:41  f-2:53  a-2:57  c-3:60  e-3:64  (...)  
; f#1:42  c-2:48  a-2:57  c-3:60  e-3:64  (...)  
; g#1:44  f-2:53  h-2:59  c-3:60  d-3:62  (...)  
; g-1:43  f-2:53  g-2:55  h-2:59  d-3:62  (...)  
; g-1:43  e-2:52  g-2:55  c-3:60  e-3:64  (...)  
; g-1:43  d-2:50  g-2:55  c-3:60  f-3:65  (...)  
; g-1:43  d-2:50  g-2:55  h-2:59  f-3:65  (...)  
; g-1:43  d#2:51  a-2:57  c-3:60  f#3:66  (...)  
; g-1:43  e-2:52  g-2:55  c-3:60  g-3:67  (...)  
; g-1:43  d-2:50  g-2:55  c-3:60  f-3:65  (...)  
; g-1:43  d-2:50  g-2:55  h-2:59  f-3:65  (...)  
; c-1:36  c-2:48  g-2:55  a#2:58  e-3:64  (...)
```

```
; c-1:36  c-2:48  f-2:53  a-2:57  c-3:60  f-3:65  c-3:60  a-2:57  
; c-3:60  a-2:57  f-2:53  a-2:57  f-2:53  d-2:50  f-2:53  d-2:50  
; c-1:36  h-1:47  g-3:67  h-3:71  d-4:74  f-4:77  d-4:74  h-3:71  
; d-4:74  h-3:71  g-3:67  h-3:71  d-3:62  f-3:65  e-3:64  d-3:62  
; c-1:36  c-2:48  e-3:64  g-3:67  c-4:72
```



Think Diff

```
; c-3:60 e-3:64 g-3:67 c-4:72 e-4:76 (...)  
; c-3:60 d-3:62 a-3:69 d-4:74 f-4:77 (...)  
; h-2:59 d-3:62 g-3:67 d-4:74 f-4:77 (...)  
; c-3:60 e-3:64 g-3:67 c-4:72 e-4:76 (...)  
; a-3:60 e-3:64 a-3:69 e-4:76 a-4:81 (...)  
; c-3:60 d-3:62 f#3:66 a-3:69 d-4:74 (...)  
h-2:59 d-3:62 g-3:67 d-4:74 g-4:79 (...)  
h-2:59 c-3:60 e-3:64 g-3:67 c-4:72 (...)  
a-2:57 c-3:60 e-3:64 g-3:67 c-4:72 (...)  
d-2:50 a-2:57 d-3:62 f#3:66 c-4:72 (...)  
g-2:55 h-2:59 d-3:62 g-3:67 h-3:71 (...)  
g-2:55 a#2:58 e-3:64 g-3:67 c#4:73 (...)  
f-2:53 a-2:57 d-3:62 a-3:69 d-4:74 (...)  
e-2:53 g#2:56 d-3:62 a-3:69 d-4:71 (...)  
e-2:52 g-2:55 c-3:60 g-3:67 (...)  
e-2:52 f-2:53 a-2:57 c-3:60 (...)  
d-2:50 f-2:53 a-2:57 c-3:60 f-3:65 (...)  
g-1:43 d-2:50 g-2:55 h-2:59 f-3:65 (...)  
c-2:48 e-2:52 g-2:55 c-3:60 e-3:64 (...)  
c-2:48 g-2:55 a#2:58 c-3:60 e-3:64 (...)  
f-1:41 f-2:53 a-2:57 c-3:60 e-3:64 (...)  
f#1:42 c-2:48 a-2:57 c-3:60 e-3:64 (...)  
g#1:44 f-2:53 h-2:59 c-3:60 d-3:62 (...)  
g-1:43 f-2:53 g-2:55 h-2:59 d-3:62 (...)  
g-1:43 e-2:52 g-2:55 c-3:60 e-3:64 (...)  
g-1:43 d-2:50 g-2:55 c-3:60 f-3:65 (...)  
g-1:43 d-2:50 g-2:55 h-2:59 f-3:65 (...)  
g-1:43 d#2:51 a-2:57 c-3:60 f#3:66 (...)  
g-1:43 e-2:52 g-2:55 c-3:60 g-3:67 (...)  
g-1:43 d-2:50 g-2:55 c-3:60 f-3:65 (...)  
g-1:43 d-2:50 g-2:55 h-2:59 f-3:65 (...)  
c-1:36 c-2:48 g-2:55 a#2:58 e-3:64 (...)
```

```
; c-1:36 c-2:48 f-2:53 a-2:57 c-3:60 f-3:65 c-3:60 a-2:57  
; c-3:60 a-2:57 f-2:53 a-2:57 f-2:53 d-2:50 f-2:53 d-2:50  
; c-1:36 h-1:47 g-3:67 h-3:71 d-4:74 f-4:77 d-4:74 h-3:71  
; d-4:74 h-3:71 g-3:67 h-3:71 d-3:62 f-3:65 e-3:64 d-3:62  
; c-1:36 c-2:48 e-3:64 g-3:67 c-4:72
```

Focus on values of Part 1



Think Diff

c-3:60	e-3:64	g-3:67	c-4:72	e-4:76	d-2:50	f-2:53	a-2:57	c-3:60	f-3:65
c-3:60	d-3:62	a-3:69	d-4:74	f-4:77	g-1:43	d-2:50	g-2:55	h-2:59	f-3:65
h-2:59	d-3:62	g-3:67	d-4:74	f-4:77	c-2:48	e-2:52	g-2:55	c-3:60	e-3:64
c-3:60	e-3:64	g-3:67	c-4:72	e-4:76	c-2:48	g-2:55	a#2:58	c-3:60	e-3:64
c-3:60	e-3:64	a-3:69	e-4:76	a-4:81	f-1:41	f-2:53	a-2:57	c-3:60	e-3:64
c-3:60	d-3:62	f#3:66	a-3:69	d-4:74	f#1:42	c-2:48	a-2:57	c-3:60	e-3:64
h-2:59	d-3:62	g-3:67	d-4:74	g-4:79	g#1:44	f-2:53	h-2:59	c-3:60	e-3:64
h-2:59	c-3:60	e-3:64	g-3:67	c-4:72	g-1:43	f-2:53	g-2:55	h-2:59	d-3:62
a-2:57	c-3:60	e-3:64	g-3:67	c-4:72	g-1:43	e-2:52	g-2:55	c-3:60	d-3:62
d-2:50	a-2:57	d-3:62	f#3:66	c-4:72	g-1:43	d-2:50	g-2:55	c-3:60	e-3:64
g-2:55	h-2:59	d-3:62	g-3:67	h-3:71	g-1:43	d-2:50	g-2:55	c-3:60	f-3:65
g-2:55	a#2:58	e-3:64	g-3:67	c#4:73	g-1:43	d-2:50	g-2:55	h-2:59	f-3:65
f-2:53	a-2:57	d-3:62	a-3:69	d-4:74	g-1:43	d#2:51	a-2:57	c-3:60	f#3:66
f-2:53	g#2:56	d-3:62	f-3:65	h-3:71	g-1:43	e-2:52	g-2:55	c-3:60	g-3:67
e-2:52	g-2:55	c-3:60	g-3:67	c-4:72	g-1:43	d-2:50	g-2:55	c-3:60	f-3:65
e-2:52	f-2:53	a-2:57	c-3:60	f-3:65	g-1:43	d-2:50	g-2:55	h-2:59	f-3:65
					c-1:36	c-2:48	g-2:55	a#2:58	e-3:64

Think Diff

c-3:60	e-3:64	g-3:67	c-4:72	e-4:76	d-2:50	f-2:53	a-2:57	c-3:60	f-3:65
c-3:60	d-3:62	a-3:69	d-4:74	f-4:77	g-1:43	d-2:50	g-2:55	h-2:59	f-3:65
h-2:59	d-3:62	g-3:67	d-4:74	f-4:77	c-2:48	e-2:52	g-2:55	c-3:60	e-3:64
c-3:60	e-3:64	g-3:67	c-4:72	e-4:76	c-2:48	g-2:55	a#2:58	c-3:60	e-3:64
c-3:60	e-3:64	a-3:69	e-4:76	a-4:81	f-1:41	f-2:53	a-2:57	c-3:60	e-3:64
c-3:60	d-3:62	f#3:66	a-3:69	d-4:74	f#1:42	c-2:48	a-2:57	c-3:60	e-3:64
h-2:59	d-3:62	g-3:67	d-4:74	g-4:79	g#1:44	f-2:53	h-2:59	c-3:60	d-3:62
h-2:59	c-3:60	e-3:64	g-3:67	c-4:72	g-1:43	f-2:53	g-2:55	h-2:59	d-3:62
a-2:57	c-3:60	e-3:64	g-3:67	c-4:72	g-1:43	e-2:52	g-2:55	c-3:60	e-3:64
d-2:50	a-2:57	d-3:62	f#3:66	c-4:72	g-1:43	d-2:50	g-2:55	c-3:60	f-3:65
g-2:55	h-2:59	d-3:62	g-3:67	h-3:71	g-1:43	d-2:50	g-2:55	h-2:59	f-3:65
g-2:55	a#2:58	e-3:64	g-3:67	c#4:73	g-1:43	d#2:51	a-2:57	c-3:60	f#3:66
f-2:53	a-2:57	d-3:62	a-3:69	d-4:74	g-1:43	e-2:52	g-2:55	c-3:60	g-3:67
f-2:53	g#2:56	d-3:62	f-3:65	h-3:71	g-1:43	d-2:50	g-2:55	c-3:60	f-3:65
e-2:52	g-2:55	c-3:60	g-3:67	c-4:72	g-1:43	d-2:50	g-2:55	h-2:59	f-3:65
e-2:52	f-2:53	a-2:57	c-3:60	f-3:65	c-1:36	c-2:48	g-2:55	a#2:58	e-3:64

Think Diff

c-3:60	e-3:64	g-3:67	c-4:72	e-4:76
c-3:60	d-3:62	a-3:69	d-4:74	f-4:77
h-2:59	d-3:62	g-3:67	d-4:74	f-4:77
c-3:60	e-3:64	g-3:67	c-4:72	e-4:76
c-3:60	e-3:64	a-3:69	e-4:76	a-4:81
c-3:60	d-3:62	f#3:66	a-3:69	d-4:74
h-2:59	d-3:62	g-3:67	d-4:74	g-4:79
h-2:59	c-3:60	e-3:64	g-3:67	c-4:72
a-2:57	c-3:60	e-3:64	g-3:67	c-4:72
d-2:50	a-2:57	d-3:62	f#3:66	c-4:72
g-2:55	h-2:59	d-3:62	g-3:67	h-3:71
g-2:55	a#2:58	e-3:64	g-3:67	c#4:73
f-2:53	a-2:57	d-3:62	a-3:69	d-4:74
f-2:53	g#2:56	d-3:62	f-3:65	h-3:71
e-2:52	g-2:55	c-3:60	g-3:67	c-4:72
e-2:52	f-2:53	a-2:57	c-3:60	f-3:65

d-2:50	f-2:53	a-2:57	c-3:60	f-3:65
g-1:43	d-2:50	g-2:55	h-2:59	f-3:65
c-2:48	e-2:52	g-2:55	c-3:60	e-3:64
c-2:48	g-2:55	a#2:58	c-3:60	e-3:64
f-1:41	f-2:53	a-2:57	c-3:60	e-3:64
f#1:42	c-2:48	a-2:57	c-3:60	e-3:64
g#1:44	f-2:53	h-2:59	c-3:60	d-3:62
g-1:43	f-2:53	g-2:55	h-2:59	d-3:62
g-1:43	e-2:52	g-2:55	c-3:60	e-3:64
g-1:43	d-2:50	g-2:55	c-3:60	f-3:65
g-1:43	d-2:50	g-2:55	h-2:59	f-3:65
g-1:43	d#2:51	a-2:57	c-3:60	f#3:66
g-1:43	e-2:52	g-2:55	c-3:60	g-3:67
g-1:43	d-2:50	g-2:55	c-3:60	f-3:65
g-1:43	d-2:50	g-2:55	h-2:59	f-3:65
c-1:36	c-2:48	g-2:55	a#2:58	e-3:64



The raw-diff-5 theory

Think Diff: why raw-diff-5?

Why raw?

Think Diff: why raw-diff-5?

Why raw?

- Two options:
 - raw MIDI notes or
 - mapped data

Think Diff: why raw-diff-5?

Why raw?

- Two options:
 - raw MIDI notes or
 - mapped data
- Dispersion: 31 values in range of 45

Think Diff: why raw-diff-5?

Why raw?

- Two options:
 - raw MIDI notes or
 - mapped data
- Dispersion: 31 values in range of 45
- Indexed requires extra 31-byte table

Think Diff: why raw-diff-5?

Why raw?

- Two options:
 - raw MIDI notes or
 - mapped data
- Dispersion: 31 values in range of 45
- Indexed requires extra 31-byte table
- Can't compress table, only data

Think Diff: why raw-diff-5?

Why diff-5?

Think Diff: why raw-diff-5?

Why diff-5?

- Part 1 contains chord breaks

Think Diff: why raw-diff-5?

Why diff-5?

- Part 1 contains chord breaks
- Chords are evolving slowly to next one

Think Diff: why raw-diff-5?

Why diff-5?

- Part 1 contains chord breaks
- Chords are evolving slowly to next one
- Slowness is emphasized by repeating all chord breaks twice (not stored)

Think Diff: why raw-diff-5?

Why diff-5?

- Part 1 contains chord breaks
- Chords are evolving slowly to next one
- Slowness is emphasized by repeating all chord breaks twice (not stored)
- **Slow change means small diffs**

Think Diff: why raw-diff-5?

Why diff-5?

- Part 1 contains chord breaks
- Chords are evolving slowly to next one
- Slowness is emphasized by repeating all chord breaks twice (not stored)
- Slow change means small diffs
- Chord breaks are 8 notes long

Think Diff: why raw-diff-5?

Why diff-5?

- Part 1 contains chord breaks
- Chords are evolving slowly to next one
- Slowness is emphasized by repeating all chord breaks twice (not stored)
- Slow change means small diffs
- Chord breaks are 8 notes long
- Which are stored in 5 bytes

Think Diff: why raw-diff-5?

Why diff-5?

- Part 1 contains chord breaks
- Chords are evolving slowly to next one
- Slowness is emphasized by repeating all chord breaks twice (not stored)
- Slow change means small diffs
- Chord breaks are 8 notes long
- Which are stored in 5 bytes
- Diff-5 is diff to previous line

Intermission: raw-diff-mixed/1/5

What is diff-mixed/1/5?

Intermission: raw-diff-mixed/1/5

What is diff-mixed/1/5?

- First note of the line: diff-5 (prev line)

Intermission: raw-diff-mixed/1/5

What is diff-mixed/1/5?

- First note of the line: diff-5 (prev line)
- Other notes: diff-1 (prev note)

Intermission: raw-diff-mixed/1/5

What is diff-mixed/1/5?

- First note of the line: diff-5 (prev line)
- Other notes: diff-1 (prev note)
- **No negative diff-1 values**

Intermission: raw-diff-mixed/1/5

What is diff-mixed/1/5?

- First note of the line: diff-5 (prev line)
- Other notes: diff-1 (prev note)
- No negative diff-1 values
- Requires extra code

Think Diff: raw-diff-5 data overview

Added diff values in dump:

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01
c-3:60:=00	e-3:64:=00	a-3:69:+02	e-4:76:+04	a-4:81:+05
c-3:60:=00	d-3:62:-02	f#3:66:-03	a-3:69:-07	d-4:74:-07
h-2:59:-01	d-3:62:=00	g-3:67:+01	d-4:74:+05	g-4:79:+05
(. . .)				

Think Diff: raw-diff-5 data overview

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00							
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01							
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00	d-2:50:-02	f-2:53:=00	a-2:57:=00	c-3:60:=00	f-3:65:=00		
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01	g-1:43:-07	d-2:50:-03	g-2:55:-02	h-2:59:-01	f-3:65:=00		
c-3:60:=00	e-3:64:=00	a-3:69:+02	e-4:76:+04	a-4:81:+05	c-2:48:+05	e-2:52:+02	g-2:55:=00	c-3:60:+01	e-3:64:-01		
c-3:60:=00	d-3:62:-02	f#3:66:-03	a-3:69:-07	d-4:74:-07	c-2:48:=00	g-2:55:+03	a#2:58:+03	c-3:60:=00	e-3:64:=00		
h-2:59:-01	d-3:62:=00	g-3:67:+01	d-4:74:+05	g-4:79:+05	f-1:41:-07	f-2:53:-02	a-2:57:-01	c-3:60:=00	e-3:64:=00		
h-2:59:=00	c-3:60:-02	e-3:64:-03	g-3:67:-07	c-4:72:-07	f#1:42:+01	c-2:48:-05	a-2:57:=00	c-3:60:=00	e-3:64:=00		
a-2:57:-02	c-3:60:=00	e-3:64:=00	g-3:67:=00	c-4:72:=00	g#1:44:+02	f-2:53:+05	h-2:59:+02	c-3:60:=00	d-3:62:-02		
d-2:50:-07	a-2:57:-03	d-3:62:-02	f#3:66:-01	c-4:72:=00	g-1:43:-01	f-2:53:=00	g-2:55:-04	h-2:59:-01	d-3:62:=00		
g-2:55:+05	h-2:59:+02	d-3:62:=00	g-3:67:+01	h-3:71:-01	g-1:43:=00	e-2:52:-01	g-2:55:=00	c-3:60:+01	e-3:64:+02		
g-2:55:=00	a#2:58:-01	e-3:64:+02	g-3:67:=00	c#4:73:+02	g-1:43:=00	d-2:50:-02	g-2:55:=00	c-3:60:=00	f-3:65:+01		
f-2:53:-02	a-2:57:-01	d-3:62:-02	a-3:69:+02	d-4:74:+01	g-1:43:=00	d-2:50:=00	g-2:55:=00	h-2:59:-01	f-3:65:=00		
f-2:53:=00	g#2:56:-01	d-3:62:=00	f-3:65:-04	h-3:71:-03	g-1:43:=00	d#2:51:+01	a-2:57:+02	c-3:60:+01	f#3:66:+01		
e-2:52:-01	g-2:55:-01	c-3:60:-02	g-3:67:+02	c-4:72:+01	g-1:43:=00	e-2:52:+01	g-2:55:-02	c-3:60:=00	g-3:67:+01		
e-2:52:=00	f-2:53:-02	a-2:57:-03	c-3:60:-07	f-3:65:-07	g-1:43:=00	d-2:50:-02	g-2:55:=00	c-3:60:=00	f-3:65:-02		
					g-1:43:=00	d-2:50:=00	g-2:55:=00	h-2:59:-01	f-3:65:=00		
					c-1:36:-07	c-2:48:-02	g-2:55:=00	a#2:58:-01	e-3:64:-01		

c-1:36:=00	c-2:48:=00	f-2:53:-02	a-2:57:-01	c-3:60:-04	f-3:65:+29	c-3:60:+12	a-2:57:+04				
c-3:60:+03	a-2:57:-03	f-2:53:-12	a-2:57:-03	f-2:53:-04	d-2:50:-10	f-2:53:-04	d-2:50:-03				
c-1:36:-21	h-1:47:-06	g-3:67:+17	h-3:71:+18	d-4:74:+24	f-4:77:+41	d-4:74:+27	h-3:71:+04				
d-4:74:+03	h-3:71:-03	g-3:67:-10	h-3:71:-03	d-3:62:-09	f-3:65:-09	e-3:64:-07	d-3:62:-05				

c-1:36:-35 c-2:48:-14 e-3:64:-01 g-3:67:+03 c-4:72:+10

Think Diff: raw-diff-5 data overview

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01
c-3:60:=00	e-3:64:=00	a-3:69:+02	e-4:76:+04	a-4:81:+05
c-3:60:=00	d-3:62:-02	f#3:66:-03	a-3:69:-07	d-4:74:-07
h-2:59:-01	d-3:62:=00	g-3:67:+01	d-4:74:+05	g-4:79:+05
h-2:59:=00	c-3:60:-02	e-3:64:-03	g-3:67:-07	c-4:72:-07
a-2:57:-02	c-3:60:=00	e-3:64:=00	g-3:67:=00	c-4:72:=00
d-2:50:-07	a-2:57:-03	d-3:62:-02	f#3:66:-01	c-4:72:=00
g-2:55:+05	h-2:59:+02	d-3:62:=00	g-3:67:+01	h-3:71:-01
g-2:55:=00	a#2:58:-01	e-3:64:+02	g-3:67:=00	c#4:73:+02
f-2:53:-02	a-2:57:-01	d-3:62:-02	a-3:69:+02	d-4:74:+01
f-2:53:=00	g#2:56:-01	d-3:62:=00	f-3:65:-04	h-3:71:-03
e-2:52:-01	g-2:55:-01	c-3:60:-02	g-3:67:+02	c-4:72:+01
e-2:52:=00	f-2:53:-02	a-2:57:-03	c-3:60:-07	f-3:65:-07

d-2:50:-02	f-2:53:=00	a-2:57:=00	c-3:60:=00	f-3:65:=00
g-1:43:-07	d-2:50:-03	g-2:55:-02	h-2:59:-01	f-3:65:=00
c-2:48:+05	e-2:52:+02	g-2:55:=00	c-3:60:+01	e-3:64:-01
c-2:48:=00	g-2:55:+03	a#2:58:+03	c-3:60:=00	e-3:64:=00
f-1:41:-07	f-2:53:-02	a-2:57:-01	c-3:60:=00	e-3:64:=00
f#1:42:+01	c-2:48:-05	a-2:57:=00	c-3:60:=00	e-3:64:=00
g#1:44:+02	f-2:53:+05	h-2:59:+02	c-3:60:=00	d-3:62:-02
g-1:43:-01	f-2:53:=00	g-2:55:-04	h-2:59:-01	d-3:62:=00
g-1:43:=00	e-2:52:-01	g-2:55:=00	c-3:60:+01	e-3:64:+02
g-1:43:=00	d-2:50:-02	g-2:55:=00	c-3:60:=00	f-3:65:+01
g-1:43:=00	d-2:50:=00	g-2:55:=00	h-2:59:-01	f-3:65:=00
g-1:43:=00	d#2:51:+01	a-2:57:+02	c-3:60:+01	f#3:66:+01
g-1:43:=00	e-2:52:+01	g-2:55:-02	c-3:60:=00	g-3:67:+01
g-1:43:=00	d-2:50:-02	g-2:55:=00	c-3:60:=00	f-3:65:-02
g-1:43:=00	d-2:50:=00	g-2:55:=00	h-2:59:-01	f-3:65:=00
c-1:36:-07	c-2:48:-02	g-2:55:=00	a#2:58:-01	e-3:64:-01

c-1:36:=00	c-2:48:=00	f-2:53:-02	a-2:57:-01	c-3:60:-04	f-3:65:+29	c-3:60:+12	a-2:57:+04
c-3:60:+03	a-2:57:-03	f-2:53:+12	a-2:57:-03	f-2:53:-04	d-2:50:-10	f-2:53:-04	d-2:50:-03
c-1:36:-21	h-1:47:-06	g-3:67:+17	h-3:71:+18	d-4:74:+24	f-4:77:+41	d-4:74:+27	h-3:71:+04
d-4:74:+03	h-3:71:-03	g-3:67:-10	h-3:71:-03	d-3:62:-09	f-3:65:-09	e-3:64:-07	d-3:62:-05

c-1:36:**-35** c-2:48:**-14** e-3:64:-01 g-3:67:+03 c-4:72:+10

Think Diff: raw-diff-5 data overview

```
c-3:60:/00 e-3:64:/00 g-3:67:/00 c-4:72:/00 e-4:76:/00
c-3:60:=00 d-3:62:-02 a-3:69:+02 d-4:74:+02 f-4:77:+01
h-2:59:-01 d-3:62:=00 g-3:67:-02 d-4:74:=00 f-4:77:=00
c-3:60:+01 e-3:64:+02 g-3:67:+00 c-4:72:-02 e-4:76:-01
c-3:60:=00 e-3:64:=00 a-3:69:+02 e-4:76:+04 a-4:81:+05
c-3:60:=00 d-3:62:-02 f#3:66:-03 a-3:69:-07 d-4:74:-07
h-2:59:-01 d-3:62:=00 g-3:67:+01 d-4:74:+05 g-4:79:+05
h-2:59:=00 c-3:60:-02 e-3:64:-03 g-3:67:-07 c-4:72:-07
a-2:57:-02 c-3:60:=00 e-3:64:=00 g-3:67:=00 c-4:72:=00
d-2:50:-07 a-2:57:-03 d-3:62:-02 f#3:66:-01 c-4:72:=00
g-2:55:+05 h-2:59:+02 d-3:62:=00 g-3:67:+01 h-3:71:-01
g-2:55:+00 a#2:58:-01 e-3:64:+02 g-3:67:=00 c#4:73:+02
f-2:53:-02 a-2:57:-01 d-3:62:-02 a-3:69:+02 d-4:74:+01
f-2:53:=00 g#2:56:-01 d-3:62:=00 f-3:65:-04 h-3:71:-03
e-2:52:-01 g-2:55:-01 c-3:60:-02 g-3:67:+02 c-4:72:+01
e-2:52:=00 f-2:53:-02 a-2:57:-03 c-3:60:-07 f-3:65:-07
```

d-2:50:-02	f-2:53:=00	a-2:57:=00	c-3:60:=00	f-3:65:=00
g-1:43:-07	d-2:50:-03	g-2:55:-02	h-2:59:-01	f-3:65:=00
c-2:48:+05	e-2:52:+02	g-2:55:=00	c-3:60:+01	e-3:64:-01
c-2:48:=00	g-2:55:+03	a#2:58:+03	c-3:60:=00	e-3:64:=00
f-1:41:-07	f-2:53:-02	a-2:57:-01	c-3:60:=00	e-3:64:=00
f#1:42:+01	c-2:48:-05	a-2:57:=00	c-3:60:=00	e-3:64:=00
g#1:44:+02	f-2:53:+05	h-2:59:+02	c-3:60:=00	d-3:62:-02
g-1:43:-01	f-2:53:=00	g-2:55:-04	h-2:59:-01	d-3:62:=00
g-1:43:=00	e-2:52:-01	g-2:55:=00	c-3:60:+01	e-3:64:+02
g-1:43:=00	d-2:50:-02	g-2:55:=00	c-3:60:=00	f-3:65:+01
g-1:43:=00	d-2:50:=00	g-2:55:=00	h-2:59:-01	f-3:65:=00
g-1:43:=00	d#2:51:+01	a-2:57:+02	c-3:60:+01	f#3:66:+01
g-1:43:=00	e-2:52:+01	g-2:55:-02	c-3:60:=00	g-3:67:+01
g-1:43:=00	d-2:50:-02	g-2:55:=00	c-3:60:=00	f-3:65:-02
g-1:43:=00	d-2:50:=00	g-2:55:=00	h-2:59:-01	f-3:65:=00
c-1:36:-07	c-2:48:-02	g-2:55:=00	a#2:58:-01	e-3:64:-01

```
c-1:36:=00 c-2:48:=00 f-2:53:-02 a-2:57:-01 c-3:60:-04 f-3:65:+29 c-3:60:+12 a-2:57:+04
c-3:60:+03 a-2:57:-03 f-2:53:+12 a-2:57:-03 f-2:53:-04 d-2:50:-10 f-2:53:-04 d-2:50:-03
c-1:36:-21 h-1:47:-06 g-3:67:+17 h-3:71:+18 d-4:74:+24 f-4:77:+41 d-4:74:+27 h-3:71:+04
d-4:74:+03 h-3:71:-03 g-3:67:-10 h-3:71:-03 d-3:62:-09 f-3:65:-09 e-3:64:-07 d-3:62:-05
```

```
c-1:36:+35 c-2:48:-14 e-3:64:-01 g-3:67:+03 c-4:72:+10
```

Think Diff: raw-diff-5 data overview

```

c-3:60:/00 e-3:64:/00 g-3:67:/00 c-4:72:/00 e-4:76:/00
c-3:60:=00 d-3:62:-02 a-3:69:+02 d-4:74:+02 f-4:77:+01
h-2:59:-01 d-3:62:=00 g-3:67:-02 d-4:74:+00 f-4:77:+00
c-3:60:+01 e-3:64:+02 g-3:67:=00 c-4:72:-02 e-4:76:-01
c-3:60:=00 e-3:64:=00 a-3:69:+02 e-4:76:+04 a-4:81:+05
c-3:60:=00 d-3:62:-02 f#3:66:-03 a-3:69:-07 d-4:74:+07
h-2:59:-01 d-3:62:=00 g-3:67:+01 d-4:74:+05 g-4:79:+05
h-2:59:=00 c-3:60:-02 e-3:64:-03 g-3:67:-07 c-4:72:-07
a-2:57:-02 c-3:60:=00 e-3:64:=00 g-3:67:+00 c-4:72:+00
d-2:50:-07 a-2:57:-03 d-3:62:-02 f#3:66:-01 c-4:72:+00
g-2:55:+05 h-2:59:+02 d-3:62:=00 g-3:67:+01 h-3:71:-01
g-2:55:=00 a#2:58:-01 e-3:64:+02 g-3:67:+00 c#4:73:+02
f-2:53:-02 a-2:57:-01 d-3:62:-02 a-3:69:+02 d-4:74:+01
f-2:53:=00 g#2:56:-01 d-3:62:=00 f-3:65:-04 h-3:71:-03
e-2:52:-01 g-2:55:-01 c-3:60:-02 g-3:67:+02 c-4:72:+01
e-2:52:=00 f-2:53:-02 a-2:57:-03 c-3:60:-07 f-3:65:-07
d-2:50:-02 f-2:53:=00 a-2:57:+00 c-3:60:=00 f-3:65:=00
g-1:43:-07 d-2:50:-03 g-2:55:-02 h-2:59:-01 f-3:65:=00
c-2:48:+05 e-2:52:+02 g-2:55:+00 c-3:60:+01 e-3:64:-01
c-2:48:+00 g-2:55:+03 a#2:58:+03 c-3:60:=00 e-3:64:=00
f-1:41:-07 f-2:53:-02 a-2:57:-01 c-3:60:=00 e-3:64:=00
f#1:42:+01 c-2:48:-05 a-2:57:+00 c-3:60:=00 e-3:64:=00
g#1:44:+02 f-2:53:+03 h-2:59:+02 c-3:60:=00 d-3:62:-02
g-1:43:-01 f-2:53:=00 g-2:55:-04 h-2:59:-01 d-3:62:=00
g-1:43:-00 e-2:52:-01 g-2:55:+00 c-3:60:+01 e-3:64:+02
g-1:43:-00 d-2:52:-01 g-2:55:+00 c-3:60:+01 f-3:65:+01
g-1:43:-00 d-2:50:-02 g-2:55:+00 c-3:60:=00 f-3:65:+01
g-1:43:-00 d-2:50:-01 g-2:55:+00 h-2:59:-01 f-3:65:=00
g-1:43:-00 d#2:51:+01 a-2:57:+02 c-3:60:+01 f#3:66:+01
g-1:43:-00 e-2:52:+01 g-2:55:-02 c-3:60:=00 g-3:67:+01
g-1:43:-00 d-2:50:-02 g-2:55:+00 c-3:60:=00 f-3:65:-02
g-1:43:-00 d-2:50:+00 g-2:55:+00 h-2:59:-01 f-3:65:=00
c-1:36:-07 c-2:48:-02 g-2:55:+00 a#2:58:-01 e-3:64:-01

```

c-1:36:=00	c-2:48:=00	f-2:53:-02	a-2:57:-01	c-3:60:-04	f-3:65:+29	c-3:60:+12	a-2:57:+04
c-3:60:+03	a-2:57:-03	f-2:53:-12	a-2:57:-03	f-2:53:-04	d-2:50:-10	f-2:53:-04	d-2:50:-03
c-1:36:-21	h-1:47:-06	g-3:67:+17	h-3:71:+18	d-4:74:+24	f-4:77:+41	d-4:74:+27	h-3:71:+04
d-4:74:+03	h-3:71:-03	g-3:67:-10	h-3:71:-03	d-3:62:-09	f-3:65:-09	e-3:64:-07	d-3:62:-05

c-1:36:-35 c-2:48:-14 e-3:64:-01 g-3:67:+03 c-4:72:+10

Histogram of raw-diff-5 (27 values, 197 notes)

```
; -35 1 1 #
; -21 1 2 #
; -14 1 3 #
; -12 1 4 #
; -10 2 6 ##
; -09 2 8 ##
; -07 11 19 #####
; -06 1 20 #
; -05 2 22 ##
; -04 5 27 #####
; -03 11 38 #####
; -02 21 59 #####
; -01 22 81 #####
; =00 65 146 #####
; +01 15 161 #####
; +02 14 175 #####
; +03 5 180 #####
; +04 3 183 ###
; +05 6 189 #####
; +10 1 190 #
; +12 1 191 #
; +17 1 192 #
; +18 1 193 #
; +24 1 194 #
; +27 1 195 #
; +29 1 196 #
; +41 1 197 #
```

Histogram of raw-diff-5 (27 values, 197 notes)

```
; 1. =00 65 65 #####
; 2. -01 22 87 #####
; 3. -02 21 108 #####
; 4. +01 15 123 #####
; 5. +02 14 137 #####
; 6. -07 11 148 #####
; 7. -03 11 159 #####
; 8. +05 6 165 #####
; 9. -04 5 170 #####
; 10. +03 5 175 #####
; 11. +04 3 178 #####
; 12. -10 2 180 ##
; 13. -09 2 182 ##
; 14. -05 2 184 ##
; 15. -35 1 185 #
; 16. -21 1 186 #
; 17. -14 1 187 #
; 18. -12 1 188 #
; 19. -06 1 189 #
; 20. +41 1 190 #
; 21. +29 1 191 #
; 22. +27 1 192 #
; 23. +24 1 193 #
; 24. +18 1 194 #
; 25. +17 1 195 #
; 26. +12 1 196 #
; 27. +10 1 197 #
```

Histogram of raw-diff-5 (27 values, 197 notes)

```

; 1. =00 65 65 #####
; 2. -01 22 87 #####
; 3. -02 21 108 #####
; 4. +01 15 123 #####
; 5. +02 14 137 #####
; 6. -07 11 148 #####
; 7. -03 11 159 #####
; 8. +05 6 165 #####
; 9. -04 5 170 #####
; 10. +03 5 175 #####
; 11. +04 3 178 #####
; 12. -10 2 180 ##
; 13. -09 2 182 ##
; 14. -05 2 184 ##
; 15. -35 1 185 #
; 16. -21 1 186 #
; 17. -14 1 187 #
; 18. -12 1 188 #
; 19. -06 1 189 #
; 20. +41 1 190 #
; 21. +29 1 191 #
; 22. +27 1 192 #
; 23. +24 1 193 #
; 24. +18 1 194 #
; 25. +17 1 195 #
; 26. +12 1 196 #
; 27. +10 1 197 #

```

Top-heavy:
33% weight for
top value (0.4%)

Histogram of raw-diff-5 (27 values, 197 notes)

```

; 1. =00 65 65 #####
; 2. -01 22 87 #####
; 3. -02 21 108 #####
; 4. +01 15 123 #####
; 5. +02 14 137 #####
; 6. -07 11 148 #####
; 7. -03 11 159 #####
; 8. +05 6 165 #####
; 9. -04 5 170 #####
; 10. +03 5 175 #####


---


; 11. +04 3 178 #####
; 12. -10 2 180 #####
; 13. -09 2 182 #####
; 14. -05 2 184 #####
; 15. -35 1 185 #
; 16. -21 1 186 #
; 17. -14 1 187 #
; 18. -12 1 188 #
; 19. -06 1 189 #
; 20. +41 1 190 #
; 21. +29 1 191 #
; 22. +27 1 192 #
; 23. +24 1 193 #
; 24. +18 1 194 #
; 25. +17 1 195 #
; 26. +12 1 196 #
; 27. +10 1 197 #

```

Long tail:
11% weight for
63% of values

Compression

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
- Store most frequent values in short-words

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
- **Store most frequent values in short-words**

```
ccc  ccc  ccc  ccc  ccc  ccc  ccc  ccc  ccc
```

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
- **Store most frequent values in short-words**

cccccccccc COMP

The diagram illustrates a compressed storage scheme. It shows ten occurrences of the string 'ccc' followed by a single word 'COMP'. The entire sequence is enclosed in a rectangular border with a thick grey bottom edge.

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
- Store most frequent values in short-words



Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
 - Store most frequent values in short-words
-
- The diagram illustrates a sequence of data storage. On the left, there is a horizontal line with ten segments, each containing the short word 'ccc'. To the right of this sequence is a vertical bar divided into two sections: a lower section containing the short word 'ccc' and an upper section containing the long word 'COMP'. This visual representation demonstrates how frequent values are stored using short words, while less frequent values are represented by longer words.
- Store special marker short-word followed by a long-word for less frequent values

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
- Store most frequent values in short-words

ccc ccc ccc ccc ccc ccc ccc ccc COMP

- Store special marker short-word followed by a long-word for less frequent values

sss+uuuuu sss+uuuuu sss+uuuuu ccc ccc sss+uuuu

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
- Store most frequent values in short-words

ccc ccc ccc ccc ccc ccc ccc ccc COMP

- Store special marker short-word followed by a long-word for less frequent values

sss+uuuuu sss+uuuuu sss+uuuuu ccc ccc sss+uuuu ucomp

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
- Store most frequent values in short-words

ccc ccc ccc ccc ccc ccc ccc ccc COMP

- Store special marker short-word followed by a long-word for less frequent values

sss+uuuuu sss+uuuuu sss+uuuuu ccc ccc sss+uuuu UCOMP

uncompressed

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
- Store most frequent values in short-words



- Store special marker short-word followed by a long-word for less frequent values



- Needs index tables

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
- Store most frequent values in short-words



- Store special marker short-word followed by a long-word for less frequent values



- Needs index tables
- First notes must be stored (have no diff)

Compression

- Split data to top frequent and less frequent set of values around 80%..20% weight
- Store most frequent values in short-words



- Store special marker short-word followed by a long-word for less frequent values



- Needs index tables
- First notes must be stored (have no diff)

Compression: raw-diff-5 @ 2

<pre>; 1. =00 65 65 ########## ; 2. -01 22 87 ##### ; 3. -02 21 108 ##### ; 4. +01 15 123 ##### ; 5. +02 14 137 ##### ; 6. -07 11 148 ##### ; 7. -03 11 159 ##### ; 8. +05 6 165 ##### ; 9. -04 5 170 ##### ; 10. +03 5 175 ##### ; 11. +04 3 178 ##### ; 12. -10 2 180 ## ; 13. -09 2 182 ## ; 14. -05 2 184 ## ; 15. -35 1 185 # ; 16. -21 1 186 # ; 17. -14 1 187 # ; 18. -12 1 188 # ; 19. -06 1 189 # ; 20. +41 1 190 # ; 21. +29 1 191 # ; 22. +27 1 192 # ; 23. +24 1 193 # ; 24. +18 1 194 # ; 25. +17 1 195 # ; 26. +12 1 196 # ; 27. +10 1 197 #</pre>	<hr/> <p>55%: 2-bit</p> <hr/> <p>45%: 7-bit</p>
--	---

Compression: raw-diff-5 @ 3

```

; 1. =00 65 65 ##########
; 2. -01 22 87 #####
; 3. -02 21 108 #####
; 4. +01 15 123 #####
; 5. +02 14 137 #####
; 6. -07 11 148 #####
; 7. -03 11 159 #####
; 8. +05 6 165 #####
; 9. -04 5 170 #####
; 10. +03 5 175 #####
; 11. +04 3 178 ##
; 12. -10 2 180 ##
; 13. -09 2 182 ##
; 14. -05 2 184 ##
; 15. -35 1 185 #
; 16. -21 1 186 #
; 17. -14 1 187 #
; 18. -12 1 188 #
; 19. -06 1 189 #
; 20. +41 1 190 #
; 21. +29 1 191 #
; 22. +27 1 192 #
; 23. +24 1 193 #
; 24. +18 1 194 #
; 25. +17 1 195 #
; 26. +12 1 196 #
; 27. +10 1 197 #

```

81%: 3-bit

19%: 7-bit

Compression: raw-diff-5 @ 4

```

; 1. =00 65 65 ##########
; 2. -01 22 87 #####
; 3. -02 21 108 #####
; 4. +01 15 123 #####
; 5. +02 14 137 #####
; 6. -07 11 148 #####
; 7. -03 11 159 #####
; 8. +05 6 165 #####
; 9. -04 5 170 #####
; 10. +03 5 175 #####
; 11. +04 3 178 ###
; 12. -10 2 180 ##
; 13. -09 2 182 ##
; 14. -05 2 184 ##
; 15. -35 1 185 #
94%: 4-bit


---


; 16. -21 1 186 #
; 17. -14 1 187 #
; 18. -12 1 188 #
; 19. -06 1 189 #
; 20. +41 1 190 #
; 21. +29 1 191 #
; 22. +27 1 192 #
; 23. +24 1 193 #
; 24. +18 1 194 #
; 25. +17 1 195 #
; 26. +12 1 196 #
; 27. +10 1 197 #
6%: 8-bit

```

Compression: nutab

No Uncompressed Table

Compression: nutab

No Uncompressed Table:

- High number of values – large table

Compression: nutab

No Uncompressed Table:

- High number of values – large table
- Low utilization of the table (usually 1 note)

Compression: nutab

No Uncompressed Table:

- High number of values – large table
- Low utilization of the table (usually 1 note)
- Range of minimum and maximum value is not much bigger than table size

Compression: nutab


No Uncompressed Table:

- High number of values – large table
- Low utilization of the table (usually 1 note)
- Range of minimum and maximum value is not much bigger than table size
- **Table needs some extra code**

Compression: nutab

No Uncompressed Table:

- High number of entries (large table)
- Low utilization (usually 1 note)
- Range of memory addresses (num
- value is not contiguous)
- Table needs to be indexed



*Show me the proof!
I need evidence*


Compression: nutab

<i>split</i>	<i>table</i>	<i>value range</i>	<i>bits per item</i>	<i>storage + table</i>	<i>ucomp total</i>
raw-diff-5 @ 2	yes	24	5	77 + 24	101
	nutab	76	7	100	100
raw-diff-5 @ 3	yes	20	5	38 + 20	58
	nutab	76	7	47	47
raw-diff-5 @ 4	yes	12	4	12 + 12	24
	nutab	62	6	15	15

Compression: nutab

<i>split</i>	<i>table</i>	<i>value range</i>	<i>bits per item</i>	<i>storage + table</i>	<i>ucomp total</i>
raw-diff-5 @ 2	yes	24	5	77 + 24	101
	nutab	76	7	100	100
raw-diff-5 @ 3	yes	20	5	38 + 20	58
	nutab	76	7	47	47
raw-diff-5 @ 4	yes	12	4	12 + 12	24
	nutab	62	6	15	

Okay.



Compression: nctab

No Compressed Table

Compression: nctab

No Compressed Table:

- Top values are almost continuous

Compression: nctab

No Compressed Table:

- Top values are almost continuous
- Swap values for continuous range

Compression: nctab

No Compressed Table:

- Top values are almost continuous
- Swap values for continuous range
- Small compromise for eliminating
Compressed Table

Compression: nctab

```

; 1. =00 65 65 ##########
; 2. -01 22 87 #####
; 3. -02 21 108 #####
; 4. +01 15 123 #####
; 5. +02 14 137 #####
; 6. -07 11 148 #####
; 7. -03 11 159 #####


---


; 8. +05 6 165 #####
; 9. -04 5 170 #####
; 10. +03 5 175 #####
; 11. +04 3 178 ###
; 12. -10 2 180 ##
; 13. -09 2 182 ##
; 14. -05 2 184 ##
; 15. -35 1 185 #

```

Swap -07: 11 notes
With +03: 5 notes

Compression: nctab

```

; 1. =00 65 65 ##########
; 2. -01 22 87 #####
; 3. -02 21 108 #####
; 4. +01 15 123 #####
; 5. +02 14 137 #####
; 10. +03 5 175 #####
; 7. -03 11 159 #####
; 8. +05 6 165 #####
; 9. -04 5 170 #####
; 6. -07 11 148 #####
; 11. +04 3 178 ###
; 12. -10 2 180 ##
; 13. -09 2 182 ##
; 14. -05 2 184 ##
; 15. -35 1 185 #

```

Swap -07: 11 notes
 With +03: 5 notes

Compression: nctab

```

; 1. =00 65 65 ##########
; 2. -01 22 87 #####
; 3. -02 21 108 #####
; 4. +01 15 123 #####
; 5. +02 14 137 #####
; 10. +03 5 175 #####
; 7. -03 11 159 #####
; 8. +05 6 165 #####
; 9. -04 5 170 #####
; 6. -07 11 148 #####
; 11. +04 3 178 ###
; 12. -10 2 180 ##
; 13. -09 2 182 ##
; 14. -05 2 184 ##
; 15. -35 1 185 #

```

Top notes: -03..+03

Compression: select method

Compression: select method

<i>note</i>	<i>diff</i>	<i>compressed word size</i>	<i>compressed table</i>	<i>uncompressed table</i>
raw-mapped-	diff-1 diff-2 diff-3 diff-4 diff-5 diff-6 diff-7 diff-8 diff-mixed/1/5	@ 2 @ 3 @ 4 @ 6	yes nctab	yes nutab

$$2 * 9 * 4 * 2 * 2 = \mathbf{288} \text{ variations}$$

Compression: select method

Select compression method:

- Create estimation for all the 288 variations

Compression: select method

Select compression method:

- Create estimation for all the 288 variations
- Accurate estimation of data and table sizes

Compression: select method

Select compression method:

- Create estimation for all the 288 variations
- Accurate estimation of data and table sizes
- Can't calculate required code size

Compression: select method

Select compression method:

- Create estimation for all the 288 variations
- Accurate estimation of data and table sizes
- Can't calculate required code size



Challenge accepted.

Compression: compare methods

Compression: compare methods

; ----- estimation for raw-diff-5 @ 3 nutab -----

Compression: compare methods

; ----- estimation for raw-diff-5 @ 3 nutab -----

This is the estimation for:

- diff from 5 notes behind

Compression: compare methods

; ----- estimation for raw-diff-5 @ 3 nutab -----

This is the estimation for:

- diff from 5 notes behind
- compressed word size is 3-bit

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
```

This is the estimation for:

- diff from 5 notes behind
- compressed word size is 3-bit
- use table for compressed values
(not mentioned)

Compression: compare methods

; ----- estimation for raw-diff-5 @ 3 nutab -----

This is the estimation for:

- diff from 5 notes behind
- compressed word size is 3-bit
- use table for compressed values
- no table for uncompressed values

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----  
;
```

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
```

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:    7.c    20.u    27.t
```

Number of different note values:

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:    7.c    20.u    27.t
```

Number of different note values:

- 7 compressed (table index)

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
```

Number of different note values:

- 7 compressed (table index)
- 20 uncompressed (nutab: raw pitch range)

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:    7.c    20.u    27.t
```

Number of different note values:

- 7 compressed (table index)
- 20 uncompressed (nutab: raw pitch range)
- 27 total

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
; note count:   159.c   38.u   197.t
```

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u   27.t
; note count: 159.c    38.u   197.t
```

Note count (no. of occurrences):

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u   27.t
; note count: 159.c    38.u   197.t
```

Note count (no. of occurrences):

- 159 compressed

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u   27.t
; note count: 159.c  38.u  197.t
```

Note count (no. of occurrences):

- 159 compressed
- 38 uncompressed

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u   27.t
; note count: 159.c    38.u  197.t
```

Note count (no. of occurrences):

- 159 compressed
- 38 uncompressed
- 197 total

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
; note count:   159.c   38.u   197.t
; note bits:     3.c    10.u
```

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u   27.t
; note count: 159.c    38.u   197.t
; note bits:     3.c    10.u
```

Storage needed by one note:

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u   27.t
; note count: 159.c    38.u   197.t
; note bits:     3.c    10.u
```

Storage needed by one note:

- 3 bits for compressed

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
; note count:   159.c   38.u   197.t
; note bits:     3.c    10.u
```

Storage needed by one note:

- 3 bits for compressed
- 10 bits for uncompressed (spec: 3 + data: 7)

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
; note count:   159.c   38.u   197.t
; note bits:     3.c    10.u
; storage:       59.c   47.u   107.t
```

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u   27.t
; note count:   159.c   38.u   197.t
; note bits:     3.c    10.u
; storage:      59.c   47.u   107.t
```

Storage needed for song data:

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u   27.t
; note count: 159.c    38.u   197.t
; note bits:     3.c    10.u
; storage:       59.c    47.u   107.t
```

Storage needed for song data:

- 59 bytes for compressed

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u   27.t
; note count: 159.c    38.u   197.t
; note bits:     3.c    10.u
; storage:       59.c   47.u   107.t
```

Storage needed for song data:

- 59 bytes for compressed
- 47 bytes for uncompressed

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u   27.t
; note count: 159.c    38.u   197.t
; note bits:     3.c    10.u
; storage:       59.c   47.u  107.t
```

Storage needed for song data:

- 59 bytes for compressed
- 47 bytes for uncompressed
- 107 bytes total

Compression: compare methods

; note num:	7.c	20.u	27.t
; note count:	159.c	38.u	197.t
; note bits:	3.c	10.u	
; storage:	59.c	47.u	107.t
; table:	7.c	0.u	7.t

Compression: compare methods

; note num:	7.c	20.u	27.t
; note count:	159.c	38.u	197.t
; note bits:	3.c	10.u	
; storage:	59.c	47.u	107.t
; table:	7.c	0.u	7.t

Storage needed for tables:

Compression: compare methods

; note num:	7.c	20.u	27.t
; note count:	159.c	38.u	197.t
; note bits:	3.c	10.u	
; storage:	59.c	47.u	107.t
; table:	7.c	0.u	7.t

Storage needed for tables:

- 7 bytes for compressed

Compression: compare methods

; note num:	7.c	20.u	27.t
; note count:	159.c	38.u	197.t
; note bits:	3.c	10.u	
; storage:	59.c	47.u	107.t
; table:	7.c	0.u	7.t

Storage needed for tables:

- 7 bytes for compressed
- none for uncompressed (nutab)

Compression: compare methods

; note num:	7.c	20.u	27.t
; note count:	159.c	38.u	197.t
; note bits:	3.c	10.u	
; storage:	59.c	47.u	107.t
; table:	7.c	0.u	7.t

Storage needed for tables:

- 7 bytes for compressed
- none for uncompressed (nutab)
- 7 bytes total

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
; note count:   159.c   38.u   197.t
; note bits:     3.c    10.u
; storage:       59.c   47.u   107.t
; table:         7.c    0.u    7.t
; total bytes (storage + leading + table): 120
```

Total storage required:

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
; note count:   159.c   38.u   197.t
; note bits:     3.c    10.u
; storage:       59.c   47.u   107.t
; table:         7.c    0.u    7.t
; total bytes (storage + leading + table): 120
```

Total storage required: 107

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
; note count:   159.c   38.u   197.t
; note bits:     3.c    10.u
; storage:       59.c   47.u   107.t
; table:         7.c    0.u    7.t
; total bytes (storage + leading + table): 120
```

Total storage required: 107 + 5

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
; note count:   159.c   38.u   197.t
; note bits:     3.c    10.u
; storage:       59.c   47.u   107.t
; table:         7.c    0.u    7.t
; total bytes (storage + leading + table): 120
```

Total storage required: 107 + 5 + 7

Compression: compare methods

```
; ----- estimation for raw-diff-5 @ 3 nutab -----
;
; note num:      7.c    20.u    27.t
; note count:   159.c   38.u   197.t
; note bits:     3.c    10.u
; storage:       59.c   47.u   107.t
; table:         7.c     0.u     7.t
; total bytes (storage + leading + table): 120
```

Total storage required: $107 + 5 + 7 = \text{120 bytes}$

Compression: compare methods

We have histogram,
estimation and
data generator
for all the
288
variations

Compression: compare methods

The winner is...



Compression: compare methods


;	raw-diff-mixed/1/5 @ 4 nctab nutab	=	114
;	raw-diff-mixed/1/5 @ 3 nutab	=	117
;	raw-diff-5 @ 3 nctab nutab	=	118
;	raw-diff-5 @ 4 nctab nutab	=	118
;	raw-diff-5 @ 3 nutab	=	120
;	raw-diff-mixed/1/5 @ 4 nctab	=	122
;	raw-diff-mixed/1/5 @ 4 nutab	=	124
;	raw-diff-1 @ 3 nutab	=	125
;	raw-diff-5 @ 4 nctab	=	126
;	raw-diff-1 @ 2 nutab	=	127
;	raw-diff-5 @ 3 nctab	=	127
;	raw-diff-mixed/1/5 @ 2 nutab	=	127
;	raw-diff-5 @ 4 nutab	=	128



Compression: compare methods

```
;raw-diff-mixed/1/5 @ 4 nctab nutab = 114
;raw-diff-mixed/1/5 @ 3 nutab = 117
;raw-diff-5 @ 3 nctab nutab = 118
;raw-diff-5 @ 4 nctab nutab = 118
;raw-diff-5 @ 3 nutab = 120
;raw-diff-mixed/1/5 @ 4 nctab = 122
;raw-diff-mixed/1/5 @ 4 nutab = 124
( . . . )
;mapped-diff-5 @ 3 = 160
;mapped-diff-mixed/1/5 @ 4 = 160
;raw-diff-1 @ 5 = 161
```

Compression: compare methods



Creating data (raw-diff-5 @ 3 nctab nutab)

Creating data (raw-diff-5 @ 3 nctab nutab)

```
; 1. =00 65 65 #####  
; 2. -01 22 87 #####  
; 3. -02 21 108 #####  
; 4. +01 15 123 #####  
; 5. +02 14 137 #####  
; 10. +03 5 175 #####  
; 7. -03 11 159 #####  
; 8. +05 6 165 #####  
; 9. -04 5 170 #####  
; 6. -07 11 148 #####  
; 11. +04 3 178 ###  
; 12. -10 2 180 ##  
; 13. -09 2 182 ##  
; 14. -05 2 184 ##  
; 15. -35 1 185 #
```

Top notes: -03..+03



remember...

Creating data (raw-diff-5 @ 3 nctab nutab)

```
cSub = 4
uSub = 42
spec = 0

for i in range(0,len(self.notes)):
    note = self.notes[i]
    diff = note.get("raw-diff-5")

    if diff in (-3,-2,-1,0,1,2,3):
        self.renderDataBits(3,diff + cSub)
    else:
        self.renderDataBits(3,spec)
        self.renderDataBits(7,diff + uSub)
```

Creating data (raw-diff-5 @ 3 nctab nutab)

```
cSub = 4  
uSub = 42  
spec = 0
```



```
for i in range(0,len(self.notes)):  
    note = self.notes[i]  
    diff = note.get("raw-diff-5")  
  
    if diff in (-3,-2,-1,0,1,2,3):  
        self.renderDataBits(3,diff + cSub)  
    else:  
        self.renderDataBits(3,spec)  
        self.renderDataBits(7,diff + uSub)
```

Creating data (raw-diff-5 @ 3 nctab nutab)

compressed

```
cSub = 4
uSub = 42
spec = 0

for i in range(0,len(self.notes)):
    note = self.notes[i]
    diff = note.get("raw-diff-5")

    if diff in (-3,-2,-1,0,1,2,3):
        self.renderDataBits(3,diff + cSub)
    else:
        self.renderDataBits(3,spec)
        self.renderDataBits(7,diff + uSub)
```

Creating data (raw-diff-5 @ 3 nctab nutab)

uncompressed

```
cSub = 4
uSub = 42
spec = 0

for i in range(0,len(self.notes)):
    note = self.notes[i]
    diff = note.get("raw-diff-5")

    if diff in (-3,-2,-1,0,1,2,3):
        self.renderDataBits(3,diff + cSub)
    else:
        self.renderDataBits(3,spec)
        self.renderDataBits(7,diff + uSub)
```

Creating data (raw-diff-5 @ 3 nctab nutab)

The final data

```
; value to subtract from compressed data  
DATA_CSUB = 4  
  
; value to subtract from uncompressed data  
DATA_USUB = 42  
  
data_notes: ; bit packed note data  
  
db $92,$49,$16,$d5,$c5,$25,$d1,$39  
db $30,$5c,$17,$c4,$42,$30,$8d,$ca  
db $17,$85,$f1,$10,$8c,$23,$52,$48  
db $11,$94,$e0,$5f,$a5,$71,$e9,$93  
db $5a,$c7,$02,$62,$da,$d6,$22,$11  
db $84,$6a,$49,$02,$32,$9c,$0b,$f4  
db $ae,$7f,$20,$46,$9c,$94,$25,$92  
db $60,$bf,$44,$e0,$4c,$e4,$72,$e8  
db $a4,$b2,$47,$25,$d6,$ca,$a5,$8a  
db $45,$24,$70,$23,$51,$b9,$13,$09  
db $84,$70,$d8,$2e,$e4,$1e,$21,$30  
db $40,$13,$10,$54,$24,$0e,$c3,$c1  
db $08,$53,$11,$42,$ee,$42,$02,$10  
db $84,$21,$18,$4a,$03,$83,$8f,$86  
db $95
```

Creating data (raw-diff-5 @ 3 nctab nutab)

The final* data


```
; value to subtract from compressed data  
DATA_CSUB = 4  
  
; value to subtract from uncompressed data  
DATA_USUB = 42  
  
data_notes: ; bit packed note data  
  
db $92,$49,$16,$d5,$c5,$25,$d1,$39  
db $30,$5c,$17,$c4,$42,$30,$8d,$ca  
db $17,$85,$f1,$10,$8c,$23,$52,$48  
db $11,$94,$e0,$5f,$a5,$71,$e9,$93  
db $5a,$c7,$02,$62,$da,$d6,$22,$11  
db $84,$6a,$49,$02,$32,$9c,$0b,$f4  
db $ae,$7f,$20,$46,$9c,$94,$25,$92  
db $60,$bf,$44,$e0,$4c,$e4,$72,$e8  
db $a4,$b2,$47,$25,$d6,$ca,$a5,$8a  
db $45,$24,$70,$23,$51,$b9,$13,$09  
db $84,$70,$d8,$2e,$e4,$1e,$21,$30  
db $40,$13,$10,$54,$24,$0e,$c3,$c1  
db $08,$53,$11,$42,$ee,$42,$02,$10  
db $84,$21,$18,$4a,$03,$83,$8f,$86  
db $95
```

* not

Decoding data (raw-diff-5 @ 3 nctab nutab)

Decoding data (raw-diff-5 @ 3 nctab nutab)

```
db $92,$49,$16,$d5,$c5,$25,$d1,$39  
db $30,$5c,$17,$c4,$42,$30,$8d,$ca
```



c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72: -02	e-4:76: -01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72: -02	e-4:76: -01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72: -02	e-4:76: -01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4 4

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4 4 4

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4 4 4 4

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4 4 4 4 4

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001

%00010110 %11010101

#####

4 4 4 4 4

CSUB=4

USUB=42

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001

%00010110 %11010101

#####

4	4	4	4	4
0	0	0	0	0

CSUB=4

USUB=42

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

84218421

\$49

84218421

\$16

84218421

\$d5

84218421

%10010010 %01001001

#####

4	4	4	4	4
0	0	0	0	0

%00010110 %11010101

CSUB=4
USUB=42

c-3:60:/00

c-3:60:=00

h-2:59:-01

c-3:60:+01

e-3:64:/00

d-3:62:-02

d-3:62:=00

e-3:64:+02

g-3:67:/00

a-3:69:+02

g-3:67:-02

g-3:67:=00

c-4:72:/00

d-4:74:+02

d-4:74:=00

c-4:72:-02

e-4:76:/00

f-4:77:+01

f-4:77:=00

e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4
0	0	0	0	0

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4 4 4 4 4 4
0 0 0 0 0

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4
0	0	0	0	0	0

CSUB=4
USUB=42

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4
0	0	0	0	0	0

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4 4 4 4 4 4

0 0 0 0 0 0

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4	2
0	0	0	0	0	0	

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4	2
0	0	0	0	0	0	-2

CSUB=4
USUB=42

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4	2
0	0	0	0	0	0	-2

CSUB=4

USUB=42

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72: -02	e-4:76: -01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4	2
0	0	0	0	0	0	-2

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4	2
0	0	0	0	0	0	-2

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4	4	2	6
0	0	0	0	0	0	0	-2	

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110

%11010101

#####

4	4	4	4	4	4	2	6
0	0	0	0	0	0	-2	2

CSUB=4
USUB=42

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4	2	6
0	0	0	0	0	0	-2	2

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4	2	6	6
0	0	0	0	0	0	-2	2	2

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

#####

4

4

4

4

4

4

2

6

0

0

0

0

0

0

-2

2

6
2

c-3:60:/00

e-3:64:/00

g-3:67:/00

c-4:72:/00

e-4:76:/00

c-3:60:=00

d-3:62:-02

a-3:69:+02

d-4:74:+02

f-4:77:+01

h-2:59:-01

d-3:62:=00

g-3:67:-02

d-4:74:=00

f-4:77:=00

c-3:60:+01

e-3:64:+02

g-3:67:=00

c-4:72:-02

e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4	2	6	6	5
0	0	0	0	0	0	-2	2	2	1

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

84218421

84218421

84218421

84218421

%10010010 %01001001 %00010110 %11010101

#####

4	4	4	4	4	4	4	2	6	6	5
0	0	0	0	0	0	0	-2	2	2	1

c-3:60:/00	e-3:64:/00	g-3:67:/00	c-4:72:/00	e-4:76:/00
c-3:60:=00	d-3:62:-02	a-3:69:+02	d-4:74:+02	f-4:77:+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72: -02	e-4:76: -01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

8421				421
%1001				101
#####				###
4				
0				
c-3:0				/00
c-3:0				+01
h-2:59:-01	d-3:62:=00	g-3:67:-02	d-4:74:=00	f-4:77:=00
c-3:60:+01	e-3:64:+02	g-3:67:=00	c-4:72:-02	e-4:76:-01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

8421
%1001

421
101

Sorry, no uncompressed example...
Because it's so effective!

c-3:0

c-3:0

h-2:59:-01

d-3:62:=00

g-3:67:-02

d-4:74:=00

f-4:77:=00

c-3:60:+01

e-3:64:+02

g-3:67:=00

c-4:72:-02

e-4:76:-01

/00

+01

Decoding data (raw-diff-5 @ 3 nctab nutab)

\$92

\$49

\$16

\$d5

8421

%1001

#####

4

0

421

101

###

Sorry, no uncompressed example...
Because it's so effective!

c-3:0

c-3:0

h-2:59:-01

d-3:62:=00

g-3:67:-02

d-4:74

c-3:60:+01

e-3:64:+02

g-3:67:=00

c-4:72



III. Code

III. Code



Assembly code ahead!

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

How to decompress *diff* value:

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

How to decompress *diff* value:

- not optimized yet, no sizecoding tricks

Clean Code Decoder (`raw-diff-5 @ 3 nctab nutab`)

How to decompress *diff* value:

- not optimized yet, no sizecoding tricks
- special code for *raw-diff-5 @ 3 nctab nutab*

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000       ; AL:=0, AH:=%xx10'0000: 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al          ; check for %000 special value
    jnz @adjust_word
;load_uncompressed:
    mov bl,DATA_USUB ; 42, also a good value for bit counter
    mov ah,bl          ; %xxxx'xx10: 7 SHL from zero
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
;load_latch:
    inc cx             ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000          ; AI := 0 AH = %xx10'0000 - 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al
    jnz @adjust_word
;load_uncompre
    mov bl,DATA_CSUB
    mov ah,bl
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
;load_latch:
    inc cx              ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

word:	0	1	2	3	4	5	6	7
diff:	SPEC	-03	-02	-01	=00	+01	+02	+03

word - DATA_CSUB = diff
BL

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```
; 1. =00 65 65 #####  
; 2. -01 22 87 #####  
; 3. -02 21 108 #####  
; 4. +01 15 123 #####  
; 5. +02 14 137 #####  
; 10. +03 5 175 #####  
; 7. -03 11 159 #####
```

Top notes: -03..+03

```
; 8. +05 6 165 #####  
; 9. -04 5 170 #####  
; 6. -07 11 148 #####  
; 11. +04 3 178 ###  
; 12. -10 2 180 ##  
; 13. -09 2 182 ##  
; 14. -05 2 184 ##  
; 15. -35 1 185 #
```



still remember...

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000          ; AI := 0 AH = %xx10'0000 - 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al
    jnz @adjust_word
;load_uncompre
    mov bl,DATA_CSUB
    mov ah,bl
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
;load_latch:
    inc cx              ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

word:	0	1	2	3	4	5	6	7
diff:	SPEC	-03	-02	-01	=00	+01	+02	+03

word - DATA_CSUB = diff
BL

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000 ; AL:=0, AH:=%xx10'0000: 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al
    jnz @adjust_word
;load_uncompressed:
    mov bl,DATA_USUB ; 42, also a good value for bit counter
    mov ah,bl          ; %xxxx'xx10: 7 SHL from zero
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
;load_latch:
    inc cx             ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

AL: result diff value, initialize
AH: shift counter, shift until zero
SHL AX: shift value and counter

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000       ; AL:=0, AH:=%xx10'0000: 3 SHL from zero

@next_bit:
    or ah,ah
    jnz @read_bit

;word_read:
    or al,al
    jnz @adjust_word

;load_uncompressed:
    mov bl,DATA_USUB ; 42, also a good value for bit counter
    mov ah,bl         ; %xxxx'xx10: 7 SHL from zero
    jmp @next_bit

@read_bit:
    or cl,cl
    jnz @shift_latch

;load_latch:
    inc cx           ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp

@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit

@adjust_word:
    sub al,bl

```

AH: shift counter
 If it's not zero, read next bit
 If it's zero, word is read in AL

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000       ; AL:=0, AH:=%xx10'0000: 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al ; check for %000 special value
    jnz @adjust_word
;load_uncompressed:
    mov bl,DATA_USUB ; 4
    mov ah,bl          ; %
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
;load_latch:
    inc cx             ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

If it's not SPEC marker (%000),
the word is almost ok (later)
If it's a SPEC marker...

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl, DATA_CSUB ; DATA_CSUB = 4
@next_bit:
;word
    jnz @adjust_word
    After SPEC: load uncompressed word
    DATA_USUB transforms 1..127 data to -35..+41
    diff, there's space for some optimization...
    jnz @adjust_word
;load_uncompressed:
    mov bl,DATA_USUB ; 42, also a good value for bit counter
    mov ah,bl          ; %xxxx'xx10: 7 SHL from zero
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
    ...it works as shift counter as well.
;load_latch:
    inc cx             ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000       ; AL:=0, AH:=%xx10'0000: 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al
    jnz @adjust_word
;load_uncompressed:
    mov bl,DATA_USUB
    mov ah,bl          ; %xxxx'xx10: 7 SHL from zero
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
;load_latch:
    inc cx             ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

Read bits again with uncompressed counter (AH) and USUB (BL) value

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000       ; AL:=0, AH:=%xx10'0000: 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al          ; check for %000 special value
    jnz @adjust_word
;load_uncompressed:
    mov bl,DATA_USUB : 42. also a good value for bit counter
    mov ah,bl
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
;load_latch:
    inc cx             ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

CL is the latch counter. If zero,
new data byte must be read.

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000       ; AL:=0, AH:=%xx10'0000: 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al          ; check for %000 special value
    jnz @adjust_word
;load_uncompressed:
    mov bl,DATA_USUB ; 42, also a good value for bit counter
    mov ah,bl          ; %xxxx'xx10: 7 SHL from zero
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
;load_latch:
    inc cx ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

Initialize latch counter (CL)
Read next data byte to latch (CH)

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000       ; AL:=0, AH:=%xx10'0000: 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al          ; check for %000 special value
    jnz @adjust_word
;load_uncompressed:
    mov bl,DATA_USUB ; 42, also a good value for bit counter
    mov ah,bl          ; %xxxx'xx10: 7 SHL from zero
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
;load_latch:
    inc cx             ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

Shift result, low bit is
to be read from latch...

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000       ; AL:=0, AH:=%xx10'0000: 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al          ; check for %000 special value
    jnz @adjust_word
;load_uncompressed:
    mov bl,DATA_USUB ; 42, also a good value for bit counter
    mov ah,bl          ; %xxxx'xx10: 7 SHL from zero
    jmp @next_bit
@read_bit:
    or cl,cl
    jz @shift_latchn
;load:
    in al,bl
    mov bl,al
    in al,bl
    mov al,bl
@shift_latchn:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

Shift latch counter (CL) and value (CL)

Latch value is shifted to CF, copied to AL

Clean Code Decoder (raw-diff-5 @ 3 nctab nutab)

```

load_play_note:
    mov bl,DATA_CSUB ; DATA_CSUB = 4
    mov ax,$2000       ; AL:=0, AH:=%xx10'0000: 3 SHL from zero
@next_bit:
    or ah,ah
    jnz @read_bit
;word_read:
    or al,al          ; check for %000 special value
    jnz @adjust_word
;load_uncompressed:
    mov bl,DATA_USUB ; 42, also a good value for bit counter
    mov ah,bl          ; %xxxx'xx10: 7 SHL from zero
    jmp @next_bit
@read_bit:
    or cl,cl
    jnz @shift_latch
;load_latch:
    inc cx             ; INC CX for CL:=1, %xxxx'xxx1: 8 SHL from zero
    mov ch,[bp]
    inc bp
@shift_latch:
    sal ax,1
    sal cx,1
    adc al,0
    jmp @next_bit
@adjust_word:
    sub al,bl

```

When a word is read to AL, then CSUB or USUB (BL) must be subtracted from it

stay tuned...