

Safety View Configuration Assistant Report

Workstation Name: ERNAB-NB18
Safety View Version: 1.0.0.1248
Date Packaged: 8/27/2020 12:42:36 PM

Packaged By: idev\sesa367541
Configuration Version: 1.0.0.296

Configured Data Servers and Nodes

Node Name:	TRINODE001	Workstation:	Primary	
COM:	TCM_4355X_CH00_SL01_L_N1	Node Number:	1	
TSAA Port:	1500	IP Address:	192.168.0.101	
Server URL:	opc.tcp://127.0.0.1:4840/TRINODE001	Current Project Version:	33.3	
Server Timeout:	3000	Downloaded Project Version:	33.2	

Node Name:	TRINODE001	Workstation:	Secondary	
COM:	TCM_4355X_CH00_SL01_L_N2	Node Number:	1	
TSAA Port:	1500	IP Address:	192.168.1.101	
Server URL:	opc.tcp://127.0.0.1:4840/TRINODE001	Current Project Version:	33.3	
Server Timeout:	3000	Downloaded Project Version:	33.2	

Node Name:	TRINODE022	Workstation:	Primary	
COM:	TCM_4352A/B/AN/BN/BC_CH01_SL03_L_N1	Node Number:	22	
TSAA Port:	1500	IP Address:	192.168.0.22	
Server URL:	opc.tcp://127.0.0.1:4841/TRINODE022	Current Project Version:	7.4	
Server Timeout:	3000	Downloaded Project Version:	7.4	

Node Name:	TRINODE022	Workstation:	Secondary	
COM:	TCM_4352A/B/AN/BN/BC_CH01_SL03_L_N2	Node Number:	22	
TSAA Port:	1500	IP Address:	192.168.1.22	
Server URL:	opc.tcp://127.0.0.1:4841/TRINODE022	Current Project Version:	7.4	
Server Timeout:	3000	Downloaded Project Version:	7.4	

Node Name:	TRINODE04	Workstation:	Primary	
COM:	CIM_3211_CH00_SL02_L_N1	Node Number:	4	
TSAA Port:	1500	IP Address:	192.168.0.4	
Server URL:	opc.tcp://127.0.0.1:4842/TRINODE04	Current Project Version:	4.3	
Server Timeout:	3000	Downloaded Project Version:	4.3	

Node Name:	TRINODE04	Workstation:	Secondary	
COM:	CIM_3211_CH00_SL02_L_N2	Node Number:	4	
TSAA Port:	1500	IP Address:	192.168.1.4	
Server URL:	opc.tcp://127.0.0.1:4842/TRINODE04	Current Project Version:	4.3	
Server Timeout:	3000	Downloaded Project Version:	4.3	

Safety View Configuration Assistant Report

Workstation Name: ERNAB-NB18
Safety View Version: 1.0.0.1248
Date Packaged: 8/27/2020 12:42:36 PM

Packaged By: idev\sesa367541
Configuration Version: 1.0.0.296

Configured Monitors

Monitor	Width	Height	Number of Screens
Monitor_1	1920	1080	12

Configured Faceplates

Items	Number of Faceplates
Number of Alarm	0
Number of Alarm and Bypass	600
Number of Bypass	0
Number of Bypass2	600
Number of GP Buttons	150
Total Number of Faceplates	1350

Summary

Items	Value
Number of Controllers	3
Number of Monitors	1
Number of Screens	12
Number of Faceplates	1350
Minimum Required License	A Safety View Bypass and Alarm Management license is required for configurations with 20 screens or less.
Package Created By	idev\sesa367541

Safety View Configuration Assistant Report

Workstation Name: ERNAB-NB18
Safety View Version: 1.0.0.1248
Date Packaged: 8/27/2020 12:42:36 PM

Packaged By: idev\sesa367541
Configuration Version: 1.0.0.296

Validation Output

Validating configuration...
Validating controller TRINODE001...
Validating controller TRINODE022...
Validating controller TRINODE04...
Validating monitor Monitor_1...
Validating BAM objects from area Area 001...
Validating BAM objects from area Area 002...
Validating BAM objects from area Area 003...
Validating BAM objects from area BoilerRoom1_N01...
Validating BAM objects from area BoilerRoom1_N04...
Validating BAM objects from area BoilerRoom1_N22...
Validating audio files...
Validation completed successfully.