

# Safety View Configuration Assistant Report

Workstation Name: ERNAB-NB18  
Safety View Version: 1.0.0.1248  
Date Packaged: 8/27/2020 9:56:35 AM

Packaged By: idev\sesa367541  
Configuration Version: 1.0.0.296

## Configured Data Servers and Nodes

Node Name:	<b>TRINODE001</b>	Workstation:	<b>Primary</b>	Node Number:	1
COM:	TCM_4355X_CH00_SL01_L_N1			IP Address:	192.168.0.101
TSAA Port:	1500			Current Project Version:	33.3
Server URL:	opc.tcp://127.0.0.1:4840/TRINODE001			Downloaded Project Version:	33.2
Server Timeout:	3000				

Node Name:	<b>TRINODE001</b>	Workstation:	<b>Secondary</b>	Node Number:	1
COM:	TCM_4355X_CH00_SL01_L_N2			IP Address:	192.168.1.101
TSAA Port:	1500			Current Project Version:	33.3
Server URL:	opc.tcp://127.0.0.1:4840/TRINODE001			Downloaded Project Version:	33.2
Server Timeout:	3000				

Node Name:	<b>TRINODE022</b>	Workstation:	<b>Primary</b>	Node Number:	22
COM:	TCM_4352A/B/AN/BN/BC_CH01_SL03_L_N1			IP Address:	192.168.0.22
TSAA Port:	1500			Current Project Version:	7.4
Server URL:	opc.tcp://127.0.0.1:4841/TRINODE022			Downloaded Project Version:	7.4
Server Timeout:	3000				

Node Name:	<b>TRINODE022</b>	Workstation:	<b>Secondary</b>	Node Number:	22
COM:	TCM_4352A/B/AN/BN/BC_CH01_SL03_L_N2			IP Address:	192.168.1.22
TSAA Port:	1500			Current Project Version:	7.4
Server URL:	opc.tcp://127.0.0.1:4841/TRINODE022			Downloaded Project Version:	7.4
Server Timeout:	3000				

Node Name:	<b>TRINODE04</b>	Workstation:	<b>Primary</b>	Node Number:	4
COM:	CIM_3211_CH00_SL02_L_N1			IP Address:	192.168.0.4
TSAA Port:	1500			Current Project Version:	4.3
Server URL:	opc.tcp://127.0.0.1:4842/TRINODE04			Downloaded Project Version:	4.3
Server Timeout:	3000				

Node Name:	<b>TRINODE04</b>	Workstation:	<b>Secondary</b>	Node Number:	4
COM:	CIM_3211_CH00_SL02_L_N2			IP Address:	192.168.1.4
TSAA Port:	1500			Current Project Version:	4.3
Server URL:	opc.tcp://127.0.0.1:4842/TRINODE04			Downloaded Project Version:	4.3
Server Timeout:	3000				

# Safety View Configuration Assistant Report

Workstation Name: ERNAB-NB18  
Safety View Version: 1.0.0.1248  
Date Packaged: 8/27/2020 9:56:35 AM

Packaged By: idev\sesa367541  
Configuration Version: 1.0.0.296

## Configured Monitors

Monitor	Width	Height	Number of Screens
Monitor_1	1920	1080	12

## Configured Faceplates

Items	Number of Faceplates
Number of Alarm	0
Number of Alarm and Bypass	600
Number of Bypass	0
Number of Bypass2	600
Number of GP Buttons	150
<b>Total Number of Faceplates</b>	<b>1350</b>

## Summary

Items	Value
Number of Controllers	3
Number of Monitors	1
Number of Screens	12
Number of Faceplates	1350
Minimum Required License	A Safety View Bypass and Alarm Management license is required for configurations with 20 screens or less.
Package Created By	idev\sesa367541

# Safety View Configuration Assistant Report

Workstation Name: ERNAB-NB18  
Safety View Version: 1.0.0.1248  
Date Packaged: 8/27/2020 9:56:35 AM

Packaged By: idev\sesa367541  
Configuration Version: 1.0.0.296

## Validation Output

Validating configuration...  
Validating controller TRINODE001...  
Validating controller TRINODE022...  
Validating controller TRINODE04...  
Validating monitor Monitor\_1...  
Validating BAM objects from area Area 001...  
Validating BAM objects from area Area 002...  
Validating BAM objects from area Area 003...  
Validating BAM objects from area BoilerRoom1\_N01...  
Validating BAM objects from area BoilerRoom1\_N04...  
Validating BAM objects from area BoilerRoom1\_N22...  
Validating audio files...  
Validation completed successfully.