

Sample Received: March 26, 2026

COA issued: April 3, 2026

PRODUCT INFORMATION

Vendor:	Sample Name:	Sample Type:	Batch Number:	MW:
Noviq Bio	MT-1 10mg	White lyophilized powder	MT110-0318	1646.8 g/mol

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: MT-1	Melanotan-1	MALDI MS	✓ Coforms
Content	10.78 mg	Mass Spectrum (MALDI-MS)	✓ Coforms
Overall Purity	99.8%	KF-HPLC (214 nm)	✓ Conforms


Endotoxin Threshold		Result
Replicate 1	< 0.05 EU/mL	PASS

ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 6.858 min)



Mass Spectrum (MALDI-MS)



Certification: This Certificate of Analysis confirms that the tested material meets or exceeds March Analytics analytical quality qualifications for peptide research use. Verify authenticity at [Fastpeptidetesting.com](https://www.fastpeptidetesting.com)

Michael March
Michael March, M.S.
Principal Chemist, March Analytics, Inc.