

A Deterministic Reflow Fidelity Benchmark

Ada Fixture and Lin Test

Repository Laboratory, Local Systems Group

Abstract

This benchmark preserves continuous prose across a discretionary line break while an authored state-of-the-art phrase remains. Discretionary evidence keeps canonical spans unique and prevents title text leakage.

Inline evidence keeps **bold**, *italic*, ***combined***, and a *safe link* intact.

Inline formula H_2O remains readable.

1 Methods

1.1 Structure

The method follows source order and retains a linked note reference ¹.

1. First ordered benchmark item.
 - a. Nested evidence item.
2. Second ordered benchmark item.

Footnote 1: This typed note must retain its backlink.

2 Results

The result places each semantic object once at a meaningful reading position.



Figure 1. A bounded diagram connects input evidence to output semantics and keeps this complete second caption line attached.

Table 1. Validated benchmark values remain structured.

Profile	Nodes
Mobile	12
E-ink	12

Equation 1. The bounded display equation remains source backed.

$$E_1 = M \, C^2(1)$$

Discussion

Continuous reflow must not alternate columns or preserve source-line whitespace.

References

- [1] A. Fixture. Deterministic document evidence. Local Press, 2025.
- [2] L. Test. Reflowable benchmark methods. Example Journal, 2026.