

Industrial strength Java/JEE Career Companion to open more doors

[Home](#)
[Java FAQs](#)
[600+ Java Q&As](#)
[Career](#)
[Tutorials](#)
[Member](#)
[Why?](#)
[Can u Debug?](#)
[Java 8 ready?](#)
[Top X](#)
[Productivity Tools](#)
[Judging Experience?](#)

[Home](#) › [Interview](#) › [SQL, XML, UML, JSON, Regex Interview Q&A](#) › [SQL](#) ›

Deleting records in SQL Interview Questions and Answers

Deleting records in SQL Interview Questions and Answers

Posted on [April 11, 2015](#) by [Arulkumaran Kumaraswamipillai](#)



Tweet



Share

The following is a very popular SQL job interview question.

Q. What is the difference between “**Truncate**” and “**Delete**” commands?

A.

- TRUNCATE TABLE_NAME always locks the table and page but not each row, whereas DELETE statement is executed using a row lock, each row in the table is locked for deletion.
- Truncate removes all the records in the table whereas delete can be used with WHERE clause to remove

600+ Full Stack Java/JEE Interview Q&As ♥Free ♦FAQs

[open all](#) | [close all](#)

[Ice Breaker Interview](#)

[Core Java Interview C](#)

[JEE Interview Q&A \(3](#)

[Pressed for time? Jav](#)

[SQL, XML, UML, JSC](#)

[ERD \(1\)](#)

[NoSQL \(2\)](#)

[Regex \(2\)](#)

[SQL \(7\)](#)

[♦ 15 Database d](#)

[♦ 14+ SQL interv](#)

[♦ 9 SQL scenari](#)

[Auditing databas](#)

[Deleting records](#)

[SQL Subquery ir](#)

[Transaction man](#)

[UML \(1\)](#)

[JSON \(2\)](#)

[XML \(2\)](#)

[XSD \(2\)](#)

[YAML \(2\)](#)

records conditionally. That is remove only a handful number of records.

- Truncate performance is much faster than Delete, as its logging is minimal whereas the Delete command logs every record.
- Truncate does not retain the identity, whereas DELETE command retains the identity. When you use Truncate, If the table contains an identity column, the counter for that column is reset to the seed value that is defined for the column.
- Truncate cleans up the object statistics and clears the allocated space whereas Delete retains the object statistics and allocated space.
- TRUNCATE is a **DDL** (Data Definition Language) and DELETE is a **DML** (Data Manipulation Language).
- Data removed by TRUNCATE command cannot be generally rolled back unless the database server specifically supports it. The DELETE command can rollback a transaction.
- The TRUNCATE command does not fire any triggers, whereas the DELETE command fires any triggers defined on the table. For example, to keep an audit trail of records that have been deleted by inserting the deleted records into an audit table via the DELETE triggers.

Q. When will you use a truncate command?

A. TRUNCATE is useful for purging a table with huge amount of data. Alternatively, you can drop the table and recreate it that makes sense. Firing a delete command instead of a truncate command to empty a table with millions of records can result in locking the whole table and also can take longer time to complete, and at times cause the machine to hang.

The truncate command is executed as shown below.

```
1 TRUNCATE TABLE table_name
2
3
```

- [Hadoop & BigData Interview Questions](#)
- [Java Architecture Interview Questions](#)
- [Scala Interview Q&As](#)
- [Spring, Hibernate, & JPA Interview Questions](#)
- [Testing & Profiling/Selenium Interview Questions](#)
- [Other Interview Q&As](#)
- [Free Java Interview Questions](#)

16 Technical Key Areas

[open all](#) | [close all](#)

- [Best Practice \(6\)](#)
- [Coding \(26\)](#)
- [Concurrency \(6\)](#)
- [Design Concepts \(7\)](#)
- [Design Patterns \(11\)](#)
- [Exception Handling \(3\)](#)
- [Java Debugging \(21\)](#)
- [Judging Experience Level \(1\)](#)
- [Low Latency \(7\)](#)
- [Memory Management \(1\)](#)
- [Performance \(13\)](#)
- [QoS \(8\)](#)
- [Scalability \(4\)](#)
- [SDLC \(6\)](#)
- [Security \(13\)](#)
- [Transaction Management \(1\)](#)

80+ step by step Java Tutorials

[open all](#) | [close all](#)

- [Setting up Tutorial \(6\)](#)
- [Tutorial - Diagnosis \(2\)](#)
- [Akka Tutorial \(9\)](#)
- [Core Java Tutorials \(2\)](#)
- [Hadoop & Spark Tutorials \(1\)](#)

Q. Which command will you use to periodically purge data from your tables as part of a house keeping job?

A. Use a DELETE command within a transaction with a WHERE clause to remove data that are older than 7 years. Remove large amount of data in batches as opposed to in a single transaction.

Q. How will you delete a few records from single table

A.

```
1 DELETE FROM parent p WHERE p.parent_name = 'Peter'
2
3
```

Q. How will you delete a few records from parent and child tables where the parent table with parent_name = 'Peter'?

A.

Firstly, you need to delete the child records because the integrity constraint won't let you delete the parent record when there are child records.

```
1 DELETE child
2
3 FROM parent p, child c
4
5 WHERE p.parent_id = c.parent_id
6
7 AND p.parent_name = 'Peter'
8
9
```

Now, the parent table can be deleted as shown below

```
1 DELETE FROM parent p WHERE p.parent_name =
2
3
```

Note: Please note the difference in syntax when you make a join with the child. When there is only a single table involved,

[JEE Tutorials \(19\)](#)
[Scala Tutorials \(1\)](#)
[Spring & Hibernate Tutorials \(1\)](#)
[Tools Tutorials \(19\)](#)
[Other Tutorials \(45\)](#)

100+ Java pre-interview coding tests

[open all](#) | [close all](#)

[Can you write code? \(1\)](#)
[Complete the given code \(1\)](#)
[Converting from A to B \(1\)](#)
[Designing your class \(1\)](#)
[Java Data Structures \(1\)](#)
[Passing the unit tests \(1\)](#)
[What is wrong with this code? \(1\)](#)
[Writing Code Home Assignment \(1\)](#)
[Written Test Core Java \(1\)](#)
[Written Test JEE \(1\)](#)

How good are your?

[open all](#) | [close all](#)

[Career Making Knowledge \(1\)](#)
[Job Hunting & Resumes \(1\)](#)

it is “DELETE FROM table_name”, but when there is a join, it is “DELETE table_name” and then the “FROM” with the join clauses.

Q. What do you do with the PURGE command?

A. The purge command is used to clear the recycle bin. It is generally used with the DROP command. For example,

```
1 drop table tablename purge;  
2  
3
```

the above command will clear away the table from database as well as from the recycle bin. After executing the purge command, you cannot retrieve the table using a flashback query.

Popular Posts

♦ [11 Spring boot interview questions & answers](#)

828 views

♦ [Q11-Q23: Top 50+ Core on Java OOP Interview Questions & Answers](#)

768 views

[18 Java scenarios based interview Questions and Answers](#)

400 views

001A: ♦ [7+ Java integration styles & patterns interview questions & answers](#)

389 views

01b: ♦ [13 Spring basics Q8 – Q13 interview questions & answers](#)

296 views

♦ [7 Java debugging interview questions & answers](#)

293 views

01: ♦ [15 Ice breaker questions asked 90% of the time in Java job interviews with hints](#)

286 views

♦ [10 ERD \(Entity-Relationship Diagrams\) Interview Questions and Answers](#)

280 views

♦ Q24-Q36: Top 50+ Core on Java classes, interfaces and generics interview questions & answers

240 views

001B: ♦ Java architecture & design concepts interview questions & answers

202 views

Bio

Latest Posts



Arulkumaran Kumaraswamipillai

Mechanical Eng to freelance Java developer in 3 yrs. Contracting since 2003, and attended 150+ Java job interviews, and often got 4 - 7 job offers to choose from. It pays to prepare. So, published Java interview Q&A books via Amazon.com in 2005, and sold 35,000+ copies. Books are outdated and replaced with this subscription based site. **945+** paid members. [join my LinkedIn Group](#). [Reviews](#)



About Arulkumaran Kumaraswamipillai

Mechanical Eng to freelance Java developer in 3 yrs. Contracting since 2003, and attended 150+ Java job interviews, and often got 4 - 7 job offers to choose from. It pays to prepare. So, published Java interview Q&A books via Amazon.com in 2005, and sold 35,000+ copies. Books are outdated and replaced with this subscription based site. **945+** paid members. [join my LinkedIn Group](#). [Reviews](#)

◀ SQL Subquery interview questions and answers

♦ 9 SQL scenarios based interview questions answered ▶

Posted in SQL

Empowers you to open more doors, and fast-track

Technical Know Hows

☀ [Java generics in no time](#) ☀ [Top 6 tips to transforming your thinking from OOP to FP](#) ☀ [How does a HashMap internally work? What is a hashing function?](#)

☀ [10+ Java String class interview Q&As](#) ☀ [Java auto un/boxing benefits & caveats](#) ☀ [Top 11 slacknesses that can come back and bite you as an experienced Java developer or architect](#)

Non-Technical Know Hows

☀ [6 Aspects that can motivate you to fast-track your career & go places](#) ☀ [Are you reinventing yourself as a Java developer?](#) ☀ [8 tips to safeguard your Java career against offshoring](#) ☀ [My top 5 career mistakes](#)

Prepare to succeed

☀ [Turn readers of your Java CV go from “Blah blah” to “Wow”?](#) ☀ [How to prepare for Java job interviews?](#) ☀ [16 Technical Key Areas](#) ☀ [How to choose from multiple Java job offers?](#)

Select Category ▼

© Disclaimer

The contents in this Java-Success are copy righted. The author has the right to correct or enhance the current content without any prior notice.

These are general advice only, and one needs to take his/her own circumstances into consideration. The author will not be held liable for any damages caused or alleged to be caused either directly or indirectly by these materials and resources. Any trademarked names or labels used in this blog remain the property of their respective trademark owners. No guarantees are made regarding the accuracy or usefulness of content, though I do make an effort to be accurate. Links to external sites do not imply endorsement of the linked-to sites.