Tutorials

Home

Java-Success.com

Industrial strength Java Career Companion

Java FAQs

search here ... Go

Member Why?

Register Login Logout Contact Us

Can u Debug? Java 8 ready? Top X Productivity Tools Judging Experience?

Career

Home > Interview > Testing & Profiling/Sampling Java Apps Q&A > Unit Testing Q&A > JUnit Mockito Spring > Part 4: Mockito & PowerMock partially mocking private methods with @Spy

Part 4: Mockito & PowerMock partially mocking private methods with @Spy

Posted on September 14, 2015 by Arulkumaran Kumaraswamipillai

This extends Part 3: Mockito partially mocking with @Spy by making the method "processUser(int id)" as a private method. Mockito framework cannot mock "**private**" methods, hence the "PowerMock" framework is added to the pom.xml file

Step 1: Add "PowerMock" libraries to the pom.xml

```
properties>
3
            .
<project.build.sourceEncoding>UTF-8</pro
4
            <mockito-all.version>1.9.0</mockito-all.</pre>
5
            <spring.version>3.2.13.RELEASE</spring.v</pre>
6
            <powermock.version>1.4.12</powermock.ver</pre>
7
       </properties>
8
9
      <dependencies>
10
            <dependency>
11
                <groupId>junit
```

600+ Full Stack Java/JEE Interview Q&As ♥Free ◆FAQs

open all | close all

- ince Breaker Interview
- **⊞** Core Java Interview €
- **∃** JEE Interview Q&A (3
- Pressed for time? Jav
- SQL, XML, UML, JSC
- Hadoop & BigData Int
- **⊟** Java Architecture Inte
- □ Spring, Hibernate, & I

 - ⊕ Git & SVN (6)
 - ⊞ JMeter (2)

 - ⊕ JSF (2)
- Testing & Profiling/Sa
 - Automation Testing
 - 0 1 0 (0)
 - Code Coverage (2)
- Code Quality (2)
- i jvisualvm profiling (
- Performance Testir

```
<artifactId>junit</artifactId>
12
13
                 <version>4.11</version>
14
                 <scope>test</scope>
             </dependency>
15
16
17
             <!-- Mockito Library -->
18
             <dependency>
19
                 <groupId>org.mockito</groupId>
20
                 <artifactId>mockito-all</artifactId>
21
                 <version>${mockito-all.version}</ver</pre>
22
                 <scope>test</scope>
23
             </dependency>
24
25
             <!-- Power Mock Libraries to mock privat
26
             <dependency>
27
                 <groupId>org.powermock</groupId>
                 <artifactId>powermock-module-junit4<
<version>${powermock.version}</version}</pre>
28
29
30
                 <scope>test</scope>
31
             </dependency>
32
             <dependency>
33
                 <groupId>org.powermock</groupId>
34
                 <artifactId>powermock-api-mockito</a
35
                 <version>${powermock.version}</versi</pre>
36
                 <scope>test</scope>
37
             </dependency>
38
39
           //.........
40
        <dependencies>
41
```

■ Unit Testing Q&A (2) ⊞ BDD Testing (4) Data Access Uni **□** JUnit Mockito Sr. Spring Con Unit Testing Part 1: Unit te Part 2: Mockit Part 3: Mockit Part 4: Mockit Part 5: Mockit Testing Spring T. ♦ 5 Java unit tes JUnit with Hamc Spring Boot in un Other Interview Q&A1 **i** Free Java Interviev

Step 2: Service and DAO layer interfaces and implementations

Service Layer

```
1 package com.mytutorial;
2
3 public interface SimpleService {
4    abstract String processUser(int id);
5 }
6
```

```
package com.mytutorial;
3
   import javax.inject.Inject;
   import javax.inject.Named;
5
6
   @Named
   public class SimpleServiceImpl implements Simple
7
8
9
       @Iniect
       SimpleDao dao;
10
11
12
       public String processUser(int id) {
           return "Hello " + getUserById(id);
13
14
15
16
       //made private
```

16 Technical Key Areas

open all | close all

- ⊞ Best Practice (6)
- **⊞** Coding (26)
- ⊞ Concurrency (6)

- ∃ Java Debugging (21)
- . . . _

- ⊞ Performance (13)
- **⊞** QoS (8)
- **⊞ SDLC (6)**
- ⊞ Security (13)

```
17  private String getUserById(int id) {
18     return dao.getNameById(id);
19  }
20 }
21
```

DAO Layer

This layer is never reached as the private method "getUserByld(int id)" that invokes the dao is mocked.

```
1 package com.mytutorial;
2
3 public interface SimpleDao {
4    abstract String getNameById(int id);
5 }
```

```
package com.mytutorial;
3
   import javax.inject.Named;
4
5
   @Named
   public class SimpleDaoImpl implements SimpleDao
6
       public String getNameById(int id) {
8
9
           if(id == 1) {
                return "John";
10
11
12
           else if (id == 2) {
13
                return "Peter";
14
15
           else {
16
                throw new IllegalArgumentException()
17
18
       }
19 }
```

Step 3: Now the JUnit class that partially mocks "SimpleServiceImpl" where the method "**processUser(int id)**" is tested and the **private** method "**getUserByld(int id)**" is mocked to always return "Sam".

```
package com.mytutorial;

import org.junit.Assert;
import org.junit.Test;
import org.junit.runner.RunWith;
import org.mockito.Mockito;
import org.powermock.api.mockito.PowerMockito;
import org.powermock.core.classloader.annotation
import org.powermock.modules.junit4.PowerMockRun
import org.springframework.test.contextC
```

80+ step by step Java Tutorials

open all | close all

- **⊞** Setting up Tutorial (6)
- **⊞** Tutorial Diagnosis (2

- Hadoop & Spark Tuto
- **⊕** Scala Tutorials (1)
- Spring & HIbernate To
- Tools Tutorials (19)
- Other Tutorials (45)

100+ Java pre-interview coding tests

open all | close all

- E Can you write code?
- Converting from A to I
- Designing your classe
- **∃** Java Data Structures
- Passing the unit tests
- Writing Code Home A
- :
- Written Test Core Jav
- Written Test JEE (1)

How good are your?

open all | close all

- Career Making Know-

```
12 @RunWith(PowerMockRunner.class)
13 @ContextConfiguration(classes = { AppConfig.clas
14 @PrepareForTest(SimpleServiceImpl.class)
15 public class SimpleTest {
16
17
       @Test
       public void testProcessUser() throws Excepti
18
19
20
           SimpleServiceImpl service = PowerMockito
21
22
           //invoke partially mocked or spied Simpl
23
           PowerMockito.doReturn("Sam").when(servic
24
25
           String processUser = service.processUser
26
           Assert.assertEquals("Hello Sam", process
27
       }
28 }
```

Note:

- 1) @RunWith(PowerMockRunner.class)
- 2) @PrepareForTest(SimpleServiceImpl.class)
- 3) PowerMockito.spy(new SimpleServiceImpl());
- **4)** PowerMockito.doReturn("Sam").when(service, "getUserByld", Mockito.anyInt());

Popular Member Posts

◆ 11 Spring boot interview questions & answers

906 views

♦ Q11-Q23: Top 50+ Core on Java OOP Interview Questions & Answers

816 views

001A: ♦ 7+ Java integration styles & patterns interview questions & answers

427 views

18 Java scenarios based interview Questions and Answers

409 views

♦ 7 Java debugging interview questions & answers

324 views

01b: ♦ 13 Spring basics Q8 – Q13 interview questions & answers

312 views

01: ♦ 15 Ice breaker questions asked 90% of the time in Java job interviews with hints

305 views

◆ 10 ERD (Entity-Relationship Diagrams) Interview Questions and Answers

301 views

◆ Q24-Q36: Top 50+ Core on Java classes, interfaces and generics interview questions & answers

251 views

♦ Object equals Vs == and pass by reference Vs value

234 views



Bio Latest Posts



Arulkumaran Kumaraswamipillai



Mechanical Eng to freelance Java developer in 3 yrs. Contracting since 2003, and attended 150+ Java job interviews, and often got 4 - 7 job offers to choose from. It pays to prepare. So, published Java interview Q&A books via Amazon.com in 2005, and sold 35,000+ copies. Books are outdated and replaced with this subscription based site.945+ paid members. join my LinkedIn Group. Reviews



About Arulkumaran Kumaraswamipillai

Mechanical Eng to freelance Java developer in 3 yrs. Contracting since 2003, and attended 150+ Java job interviews, and often got 4 - 7 job offers

to choose from. It pays to prepare. So, published Java

interview Q&A books via Amazon.com in 2005, and sold 35,000+ copies. Books are outdated and replaced with this subscription based site.**945+** paid members. join my LinkedIn Group. **Reviews**

Orika Bean Mapping Tutorial
 Debugging LinkageErrors in Java

Posted in JUnit Mockito Spring, member-paid

Empowers you to open more doors, and fast-track

Technical Know Hows

- * Java generics in no time * Top 6 tips to transforming your thinking from OOP to FP * How does a HashMap internally work? What is a hashing function?
- * 10+ Java String class interview Q&As * Java auto un/boxing benefits & caveats * Top 11 slacknesses that can come back and bite you as an experienced Java developer or architect

Non-Technical Know Hows

* 6 Aspects that can motivate you to fast-track your career & go places * Are you reinventing yourself as a Java developer? * 8 tips to safeguard your Java career against offshoring * My top 5 career mistakes

Prepare to succeed

<u>★ Turn readers of your Java CV go from "Blah blah" to "Wow"? ★ How to prepare for Java job interviews? ★ 16 Technical Key Areas ★ How to choose from multiple Java job offers?</u>

Select Category

© Disclaimer

The contents in this Java-Success are copy righted. The author has the right to correct or enhance the current content without any prior notice.

These are general advice only, and one needs to take his/her own circumstances into consideration. The author will not be held liable for any damages caused or alleged to be caused either directly or indirectly by these materials and resources. Any trademarked names or labels used in this blog remain the property of their respective trademark owners. No guarantees are made regarding the accuracy

or usefulness of content, though I do make an effort to be accurate. Links to external sites do not imply endorsement of the linked-to sites.

© 2016 Java-Success.com

↑

Responsive Theme powered by WordPress