
Register | Login | Logout | Contact Us

Java-Success.com

similar? What are the differences?

Industrial strength Java/JEE Career Companion to open more doors



Home > Interview > Core Java Interview Q&A > Differences Between X & Y > ◆ Why do Proxy, Decorator, Adapter, Bridge, and Facade design patterns look very

♦ Why do Proxy, Decorator, Adapter, Bridge, and Facade design patterns look very similar? What are the

Posted on December 12, 2014 by Arulkumaran Kumaraswamipillai — No Comments ↓



differences?

There are often patterns that look very similar, but differ in their **intent**. Most patterns use **polymorphism** with interface inheritance. Strategy and state design patterns are very similar as well. Proxy, Decorator, Adapter, and Bridge are all variations on "wrapping" a class. Facade design pattern is a **container** for the classes in another sub system.

600+ Full Stack Java/JEE Interview Q&As ♥Free ♦FAQs

open all | close all

- **⊟** Ice Breaker Interview
- Core Java Interview C

- Reserved Key Wor
- Objects (8)
- ⊕ OOP (10)
- ⊕ GC (2)
- Generics (5)
- ⊕ FP (8)
- ⊕ IO (7)

- Annotations (2)
- ⊟ Differences Betwee
- ✓ Java Iterable \
 - → Multithreading
 - → Why do Proxy,

One of the reasons to use a design pattern is to talk the **common vocabulary** with the designers and the developers. The intent and naming conventions (e.g. *FileLoaderProxy*, *FileLoaderBridege*, etc) of these design patterns form a common vocabulary.

Asking a few questions helps.

- How about a facade to simplify the subsystems by minimizing the number of fine grained invocations from the client?
- How about a proxy to provide access control?
- How about adding a decorator to enhance current behavior? How about a decorator to fix explosive inheritance through composition at run time?
- Do we need an adapter to talk to third-party API?
- Do we have different permutations? what would our hierarchy look like? How about a bridge design pattern to re-factor this exponentially explosive inheritance
- Do we want to bind this association at compile time or run time?

Proxy

is good to act as a surrogate to provide performance optimization, synchronization, remote access, house keeping, etc. The binding of the actual **subject** to the proxy happens at **compile-time**.

Core Java Modif
Differences betw
Java Collection i
Event Driven Progr
Exceptions (2)
Exceptions (2) Java 7 (2) Java 8 (24) JVM (6) Reactive Programn
⊕ Java 8 (24)
± JVM (6)
Reactive Programn
⊕ Swing & AWT (2)
JEE Interview Q&A (3
Pressed for time? Jav
SQL, XML, UML, JSC
Hadoop & BigData Int
Java Architecture Inte
Scala Interview Q&As
⊕ Spring, Hibernate, & I
Testing & Profiling/Sa
Other Interview Q&A1


16 Technical Key Areas

open all | close all

- ⊞ Best Practice (6)
- **⊞** Coding (26)
- ⊞ Concurrency (6)

- ∃ Java Debugging (21)
- Low Latency (7)

- **⊞** QoS (8)
- ⊞ Scalability (4)
- **⊞** SDLC (6)
- ⊞ Security (13)



Java proxy design pattern

80+ step by step Java Tutorials

open all I close all

- Setting up Tutorial (6)
- **⊞** Tutorial Diagnosis (2
- **⊞** Core Java Tutorials (2
- Hadoop & Spark Tuto
- **■** JEE Tutorials (19)
- Scala Tutorials (1)
- **⊜** Spring & Hlbernate Tu
- **⊞** Tools Tutorials (19)
- Other Tutorials (45)

Decorator


is good to avoid out of control type hierarchies. A decorator is also known as a "smart proxy" because it enhances the behavior of a subject at **run time**. In other words binding is dynamic. The Java I/O classes are good example of a decorator design pattern. At run time different permutations can can be carried out via composition.

100+ Java pre-interview coding tests

open all | close all


- Can you write code? □
- Converting from A to I
- □ Designing your class∈
- Passing the unit tests
- What is wrong with th
- Writing Code Home A
- **Written Test Core Jav**

How good are your?



Adapter

Adapts at <u>run time</u> like the decorator design pattern. Adapter design pattern is one of the structural design patterns and its intent is to get two unrelated interfaces work together. Think of using a laptop in UK that was bought in Japan as the sockets are different, and you need an adapter. So, the adapter's intent is to adapt between the Japanese laptop plug with UKs wall socket. The key point is that parties are different. Japanese laptop used in **third-party or external** (i.e. UK) wall socket.



Adapter is used when you have an abstract interface, for example a JDBC API and you want to map that interface to another object which has similar functional role, but a different interface, for example different JDBC drivers for different databases like Oracle, Sybase, DB2, SQL server, MySQL, etc. The JEE have multiple adaptors for JMS, JNDI, JDBC, JCA, etc. The drivers and **implementations are generally provided by the third party vendors.** For example, JMS implementations provided by third-party vendors and open source providers web Methods, IBM MQ Series, ActiveMQ, etc.

You can accomplish this using either inheritance or composition.


- Class Adapter This form uses Java inheritance and extends the source interface.
- Object Adapter This form uses Java Composition and adapter contains the source object.

Bridge

is very similar to Adapter, but you call it a Bridge when you define both the abstract interface and the underlying implementation (**no external or third-party vendors**). Adapter makes things work **after they're designed**, but

bridge makes them work before they are. Abstraction and implementation should be bound at <u>compile time</u>. You need to swap for different implementations. For example, you are designing a graphics application that needs to swap between graphics driver and printer driver for the same draw().


As shown below, you can have different permutations of a user like local user, external user, provisional user, local admin user, local support user, and so on. re-factoring this into users and roles will prevent the explosion of class hierarchy. A decorator does this at run-time, whereas a bridge does this at compile-time.



If you are wring unit tests, the bridge pattern is indispensable when it comes down to implementing mocks and mock services. You can use a bridge (or mock) web services in integration testing until the real services become available.

Facade

is a higher-level interface to a subsystem of one or more classes. Think of Facade as a sort of **container** for other objects, as opposed to a **wrapper**.



For example, when you have remote calls via EJBs, Web Services, RMI, etc, making fine grained remote calls each time can be expensive and adversely affects performance. So, in between the caller and the callee, you can define a facade that makes many fine grained local calls for a single remote call from the caller. It also simplifies the client code with just a single method call by hiding the complexity of the subsystem classes via a facade.

Q. How does a strategy design pattern differ from a state design pattern?

The **Strategy pattern** is really about having a different implementation that accomplishes the same thing, so that

one implementation can replace the other while the caller does not change. The **Strategy pattern deals with how an object performs a certain task?** — it encapsulates an algorithm or processing logic. The logic and algorithms can be improved and swapped without the caller not knowing anything about it.

For example, as a driver of a car, the steering wheel is your interface to interact, but over the years the implementations of steering mechanisms have improved like manual steering to power steering, and so on without affecting how you drive a car.

The **State pattern** is about doing different things based on the state, while leaving the caller relieved from the burden of accommodating every possible state. **The State pattern** deals with what state an object is in? or what type an object is? — it encapsulates state-dependent behavior

For example, thread goes into different states like blocked, ready, running, etc. Placing a trade order on a stock market will have states like pending, filled, partially-filled, rejected, executed, etc.

This was intended to be very simple explanation with diagrams and examples. For more on design patterns with working code and example, search this blog or click on the "design pattern" tag cloud at the bottom.

More Design Patterns Interview Questions & Answers:

- 1. GoF Design Patterns Interview questions & answers
- 2. JEE Patterns Interview Questions & Answers
- Enterprise Integration Patterns Interview Questions & Answers

Popular Posts

◆ 11 Spring boot interview questions & answers

824 views

◆ Q11-Q23: Top 50+ Core on Java OOP Interview Questions & Answers

765 views

18 Java scenarios based interview Questions and Answers

399 views

001A: ♦ 7+ Java integration styles & patterns interview questions & answers

388 views

01b: ♦ 13 Spring basics Q8 – Q13 interview questions & answers

295 views

◆ 7 Java debugging interview questions & answers

293 views

01: ♦ 15 Ice breaker questions asked 90% of the time in Java job interviews with hints

285 views

◆ 10 ERD (Entity-Relationship Diagrams) Interview Questions and Answers

279 views

◆ Q24-Q36: Top 50+ Core on Java classes, interfaces and generics interview questions & answers

239 views

001B: ♦ Java architecture & design concepts interview questions & answers

201 views

Bio

Latest Posts



Arulkumaran Kumaraswamipillai



Mechanical Eng to freelance Java developer in 3 yrs. Contracting since 2003, and attended 150+ Java job interviews, and often got 4 - 7 job offers to choose from. It pays to prepare. So, published Java interview Q&A books via Amazon.com in 2005, and sold 35,000+ copies. Books are outdated and replaced with this subscription based site.945+ paid members. join my LinkedIn Group. Reviews



About Arulkumaran Kumaraswamipillai

Mechanical Eng to freelance Java developer in 3 yrs. Contracting since 2003, and attended 150+ Java job interviews, and often got 4 - 7 job offers

to choose from. It pays to prepare. So, published Java interview Q&A books via Amazon.com in 2005, and sold 35,000+ copies. Books are outdated and replaced with this subscription based site.**945+** paid members. join my LinkedIn Group. **Reviews**

JDBC Overview Interview Questions and Answers

Spring security tutorial >

Posted in Differences Between X & Y, GoF Patterns

Leave a Reply Logged in as geethika. Log out? Comment

Post Comment

Empowers you to open more doors, and fast-track

Technical Know Hows

- * Java generics in no time Top 6 tips to transforming your thinking from OOP to FP How does a HashMap internally work? What is a hashing function?
- * 10+ Java String class interview Q&As * Java auto un/boxing benefits & caveats * Top 11 slacknesses that can come back and bite you as an experienced Java developer or architect

Non-Technical Know Hows

* 6 Aspects that can motivate you to fast-track your career & go places * Are you reinventing yourself as a Java developer? * 8 tips to safeguard your Java career against offshoring * My top 5 career mistakes

Prepare to succeed

<u>★ Turn readers of your Java CV go from "Blah blah" to "Wow"? ★ How to prepare for Java job interviews? ★ 16 Technical Key Areas ★ How to choose from multiple Java job offers?</u>

Select Category

© Disclaimer

The contents in this Java-Success are copy righted. The author has the right to correct or enhance the current content without any prior notice.

These are general advice only, and one needs to take his/her own circumstances into consideration. The author will not be held liable for any damages caused or alleged to be caused either directly or indirectly by these materials and resources. Any trademarked names or labels used in this blog remain the property of their respective trademark owners. No guarantees are made regarding the accuracy or usefulness of content, though I do make an effort to be accurate. Links to external sites do not imply endorsement of the linked-to sites.

1

© 2016 Java-Success.com

Responsive Theme powered by WordPress