RADIO WAVE PROPAGATION MECHANISMS

Fundamentals and Applications

Last Update: February 10, 2017

Murat Ambarkutuk Mechanical Engineering Department Virginia Polytechnic Institute and State University murata@vt.edu

February 10, 2017

Abstract

abstract-text

Contents

1	Fundamentals of Radio Wave Propagation			
	1.1	Overview of Wireless Communication Technologies	1	
	1.2	1.2.1 Reflection]	
		1.2.2 Diffraction	1	
		1.2.3 Scattering]	
	1.3	Path Loss, Shadowing and Fading	1	
2	Rac	Radio Wave Propagation Models		
	2.1	Outdoor Radio Wave Propagation Models		
	2.2	Indoor Radio Wave Propagation Models		
3	Fur	Fundamentals of Function Approximation and Neural Networks (NN)		
	3.1	Neural Networks (NN)	4	
	3.2 3.3	Convolutional Neural Networks (CNN)	4	
	0.0	Toolard Toolard Toolard (1411)		
\mathbf{L}	ist	of Figures		
	1	Electromagnetic Spectrum	1	
L	ist	of Tables		
٨	oro	onyms		
7	CIU	ony ms		
C	NN	Convolutional Neural Networks. 3, 4		
\mathbf{E}	M E	lectromagnetic. 1		
N	N N	eural Networks. 3, 4		
\mathbf{R}	NN	Recurrent Neural Networks. 3, 4		
\mathbf{R}	X Re	eceive. 1		
\mathbf{T}	X Tr	ansmission 1		

1 Fundamentals of Radio Wave Propagation

This section will briefly describe the fundamentals of radio waves and their propagation mechanisms. In order to describe radio waves, the Electromagnetic (EM) waves should be described since radio waves are a small subset of EM waves. When electrons move through a conductor medium, they create EM waves that can propagate through in space. These waves can display different characteristics depending on the fundamental properties of the wave, i.e. their wavelength. Figure 1 depicts the EM spectrum by the wavelength.




Figure 1: Electromagnetic Spectrum

- 1.1 Overview of Wireless Communication Technologies
- 1.2 Radio Wave Propagation Mechanisms
- 1.2.1 Reflection
- 1.2.2 Diffraction
- 1.2.3 Scattering

1.3 Path Loss, Shadowing and Fading

Transmission (TX) Receive (RX) Path loss is caused by dissipation of the power radiated by the transmitter as well as effects of the propagation channel. Path loss models generally assume that path loss is the same at a given transmit-receive distance. Shadowing is caused by obstacles between the transmitter and receiver that absorb power. When the obstacle absorbs all the power, the signal is blocked.

Variation due to path loss occurs over very large distances (100 – 1000 meters), whereas variation due to shadowing occurs over distances proportional to the length of the obstructing object (10-100 meters in outdoor environments and less in indoor environments). Since variations due to path loss and shadowing

occur over relatively large distances, this variation is sometimes refered to as large-scale propagation effects or local mean attenuation.

- 2 Radio Wave Propagation Models
- 2.1 Outdoor Radio Wave Propagation Models
- 2.2 Indoor Radio Wave Propagation Models

3 Fundamentals of Function Approximation and Neural Networks (NN)

Neural Networks (NN), Recurrent Neural Networks (RNN) and Convolutional Neural Networks (CNN)

- 3.1 Neural Networks (NN)
- 3.2 Convolutional Neural Networks (CNN)
- 3.3 Recurrent Neural Networks (RNN)