

Skills Review

Exercise No. 3

Name: Aaron Ludwig A. Altar

Grade:

Course/Section: CPE4B

Date: Sept. 12, 2026

Machine Problem:

Create a program that will display your first name and surname in the computer screen using hexadecimal value of ASCII Codes. Other character may also be used for the frame. Follow the given format below. Save your program using Exer3.asm as the filename.

```
@@@@@@@@@@@@@@@@@
@                                     @
@                                     @
@          NAME                     @
@                                     @
@          SURNAME                  @
@                                     @
@                                     @
@@@@@@@@@@@@@@@@@
```

Program:

```
; AARON LUDWIG A. ALTAR
; CPE4B

.model small
.stack
.code

start:
    mov ah, 02h

; Row 1: top border (17 chars)
    mov dl, 2ah
    int 21h
    mov dl, 2ah
    int 21h
    mov dl, 2ah
    int 21h
    mov dl, 2ah
    int 21h
    mov dl, 2ah
    int 21h
    mov dl, 2ah
```

```
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 0dh
int 21h
mov dl, 0ah
int 21h
```

```
; Row 2: blank
mov dl, 2ah
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
```

```
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 2ah
    int 21h

    mov dl, 0dh
    int 21h
    mov dl, 0ah
    int 21h

; Row 3: blank
    mov dl, 2ah
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
```

```
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 2ah
int 21h

mov dl, 0dh
int 21h
mov dl, 0ah
int 21h
```

; Row 4: NAME - AARON LUDWIG

```
mov dl, 2ah
int 21h
mov dl, 20h
int 21h
mov dl, 41h
int 21h
```

```
mov dl, 41h
int 21h
mov dl, 52h
int 21h
mov dl, 4fh
int 21h
mov dl, 4eh
int 21h
mov dl, 20h
int 21h
mov dl, 4ch
int 21h
mov dl, 55h
int 21h
mov dl, 44h
int 21h
mov dl, 57h
int 21h
mov dl, 49h
int 21h
mov dl, 47h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 2ah
int 21h

mov dl, 0dh
int 21h
mov dl, 0ah
int 21h
```

```
; Row 5: blank
```

```
mov dl, 2ah
int 21h
mov dl, 20h
int 21h
mov dl, 20h
```

```
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 2ah
int 21h
```

```
mov dl, 0dh
int 21h
mov dl, 0ah
int 21h
```

```
; Row 6: SURNAME - ALTAR
```

```
mov dl, 2ah
int 21h
mov dl, 20h
int 21h
```

```
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 41h
    int 21h
    mov dl, 4ch
    int 21h
    mov dl, 54h
    int 21h
    mov dl, 41h
    int 21h
    mov dl, 52h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 2ah
    int 21h

    mov dl, 0dh
    int 21h
    mov dl, 0ah
    int 21h

; Row 7: blank
    mov dl, 2ah
    int 21h
    mov dl, 20h
```

```
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 20h
int 21h
mov dl, 2ah
int 21h

mov dl, 0dh
int 21h
mov dl, 0ah
int 21h
```

```
; Row 8: blank
mov dl, 2ah
int 21h
```

```
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 20h
    int 21h
    mov dl, 2ah
    int 21h

    mov dl, 0dh
    int 21h
    mov dl, 0ah
    int 21h

; Row 9: bottom border (17 chars)
    mov dl, 2ah
```

```
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 2ah
int 21h
mov dl, 0dh
int 21h
mov dl, 0ah
int 21h

mov ah, 4ch
```

```
int 21h
```

```
end start
```

Output:

```
D:\>IF NOT ERRORLEVEL 1 D:\test
*****
*                                     *
*                                     *
*  AARON LUDWIG                      *
*                                     *
*      ALTAR                         *
*                                     *
*                                     *
*****
D:\>[
```