Challenge #3: Layout and Menu Elements

Objectives:

- 1. Apply Layout and menus in relation to the planned website based on your learning in w3school.
- 2. This is part under the repo project called "IntroToComputing-Challenges".
- 3. Push this in github the documentation in PDF format. The comment of your commit must be the title of this activity.

```
<!DOCTYPE html>
<html lang="en">
  <head>
<title>Wikicraft</title>
 k rel="icon" type="image/png" href="/images/icon.jpg">
<meta charset="utf-8">
<meta name="viewpoint"
content=" width=device-width, initial-scale=1">
<style>
  * {
   box-sizing: border-box;
 }
  body {
font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
sans-serif;
  background-color:rgb(26, 25, 25);
}
h1 {
color:white;
}
p {
color: white;
font-size: 25px;
text-align: justify;
padding-left: 30px;
padding-top: 10px;
 padding-right: 30px;
}
```

```
h2 {
color: white;
font-size: 35px;
}
header {
text-align: center;
font-size: 40px;
color: white;
}
article {
float: left;
padding: 10px;
width: 70%;
background-color: #f1f1f1;
height: 800px;
}
footer {
background-color: #bbbaba;
padding: 10px;
text-align: left;
color: rgb(0, 0, 0);
}
.Main-header{
background-color: #0b0b0b;
background-size: cover;
background-position: center;
background-repeat: no-repeat;
height: 100vh;
}
.main-nav{
display: flex;
justify-content: space-between;
width: 100%;
background-color: #0b0b0b;
backdrop-filter: blur(100px);
margin: 0;
}
.nav {
display: flex;
}
.nav-links ul {
```

```
list-style: none;
}
.nav-links {
width: 100%;
display: flex;
align-items: center;
justify-content: space-around;
.nav-links a {
display: flex;
font-size: 20px;
text-decoration: none;
color: #fff;
text-shadow: 0 0 10px #0b0b0b8e;
margin: 0 20px;
}
.nav-links a:hover {
color: #ffffff86;
}
.toInline{
display: flex;
}
header h1 {
text-shadow: 0 0 20px #0b0b0b;
}
.nav-logo h1 {
color: #fff;
text-shadow: 0 0 10px 10px #0b0b0b83;
margin: 20px 60px;
}
.myBtn {
display: flex;
justify-content: center;
.myBtn button {
padding: 20px;
background-color: #0b0b0b00;
border: 2px 2px #0b0b0b solid;
border-radius: 20px;
font-size: 15px;
font-weight: 600;
cursor: pointer;
text-shadow: 0 0 20px #0b0b0b;
transition: 0.5s;
```

```
outline-style: none;
}
.myBtn button:hover {
background-color: #0b0b0b;
color: #fff;
}
@media (max-width: 600px) {
nav, article {
 width: 100%;
 height: auto;
}
}
</style>
 </head>
 <body>
  <header class="Main-header">
   <section class="main-nav">
    <div class="nav-logo">
     <h1>Minecraft</h1>
    </div>
    <div class="nav">
     <nav class="nav-links">
       <div class="toInline">
        <a href="/index.html">Home</a>
        <a href="author.html">About me</a>
        <a href="https://www.youtube.com/watch?v=Rla3FUlxJdE">Video</a>
        <a href="https://www.minecraft.net/en-us/download">Get Minecraft!</a>
       </div>
      </nav>
     </div>
    </section>
</header>
</body>
</html>
```