## Challenge #5: Implementation of head tags

## **Objectives:**

- 1. Implement head tags in your project.
- 2. This is part under the repo project called "IntroToComputing-Challenges".

Push this in github the documentation in PDF format. The comment of your commit must be the title of this activity.

```
<head>
<title>Wikicraft</title>
 k rel="icon" type="image/png" href="/images/icon.jpg">
<meta charset="utf-8">
<meta name="viewpoint"
content=" width=device-width, initial-scale=1">
<style>
 * {
   box-sizing: border-box;
 body {
font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
sans-serif;
  background-color:rgb(26, 25, 25);
}
h1 {
color:white;
}
p {
color: white;
font-size: 25px;
text-align: justify;
padding-left: 30px;
padding-top: 10px;
padding-right: 30px;
}
h2 {
```

```
color: white;
font-size: 35px;
}
header {
text-align: center;
font-size: 40px;
color: white;
}
article {
float: left;
padding: 10px;
width: 70%;
background-color: #f1f1f1;
height: 800px;
}
footer {
background-color: #bbbaba;
padding: 10px;
text-align: left;
color: rgb(0, 0, 0);
}
.Main-header{
background-color: #0b0b0b;
background-size: cover;
background-position: center;
background-repeat: no-repeat;
height: 100vh;
}
.main-nav{
display: flex;
justify-content: space-between;
width: 100%;
background-color: #0b0b0b;
backdrop-filter: blur(100px);
margin: 0;
}
.nav {
display: flex;
.nav-links ul {
list-style: none;
```

```
.nav-links {
width: 100%;
display: flex;
align-items: center;
justify-content: space-around;
}
.nav-links a {
display: flex;
font-size: 20px;
text-decoration: none;
color: #fff;
text-shadow: 0 0 10px #0b0b0b8e;
margin: 0 20px;
.nav-links a:hover {
color: #ffffff86;
}
.toInline{
display: flex;
}
header h1 {
text-shadow: 0 0 20px #0b0b0b;
}
.nav-logo h1 {
color: #fff;
text-shadow: 0 0 10px 10px #0b0b0b83;
margin: 20px 60px;
}
.myBtn {
display: flex;
justify-content: center;
}
.myBtn button {
padding: 20px;
background-color: #0b0b0b00;
border: 2px 2px #0b0b0b solid;
border-radius: 20px;
font-size: 15px;
font-weight: 600;
cursor: pointer;
text-shadow: 0 0 20px #0b0b0b;
transition: 0.5s;
outline-style: none;
}
```

```
.myBtn button:hover {
  background-color: #0b0b0b;
  color: #fff;
}
@media (max-width: 600px) {
  nav, article {
    width: 100%;
    height: auto;
  }
}
</style>
  </head>
```