Day 02: Basics of experimental design

Erin Rossiter

January 18, 2022

- 1. Tidy up
- Peitong, will you:
 - » remind me to take a break at 4:30
 - » jot notes on typos & email after class
- Questions on syllabus, homework logistics, etc.
- More Github skills
- 2. Lecture
- Lab
- Reinforce new concepts

- 1. Tidy up
- Peitong, will you:
 - » remind me to take a break at 4:30
 - » jot notes on typos & email after class
- Questions on syllabus, homework logistics, etc.
- More Github skills
- 2. Lecture
- Lab
- Reinforce new concepts

- 1. Tidy up
- Peitong, will you:
 - » remind me to take a break at 4:30
 - » jot notes on typos & email after class
- Questions on syllabus, homework logistics, etc.
- More Github skills
- 2. Lecture
- 3. Lab
- Reinforce new concepts


- 1. Tidy up
- Peitong, will you:
 - » remind me to take a break at 4:30
 - » jot notes on typos & email after class
- Questions on syllabus, homework logistics, etc.
- More Github skills
- 2. Lecture
- 3. Lab
- Reinforce new concepts

- 1. Tidy up
- Peitong, will you:
 - » remind me to take a break at 4:30
 - » jot notes on typos & email after class
- Questions on syllabus, homework logistics, etc.
- More Github skills
- 2. Lecture
- 3. Lab
- Reinforce new concepts

GitHub

Grabbing my changes

- "Fetch origin" Grab changes to the repo that I've made
- Check that they appear locally for you (Day02, HW1, etc.)



- Fetch any changes I might have made (If needed, like before class)
- 2. Each time you sit down to work
 - Make edits locally
 - Commit changes
- Repeat...
- Push online (when you want me/classmates to be able to see)

- Fetch any changes I might have made (If needed, like before class)
- 2. Each time you sit down to work:
- Make edits locally
- Commit changes
- Repeat...
- Push online (when you want me/classmates to be able to see)

- Fetch any changes I might have made (If needed, like before class)
- 2. Each time you sit down to work:
- Make edits locally
- Commit changes
- Repeat...
- Push online (when you want me/classmates to be able to see)

- Fetch any changes I might have made (If needed, like before class)
- 2. Each time you sit down to work:
- Make edits locally
- Commit changes
- Repeat...
- Push online (when you want me/classmates to be able to see)

- Fetch any changes I might have made (If needed, like before class)
- 2. Each time you sit down to work:
- Make edits locally
- Commit changes
- Repeat...
- Push online (when you want me/classmates to be able to see)

- Fetch any changes I might have made (If needed, like before class)
- 2. Each time you sit down to work:
- Make edits locally
- Commit changes
- Repeat...
- 3. Push online (when you want me/classmates to be able to see)

- Fetch any changes I might have made (If needed, like before class)
- 2. Each time you sit down to work:
- Make edits locally
- Commit changes
- Repeat...
- 3. Push online (when you want me/classmates to be able to see)

- We're interested in testing causal questions
- Causal effect difference in outcome(s) caused by an intervention.
 - » Compares units under two hypothetical situations: when they take an intervention and when they go without it (i.e., counterfactuals)
- Potential outcomes are a formal way to discuss counterfactuals
 - » Remember, you must use your imagination

- We're interested in testing causal questions
- Causal effect difference in outcome(s) caused by an intervention.
 - » Compares units under two hypothetical situations: when they take an intervention and when they go without it (i.e., counterfactuals)
- Potential outcomes are a formal way to discuss counterfactuals
 - » Remember, you must use your imagination!

- We're interested in testing causal questions
- Causal effect difference in outcome(s) caused by an intervention.
 - » Compares units under two hypothetical situations: when they take an intervention and when they go without it (i.e., counterfactuals)
- Potential outcomes are a formal way to discuss counterfactuals
 - » Remember, you must use your imagination

- We're interested in testing causal questions
- Causal effect difference in outcome(s) caused by an intervention.
 - » Compares units under two hypothetical situations: when they take an intervention and when they go without it (i.e., counterfactuals)
- Potential outcomes are a formal way to discuss counterfactuals
 - » Remember, you must use your imagination

- We're interested in testing causal questions
- Causal effect difference in outcome(s) caused by an intervention.
 - » Compares units under two hypothetical situations: when they take an intervention and when they go without it (i.e., counterfactuals)
- Potential outcomes are a formal way to discuss counterfactuals
 - » Remember, you must use your imagination!

- − Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $\tau_i = Y_i(1) - Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $au_i = Y_i(1) Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $au_i = Y_i(1) Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - » (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $\tau_i = Y_i(1) - Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $\tau_i = Y_i(1) - Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - » (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $au_i = Y_i(1) Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - » (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $\tau_i = Y_i(1) - Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - » (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $\tau_i = Y_i(1) - Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - » (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $\tau_i = Y_i(1) - Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - » (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $\tau_i = Y_i(1) - Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - » (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $\tau_i = Y_i(1) Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - » (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment
 - » $\tau_i = Y_i(1) Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

- Finite population of units: $i \in 1, 2, ...N$
- Observed outcomes: Y_i
- Binary treatment:
 - » $D_i = 1$ if unit i is treated
 - » $D_i = 0$ if unit i is untreated (control)
 - » (note this D_i a random variable; unit might be treated in a hypothetical study or not)
- Potential outcomes:
 - » $Y_i(d_i)$ is the potential outcome for unit i, so:
 - $Y_i(1)$ is the outcome if unit i is exposed to treatment
 - $Y_i(0)$ is the outcome if unit i is exposed to control
 - » Both versions of history
 - what would happen if a treatment were or were not administered
- For each unit, we want to know the causal effect of treatment » $\tau_i = Y_i(1) - Y_i(0)$
- Fundamental problem of causal inference: we can only observe one potential outcome

Treatment effects

- We can't observe both potential outcomes, we can only observe one.
- Formally, the relationship between potential outcomes and the observed outcome is:

$$Y_i = d_i Y_i(1) + (1 - d_i) Y_i(0)$$

- "switching equation"
- one term will always be 0
- we can only observe one potential outcome for each unit!!!!
- let's confirm on the board

- We can't observe both potential outcomes, we can only observe one.
- Formally, the relationship between **potential outcomes** and the **observed outcome** is:

$$Y_i = d_i Y_i(1) + (1 - d_i) Y_i(0)$$

- "switching equation"
- one term will always be 0
- we can only observe one potential outcome for each unit!!!!
- let's confirm on the board

- We can't observe both potential outcomes, we can only observe one.
- Formally, the relationship between **potential outcomes** and the **observed outcome** is:

$$Y_i = d_i Y_i(1) + (1 - d_i) Y_i(0)$$

- "switching equation"
- one term will always be 0
- we can only observe one potential outcome for each unit!!!!
- let's confirm on the board

- We can't observe both potential outcomes, we can only observe one.
- Formally, the relationship between **potential outcomes** and the **observed outcome** is:

$$Y_i = d_i Y_i(1) + (1 - d_i) Y_i(0)$$

- "switching equation"
- one term will always be 0
- we can only observe one potential outcome for each unit!!!!
- let's confirm on the board

- We can't observe both potential outcomes, we can only observe one.
- Formally, the relationship between **potential outcomes** and the **observed outcome** is:

$$Y_i = d_i Y_i(1) + (1 - d_i) Y_i(0)$$

- "switching equation"
- one term will always be 0
- we can only observe one potential outcome for each unit!!!!
- let's confirm on the board

- We can't observe both potential outcomes, we can only observe one.
- Formally, the relationship between **potential outcomes** and the **observed outcome** is:

$$Y_i = d_i Y_i(1) + (1 - d_i) Y_i(0)$$

- "switching equation"
- one term will always be 0
- we can only observe one potential outcome for each unit!!!!
- let's confirm on the board

- We can't observe both potential outcomes, we can only observe one.
- Formally, the relationship between **potential outcomes** and the **observed outcome** is:

$$Y_i = d_i Y_i(1) + (1 - d_i) Y_i(0)$$

- "switching equation"
- one term will always be 0
- we can only observe one potential outcome for each unit!!!!
- let's confirm on the board

Estimand parameters that we aim to estimate, often written with greek letters (μ, β, τ)

Estimator rules for calculating an estimate; function of the observed sample data; used to learn about estimands $(\hat{\beta}, \hat{\tau})$

Estimate particular values of estimators that are realized in a given sample

Example:

- What's the average weight of newborns?
 - » Population mean (estimand)
 - » Sample mean (estimator)
 - » 7.5lb (estimate)
- Board?

Estimand parameters that we aim to estimate, often written with greek letters (μ, β, τ)

Estimator rules for calculating an estimate; function of the observed sample data; used to learn about estimands $(\hat{\beta}, \hat{\tau})$

Estimate particular values of estimators that are realized in a given sample

Example:

- What's the average weight of newborns?
 - » Population mean (estimand)
 - » Sample mean (estimator)
 - » 7.5lb (estimate)
- Board?

Estimand parameters that we aim to estimate, often written with greek letters (μ, β, τ)

Estimator rules for calculating an estimate; function of the observed sample data; used to learn about estimands $(\hat{\beta}, \hat{\tau})$

Estimate particular values of estimators that are realized in a given sample

Example:

- What's the average weight of newborns?
 - » Population mean (estimand)
 - » Sample mean (estimator)
 - » 7.5lb (estimate)
- Board?

Estimand parameters that we aim to estimate, often written with greek letters (μ, β, τ)

Estimator rules for calculating an estimate; function of the observed sample data; used to learn about estimands $(\hat{\beta}, \hat{\tau})$

Estimate particular values of estimators that are realized in a given sample

Example:

- What's the average weight of newborns?
 - » Population mean (estimand)
 - » Sample mean (estimator)
 - » 7.5lb (estimate)
- Board?

Estimand parameters that we aim to estimate, often written with greek letters (μ, β, τ)

Estimator rules for calculating an estimate; function of the observed sample data; used to learn about estimands $(\hat{\beta}, \hat{\tau})$

Estimate particular values of estimators that are realized in a given sample

Example:

- What's the average weight of newborns?
 - » Population mean (estimand)
 - » Sample mean (estimator)
 - » 7.5lb (estimate)
- Board?

Estimand parameters that we aim to estimate, often written with greek letters (μ, β, τ)

Estimator rules for calculating an estimate; function of the observed sample data; used to learn about estimands $(\hat{\beta}, \hat{\tau})$

Estimate particular values of estimators that are realized in a given sample

Example:

- What's the average weight of newborns?
 - » Population mean (estimand)
 - » Sample mean (estimator)
 - » 7.5lb (estimate)
- Board?

Estimand parameters that we aim to estimate, often written with greek letters (μ, β, τ)

Estimator rules for calculating an estimate; function of the observed sample data; used to learn about estimands $(\hat{\beta}, \hat{\tau})$

Estimate particular values of estimators that are realized in a given sample

Example:

- What's the average weight of newborns?
 - » Population mean (estimand)
 - » Sample mean (estimator)
 - » 7.5lb (estimate)
- Board?

Estimand parameters that we aim to estimate, often written with greek letters (μ, β, τ)

Estimator rules for calculating an estimate; function of the observed sample data; used to learn about estimands $(\hat{\beta}, \hat{\tau})$

Estimate particular values of estimators that are realized in a given sample

Example:

- What's the average weight of newborns?
 - » Population mean (estimand)
 - » Sample mean (estimator)
 - » 7.5lb (estimate)
- Board?

Estimand parameters that we aim to estimate, often written with greek letters (μ, β, τ)

Estimator rules for calculating an estimate; function of the observed sample data; used to learn about estimands $(\hat{\beta}, \hat{\tau})$

Estimate particular values of estimators that are realized in a given sample

Example:

- What's the average weight of newborns?
 - » Population mean (estimand)
 - » Sample mean (estimator)
 - » 7.5lb (estimate)
- Board?

Estimand parameters that we aim to estimate, often written with greek letters (μ, β, τ)

Estimator rules for calculating an estimate; function of the observed sample data; used to learn about estimands $(\hat{\beta}, \hat{\tau})$

Estimate particular values of estimators that are realized in a given sample

Example:

- What's the average weight of newborns?
 - » Population mean (estimand)
 - » Sample mean (estimator)
 - » 7.5lb (estimate)
- Board?

An important parameter, or **estimand** is the **average treatment effect (ATE)**

- Why is it important, interesting, useful, etc?
- Can you think of other estimands we might want to use instead?
- In terms of potential outcomes:

$$ATE = \frac{1}{N} \sum_{i=1}^{N} \tau_{i}$$

$$= \frac{1}{N} \sum_{i=1}^{N} [Y_{i}(1) - Y_{i}(0)]$$

$$= \frac{1}{N} \sum_{i=1}^{N} Y_{i}(1) - \frac{1}{N} \sum_{i=1}^{N} Y_{i}(0)$$

An important parameter, or **estimand** is the **average treatment effect (ATE)**

- Why is it important, interesting, useful, etc?
- Can you think of other estimands we might want to use instead?
- In terms of potential outcomes:

$$ATE = \frac{1}{N} \sum_{i=1}^{N} \tau_{i}$$

$$= \frac{1}{N} \sum_{i=1}^{N} [Y_{i}(1) - Y_{i}(0)]$$

$$= \frac{1}{N} \sum_{i=1}^{N} Y_{i}(1) - \frac{1}{N} \sum_{i=1}^{N} Y_{i}(0)$$

An important parameter, or **estimand** is the **average treatment effect (ATE)**

- Why is it important, interesting, useful, etc?
- Can you think of other estimands we might want to use instead?
- In terms of potential outcomes:

$$ATE = \frac{1}{N} \sum_{i=1}^{N} \tau_{i}$$

$$= \frac{1}{N} \sum_{i=1}^{N} [Y_{i}(1) - Y_{i}(0)]$$

$$= \frac{1}{N} \sum_{i=1}^{N} Y_{i}(1) - \frac{1}{N} \sum_{i=1}^{N} Y_{i}(0)$$

An important parameter, or **estimand** is the **average treatment effect (ATE)**

- Why is it important, interesting, useful, etc?
- Can you think of other estimands we might want to use instead?
- In terms of potential outcomes:

$$ATE = \frac{1}{N} \sum_{i=1}^{N} \tau_{i}$$

$$= \frac{1}{N} \sum_{i=1}^{N} [Y_{i}(1) - Y_{i}(0)]$$

$$= \frac{1}{N} \sum_{i=1}^{N} Y_{i}(1) - \frac{1}{N} \sum_{i=1}^{N} Y_{i}(0)$$

An important parameter, or **estimand** is the **average treatment effect (ATE)**

- Why is it important, interesting, useful, etc?
- Can you think of other estimands we might want to use instead?
- In terms of potential outcomes:

$$ATE = \frac{1}{N} \sum_{i=1}^{N} \tau_i$$

$$= \frac{1}{N} \sum_{i=1}^{N} [Y_i(1) - Y_i(0)]$$

$$= \frac{1}{N} \sum_{i=1}^{N} Y_i(1) - \frac{1}{N} \sum_{i=1}^{N} Y_i(0)$$

ATE as our estimand

- We can't observe the ATE (or any other estimand)... we need an estimator
- How do we estimate it? You already know the answer!
 - » The rest of class is proving it's a *good* estimator.

ATE as our estimand

- We can't observe the ATE (or any other estimand)... we need an estimator
- How do we estimate it? You already know the answer!
 - » The rest of class is proving it's a good estimator.

ATE as our estimand

- We can't observe the ATE (or any other estimand)... we need an estimator
- How do we estimate it? You already know the answer!
 - » The rest of class is proving it's a good estimator.

An aside on expectations

- Establish estimand, or population parameter of interest
 - » ATE
- Draw a random sample
 - » selection procedure for inclusion in sample
 - » each unit in population equally likely to be included
 - » randomly assign units to treatment and control; observe one potential outcome
- Potential outcomes vary for each unit, so our estimate of ATE will vary across samples
 - » this means ATE is a random variable
 - expected value is average outcome of a random variable
 - important for discussion of DIM as a good estimator of ATE

- Establish estimand, or population parameter of interest
 - » ATE
- Draw a random sample
 - » selection procedure for inclusion in sample
 - » each unit in population equally likely to be included
 - » randomly assign units to treatment and control; observe one potential outcome
- Potential outcomes vary for each unit, so our estimate of ATE will vary across samples
 - » this means ATE is a random variable
 - expected value is average outcome of a random variable
 - important for discussion of DIM as a good estimator of ATE

- Establish estimand, or population parameter of interest
 ATE
- Draw a random sample
 - » selection procedure for inclusion in sample
 - » each unit in population equally likely to be included
 - » randomly assign units to treatment and control; observe one potential outcome
- Potential outcomes vary for each unit, so our estimate of ATE will vary across samples
 - » this means ATE is a random variable
 - expected value is average outcome of a random variable
 - important for discussion of DIM as a good estimator of ATE

- Establish estimand, or population parameter of interest
 ATE
- Draw a random sample
 - » selection procedure for inclusion in sample
 - » each unit in population equally likely to be included
 - » randomly assign units to treatment and control; observe one potential outcome
- Potential outcomes vary for each unit, so our estimate of ATE will vary across samples
 - » this means ATE is a random variable
 - expected value is average outcome of a random variable
 - important for discussion of DIM as a good estimator of ATE

- Establish estimand, or population parameter of interest
 ATE
- Draw a random sample
 - » selection procedure for inclusion in sample
 - » each unit in population equally likely to be included
 - » randomly assign units to treatment and control; observe one potential outcome
- Potential outcomes vary for each unit, so our estimate of ATE will vary across samples
 - » this means ATE is a random variable
 - expected value is average outcome of a random variable
 - important for discussion of DIM as a good estimator of ATE

- Establish estimand, or population parameter of interest
 - » ATE
- Draw a random sample
 - » selection procedure for inclusion in sample
 - » each unit in population equally likely to be included
 - » randomly assign units to treatment and control; observe one potential outcome
- Potential outcomes vary for each unit, so our estimate of ATE will vary across samples
 - » this means ATE is a random variable
 - expected value is average outcome of a random variable
 - important for discussion of DIM as a good estimator of ATE

- Establish estimand, or population parameter of interest
 - » ATE
- Draw a random sample
 - » selection procedure for inclusion in sample
 - » each unit in population equally likely to be included
 - » randomly assign units to treatment and control; observe one potential outcome
- Potential outcomes vary for each unit, so our estimate of ATE will vary across samples
 - this means ATE is a random variable
 - expected value is average outcome of a random variable
 - important for discussion of DIM as a good estimator of ATE

- Establish estimand, or population parameter of interest
 - » ATE
- Draw a random sample
 - » selection procedure for inclusion in sample
 - » each unit in population equally likely to be included
 - » randomly assign units to treatment and control; observe one potential outcome
- Potential outcomes vary for each unit, so our estimate of ATE will vary across samples
 - » this means ATE is a random variable
 - expected value is average outcome of a random variable
 - important for discussion of DIM as a good estimator of ATE

- Establish estimand, or population parameter of interest
 - » ATE
- Draw a random sample
 - » selection procedure for inclusion in sample
 - » each unit in population equally likely to be included
 - » randomly assign units to treatment and control; observe one potential outcome
- Potential outcomes vary for each unit, so our estimate of ATE will vary across samples
 - » this means ATE is a random variable
 - expected value is average outcome of a random variable
 - important for discussion of DIM as a good estimator of ATE

- Establish estimand, or population parameter of interest
 - » ATE
- Draw a random sample
 - » selection procedure for inclusion in sample
 - » each unit in population equally likely to be included
 - » randomly assign units to treatment and control; observe one potential outcome
- Potential outcomes vary for each unit, so our estimate of ATE will vary across samples
 - » this means ATE is a random variable
 - expected value is average outcome of a random variable
 - important for discussion of DIM as a good estimator of ATE

Expectations

How should we think about expectations in terms of experiments?

Recall the definition of expectation $E[X] = \sum x Pr[X = x]$

What is the expected value of random variable τ_i in Table 2.1? Board?

Village	
1	5
2	
3	10
4	-5
5	10
7	15

Expectations

How should we think about expectations in terms of experiments?

Recall the definition of expectation
$$E[X] = \sum x Pr[X = x]$$

What is the expected value of random variable τ_i in Table 2.1? Board?

Village	
1	5
2	
3	10
4	-5
5	10
7	15

Expectations

How should we think about expectations in terms of experiments?

Recall the definition of expectation $E[X] = \sum xPr[X = x]$

What is the expected value of random variable τ_i in Table 2.1? Board?

Village	$ au_i$
1	5
2	0
3	10
4	-5
5	10
6	0
7	15

Notation and interpretation

$$E[Y_i(0)]$$

– "expected value of $Y_i(0)$ when one subject sampled at random"

 $Y_i(0)$

- value for subject i; fixed and not random

Notation and interpretation

$$E[Y_i(0)]$$

– "expected value of $Y_i(0)$ when one subject sampled at random"

$Y_i(0)$

value for subject i; fixed and not random

$$E[Y|X = x] = \sum y Pr[Y = y|X = x] = \sum y \frac{Pr[Y = y|X = x]}{Pr[X = x]}$$

- Now, we're after the expected value of the random variable Y given a certain condition occurs (X = x)
- Today, we're interested in conditional expectations like
 - » $E[Y_i(1)|D_i=0]$
 - $E[Y_i(0)|D_i=0]$
 - » $E[Y_i(1)|D_i = 1]$
 - $E[Y_i(0)|D_i=1]$
 - » how do we interpret each of these?

$$E[Y|X = x] = \sum y Pr[Y = y|X = x] = \sum y \frac{Pr[Y = y|X = x]}{Pr[X = x]}$$

- Now, we're after the expected value of the random variable Y given a certain condition occurs (X = x)
- Today, we're interested in conditional expectations like
 - » $E[Y_i(1)|D_i=0]$
 - » $E[Y_i(0)|D_i=0]$
 - $E[Y_i(1)|D_i=1]$
 - » $E[Y_i(0)|D_i=1]$
 - » how do we interpret each of these?

$$E[Y|X = x] = \sum y Pr[Y = y|X = x] = \sum y \frac{Pr[Y = y|X = x]}{Pr[X = x]}$$

- Now, we're after the expected value of the random variable Y given a certain condition occurs (X = x)
- Today, we're interested in conditional expectations like
 - » $E[Y_i(1)|D_i=0]$
 - » $E[Y_i(0)|D_i=0]$
 - » $E[Y_i(1)|D_i=1]$
 - » $E[Y_i(0)|D_i=1]$
 - » how do we interpret each of these?

$$E[Y|X = x] = \sum y Pr[Y = y|X = x] = \sum y \frac{Pr[Y = y|X = x]}{Pr[X = x]}$$

- Now, we're after the expected value of the random variable Y given a certain condition occurs (X = x)
- Today, we're interested in conditional expectations like
 - » $E[Y_i(1)|D_i=0]$
 - $E[Y_i(0)|D_i=0]$
 - » $E[Y_i(1)|D_i=1]$
 - » $E[Y_i(0)|D_i=1]$
 - » how do we interpret each of these

$$E[Y|X = x] = \sum y Pr[Y = y|X = x] = \sum y \frac{Pr[Y = y|X = x]}{Pr[X = x]}$$

- Now, we're after the expected value of the random variable Y given a certain condition occurs (X = x)
- Today, we're interested in conditional expectations like
 - » $E[Y_i(1)|D_i=0]$
 - » $E[Y_i(0)|D_i=0]$
 - $E[Y_i(1)|D_i=1]$
 - $E[Y_i(0)|D_i=1]$
 - » how do we interpret each of these

$$E[Y|X = x] = \sum y Pr[Y = y|X = x] = \sum y \frac{Pr[Y = y|X = x]}{Pr[X = x]}$$

- Now, we're after the expected value of the random variable Y given a certain condition occurs (X = x)
- Today, we're interested in conditional expectations like
 - » $E[Y_i(1)|D_i=0]$
 - » $E[Y_i(0)|D_i=0]$
 - » $E[Y_i(1)|D_i=1]$
 - » $E[Y_i(0)|D_i=1]$
 - » how do we interpret each of these

$$E[Y|X = x] = \sum y Pr[Y = y|X = x] = \sum y \frac{Pr[Y = y|X = x]}{Pr[X = x]}$$

- Now, we're after the expected value of the random variable Y given a certain condition occurs (X = x)
- Today, we're interested in conditional expectations like
 - » $E[Y_i(1)|D_i=0]$
 - » $E[Y_i(0)|D_i=0]$
 - » $E[Y_i(1)|D_i=1]$
 - » $E[Y_i(0)|D_i=1]$
 - » how do we interpret each of these?

$$E[Y|X = x] = \sum y Pr[Y = y|X = x] = \sum y \frac{Pr[Y = y|X = x]}{Pr[X = x]}$$

- Now, we're after the expected value of the random variable Y given a certain condition occurs (X = x)
- Today, we're interested in conditional expectations like
 - » $E[Y_i(1)|D_i=0]$
 - » $E[Y_i(0)|D_i=0]$
 - » $E[Y_i(1)|D_i=1]$
 - » $E[Y_i(0)|D_i=1]$
 - » how do we interpret each of these?

(This is an important slide! pg. 33 of GG)

Under what conditions is this true?

$$E[Y_i(1)|D_i = 1] = E[Y_i(1)]$$

Is this true, too?

$$E[Y_i(1)|D_i=0]=E[Y_i(1)]$$

What about this?

$$E[Y_i(1)|D_i=1] = E[Y_i(1)|D_i=0]$$

(This is an important slide! pg. 33 of GG)

Under what conditions is this true?

$$E[Y_i(1)|D_i=1] = E[Y_i(1)]$$

Is this true, too?

$$E[Y_i(1)|D_i=0] = E[Y_i(1)]$$

What about this?

$$E[Y_i(1)|D_i=1] = E[Y_i(1)|D_i=0]$$

(This is an important slide! pg. 33 of GG)

Under what conditions is this true?

$$E[Y_i(1)|D_i=1] = E[Y_i(1)]$$

Is this true, too?

$$E[Y_i(1)|D_i=0] = E[Y_i(1)]$$

What about this?

$$E[Y_i(1)|D_i=1] = E[Y_i(1)|D_i=0]$$

(This is an important slide! pg. 33 of GG)

Under what conditions is this true?

$$E[Y_i(1)|D_i=1] = E[Y_i(1)]$$

Is this true, too?

$$E[Y_i(1)|D_i=0]=E[Y_i(1)]$$

What about this?

$$E[Y_i(1)|D_i=1] = E[Y_i(1)|D_i=0]$$

(This is an important slide! pg. 33 of GG)

Under what conditions is this true?

$$E[Y_i(1)|D_i=1] = E[Y_i(1)]$$

Is this true, too?

$$E[Y_i(1)|D_i=0]=E[Y_i(1)]$$

What about this?

$$E[Y_i(1)|D_i=1] = E[Y_i(1)|D_i=0]$$

Expected potential outcomes and the ATE

When one subject sampled at random, what is the expected value of their treatment effect?

$$E[Y_i(1) - Y_i(0)] = E[Y_i(1)] - E[Y_i(0)]$$

$$= \frac{1}{N} \sum_{i=1}^{N} Y_i(1) - \frac{1}{N} \sum_{i=1}^{N} Y_i(0)$$

$$= \frac{1}{N} \sum_{i=1}^{N} [Y_i(1) - Y_i(0)]$$

$$= ATE$$

- Recall, the ATE is our estimand
- Next we want an **estimator** s.t. $E[A\hat{T}E] = ATE$. Why

Expected potential outcomes and the ATE

When one subject sampled at random, what is the expected value of their treatment effect?

$$E[Y_i(1) - Y_i(0)] = E[Y_i(1)] - E[Y_i(0)]$$

$$= \frac{1}{N} \sum_{i=1}^{N} Y_i(1) - \frac{1}{N} \sum_{i=1}^{N} Y_i(0)$$

$$= \frac{1}{N} \sum_{i=1}^{N} [Y_i(1) - Y_i(0)]$$

$$= ATE$$

- Recall, the ATE is our estimand
- Next we want an **estimator** s.t. $E[A\hat{T}E] = ATE$. Why?

Expected potential outcomes and the ATE

When one subject sampled at random, what is the expected value of their treatment effect?

$$E[Y_i(1) - Y_i(0)] = E[Y_i(1)] - E[Y_i(0)]$$

$$= \frac{1}{N} \sum_{i=1}^{N} Y_i(1) - \frac{1}{N} \sum_{i=1}^{N} Y_i(0)$$

$$= \frac{1}{N} \sum_{i=1}^{N} [Y_i(1) - Y_i(0)]$$

$$= ATE$$

- Recall, the ATE is our estimand
- Next we want an **estimator** s.t. $E[A\hat{T}E] = ATE$. Why?

Estimating the ATE

- Randomize D_i with probability p
 - » first m units assigned to treatment
 - » remaining N-m units assigned to control
- Assume two potential outcomes $Y_i(1), Y_i(0)$
 - » (more on this later)
- Observed outcome is Y

- Randomize D_i with probability p
 - » first *m* units assigned to treatment
 - » remaining N-m units assigned to control
- Assume two potential outcomes $Y_i(1), Y_i(0)$
 - » (more on this later)
- Observed outcome is Y_i

- Randomize D_i with probability p
 - » first *m* units assigned to treatment
 - » remaining N-m units assigned to control
- Assume two potential outcomes $Y_i(1), Y_i(0)$
 - » (more on this later)
- Observed outcome is Y_i

- Randomize D_i with probability p
 - » first *m* units assigned to treatment
 - » remaining N-m units assigned to control
- Assume two potential outcomes $Y_i(1), Y_i(0)$
 - » (more on this later)
- Observed outcome is Y_i

- Randomize D_i with probability p
 - » first *m* units assigned to treatment
 - » remaining N-m units assigned to control
- Assume two potential outcomes $Y_i(1), Y_i(0)$
 - » (more on this later)
- Observed outcome is Y_i

- Randomize D_i with probability p
 - » first m units assigned to treatment
 - » remaining N-m units assigned to control
- Assume two potential outcomes $Y_i(1), Y_i(0)$
 - » (more on this later)
- Observed outcome is Y_i

2. Estimator

How do we write the DIM estimator? Struggle with it for a minute.

$$\hat{ATE} = ???$$

Then, let's prove E[ATE] = ATE under certain assumptions

2. Estimator

How do we write the DIM estimator? Struggle with it for a minute.

$$\hat{ATE} = ???$$

Then, let's prove $E[A\hat{T}E] = ATE$ under certain assumptions

Technical details on random assignment

- Beware "random" being using to mean abritrary or haphazard—not here!
- Random assignment procedures:
 - » Simple random assignment
 - Ex: Flip a coin for each unit
 - » Complete random assignment
 - Ex: Randomly permute N units, assign first m units to treatment and N - m to control
- Usually, we'll use computational tools to accomplish random assignment, unless you're limited in the field
- Ensures treatment assignment is statistically independent of all observed and unobserved covariates

$$Y_i(0), Y_i(1), \mathbf{X} \perp \!\!\!\perp D_i$$

- Beware "random" being using to mean abritrary or haphazard—not here!
- Random assignment procedures:
 - » Simple random assignment
 - Ex: Flip a coin for each unit
 - » Complete random assignment
 - Ex: Randomly permute N units, assign first m units to treatment and N - m to control
- Usually, we'll use computational tools to accomplish random assignment, unless you're limited in the field
- Ensures treatment assignment is statistically independent of all observed and unobserved covariates

$$Y_i(0), Y_i(1), \mathbf{X} \perp \!\!\!\perp D_i$$

- Beware "random" being using to mean abritrary or haphazard—not here!
- Random assignment procedures:
 - » Simple random assignment
 - Ex: Flip a coin for each unit
 - » Complete random assignment
 - Ex: Randomly permute N units, assign first m units to treatment and N - m to control
- Usually, we'll use computational tools to accomplish random assignment, unless you're limited in the field
- Ensures treatment assignment is statistically independent of all observed and unobserved covariates

$$Y_i(0), Y_i(1), \mathbf{X} \perp \!\!\!\perp D_i$$

- Beware "random" being using to mean abritrary or haphazard—not here!
- Random assignment procedures:
 - » Simple random assignment
 - Ex: Flip a coin for each unit
 - » Complete random assignment
 - Ex: Randomly permute N units, assign first m units to treatment and N - m to control
- Usually, we'll use computational tools to accomplish random assignment, unless you're limited in the field
- Ensures treatment assignment is statistically independent of all observed and unobserved covariates

$$Y_i(0), Y_i(1), \mathbf{X} \perp \!\!\!\perp D_i$$

- Beware "random" being using to mean abritrary or haphazard—not here!
- Random assignment procedures:
 - » Simple random assignment
 - Ex: Flip a coin for each unit
 - » Complete random assignment
 - Ex: Randomly permute N units, assign first m units to treatment and N - m to control
- Usually, we'll use computational tools to accomplish random assignment, unless you're limited in the field
- Ensures treatment assignment is statistically independent of all observed and unobserved covariates

$$Y_i(0), Y_i(1), \mathbf{X} \perp \!\!\!\perp D_i$$

- Beware "random" being using to mean abritrary or haphazard—not here!
- Random assignment procedures:
 - » Simple random assignment
 - Ex: Flip a coin for each unit
 - » Complete random assignment
 - Ex: Randomly permute N units, assign first m units to treatment and N - m to control
- Usually, we'll use computational tools to accomplish random assignment, unless you're limited in the field
- Ensures treatment assignment is statistically independent of all observed and unobserved covariates

$$Y_i(0), Y_i(1), \mathbf{X} \perp \!\!\!\perp D_i$$

In practice

- Beware "random" being using to mean abritrary or haphazard—not here!
- Random assignment procedures:
 - » Simple random assignment
 - Ex: Flip a coin for each unit
 - » Complete random assignment
 - Ex: Randomly permute N units, assign first m units to treatment and N - m to control
- Usually, we'll use computational tools to accomplish random assignment, unless you're limited in the field
- Ensures treatment assignment is statistically independent of all observed and unobserved covariates

$$Y_i(0), Y_i(1), \mathbf{X} \perp \!\!\!\perp D_i$$

In practice

- Beware "random" being using to mean abritrary or haphazard—not here!
- Random assignment procedures:
 - » Simple random assignment
 - Ex: Flip a coin for each unit
 - » Complete random assignment
 - Ex: Randomly permute N units, assign first m units to treatment and N - m to control
- Usually, we'll use computational tools to accomplish random assignment, unless you're limited in the field
- Ensures treatment assignment is statistically independent of all observed and unobserved covariates

$$Y_i(0), Y_i(1), \mathbf{X} \perp \!\!\!\perp D_i$$

In practice

- Beware "random" being using to mean abritrary or haphazard—not here!
- Random assignment procedures:
 - » Simple random assignment
 - Ex: Flip a coin for each unit
 - » Complete random assignment
 - Ex: Randomly permute N units, assign first m units to treatment and N - m to control
- Usually, we'll use computational tools to accomplish random assignment, unless you're limited in the field
- Ensures treatment assignment is statistically independent of all observed and unobserved covariates

$$Y_i(0), Y_i(1), \mathbf{X} \perp \!\!\! \perp D_i$$

- Without random assignment, we have no idea if covariates (observed and unobserved) that explain the outcome are independent of treatment assignment.
 - » (Recall, we need to assume random assignment for DIM to be unbiased estimator of ATE!)
 - » Receiving treatment may be systematically related to potential outcomes
 - » Examples?
- Potential homework problem

- Without random assignment, we have no idea if covariates (observed and unobserved) that explain the outcome are independent of treatment assignment.
 - » (Recall, we need to assume random assignment for DIM to be unbiased estimator of ATE!)
 - » Receiving treatment may be systematically related to potential outcomes
 - » Examples?
- Potential homework problem

- Without random assignment, we have no idea if covariates (observed and unobserved) that explain the outcome are independent of treatment assignment.
 - » (Recall, we need to assume random assignment for DIM to be unbiased estimator of ATE!)
 - » Receiving treatment may be systematically related to potential outcomes
 - » Examples?
- Potential homework problem

- Without random assignment, we have no idea if covariates (observed and unobserved) that explain the outcome are independent of treatment assignment.
 - » (Recall, we need to assume random assignment for DIM to be unbiased estimator of ATE!)
 - » Receiving treatment may be systematically related to potential outcomes
 - » Examples?
- Potential homework problem

Assumptions we're making about potential outcomes

Experiments provide unbiased estimates of the average treatment effect (ATE) under the following assumptions:

- 1. Random assignment
- 2. Excludability treatment is solely responsible for the outcome
- Non-interference (aka SUTVA) potential outcomes are defined over the set of treatments that subject itself receives

- Important to be clear about the causal effect of interest and assess assumptions in light of how the causal effect is defined.
- Example: effect of new vaccine on contagious disease
 - » Do we want to know effectiveness on just person i?
 - » Is the correct comparison to no vaccine or status quo vaccine?
 - » Do we want to know effectiveness in terms of public health?

Experiments provide unbiased estimates of the average treatment effect (ATE) under the following assumptions:

1. Random assignment

- 2. Excludability treatment is solely responsible for the outcome
- Non-interference (aka SUTVA) potential outcomes are defined over the set of treatments that subject itself receives

- Important to be clear about the causal effect of interest and assess assumptions in light of how the causal effect is defined.
- Example: effect of new vaccine on contagious disease
 - » Do we want to know effectiveness on just person i?
 - » Is the correct comparison to no vaccine or status quo vaccine?
 - » Do we want to know effectiveness in terms of public health?

Experiments provide unbiased estimates of the average treatment effect (ATE) under the following assumptions:

- 1. Random assignment
- 2. Excludability treatment is solely responsible for the outcome
- Non-interference (aka SUTVA) potential outcomes are defined over the set of treatments that subject itself receives

- Important to be clear about the causal effect of interest and assess assumptions in light of how the causal effect is defined.
- Example: effect of new vaccine on contagious disease
 - » Do we want to know effectiveness on just person i?
 - » Is the correct comparison to no vaccine or status quo vaccine?
 - » Do we want to know effectiveness in terms of public health?

Experiments provide unbiased estimates of the average treatment effect (ATE) under the following assumptions:

- 1. Random assignment
- 2. Excludability treatment is solely responsible for the outcome
- 3. **Non-interference (aka SUTVA)** potential outcomes are defined over the set of treatments that subject *itself* receives

- Important to be clear about the causal effect of interest and assess assumptions in light of how the causal effect is defined.
- Example: effect of new vaccine on contagious disease
 - » Do we want to know effectiveness on just person i?
 - » Is the correct comparison to no vaccine or status quo vaccine?
 - » Do we want to know effectiveness in terms of public health?

Experiments provide unbiased estimates of the average treatment effect (ATE) under the following assumptions:

- 1. Random assignment
- 2. Excludability treatment is solely responsible for the outcome
- 3. **Non-interference (aka SUTVA)** potential outcomes are defined over the set of treatments that subject *itself* receives

- Important to be clear about the causal effect of interest and assess assumptions in light of how the causal effect is defined
- Example: effect of new vaccine on contagious disease
 - » Do we want to know effectiveness on just person i?
 - » Is the correct comparison to no vaccine or status quo vaccine?
 - » Do we want to know effectiveness in terms of public health?

Experiments provide unbiased estimates of the average treatment effect (ATE) under the following assumptions:

- 1. Random assignment
- 2. Excludability treatment is solely responsible for the outcome
- 3. **Non-interference (aka SUTVA)** potential outcomes are defined over the set of treatments that subject *itself* receives

- Important to be clear about the causal effect of interest and assess assumptions in light of how the causal effect is defined.
- Example: effect of new vaccine on contagious disease
 - » Do we want to know effectiveness on just person i?
 - » Is the correct comparison to no vaccine or status quo vaccine?
 - » Do we want to know effectiveness in terms of public health?

Experiments provide unbiased estimates of the average treatment effect (ATE) under the following assumptions:

- 1. Random assignment
- 2. Excludability treatment is solely responsible for the outcome
- Non-interference (aka SUTVA) potential outcomes are defined over the set of treatments that subject itself receives

- Important to be clear about the causal effect of interest and assess assumptions in light of how the causal effect is defined.
- Example: effect of new vaccine on contagious disease
 - » Do we want to know effectiveness on just person i?
 - » Is the correct comparison to no vaccine or status quo vaccine?
 - » Do we want to know effectiveness in terms of public health?

Experiments provide unbiased estimates of the average treatment effect (ATE) under the following assumptions:

- 1. Random assignment
- 2. Excludability treatment is solely responsible for the outcome
- Non-interference (aka SUTVA) potential outcomes are defined over the set of treatments that subject itself receives

- Important to be clear about the causal effect of interest and assess assumptions in light of how the causal effect is defined.
- Example: effect of new vaccine on contagious disease
 - » Do we want to know effectiveness on just person i?
 - » Is the correct comparison to no vaccine or status quo vaccine?
 - » Do we want to know effectiveness in terms of public health?

Experiments provide unbiased estimates of the average treatment effect (ATE) under the following assumptions:

- 1. Random assignment
- 2. Excludability treatment is solely responsible for the outcome
- Non-interference (aka SUTVA) potential outcomes are defined over the set of treatments that subject itself receives

- Important to be clear about the causal effect of interest and assess assumptions in light of how the causal effect is defined.
- Example: effect of new vaccine on contagious disease
 - » Do we want to know effectiveness on just person i?
 - » Is the correct comparison to no vaccine or status quo vaccine?
 - » Do we want to know effectiveness in terms of public health?

Experiments provide unbiased estimates of the average treatment effect (ATE) under the following assumptions:

- 1. Random assignment
- 2. **Excludability** treatment is *solely* responsible for the outcome
- Non-interference (aka SUTVA) potential outcomes are defined over the set of treatments that subject itself receives

- Important to be clear about the causal effect of interest and assess assumptions in light of how the causal effect is defined.
- Example: effect of new vaccine on contagious disease
 - » Do we want to know effectiveness on just person i?
 - » Is the correct comparison to no vaccine or status quo vaccine?
 - » Do we want to know effectiveness in terms of public health?

- We are assuming random assignment does not set in motion causes of Y_i other than d_i
- Where? Defining only $Y_i(0)$ and $Y_i(1)$ implicitly assumes the only "causal agent" is the receipt of the treatment
 - » Ex: In a vaccine clinical trial, we must assume that the manipulation only affects illness through the effect of the vaccine. Jeopardized if the administrator gave extra encouragement for other precautions to treatment group while giving dose.
 - » What about if getting the vaccine (even if I didn't know it) caused me to stay at home for an extra few days because I felt icky \rightarrow less exposure than control?
- More specifically, we assume treatment (d_i) maps cleanly onto treatment assignment (z_i) so we can **exclude** z_i when stating potential outcomes
 - outcomes correspond to treatments, not treatment assignments

- We are assuming random assignment does not set in motion causes of Y_i other than d_i
- Where? Defining only $Y_i(0)$ and $Y_i(1)$ implicitly assumes the only "causal agent" is the receipt of the treatment
 - » Ex: In a vaccine clinical trial, we must assume that the manipulation only affects illness through the effect of the vaccine. Jeopardized if the administrator gave extra encouragement for other precautions to treatment group while giving dose.
 - » What about if getting the vaccine (even if I didn't know it) caused me to stay at home for an extra few days because I felt icky \rightarrow less exposure than control?
- More specifically, we assume treatment (d_i) maps cleanly onto treatment assignment (z_i) so we can **exclude** z_i when stating potential outcomes
 - » outcomes correspond to treatments, not treatment assignments

- We are assuming random assignment does not set in motion causes of Y_i other than d_i
- Where? Defining only $Y_i(0)$ and $Y_i(1)$ implicitly assumes the only "causal agent" is the receipt of the treatment
 - » Ex: In a vaccine clinical trial, we must assume that the manipulation only affects illness through the effect of the vaccine. Jeopardized if the administrator gave extra encouragement for other precautions to treatment group while giving dose.
 - » What about if getting the vaccine (even if I didn't know it) caused me to stay at home for an extra few days because I felt icky \rightarrow less exposure than control?
- More specifically, we assume treatment (d_i) maps cleanly onto treatment assignment (z_i) so we can **exclude** z_i when stating potential outcomes
 - outcomes correspond to treatments, not treatment assignments

- We are assuming random assignment does not set in motion causes of Y_i other than d_i
- Where? Defining only $Y_i(0)$ and $Y_i(1)$ implicitly assumes the only "causal agent" is the receipt of the treatment
 - » Ex: In a vaccine clinical trial, we must assume that the manipulation only affects illness through the effect of the vaccine. Jeopardized if the administrator gave extra encouragement for other precautions to treatment group while giving dose.
 - » What about if getting the vaccine (even if I didn't know it) caused me to stay at home for an extra few days because I felt icky \rightarrow less exposure than control?
- More specifically, we assume treatment (d_i) maps cleanly onto treatment assignment (z_i) so we can **exclude** z_i when stating potential outcomes
 - outcomes correspond to treatments, not treatment assignments

- We are assuming random assignment does not set in motion causes of Y_i other than d_i
- Where? Defining only $Y_i(0)$ and $Y_i(1)$ implicitly assumes the only "causal agent" is the receipt of the treatment
 - » Ex: In a vaccine clinical trial, we must assume that the manipulation only affects illness through the effect of the vaccine. Jeopardized if the administrator gave extra encouragement for other precautions to treatment group while giving dose.
 - » What about if getting the vaccine (even if I didn't know it) caused me to stay at home for an extra few days because I felt icky \rightarrow less exposure than control?
- More specifically, we assume treatment (d_i) maps cleanly onto treatment assignment (z_i) so we can **exclude** z_i when stating potential outcomes
 - » outcomes correspond to treatments, not treatment assignments

- We are assuming random assignment does not set in motion causes of Y_i other than d_i
- Where? Defining only $Y_i(0)$ and $Y_i(1)$ implicitly assumes the only "causal agent" is the receipt of the treatment
 - » Ex: In a vaccine clinical trial, we must assume that the manipulation only affects illness through the effect of the vaccine. Jeopardized if the administrator gave extra encouragement for other precautions to treatment group while giving dose.
 - » What about if getting the vaccine (even if I didn't know it) caused me to stay at home for an extra few days because I felt icky \rightarrow less exposure than control?
- More specifically, we assume treatment (d_i) maps cleanly onto treatment assignment (z_i) so we can **exclude** z_i when stating potential outcomes
 - » outcomes correspond to treatments, not treatment assignments

- Research activity should not be correlated with treatment assignment!
- Be careful to avoid measurement asymmetries
 - » Ex: different research teams measuring outcomes in control and treatment groups
 - » DIM estimator is biased if measurement errors have different expected values (see pg. 41 in GG)
- Safeguards
 - » double-blind
 - » parallelism in administration (same time, interviewers, questionnaires, etc.)
- Excludability concerns in your experiments

- Research activity should not be correlated with treatment assignment!
- Be careful to avoid measurement asymmetries
 - » Ex: different research teams measuring outcomes in control and treatment groups
 - » DIM estimator is biased if measurement errors have different expected values (see pg. 41 in GG)
- Safeguards
 - » double-blind
 - » parallelism in administration (same time, interviewers, questionnaires, etc.)
- Excludability concerns in your experiments

- Research activity should not be correlated with treatment assignment!
- Be careful to avoid measurement asymmetries
 - » Ex: different research teams measuring outcomes in control and treatment groups
 - » DIM estimator is biased if measurement errors have different expected values (see pg. 41 in GG)
- Safeguards
 - » double-blind
 - » parallelism in administration (same time, interviewers, questionnaires, etc.)
- Excludability concerns in your experiments

- Research activity should not be correlated with treatment assignment!
- Be careful to avoid measurement asymmetries
 - » Ex: different research teams measuring outcomes in control and treatment groups
 - » DIM estimator is biased if measurement errors have different expected values (see pg. 41 in GG)
- Safeguards
 - » double-blind
 - » parallelism in administration (same time, interviewers, questionnaires, etc.)
- Excludability concerns in your experiments

- Research activity should not be correlated with treatment assignment!
- Be careful to avoid measurement asymmetries
 - » Ex: different research teams measuring outcomes in control and treatment groups
 - » DIM estimator is biased if measurement errors have different expected values (see pg. 41 in GG)
- Safeguards:
 - » double-blind
 - » parallelism in administration (same time, interviewers, questionnaires, etc.)
- Excludability concerns in your experiments

- Research activity should not be correlated with treatment assignment!
- Be careful to avoid measurement asymmetries
 - » Ex: different research teams measuring outcomes in control and treatment groups
 - » DIM estimator is biased if measurement errors have different expected values (see pg. 41 in GG)
- Safeguards:
 - » double-blind
 - » parallelism in administration (same time, interviewers, questionnaires, etc.)
- Excludability concerns in your experiments

- Research activity should not be correlated with treatment assignment!
- Be careful to avoid measurement asymmetries
 - » Ex: different research teams measuring outcomes in control and treatment groups
 - » DIM estimator is biased if measurement errors have different expected values (see pg. 41 in GG)
- Safeguards:
 - » double-blind
 - » parallelism in administration (same time, interviewers, questionnaires, etc.)
- Excludability concerns in your experiments

- Research activity should not be correlated with treatment assignment!
- Be careful to avoid measurement asymmetries
 - » Ex: different research teams measuring outcomes in control and treatment groups
 - » DIM estimator is biased if measurement errors have different expected values (see pg. 41 in GG)
- Safeguards:
 - » double-blind
 - » parallelism in administration (same time, interviewers, questionnaires, etc.)
- Excludability concerns in your experiments?

- We're assuming potential outcomes depend only on if unit i is treated

$$Y_i(\mathbf{d}) = Y_i(d_1, d_2, ..., d_i, ..., d_n) = Y_i(d)$$

- Where? Again, by only defining $Y_i(0)$ and $Y_i(1)$
- Problems arise if one unit's treatment status affects another unit!
- Ex: We could write four potential outcomes per unit:
 - » $Y(d_i, d_5)$
 - d_i is a unit's own treatment assignment
 - d_i is treatment assignment of unit 5

Unit	$Y_i(0,0)$	$Y_{i}(0,1)$	$Y_i(1, 0)$	$Y_{i}(1,1)$
1	1	1	4	4
2	2	-1	6	

- We're assuming potential outcomes depend only on if unit i is treated

$$Y_i(\mathbf{d}) = Y_i(d_1, d_2, ..., d_i, ..., d_n) = Y_i(d)$$

- Where? Again, by only defining $Y_i(0)$ and $Y_i(1)$
- Problems arise if one unit's treatment status affects another unit!
- Ex: We could write four potential outcomes per unit:
 - $Y(d_i, d_5)$
 - d_i is a unit's own treatment assignment
 - d_i is treatment assignment of unit 5

Unit	$Y_i(0,0)$	$Y_{i}(0,1)$	$Y_i(1, 0)$	$Y_{i}(1,1)$
1	1	1	4	4
2	2	-1	6	

 We're assuming potential outcomes depend only on if unit i is treated

$$Y_i(\mathbf{d}) = Y_i(d_1, d_2, ..., d_i, ..., d_n) = Y_i(d)$$

- Where? Again, by only defining $Y_i(0)$ and $Y_i(1)$
- Problems arise if one unit's treatment status affects another unit!
- Ex: We could write four potential outcomes per unit:
 - $Y(d_i, d_5)$
 - d_i is a unit's own treatment assignment
 - d_i is treatment assignment of unit 5

Unit	$Y_i(0,0)$	$Y_{i}(0,1)$	$Y_i(1, 0)$	$Y_i(1,1)$
1	1	1	4	4
2	2	-1	6	

 We're assuming potential outcomes depend only on if unit i is treated

$$Y_i(\mathbf{d}) = Y_i(d_1, d_2, ..., d_i, ..., d_n) = Y_i(d)$$

- Where? Again, by only defining $Y_i(0)$ and $Y_i(1)$
- Problems arise if one unit's treatment status affects another unit!
- Ex: We could write four potential outcomes per unit:
 - $Y(d_i, d_5)$
 - d_i is a unit's own treatment assignment
 - d_i is treatment assignment of unit 5

Unit	$Y_i(0,0)$	$Y_{i}(0,1)$	$Y_i(1, 0)$	$Y_i(1, 1)$
1	1	1	4	4
2	2	-1	6	

$$Y_i(\mathbf{d}) = Y_i(d_1, d_2, ..., d_i, ..., d_n) = Y_i(d)$$

- Where? Again, by only defining $Y_i(0)$ and $Y_i(1)$
- Problems arise if one unit's treatment status affects another unit!
- Ex: We could write four potential outcomes per unit:
 - $Y(d_i, d_5)$
 - d_i is a unit's own treatment assignment
 - d_i is treatment assignment of unit 5

Unit	$Y_i(0,0)$	$Y_{i}(0,1)$	$Y_i(1, 0)$	$Y_i(1, 1)$
1	1	1	4	4
2	2	-1	6	

$$Y_i(\mathbf{d}) = Y_i(d_1, d_2, ..., d_i, ..., d_n) = Y_i(d)$$

- Where? Again, by only defining $Y_i(0)$ and $Y_i(1)$
- Problems arise if one unit's treatment status affects another unit!
- Ex: We could write four potential outcomes per unit:
 - » $Y(d_i, d_5)$
 - d_i is a unit's own treatment assignment
 - d_i is treatment assignment of unit 5

Unit	$Y_i(0,0)$	$Y_{i}(0,1)$	$Y_i(1, 0)$	$Y_i(1,1)$
1	1	1	4	4
2	2	-1	6	

$$Y_i(\mathbf{d}) = Y_i(d_1, d_2, ..., d_i, ..., d_n) = Y_i(d)$$

- Where? Again, by only defining $Y_i(0)$ and $Y_i(1)$
- Problems arise if one unit's treatment status affects another unit!
- Ex: We could write four potential outcomes per unit:
 - » $Y(d_i, d_5)$
 - d_i is a unit's own treatment assignment
 - d_j is treatment assignment of unit 5

Unit	$Y_i(0,0)$	$Y_{i}(0,1)$	$Y_i(1, 0)$	$Y_i(1, 1)$
1	1	1	4	4
2	2	-1	6	

$$Y_i(\mathbf{d}) = Y_i(d_1, d_2, ..., d_i, ..., d_n) = Y_i(d)$$

- Where? Again, by only defining $Y_i(0)$ and $Y_i(1)$
- Problems arise if one unit's treatment status affects another unit!
- Ex: We could write four potential outcomes per unit:
 - » $Y(d_i, d_5)$
 - d_i is a unit's own treatment assignment
 - d_i is treatment assignment of unit 5

Unit	$Y_i(0,0)$	$Y_{i}(0,1)$	$Y_i(1, 0)$	$Y_i(1, 1)$
1	1	1	4	4
2	2	-1	6	

$$Y_i(\mathbf{d}) = Y_i(d_1, d_2, ..., d_i, ..., d_n) = Y_i(d)$$

- Where? Again, by only defining $Y_i(0)$ and $Y_i(1)$
- Problems arise if one unit's treatment status affects another unit!
- Ex: We could write four potential outcomes per unit:
 - » $Y(d_i, d_5)$
 - d_i is a unit's own treatment assignment
 - d_i is treatment assignment of unit 5

Unit	$Y_i(0,0)$	$Y_i(0,1)$	$Y_i(1,0)$	$Y_i(1,1)$
1	1	1	4	4
2	2	-1	6	0

$$Y_i(\mathbf{d}) = Y_i(d_1, d_2, ..., d_i, ..., d_n) = Y_i(d)$$

- Where? Again, by only defining $Y_i(0)$ and $Y_i(1)$
- Problems arise if one unit's treatment status affects another unit!
- Ex: We could write four potential outcomes per unit:
 - » $Y(d_i, d_5)$
 - d_i is a unit's own treatment assignment
 - d_i is treatment assignment of unit 5

Unit	$Y_i(0,0)$	$Y_i(0,1)$	$Y_i(1,0)$	$Y_i(1,1)$
1	1	1	4	4
2	2	-1	6	0

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace frauc to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace frauc to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - geographic proximity
- We'll talk more about interference later in the semester

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraucto neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace frauc to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace frauc to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context.
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- Also called "spillovers"
- Violations:
 - » subjects are aware of treatments of other subjects
 - » treatments may be transmitted from treated to untreated subjects
 - » resources used to treat one set of subjects diminish resources that would otherwise be available to other subjects
- Examples from Alex Coppock's EGAP 10 Things to Know:
 - » providing an vaccine to some individuals may decrease the probability that nearby individuals become ill.
 - » increased enforcement may displace crime to nearby areas
 - » students may share aquired knowledge or skills with friends
 - » election monitoring at some polling stations may displace fraud to neighboring polling stations
- Be on the look out for networks in your context:
 - » face-to-face social interaction
 - » social networks
 - » geographic proximity
- We'll talk more about interference later in the semester
- Interference concerns in your experiments?

- We motivated the average treatment effect as an estimand.
- We proved that difference-in-means is an unbiased estimator of it.
 - » We talked about the critical role of randomization of treatment when estimating ATEs.
- We talked about excludability and noninterference as additiona assumptions underlying our conceptualization of potential outcomes.
- Biggest take away for you?

- We motivated the average treatment effect as an estimand.
- We proved that difference-in-means is an unbiased estimator of it.
 - » We talked about the critical role of randomization of treatment when estimating ATEs.
- We talked about excludability and noninterference as additiona assumptions underlying our conceptualization of potential outcomes.
- Biggest take away for you?

- We motivated the average treatment effect as an estimand.
- We proved that difference-in-means is an unbiased estimator of it.
 - » We talked about the critical role of randomization of treatment when estimating ATEs.
- We talked about excludability and noninterference as additiona assumptions underlying our conceptualization of potential outcomes.
- Biggest take away for you?

- We motivated the average treatment effect as an estimand.
- We proved that difference-in-means is an unbiased estimator of it.
 - » We talked about the critical role of randomization of treatment when estimating ATEs.
- We talked about excludability and noninterference as additional assumptions underlying our conceptualization of potential outcomes.
- Biggest take away for you?

- We motivated the average treatment effect as an estimand.
- We proved that difference-in-means is an unbiased estimator of it.
 - » We talked about the critical role of randomization of treatment when estimating ATEs.
- We talked about excludability and noninterference as additional assumptions underlying our conceptualization of potential outcomes.
- Biggest take away for you?